UNCLASSIFIED
AD NUMBER
ADB112640
LIMITATION CHANGES
TO: Approved for public release; distribution is unlimited.
FROM: Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 14 MAY 1986.

Administrative/Operational Use; 14 MAY 1986. Other requests shall be referred to Office of the Comptroller, Attn: NCDG-2, Rm 4C640 Pentagon, Washington, DC 20350.

#### **AUTHORITY**

NAVCOMP ltr, 25 Mar 1992

# DEPARTMENT OF THE NAVY THE SILE SEE SUPPORTING DATA FOR FISCAL YEARS 1988 AND 1989 BUDGET ESTIMATES DESCRIPTIVE SUMMARIES (U)



079

Other requests must be referred to: Department of the Navy, Office of the Comptroller (NCL3-2) DISTRIBUTION STATEMENT C: Distribution limited to U.S Gov't agencies and their contractors: Administrative/Operational Use, 14 May 86 Rm 4c640 Pentagon Washington, D.C. 20350

RESEARCH, DEVELOPMENT, TEST & EVALUATION, NAVY SUMMITTED TO CONGRESS JANUARY 1987

SITA-DA

BOOK 2 OF 3 BOOKS

TACTICAL PROGRAMS



2

## DEPARTMENT OF DEFENSE, MILITARY ROTRE, WAVY OWNENTS

MSOECTEL	PAGE NO.		- - 5 - 12	- 72	 88.5	110	126	- 143 - 143	- - - - - - - - - - - - - - - - - - -	- 162 - 174 - 180		- 184 - 187 - 192
· · · · · · · · · · · · · · · · · · ·												
SECTION I - DESCRIPTIVE SUMMARIES			University research initiatives In-House Incependent Laboratory Research————————————————————————————————————	Overview exploratory development program————————————————————————————————————	ELECTRONIC WARFARE TECHNOLOGY———————————————————————————————————	MARINE CORPS LANDING FORCE TECHNOLOGY———————————————————————————————————	J [ ]		MINE & SPECIAL WARFARE TECHNOLOGY———————————————————————————————————	NUCLEAR PROPULSION- OCEAN & ATMOSPIERIC SUPPORT TECHNOLOGY		AVIONICS————————————————————————————————————
	BUDGET ACTIVITY ELEMENT TITLE	TECHNOLOGY BASE	61103N 61152N 61153N	6.2 62111N	62113N 62121N 53133N	62131M 62131M	62233N	62314N	62323N	62324N 62435N 62936N	ADVANCED TECHNOLOGY DEVELOPMENT	6.2202N 6.2210N 6.221.7N

PAGE NO.	25 25 25 25 25 25 25 25 25 25 25 25 25 2	<b>8888888888888888888888888888888888888</b>
7 <u>d</u>	BLECTROMAGNETIC RADIATION SOURCE ELIMINATION TECHNOLOGY SHIP PROPULSION SYSTEM ELECTROMAGNETIC RADIATION SOURCE ELIMINATION TECHNOLOGY SHIP PROPULSION SYSTEM ELECTRIC DRIVE HIMAN FACTORS ENGINEERING MEDICAL DEVELOPMENT MANDUAR AND PERSONNEL SYSTEMS GENERIC LOGISTICS R&D TECHNOLOGY DEMONSTRATIONS GENERIC LOGISTICS R&D TECHNOLOGY DEMONSTRATIONS EDUCATION AND TRAINING EDUCATION AND TRAINING DEVICES MANY LOGISTIC PRODUCTIVITY ARIADNE ADVANCED ANTI-SUBMARINE WARFARE TECHNOLOGY ADVANCED TECHNOLOGY TRANSITION	FLEET BALLISTIC MISSILE SYSTEM— SSEN SECURITY TECHNOLOGY PROGRAM— TRIDENT I— EXTREMELY LOW FREQLENCY (ELF) COMMINICATIONS— NAVY STPATEGIC COMMINICATIONS— NAVAL SPACE SURVEILLANCE MINIMUM ESSENTIAL BREGENCY COMMINICATIONS NETWORK (MECCN)— MORLD—WIDE MILITARY COMMAND AND CONTROL SYSTEMS, INFORMATION SYSTEM— AIR DEFENSE INITIATIVE— TACTICAL SPACE OPERATIONS— SSEN SURVIVABILITY— MANCCS ARCHITECTURE SUPPORT— IRIDENT II— STRATEGIC TECHNICAL SUPPORT— STRATEGIC TECHNICAL SUPPORT—
BUDGET ACTIVITY ELEMENT TITLE	63268N 63503N 63503N 63703N 63707N 63720N 63733M 63733M 63747N 63743N	STRATEGIC PRG3RAMS 11224N 11224N 11228N 11401N 11402N 12427N 33131N 33152N 63451N 63588N 64363N 66363N

#### BLOGET ACTIVITY ELBYENT TITLE

TACTICAL PROGRAMS

		368
		7
24152N	EARLY WARNING AIRCRAFT SQUADRONS	器
		8
		\$
		8
		53
		17
		23
		8
		R
		8
		\$
		33
		2
		8
		69
		74
		8
		R
		8
		-
		534
		#
		8
		56
		7
		1
		88
		6
		8
		1
		14

618	623	929	929	641	5/9 6/5	699	799	0/9	929	989	769	769	703	711	717	721	723	728	04/	757	19/	762	763	191	774	775	08/	187	787		792	66/	8
					RABILITY	ILE SYSTEM		IR MISSILE			M)			MS		NSTEM		OPENT		EQUIPMENT PROGRAM			ARE (ASM)	***************************************	57:45 b 6 6 6 6 6 5 5 6 6 6 6 6 6 6 6 6 6 6				(ADVANCED)	MS (ADVANCED)			
AIRCRAFT SYSTEMSAIR ASH	V-22A	A-6F	AIRBORNE MINE COUNTERMEASURES	TACTICAL AIRBORNE RECONNAISSANCE	AIRCRAFT SURVIVABILITY AND VILNERABILITY	ADVANCED A/L AIR-TO-SURFACE MISS	IRR MAVERICK	ADVANCED AIR-TO-AIR/SURFACE-TO-4	NATO AND SYSTEMS	LOW COST ANTI-RADIATION SEEKER	ADVANCED AIR-TO-AIR MISSILE (AAA	BATTLE GROUP AAN COORDINATION	SURFACE MINE COUNTERMEASURES	ADVANCED SUBMARINE ASM DEVELOPME	SURFACE SHIP TORPEDO DEFENSE	SHIPBOARD INFORMATION TRANSFER SYSTEM-	CATAPULTS	SHIPBOARD SYSTEM COM CHENT DEVELOPMENT-	SHIP COMBAT SURVIVABILITY	SUBMARINE ARCTIC WARFARE SUPPORT EQUIPMENT PROGRAM-	PILOT FISH	RETRACT LARCH	NON ACCUSTIC ANTI-SUBMARINE WARFARE (ASM)-	ADVANCED ASM TARGET	RETRACT JUNIPER	RADIOLOGICAL CONTROL	LINK D004000	SURFACE ASM	SUBMARINE HULL ARRAY DEVELOPMENT (ADVANCED)-	SUBMARINE TACTICAL WARFARE SYSTEMS (ADVANCED)	SHIP DEVELOPMENT	SURFACE SHIP NAVIGATION SYSTEM-	ATTACY CIDAMDINE DON'T VONTA
63251N 63254N	63256N	63257N	63260N	63251N	63262N	63306N	63313N	63318N	63319N	63320N	6332 JN	63382N	63502N	635.04N	63506N	63509N	63512N	63513N	63514N	63522N	63625N	63527N	63528N	63529N	63536N	63542N	63650N	63553N	N09509	63562N	63564N	NS9589	KSKKON

RETRACT MAPLE-

Ψ	88
	\$ 8
	8
CHALK POINSETTIA	98
LINK EVERGREN	296
FIXED DISTRIBUTION SYSTEMS	88
EDITAL ACOUSTIC SUPPORT (AEAS)	226
	<del>8</del>
IONICS DEVELOPMENT	88
30 DPCVI	8
	86
MACHINE TO THE CONTRACT OF THE	1,016
AFT (ENGINEERING)	1,021
	000.1
	039
PARTICION DOLLAR	1,043
C ENCINEEDING	0.50
	36
THE INTERPOLATION OF THE PROPERTY OF THE PROPE	35
K-ONE AN FLIWIEK	7/0.1
ALSION (ENGINEERINS)	1,082
AREARE SIMILATOR DEVELOPMENT	1,086
	460,1
SHOOK (BIGINETRING)	1.104
	1,114
	1,122
ATTENDED THE CHANGE TO THE PROPERTY PROPERTY	130
IN COLUMN INTERNATION INCOME.	1,10
UNIROL SYSIEM UNGRADE.	1,140
IR DEFENSE	1,144
AT SYSTEM ENGINEERING	1,149
	1,210
ASM STANDOFF WEAPON (SEA LANCE)	1,211
	1.230
	-

#### BLOGET ACTIVITY ELEMENT TITLE

PAGE NO.

54353N		244
54354N		245
SA SESN		255
Nerse PS		36
SA361N		2,00
54366N		270
64367N	10M/WK	1,285
N69CM		1,38
54370N		1,314
54372N		1,328
54502N		1,336
54503N		342
54504N		38
54506N		1,354
VC024		350
SAGORA		38
54511N		₹ E
MITOK		
VC158	MM	1,3//
X516N	15266677774666676677777777777777777777777	8,
54518N		986,1
54524N		क्र.
34561N		1.425
54562N	NG)	1,455
NE954X		46.
N/9545		1.467
NE/248		1.474
S4574N		1.488
X4575N		1,497
X4578N		.508
54601N		5
X4602N		1,515
SAGOZN		6.24

88.69.6

581

&<u>``</u>&<u>``</u>&``

PAGE NO.

,610

8

<u>8</u>

8 8 B

250,

,657

88

88

1,687 1,693 1,694

ELDENT TITLE	PAG	PAGE NO.
33603N 34111N 64230N 64231N 64232N 64514N 64777N	MILSTAR SATELLITE COMMUNICATIONS SYSTEM— SPECIAL ACTIVITIES— WARFARE SUPPORT SYSTEM— TACTICAL COMMA,: SYSTEM— TACTICAL COMMA,: SYSTEMS— TRANSFER SUPPORT SYSTEMS— NAVIGATION SYSTEM (GPS)— NAVY COMMAND AND CONTROL TOP-LEVEL WARFARE REQUIREMENTS— NAVY COMMAND AND CONTROL TOP-LEVEL WARFARE REQUIREMENTS—	1,706 1,706 1,707 1,723 1,738 1,738 1,782 1,782
DEFENSE WIDE MISSION SUPPORT	+ SUPPORT	
35111N 35160N 63721N 63790N	WEATHER SERVICE.  DEFENSE METEOROLOGICAL SATELLITE PROGRAM.  ENVIRONMENTAL PROTECTION.  NATO RESEARCH AND DEVELOPMENT.  RANGE INCIDENT SYSTEMS DEVELOPMENT.	1,796 1,806 1,806 1,806 1,806
64218N 64258N		8,8,8
6515JM 66152N	STUDIES AND AWALYSIS SUPPORT, MARINE CORPS. STUDIES AND AWALYSIS SUPPORT, MAYOR CORPS.	8 28
65154N 65154N 65155N	MAKINE CLAPS UPENALIUNS ANALYSIS GROUP (MUMA), CENIEK FOR NAVAL ANALTZES	1,863 1,8663 1,866
651504 65804N	MARINE CORPS OPERATIONAL TEST AND EVALUATION————————————————————————————————————	1,870
196557N 65867N	INTERNATIONAL RESEARCH, DEVELOPMENT, TEST, AND EVALUATION	
65862N 65862N	RUTAL INSTRUMENTATION AND MATERIAL SUPPORT	
65865N	TEST AND EVALUATION SUPPORT	1,916

#### SECTION 11

CONSTRUCTION AT ROT&E,N FACILITIES:

MAJOR IMPROVEMENTS TO AND CONSTRUCTION OF GOVERNMENT -- OWNED FACILITIES FUNDED BY RDT&E, N NAVY MILITARY CONSTRUCTION PROJECT DATA

## FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 24134N

Title: A-6 Squadrons

Budget Activity: 4 - Tactical Programs PoD Mission Area: 232 - Amphibious, Strike, And Antisurface Warfare

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

€ %	FY 1986 Actual		FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional E. to Completion CC	Total Estimated Cost
	19	19,874 19,874	11,684	2,773	8,500	Continuing Cotinuing Cotinuing Co	Continuing Continuing

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

IC, Standoff Land Attack Missile (SLAM)) into the A-6 aircraft, including development of an integrated missile panel for common control for development associated with integration of a variety of standoff weapons (e.g., HARM, LASER MAVERICK, I2R MAVERICK, HARPOON carrier battle group and the survivability of the A-6 in the increasing Soviet surface-to-air and air-to-air threat. It provides autotracker will provide stabilized target tracking during combat maneuvering and will increase tracking accuracy over present manual tracking at the standoff ranges required for weapons integrated under this project. The above development efforts must be A-6E Analog Night Attack Navigation System (NANS) which permits low-altitude passive terrain following at night. A Forward Air Controller Target Data Communicator (FAC-TDC) will enable long-range targeting of close air support objectives and jam resistant B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program enhances the offensive all-weather attack capability of the completed to satisfy the contractual baseline for A-6F full scale development. Also, tactical capability is improved via compatibility with all projected missiles and an infrared video autotracker for improved weapons delivery accuracy. two-way air-to-ground communications during close air support missions.

Department budget and program adjustments, net decrease in FY 1987 of 2,136 due to Congressional action and adjustments partially defrayed by Department program and budget adjustments thus causing a delayed start of the analog night attack navigation system C. (U) COMPARISON WITH FY 1987 DESCRIFTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: decrease in FY 1986 of 2,308 due to GRH and Integration, FY 1988 decrease of 11,709 due principally to Department budget and program adjustments and a minor NIF adjustment.

Program Element: 24134N

Title: A-6 Squadrons

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

TOTAL FOR PROCRAM ELEMENT A-6 Weapons Integration

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable

These programs develop the weapons to be integrated into the A-6 aircraft in this Program Element. This project (P.E. 24134N) E. (U) RELATED ACTIVITIES: Alternate Warhead LASER MAVERICK, Program Element 63313N; HARM Improvement Program Element 25601N. forms a part of the baseline configuration for A-6F (P.E. 63257N).

Naval Weapons Center, China Grumman Aerospace Corporation, Bethpage, NY. IN-HOUSE: Lake, CA; Naval Air Test Center, Patuxent River, MD; Pacific Missile Test Center, Point Mugu, CA;. F. (U) WORK PERFORMED BY: CONTRACTORS:

G. (U) PROJECTS LESS THAN S10 MILLION IN FY 1988/89:

# (U) Project W1638, A-6E Weapons Integration:

1. (U) Description: This project provides for the development of hardware and software, development flight testing Such weapons include HARM, the MAVERICK series, HARPOON IC and anticipated advanced air-to-surface standoff weapons. The project includes development of an integrated missile panel for common control of all projected missiles, an infrared video autotracker for improved weapons delivery capability, integration of a passive night attack navigation system to assist the flight crew in operation below enemy defenses, and development of an airborne data terminal used with the Forward Air Controller Target Data Communicator (FAC-IDC) to enable jam resistant low probability of intercept two-way air-to-ground communications during close air and operational test and evaluation required for achieving the capability to utilize new standoff weapons with the A-6E alreraft. support missions.

# 2. (U) Program Accomplishments and Future Efforts:

(U) FY 1986 Program: Completed validation and merge of software for multiple weapons integration. Conducted Completed development flight testing of weapons integration. Continued integration of the video auto tracker, and commenced lab and flight testing. Began initial development of software validation of integrated missile panel/avionics interface set. airborne FAC-TDC hardware leading to aircraft integration.

Program Element: 24134N

Title: A-6 Squadrons

b. (U) FY 1987 Program: Continue flight testing and software validation. Complete TECHEVAL and OPEVAL of the Commence integration of Conduct development flight testing of the video autotracker. FAC-TDC airborne hardware. Correct HARM glint problem. integrated standoff weapons capability.

discrepancies noted during TECHEVAL/OPEVAL. Conduct TECHEVAL and OPEVAL of FAC-TDC. Conduct follow-on testing to correct Conduct follow-on test and evaluation to correct weapons integration discrepancies in the infrared video autotracker. Initiate integration efforts related to SLAM. FY 1988 Planned Program:

Continue development, integration, and testing efforts related to A-6E (U) FY 1989 Planned Program: improvements including SLAM integration. þ.

(U) Program to Completion: This is a continuing program.

(U) Major Milestones:

Avionics Interface Set TECHEVAL
 Avionics Interface Set OPEVAL
 IR Video Autotracker design and

FY 87/2 QTR FY 87/4 QTR FY 87/4 QTR

1R Video Autotracker design and fab.

(U) TEST AND EVALUATION DATA: Not Applicable. Ι.

(U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not Applicable.

Ξ.

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

DoD Mission Area: 232 - Amphibious, Strike, And Antisurface Warfare Budget Activity: 4 - Tactical Programs Titie: F/A-18 Squadrons Program Element: 24136N

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Titie TOTAL FOR PROGRAM ELEMENT	FY 1986 Actual 54,291	FY 1987 Estimate 31,659	FY 1988 Estimate 17,316	FY 1989 Estimate 19,897	Additional to Completion Continuing	Total  tional Estimated  Sompletion Cost
W1662	F/A-18 Improvements	54,291	31,659	17,316	19,897	Continuing	Continuing

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

- B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: The F/A-18 is missionized in fighter and attack squadrons through selected use of external equipment to perform either fighter or attack missions. The capabilities of the F/A-18 weapon system can be upgraded to accommodate and incorporate new or enhanced weapons as well as advances in technology to respond effectively to emerging future threats. Continued development capability is required to successfully integrate the F/A-18 weapon system into the fleet. Additionally, continued improvements in reliability and maintainability are necessary to ensure maximum benefit is achieved through reduced cost of ownership and to provide enhanced availability. The F/A-18 Naval Strike Fighter program transitioned from full-scale engineering development to operational systems development during FY 1983. As F/A-18 squadrons report discrepancies and requir\_ments, a continuing capability is needed to perform post-FSD technical evaluations, investigative flight testing and software support, and incorporate pre-planned product improvements (i.e. capability enhancements) to ensure the F/A-18's ability to fulfiil assigned roles against emerging threats. Navy Pre-Planned Product Improvement is not intended to fund deficiency correction/baseiine maintenance activities but to support the requirement for development of enhanced effectiveness stimulated by new and maturing technologies and growth in adversary effectiveness.
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: The change between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as foliows: In FY 1986, the decrease of 3,983 is the result of automatic budget cuts associated with G-R-H legislation; the decrease in FY 1987 of 27,434 is the result of Congressional action and adjustment and Department program/budget adjustments;and the FY 1988 decrease of 46,158 is the result of Department Program adjustments.

Program Element: 24136N

Title: F/A-18 Squadrons

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMMARY:

10291	Estimated	Cost	Continuing	Continuing
	Additional	to Completion	Continuing	Continuing
	FY 1988	Estimate	63,474	63,474
	FY 1987	Estimate	59,093	59,093
	FY 1986	Estimate	58,274	58,274
	FY 1985	Actual	31,236	31,236
		Title	TOTAL FOR PROGRAM FLEMENT	F/A-18 Improvements
	Project	No.		W1662

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

inds (BA: 1/6) 2,293,040 2,429,932 2,468,058 2,466,956 Continuing	OTAL FOR PROGRAM ELEMENT	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Estimated Cost
84 96 84 72 645 880 0 3,376 (	APN Funds (BA: 1/6)	2,293,040	2,429,932	2,468,058	2,466,956	Cont inuing	Continuing
645 880 0 3,376 (	Quantity	78	96	78	7.2	777	1,157
	41 LCON	945	880	0	3,376	Continuing	Continuing

The Secretary of the Navy approved a F/A-18 Night Attack Program on 24 December 1984. The program consists of development and integration of the following sub-systems: Fixed wide-field-of-view navigation FLIR, raster scan heads-up-display (RUD), night vision goggles (NVC) compatibility, and decoupled aft cockpit/independent displays. The program is F/A-18 and AV-8B night attack aircraft will begin in October of 1989. The F/A-18 program is currently integrating advance medium range air-to-air missile (AMRAAM) (PE 64314N) and airhorne self-protection jammer (ASPJ) (PE 64226N) capabilities respectively being conducted in parallel with a similar AV-8B effort (PE 64214N), with a joint R&D cap of \$90M. Production deliveries of both Into two F/A-18 validation aircraft. These integration programs are separate RDT&E efforts, which do not duplicate RDT&E efforts conducted by the AMRAAM program office. E. (U) RELATED ACTIVITIES:

McDonnell Aircraft Company, St. Louis, MO (Airframe and Weapons Engineering Support Activity, Washington, DC; Pacific Missile Test Center, Point Mugu, CA; Naval Air Test Center, Patuxent Weapon System Integration); General Electric Company, Lynn, MA (F-404 Engine); Hughes Aircraft Company, Gulver City, CA (Radar F. (U) WORK PERFORMED BY: TN-HOUSE: Naval Air Development Center, Warminster, PA; Naval Air Engineering Center, Lakehurst, NJ; Naval Air Propulsion Center, Trenton, NJ; Naval Ordnance Station, Indian Head, MD; Naval Weapons Center, China Lake, CA; Naval subcontractor to McDonnell); Northrop Aircraft Division, Hawthorne, CA (center/aft fuselage subcontractor to McDonnell). CONTRACTORS River, MD; Naval Frsearch Laboratory, Washington, DC.

Program Element: 24136N

Title: F/A-18 Squadrons

G. (U) PROJECTS LESS THAN SIO MILLION IN FY 1988/89: Not Applicable

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

(U) Project W1662, F/A-18 Improvements:

The capabilities of the F/A-18 weapon system can be upgraded to accommodate and incorporate new or enhanced weapons as well as advances in technology to respond effectively to emerging future through reduced cost of ownership and to provide enhanced availability. The F/A-18 Naval Strike Fighter program transitioned from and requirements, a continuing capability is needed to perform post-FSD technical evaluations, investigative flight testing and 1. (U) Description: The F/A-18 is missionized in fighter and attack squadrons through selected use of external Additionally, continued improvements in reliability and maintainability are necessary to ensure maximum benefit is achieved full-scale engineering development to operational systems development during FY 1983. As F/A-18 squadrons report discrepancies software support, and incorporate pre-planned product improvements (i.e. capability enhancements) to ensure the F/A-18's ability correction/baseline maintenance activities but to support the requirement for development of enhanced effectiveness stimulated by Continued development capability is required to successfully integrate the F/A-18 weapon system into the fleet. to fulfill assigned roles against emerging threats. Navy Pre-Planned Product Improvement is not intended to fund deficiency new and maturing technologies and growth in adversary effectiveness. equipment to perform either fighter or attack missions.

# 2. (U) Program Accomplishments and Future Efforts:

- (U) FY 1986 Program:
- Completed evaluation of vertical tail modification, flutter evaluation, weapon upgrade and icing test.
- o Continued baseline flight testing at Naval Air Test Center, Patuxent River MD. and Naval Weapons Center, China Lake, CA. centered around Fleet-reported problems and recommended improvements.
- Continued field activity effort in analytical testing and evaluation of flight test data, engineering analysis and software development.
- tests, and engineering support for the integration of the advanced medium range air-to-air missile Continued effort required for equipment modification, missile and missile launcher ground and flight (AMRAAM) into two F/A-18 aircraft.
- Continued laser target designator/ranger development,

Program Element: 24136N

Title: F/A-18 Squadrons

- testing of the main landing gear production axle, main landing gear components, production stabilizers, Contractor structural testing and engineering design analysis centering around fatigue and static vertical tail, aircraft pylons and aircraft fuselage.
- . Commenced engineering effort on night attack modification.
- b. (U) FY 1987 Program:
- engineering analysis conducted by other Navy field activities, and aeronautical design improvements Continue baseline flight testing at Navy test centers centering around fleet-reported problems, developed by the contractors in response to Navy component improvement efforts.
- o Analyze data from Navy flight testing and operational flights and inftiate appropriate software modification/development.
- o Study and define requirements for multi-sensor correlation and tracking.
- o Integrate and test new antenna technologies to improve EW aircraft effectiveness.
- Continue contractor and field actitity effort to integrate AMRAAM into two F/A-18 aircrafs.
- Investigate software algorithms to improve specific fuel consumption.
- Contractor investigation of aeronautical design modifications/changes to the F/A-18 fuselage, and any structural deficiencies identified during the initial deployments of the F/A-18 aircraft.
- Conduct contractor engineering analysis in the areas of nose wheel lift-off improvements, IF stability and control improvements, and ground proximity warning system.
- Continue development and operational testing of the night attack modification.
- Begin effort to integrate On-Board Oxygen Generating System (OBOGS) on F/A-18.
- c. (U) FY 1988 Planned Program:
- o Continue baseline flight testing at Navy test centers centering around fleet-reported problems,

Program Element: 24136N

Title: F/A-18 Squadrons

engineering analysis conducted by other Navy field activities, and aeronautical design improvements developed by the contractors in response to Navy component improvement efforts.

- Analyze data from Navy flight testing and operational flights and initiate appropriate software modification/development. Q
- Integrate and test new antenna technologies to improve EW aircraft effectiveness.
- Contractor investigation of aeronautical design modifications/changes to the F/A-18 fuselage, and any structural deficiences identified during deployments of the F/A-18 aircraft.
- Conduct technical and operational evaluations of a night attack configured F/A-18.
- Continue engineering effort to develop an approach for incorporation of a ground proximity warning system (CPWS) in the F/A-18.
- o Conclude contractor effort to integrate AMRAAM into two F/A-18 aircraft.
- d. (U) FY 1989 Planned Program:
- engineering analysis conducted by other Navy field activities, and aeronautical design improvements Continue baseline flight testing at Navy test centers centering around fleet-reported problems, developed by the contractors in response to Navy component improvement efforts.
- Analyze data from Navy flight testing and operational flights and initiate appropriate software modification/development.
- Contractor investigation of aeronautical design modifications/changes to the F/A-18 fuselage, and any structural deficiences identified during deployments of the F/A-18 aircraft.
- Continue effort to integrate GPWS in an F/A-18 aircraft.
- e. (U) Program to Completion:
- engineering analysis conducted by other Navy field attivities, and aeronautical design improvements Continue baseline flight testing at Navy test centers centering around fleet-reported problems, developed by the contractors in response to Navy component improvement efforts.

UNC. ASSIFIED

Program Element: 24136N

Title: F/A-18 Squadrons

- o Analyze data from Navy filght testing and operational filghts and initiate appropriate software modification/development.
- o Continue contractor investigation of aeronautical design modifications/changes to the F/A-18 fuselage, and any structural deficiences identified during deployments of the F/A-18 aircraft.
- o Conclude integration of GPMS in an F/A-18 aircraft.
- f. (U) Major Milestones: Not applicable.

UNCLASSIFIED

376

- A. (U) Development Test and Evaluation (DT&E)
- Test Programs for Defense System Acquisition Review Council (DSARC) Review: 3
- (U) The following tests were completed prior to DSARC III (Fighter): 3
- Firing of AIM-7 and AIM-9 missiles at an airborne target.
- Radar operations during gun firing. Evaluation of controls, displays, radar and fire control systems integration during air-to-surface attack operations. 333
- (b) (y) As a result of the June 1981 DSARC review, full production for the F/A-18 fighter was approved. DSARC III (Attack) was concerned 8 December 1982, and production of the F/A-18 to fill the light attack afroiaft inventory requirements was authorized. The DSARC was concerned that timely development and operational qualification of an Electronic Warfare (EW) suite, HARM missile integration, and nuclear weapons would occur. This testing was completed April 1984 for nuclear weapons and in July 1985 for the HARM/EW suite.
- Laboratory Test Program: 3

Structural and fatigue tests were comprehensive with major components satisfactorily tested to four fatigue lifetimes and to 150% of static design limit load. Discrepancies that were revealed have been corrected, and a redesign of the Environmental Control System was implemented to improve the maintainability and producibility of the airplane.

F404-GE-400 Engine Test Program: 3 m; The Preliminary Flight Rating Tests, Military Qualification Tests and Simulated Mission Evaluation Test were completed on schedule. The engine thrust and specific fuel consumption have met or exceeded specification for most of the operational envelope.

Airframe/engine compatibility has been outstanding as evidenced by the demonstration of stall margin far exceeding specification requirement. Primary engine concern was the failure of a low pressure turbine disc in September 1980. Analysis indicated that the primary fracture was in a proproduction low pressure turbine. The turbine disc material was replaced in production aircraft with (DA Inco 718) to provide a stronger material.

Technical Evaluation (TECHEVAL) 3 Prior to TECHEVAL, five Navy Preliminary Evaluations (NPE) were successfully completed. During TECHEVAL, 118 flights were flown primarily to assess attack systems. TECHEVAL was completed and the aircraft was certified as ready for OPEVAL in April 1982.

- 5. (Ul Final Board of Inspection and Survey (INSURY) trials were completed in December 1982.
- (U) Nuclear Weapon INSURY trials were completed in April 1984.
- B. (U) Operational Test and Evaluation
- (U) Initial Operational Test and Evaluation (OT-II)
- Assessment (NPA) in the T-39 test bed, and one early Navy Preliminary Evaluation (NPE) in 1979. A two-week initial OIME (101ME) in the T-39 test bed, and one early Navy Preliminary Evaluation (NPE) in 1979. A two-week initial OIME (101ME) period was conducted in March 1980. A four-month independent 101ME completed in February 1981 was the first opportunity for organizational maintenance by military personnel. AIRTEVRON FOUR conducted AIM-3 and AIM-9 missile firings at Pacific Missile Test Center and Naval Weapons Center as part of the integrated Navy missile system evaluation program. An Operational Evaluation (OPEVAL) was conducted from early May to early October 1982 at various sites throughout the country.
- (b) (U) No valid assessment of the F/A-18 weapon system could be made during the two week Initial Operational Test and Evaluation (1018E) in March 1980 because of incomplete system development and a restricted flight envelope. From October 1980 to February 1981, OPIEVEN pilotts flew 257 sorties for 357 flight hours in two Full Scale Development (FSD) and four pilot production airplanes from the test site at Patuxent River. Organizational maintenance on the pilot production airplanes was conducted by personnel from VX-4 and VX-5 who had completed the contractor's maintenance training program. One pilot production airplane was lost in an unrecoverable spin in November 1980, and testing was suspended until all airplanes had a positive spin recovery mode installed. Few attack test objectives were achieved because of airplane and weapon system immaturity, limited weapons carriage capabilities, and inadequate targets/ranges/airspace within reasonable range of Patuxent
- (c) (U) OPEVAL was conducted from 3 May to 4 October 1982 by a composite test squadron comprised of 17 pilots from VX-4. A total of ten airplanes flew 1235 OPEVAL sorties for 1619 flight hours. Only four of the ten OPEVAL airplanes were production representative. They accumulated 459 sorties for 641 of the 1619 total flight hours. These four airplanes were used during the eight days embarked in USS Constellation. The lack of an Electronc Warfare (EW) suite and clearances for many Navy/Marine Corps ordnance items were major limitations to scope. The weapon system was found to be potentially operationally effective in fighter and attack mission areas. It was considered not operationally suitable because of unsafe characteristics of the personal parachute. The major recommendations were to resolve the parachute problem and develop and install an EW suite. Additionally, a recommendation to either increase F/A-18 fuel capacity or increase embarked airwing tanking assets prior to deploying it in the VA role was made.
- 2. (U) Follow-on Operational Test and Evaluation (OT-111)

- (a) (U) In September 1983, Commander, Operational Test and Evaluation Force (COMOPTEVFOR) conducted F/A-18 power Projection Scenarios flown from MAS Point Mugu by a force comprised of aircraft and pilots from VX-4, VX-5, VFA-125, and VMFA-314. Three scenarios coastal airfield, war-4-sea, deep interdiction were flown twice each, against opposed targets. Results confirmed OPEVAL (OF-11) data, demonstrating strike mission radius is dependent on mission profile, strike composition, ordnance carried, target area defenses and tactics employed. OPEVAL fuel consumption data were validated. Correction of some OPEVAL discrepancies were noted. COMOPTEVEOR Its ser S72 of 31 October 1983 is the first partial report of Project 201-01-111.
  - (b) (U) in July 1984, COMOPTEVFOR conducted an operational assessment of a stand alone High Speed Antiradiation Missile (HARM) with the F/A-18. A HARM was successfully fired in target of opportunity mode. The stand alone HARM was considered potentially operationally effective on the F/A-18.
- (c) (U) in October 1984, COMOPTEYFOR completed an evaluation of F/A-18 integration into an embarked airwing. Four F/A-18s from VX-4/5 embarked on CV-64 along with other squadrons of CVM-14 during July 1984. Numerous exercises were flown in conjunction with the airwing. COMOPTEYFOR lite set 50/276 of 4 Oct 84 and lite Ser 50/572 of 4 Oct 84 comprise the second partial report of CNO Project 201-01-111. This report stated that production F/A-18s are capable of operating as a part of an embarked Carrier Air Wing (CVM) that the bon-Cooperative Target Recognition (NCTR) had potential to be operationally effective, and that the ECCM features of F/A-18 air-to-air radar modes were effective. It also stated that three outstanding OPEVAL discrepancies (excessive wind-over-deck requirement for catapult launch, wing oscillation/wing flap lockout, and no inflight alignment capability) were resolved.
  - (d) (U) In August 1985, COMOPTEVFOR completed an evaluation of the F/A-18 integrated EM suite/HARM system. Two fully equipped F/A-18s flive about 250 sorties and five HARM missiles were fired; COMOPTEVFOR its of 99 Aug 1985 reported the results of this evaluation. This riports that the integrated system was potentially operationally effective but not operationally suitable. Fleet introduction was not recommended until the systems were logistically supportable. At present the EM suite has Test Program Set (TPS)/Interim "Suitcase" Tester Support; full TPS support will be available by late FY87. TPS support for the HARM system is under development.
- C. (U) Systems Characteristics
- Milestones, objectives achieved and parameters demonstrated with respect to operational characteristics and not covered in A and B above are summarized as follows: Lot V Production (FYBI Procurement) Milestones Defense System Acquisition Review Council (DSARC) III (Fighter) (June 81)

(U) MILESTONE		PARAMETER	TER	OBJECTIVE	DEMO PERF
Demonstrate potential	0	25	Speed		
iveness and opera-		(2)			
tional suitability		3		132	134 CH-C1
in those fighter	,		releaseable stores (kt)		
Serion arrest	0	<u> </u>	=	14	
authorized for		<b>=</b> :	(U) Fighter Escort, Internal Fuel	8	362 CH-C2
OI-11F	c	23	- 7		
	ķ	33	(C) Max(ace Thrust		
		(2)	Military Thrust	45,000	48.000
	0	3	. Wind Over Deck Requirements VF (kt)		
		Ê	Catapult, VF take-off gross weight	0	01 <del>-</del>
		(2)	Landing, 6,000 lbs. of fuel and	0	ın
			releaseable stores		ı
	0	3	Acceleration, Max Power (Sec)		
		Ξ	(C) M=0.8 to 1.6 @ 35,000 ft		
		(2)	(C) M-0.8 to 1.2 @ 35,000 ft		
	0	3	Rate of Climb, at S/l Single Engine PA		
			Configuration VF (ft/min)		
		5	SDLM (Standard Depot Level Maintenance)(Mos)	84	
		3	Freefall Heapons Delivery System Accuracy- (Mils)		
	0	3	Air-to-Air Radar Detection Range		
		3	(C) (lookdown, R90, RWS, 5m² rget) - (NM)		
		(2)	(C) (Tookdown, R90, VS Sm2 target) - (NM)		,
Demonstrate	0	3	Mission Reliability, VF # 2,500 Hr (%)	0.7	0.89
achievement of	0	3	System Maintenance VF		
Integrated Planning Summary		ε	Mean Flight Hours Between Failure,	2.4 (goal)	2.40*
Appendix			Fighter Configuration Nature		

5.93*	6.4 Fleetwide*** 4.4 Operational***	***209	92, 32**	282**
§ (goal)	0.7	206	356	202
Crganizational Level Unscheduled Direct Maintenance Manhours per Flight Hour VF 0 2,500 Hrs.	Direct Maintenance Manhours per flight hour (O level-Unscheduled)	811 Detection Rate	BIT Isolation Rate	BIT False Indication Rate
(2)	3	3	(2)	(9)
Reliability and Maintainabilty	values.			

• LOTS V and VI, CY-1983 FAIF combined •• LOTS VI (VFA 25/113) DEC 83 - AUG 84, LOT VII (VFA 131) OCT 84 - JAN 85 ••• JUL 85 - JUN 86

Lot V: Production (FYB2 Procurement) Milestones Defense System Acquisition Review Council DSARC III;A) Full Production Decision (Nov 82) 2. (U)

Milestones, objectives achieved and parameters demonstrated with respect to operational characteristics and not covered in A or B above are summarized as follows:

.ilestones

Objectives/Parameters Achieved

See Section C Paragraph 1

See Section C Paragraph 1

Evaluate flying qualities for the

Demonstrate Decision Coordi ting Paper performance characteristics for the conduct of the air-to-ground mission with YA sensors installed.

conduct the air-to-ground mission with attack Evaluate fire control system performance to air-to-ground mission.

See Section C Paragraph Demonstrate achievement of Integrated Planning Summary Appendix C Reliability and Maintainability values.

See Section C Paragraph

3. (U) The F/A-18 Program Review Decision Memorandum of 17 March 1983 set forth a requirement for further operational testing and evaluation to ensure that the F/A-18 aircraft carrier launch and recovery limitations noted in the OPEVAL have been satisfactorily corrected in production aircraft. The results of this additional OPEVAL testing were scheduled for presentation to DSARC principals in February 1985. This briefing was cancelled because no OT&E issues remained open to discussion.

4. (U) The 17 March Program Review Decision also specified preparation of a plan for independent follow-on test and evaluation of Automatic Test Equipment and the Test Forman, initially under the cognizance of AUMSO using the Independent Assessment Team (IAT) during CY 1984-1986 and will be continued by the F/A-18 Avionics Maintenance Evaluation (FAME) under NAVAIR 410. The Decision Memorandum directed that special attention be focused on development and operational qualification of an EW suite, HARM integration, and nuclear weapon capability. The EW suite/HARM integration was completed in August 1985; nuclear certification was received in November 1984.

5. (U) The F/A-18/HARM/EW suite integration test program verified integration of proven HARM missile/ALR-67/ALQ-1268 systems with F/A-18 aircraft and associated avonic subsystems. Operational and technical characteristics, reliability and maintainability thresholds are contained in each System Test and Evaluation Master Plan (TEMP) which are identified as follows:

5 November 1982 15 January 1981 28 July 1981 3217 521 421 -1 ALR-67 TEMP ALQ-1268 TEMP HARM TEMP

F/A-18/HARM/EW SUITE operational evaluation was completed in August 1985.

Event  F/A-18 HARM/EW  Cot 84  F/A-18 LDT  Frb 85  Software  HARPOON  HARPOON  GATOR  WALLE'  GATOR  (U) Tale Activity (Mext 12 Months)  Event  ECS  Software  Nov 85  WALLE'  GATOR  WAY 86  EVENT  Sep 86  WAVERICK  Sep 86  WAVERICK  Sep 86  WAVERICK  Sep 86  WAY 88

				٢
Event	Planned Start Bate	Actual Date	Remarks	
AMRAAM	Nov 86	•	Tactical Launches (DT&E)	
WALLEYE II	Jan 87	ı	Secure Oata Link (OT&E)	
Mines	Feb 37	ŧ	Quickstrike (DI&E/OI&E)	
LTD/R	Jun 87		DT&E	
				7

E. (U) Program T&E Documentation - OT&E

OPTEVFOR Evaluation Report of F/A-18 (201-0T-IIF) 16 Jun 1981

OPTEVFOR OPEVAL Report of F/A-18 (201-0T-IIH) 21 Jul 1983

OPTEVFOR Evaluation Report of F/A-18 (201-0T-IIH) 21 Jul 1983

COMOPTEVFOR Evaluation Report of F/A 18 Weapons Systems First Partial Report of 20:-0T-III dtd 31 Oct 1984

COMOPTEVFOR msg 111840Z Jul 81 Jub; "Quicklook of Operational Effectiveness Assessment of Stand Alone HARM Weapon Employment on the F/A-18 airplane amended by COMOPTEVFOR msg 162015Z Aug 84."

TEMP No. 201 (Rev I) F/A-18 Improvements signed 28 June 1985,

COMOPTEVFOR 1tr of 09 Aug 1985.

TEMP No. 201-1 F/A-18 (ECP-178) started in review September 1985 (Smooth in review December 1986). - 20 4 4 4 4 7

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 24152N DoD Mission Area: 353 - Naval Warfare

Titie: Early Warning Aircraft Squadrons Budget Activity: 4 - Tactical Frograms

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Eatimate	Additional to Completion	Total Estimated Cost
W0463	TOTAL FOR PROGRAM ELEMENT Airborne Early Warning	22,106	32,957	33,369	24,852	Continuing	Continuing Continuing
	Carrier Based Aircraft E-2C	22,106	32,957	33,369	24,852	Continuing	Continuing Continuing

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

- B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program provides preplanned product improvements for the evolution of E2C aircraft capability in aupport of Naval Warfare command and control requirements. It funds development for the modification/replacement of selected weapon replaceable assemblies of currently installed E2C subsystems. These modifications will enable expanded caprbilities will permit offensive weapons systems to be more effective in countering the tactical threat thus enhancing the E2C to operate in the presence of electronic countermeasures and to more completely exploit threat RF emissions. the Navy's warfighting capability.
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FI 1987 Descriptive Summary and that shown in this Descriptive Summary for Project WO463 are as follows: in FY 1986, a decrease of 1,497 is the result of 1,463 is the result of GRH and Department program/budget adjustments; in FY 1987, a decrease of 1,497 is the result of Congressional action; in FY 1988, a decrease of 30,076 is the result of Department program/budget adjustments.

Program Element: 24152N

Title: Early Warning Aircraft Squadrons

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
W0463	TCTAL FOR PROGRAM ELEMENT Airborne Early Warning Carrier Based Aircraft E-2C	34,396	23,569	34,454	63,445	Continuing	Continuing Continuing

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

	I Estimated		564,700 905,200
	Additional		-
	FI 1989		79,600
	FY 1988		60,300
	FY 1987		53,600
i	FY 1986	Actusi	47,000
			Aircraft Procurement, Navy * (41A1)

\* Funds reflect APN 1, 5, and 6 for HSP, and UDP Group I and II.

(U) RELATED ACTIVITIES: Program Element 62721N, Command and Control Technology for Data Processing Improvements, and Program E. (U) RELATED ACTIVITIES: Program Element 0.1.1., Community, for radar system improvements. Element 62712N, Surface/Aerospace Target Surveillance Technology, for radar system improvements.

F. (U) WORK FERFORMED EY: IN-HOUSE: Naval Air Test Center, Patuxent, MD; Naval Research Laboratory, Washington, DC; Fleet Combat Direction Systems Support Activity, San Diego, CA; Naval Air Development Center, Warminster, PA. CONTRACTORS: Grumman Aerospace Corporation, Bethpage, NY; General Electric, Utica, NY.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable.

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

(U) Project W0463, Airborne Early Warning Carrier Based Aircraft E-2C:

1. (U) Description: The E2C is an all-weather, carrier-based sirborne early warning aircraft, with a crew of five. This weapon system extends the task force defense perimeter by providing early warning of approaching enemy units (surface and air),

Program Element: 24152N

Title: Early Warning Aircraft Squadrons

data exchange. The E2C is projected to be a viable fleet unit through 2000. Based on analysis of projected ECM and target threat to United States ses control forces, a research and development program was initiated to provide (1) low sidelobe antenna for the high speed processor (HSP) and radar modifications. The HSP provides larger processing capability for the central computer. The Group I radar provides for increased surface ship target detection and enhanced electronic counter-counter measures (ECCM) for the addition, the E2C provides atrike and traffic control, search and rescue control, communications relay, and automatic tactical APS-125 radar subsystems, (2) High Speed Processor for the OL77/ASQ Central Computer Programmer, (3) APS-125 radar modifications to optimize surface and airborne target detection, (4) extended radar detection range, and (5) new software tactical program to fully integrate hardware improvements. The improvements are composed of Update Group I and Group II. Group I consists of the Group II will provide the radar with extended range, environmental processing, blind speed elimination and automatic processing of long pulse video. RDT&E units are being procured for integration, qualification and reliability testing during Development Test and Evaluation, and Operational Test and Evaluation of the applicable weapon replaceable assemblies and software. vectoring of interceptors into attack position, and providing air and surface situation data to other fleet elements.

# 2. (U) Program Accomplishments and Future Efforts:

#### a. (U) FY 1986 Program:

- Transitioned Group I hardware to production.
- ° Commenced flight teating of Group II development hardware.
- ° Conducted Navy flight evaluation of Group II, DT-IIA/OT-IIA.

#### . (U) FY 1987 Program:

- Commence development of new tactical software.
- 2 Continue flight testing and integration of Group II hardware.
- ° Conduct second Navy flight evaluation of Group II, DT-IIB/OT-IIB.
- ° Continue flight testing and integration of Group I hardware/software and verification of correction of previously identified discrepancies, DT-IIB, D-2/OT-IIB.

387

Program Element: 24152N

Title: Early Warning Aircraft Squadrons

- c. (U) FY 1988 Planned Program
- ° Complete flight and lab testing of Group I software.
- ° Conduct DT-II-E, Group I software selloff.
- Conduct DT-II-P/DT-III-A (TECHEVAL/BIS) of Group I.
- ° Continue flight testing and integration of Group II hardware.
- d. (U) FY 1989 Planned Program:
- ° Continue weapon system integration ground and flight testing.
- ° Conduct Operational Evaluation, OT-II-C, of Group I.
- ° Continue flight testing and integration of Group II hardware.
- ° Conduct third Navy flight evaluation of Group II, DT-IIC/OT-IIC.
- e. (U) Program to Completion:
- ° Complete weapon system integration ground and flight testing.
- ° Certify Group II tactical program software to acquire maximum capability from hardware and reduce flight crew operator workload, DT-IID.
- ° Conduct technical and operational evaluations of Group II.

388

389

### UNCLASSIFIED

Program Element: 24152N

Title: Early Warning Aircraft Squadrons

f. (U) Major Milestones:

DATE			QTR 4/FY88						QTR 2/FY90		QTR 3/FY91	QTR 4/FY91
	A III	III B		III C		III D	VIII	IIIB	IIIC			IIID
	Š	Ä	ద	¥	8	¥	¥	MS.	Æ	Ħ	B	X.
ILESTONE			Complete		Complete					Complete	Complete	
되	H	H	H	H	H	H	Π	II	II	II	Π	II
	UDP	ğ	UDP	UDP	agn	JOP P	UDP	d B	UDP	g B	UDP	UDP
	۲.	2.	3.	4	5.	9	7.	80	.6	10.	11.	12.

### I . (U) TEST AND EVALUATION DATA

- A. (U) Development, Test and Evaluation
- i. (U) Navy Preliminary Evaluation (NPE) I was conducted on prototype E-2C systems in January and February 1972 to provide an initial look at the avionics to identify gross deficiencies to allow for early correction and determination of readiness for NPE II.
- 2. (U) MPE II was conducted in November 1972 using prototype E-2C systems to evaluate changes resulting from MPE I and to determine readiness for Board of Inspection and Survey (BIS).
- (U) On site BIS trials at Mayal Air Test Center (NATC) Patuxent River were conducted April November 1973 on production E-2C aircreft. The purpose was to evaluate specification compliance, system performance and typical mission suitability.
- 4. (U) Advanced Radar Processing System (ARPS) Mavy Technical Evaluation (WTE) was conducted using a production system from 21 June 1977 to 16 September 1977 to verify the production installation and confirm readiness for Operational Evaluation (OPEVAL).
- 5. (U) Total Radiation Aperture Control-Antenna (TRAC-A) completed DT/OT testing in June 1983 and is in production.
- 6. (U) DT-IIC/OT-IIA completed on Update Development Program (UDP) Group I in August 1985. The UDP is divided into Groups I and II. Group I radar provides for increased ship target detection and enhanced electronic counter measures (RCCM) for the radar. Group II will provide the radar with extended range, environmental processing, blind speed elimination and automatic processing of long pulse video.
- (a) (U) NAVAIRTESTOEN recommendation: "Within the scope of this test, the ANAPS-139 UDP Group I, Part I hardware demonstrated excellent potential for the ABM/SSSC mission. Within the scope of the test, recommend continuation of the acquisition cycle for UDP Group I hardware to include approval for limited production."
- (b) (U) NAVAINTESTUEN specifics:
- 3
- (2)
- S 8
- (4) (5)

closed.

Twelve Board of Inspection and Survey (INSURV) yellow sheet reports from previous testing recommended ê (2)

39

- (6) (U) INSURV yellow sheet reports from previous testing downgraded.
- (7) (U) Eight Part II INSURV yellow sheet reports identified.
- B. (U) Operational Test and Evaluation. The following subparagraphs discuss discrete OT&E (operational test and evaluation) programs involving the E-2C alread.

#### E-20

1. (U) E-2C aircraft. IOTHE by Commander, Operational Test & Evaluation Force (COMOPTEVPOR) was conducted concurrently with WPE-II in November 1972. An OPEVAL of the E-2C was conducted by COMOPTEVPOR from June to September 1974. The E-2C was operationally effect.

### it was operationally suitable.

- (a) (U) Initial operational test and evaluation (IOTAE) by COMOPTEVFOR, conducted concurrently with NPE-II in November 1972, consisted of 20 filights (77 filight nours) under operational conditions. Significant discrepancies have been corrected.
- (b) (U) Prom June to September 1974 (after full production was underway) COMOPTEVFOR conducted an OPEVAL of the E-2C, utilizing fleet aircraft for 51 flights (173 flight hours).
- (1) (V) The E-2C is operationally effective
- (2)
- (3) (U) The E-2C is operationally suitable.
- The E-2C represents a quantum improvement over earlier models in capability, mission reliability, and (n) (t) overall performance.
- (c) (U) Because of tactical aircraft non-availability, only limited testing was accomplished in the are;s of: (1) B-2C interoporability with F-14/S-3A; (2) strike control; and (3) surface/subsurface surveillance coordination. The requirement for NOTAE has been satisfied by the ARPS OPEVAL (para, 2.c) where the E-2C (with ARPS) demonstrated interoperability.
- . (U) Advanced Radar Processing System (ARPS).
- (a) (U) ARPS was developed to provide an Electronic Counter Countermeasures (ECCM) capability for the E-2c radar and provide increased radar performance overland. ARPS was a major modificat on to the APS-120 radar and was designated the APS-125. IOTHE conducted during NPE's determined that Advanced Radar Processing System (ARPS) was operationally effective and had the potential to become operationally suitable. Authority for Limited Production was recommended.
- (1) (U) It was concluded that ARPS is operationally effective and has potential to become operationally suitable.
- (2) (U) It was recommended that development of ARPS continue, and that Provisional Approval for Service Use be granted for incorporation of ARPS in new E-2C aircraft.
- (b) (U) OT-III (OPEVAL) of ARPS was conducted from February to April 1978 with VAW-125 embarked in USS JOHN F. KENNEDY and VAM-123 based at Maval Air Station (MAS) Morfolk (overland phase). Commander, Operational Test & Evaluation Force (COMOPTEVPOR) conducted the Operational Evaluation (OPEVAL) utilizing fleet aircraft in carrier type training, fleet exercises and training flights. The OPEVAL consisted of a total of 42 flights (130 flight hours). One significant performance deficiency noted during OT-II that had not been corrected for OPEVAL still exists:
- (c) (U) Conclusions of OPEVAL were:
- (1) (J) ARPS is operationally effective
- (5) (7)
- (3) (V) ARPS is capable of automatic detection and tracking of targets

#### E-20

- (4) (U) ARPS is operationally suitable.
- (U) Upon completion of the OPEVAL, COMOPTEVFOR made the following recommendations to continued development of the ਉ
- (1) (U) Investigat; alternative solutions

ARPS:

- ) (U) Provide operator alert when system detection is degraded for any reason.
- Provide a rapid means to clear Detector Processor alerts without using master power reset. (3) (0)
- (4) (J) To improve fault detection and isolation, provide a continuous indication of
- (5) (U) Expedite introduction of the ARPS Tactical Trainer.
- (6) (U) Increase the processing capability of the OL-77 Airborne System, Special Purnose Computer (ASQ) computer.
- 3
- (8)
- (9) (U) Conduct follow-on operational test and evaluation to test changes recommended above and production
- SOCIATE.
- (10) (U) Imvestigate and correct suitability problems
- (e) (U) An E-2C Advanced Radar Processing System (ARPS) tactics guide 280-1-78 was published in Nov 78 to provide fleet users with recommended procedures developed during Operational Test and Evaluation (OTLE).
- 3. (0) Total Radiation Aperture Control-Antenna (TRAC-A), TRAC-A was developed to improve the Electronic Counter Countermeasures [27] capalifiles of the E. . TRAC-A in incorporated in new production E-2Cs and is being retrofitted into previously delivered aircraft. The E-2C radar incorporating TRAC-A and associated Weapon Replaceable Assembly (WRA) changes is designated the APS-138.
- (a) (U) Combined Development Test/Operational Test (DT/OT) on TRAC-A Engineering Development Model (EDM) 2 was held at MAYAIRTESTEEM from 19 April 12 June 1982.

1

- (1) (U) Conclusions of the DT/OT were:
- a. (U) Within limitations to scope, TRAC-A is essentially equivalent to the current fleet antenna performance with some potential improvement in maintainability and availability.
- b. (U) Planned improvements over ficet equipment were not noted in this testing.
- (U) As measured against current fleet equipment, TRAC-A has the potential to be operationally effective and operationally suitable.
- (2) (U) Upon completion of the DT/OT Commander, Operational Test & Evaluation Force (COMOPTEVFOR) made the following recomendations:

22

- a. (U) The limited production of TRAC-A proposed in (Confidential) PMA-231 ltr Ser 82-90 of 13 Jul 82, does not exceed the minimum performance required to meet new aircraft procurement.
  - $\frac{b}{b}$ . (U) Based continued production of TRAC-A on successful demonstration, during a follow-on test evaluation period,  $\overline{o}f$  the following:
- 1. (U) Broad-band TRAC-A in all 10 channels. Main beam size near and far zone sidelobe amplitude, and Voltage Standing Wave Ratio (VSWR) must be within specification tolerances.
  - 2. (U) Matching TRAC-A's main beam gain to fleet ARPS operational performance levels across the 10-channel operating frequency band.

5

- 4. (U) Incorporating the changes to rotary joint removal/replacement procedures that were derived during the maintainability demonstration into future work packages for production units.
- 5. (U) Validating Integrated Logistic Support Plan (ILSP), Navy Training Plan (NTP), and other logistic support documentation to ensure fleet supportability of TRAC-A.
- 6. (U) Verifying structural integrity of the new rotodome structure and antenna pattern stability in the 2-20 operating environment by successfully completing carrier suitability testing of a production configuration raisodome.
- (b) (U) DT/OT on the first two production TRAC-A's was completed in June 1983.
- (1) (U) Conclusions of the Of were:
- (U) The E-20
- is operationally effective
- b. (U) The E-2C with a production Total Radiation Aperture Control-Antenna (TRAC-A)
- c. (L/) The E-2C with a production TRAC-A antenna is operationally effective
- d. (Us The E-2C with a production TRAC-A
- excessive weight of the TRAC-A in conjunction with any increases from planned additions to the E-2C (i.e., Project 760 Group I, Group II, and boint factical information Distribution System (JTIDS), could have significant impact on carrier suitability.
  - f. (U) The operational effectiveness and operational suitability findings support a recommendation for continued limited production TRAC-A.
- (2) (U) Upon completion of the Development Test/Operational Test (DT/OT) Commander, Operational Test & Evaluation Force (COMOPTEVFOR) made the following recommendations:

393

- (U) Approve TRAC-A for continued limited fleet introduction. .
- been developed, incorporated, and verified in follow-on operational test and evaluation (FOT&E), including suitability testing in the carrier environment (i.e., additional catapult shots and arrested landings):
- ŝ
- (U) Incomplete Integrated Logistic Support Plan. 2
- (U) Excessive Voltage Standing Wave Ratio (VSWR).
- (U) Inadequate reliability of the TRAC-A.
- (U) Excessive TRAC-A weight.
- c. (U) Determine through BMPASS testing if Baissions Control (BMCON) restrictions concerning the operation of the radar in standby for TRAC-A equipped E-2Cs can be removed.
- 4. (U) Planned program improvements include radar and computer modifications along with associated software update which will enhance the E-2C weapon system. The Update Development Program (UDP) is divided into Group I and Group II. Group I is scheduled for TECHEVAL in 1999 and provides for increased surface ship target detection and enhanced ECCM for the radar. Group II is scheduled for TECHEVAL in 1990 and OPFTVAL in 1991 and will provide the radar with extended range, environmental processing, blind speed elimination and automatic processing of long pulse video. The Group I OPEVAL is planned to be a concurrent test with the T56-A-A27 engine which is covered by a separate TEMP.
- (a) (U) DT-IIC/OT-IIA completed on UDP Group I in August 1985,
- (1) Communder, Operational Test and Evaluation Force (COMOPTEVPOR) conclusions: Based on available data and within the constraints imposed by limitations to scope:
- (U) Update Development Program (UDP) Group I has the potential to be operationally effective.
- UDP Group I has the potential to be operationally suitable. 9
- ام
- o (V) IMP Group I operational effectiveness and operational suitability finding.
  The following items should be corrected (and corrections verified as the Chief of Maval Operations (CMO) may direct) in the systems so produced.
- ຣ
- (U) Provide protection for the High Speed Processor (MSP) from power surges or power interruptions.
- 3
- CONDPTEVFOR recommendations: (5) (0)
- (U) Approve for limited fleet introduction upon complition of the following: e)
- (U) Conduct OT-IIB to verify correction of:
- 3 (e)

(a) ટ

52-3

તાં ભં

Ę

**3 3 ≟**I ∾i 3 91

èε

ن ام

3

ėl

(1) For Outure testing,

C. (U) System Characteristics

08 JECTIVE

DEMCNSTRATED PERFORMANCE

6 65 65 65 66

360 deg. 51,535

ы

Madar detection range (AM/APS-120) (a) overland (A-6 target) (b) overland (A-6 target) (AM/APS-175) (a) overland (A-6 target) (b) overland (A-6 target) Passive Detection System (a) range (b) atlanth Take-off weight

5 5553 3

Radar detection range (AM/APS-138/9 with TRAC-A antenna) Overland Overwater Bearland Overwater 1 Wide Band Jammer Par Zone Jammers Par Zone

E-20

3

3

Overwater 1 Wide Band
Jammer Near Zone
Overwater 2 Wide Band
Jammers Near Zone
Overland 1 Wide Band
Jammers Near Zone
Overland 1 Wide Band
Jammer Near Zone
Near Zone
Mote: All detection parameters based on 50% probability of detection point. APS-139 performance will be demonstrated during FT 87.

D. (U) Current T&E Activity.

Event DT-IIA/OT-IIA (UDP Group II)	Planned Date Feb - Oct 86	TRE Activity (Past 12 Months) Actual Date Feb - Oct 86	Remarks Testing completed. Results pending.	ending.
Event DT-IIb/OT-IIB (UDP Group I)	Planned Date Mar - May 87	Tab Activity (Next: 12 Months) Actual Date	Remarks Verify correction of discrepancies and continuing ALP	ncies and continuing ALP
DT-IIB/OT-IIB (UDP Group II)	Aug - Sep 87	1	Verify correction of discrepancies and continuing ALP.	ncies and continuing ALP.

O.

E. (U) Program Documentation

DCP No. 26 Revision of 24 June 1971 WDCP W-0463-AA approved 27 Sep 1984 TEMP 760 Revision 1 approved 15 Oct 1985, Revision 2 in process.

#### NAVAIRTESTOEN REPORTS

1. FT-38-74, CONFIDENTIAL, NATC Technical Report, Final Report BIS 21295, Flying Qualities and Performance Trials of the Model E-2C Airplane, May 1974

WST-C20R-74, CONFIDENTIAL; NATC Technical Report, Third Report (Final), Services Acceptance Trials of the E-2C Airplane, 2. WST-C201

I

ST-C47R-74, CONFIDENTIAL, NATC Technical Report, Servic: Sultability Trials of the E-2t Airplane, 6 June 1974

4. AT-SIR-76, SETRET, MATC Technical Report (Final), Naval Technical Evaluation of the AN/APS-125 Advanced Radar Processing System Installed in the E-2C Airplane, 23 March 1978

AT-S6R-83, SECRET, NATC First Interim Report, TRAC-A, DT-IIIB, 272033Z APR 83

AT-24P-83, UNCLASSIFIED, NATC, Second Interim Report, TRAC-A, DT-IIIB, 1218042 MAY 83

AT-58P-83, SECRET, NATC Final Message Report, TRAC-A DT-IIIB, 2416162 JUN 83

AT-53R-85, SECRET, NATC Quick Response Report UDP Group I Part I, 11 Mar 85

- 9. AT-SAR-84, SECRET, NATC Technical Report, Developmental Test IIB, Group I, Part I, 15 July 1985
- 10. AT-S5R-85, SECRET, NATC Quick Response Report UDP Group I Part I, DT-IIC Part II Second Interim Report, 23 Aug 85
- 11. AT-S6R-85, SECRET, NATC Technical Report (Final), Navy Technical Evaluation (NTE) of the APS-138 radar system as installed in the E-2C airplane, 30 October 1985
- 12. AT-SIR-86, SECRET, NATC Technical Report, Developmental Test IIC of the Update Development Program Group I, Part 1 as installed in the B-2c airplane, 23 April 1986

#### CC-SOFTEVPOR REPORTS

- 1. SECHET, COTP Evaluation Report, First Partial Report on Project C/V 22, Conduct a concurrent evaluation of the E-2C Weapon System, Ser 33, 19 Apr 73
- 2. SECRET, COTF Evaluation Report, Second Partial Report on Project C/V 22, Concurrent evaluation of the E-2C Weapons Systems, Ser S29, 01 Apr 76
  - SECRET, COTF Evaluation Report, Initial Operational Report on UNO Project 152-0T-II, (E-2C ARPS), Ser S81, 01 Sep 76
- SECRET, COTF Evaluation Report, Operational Evaluation of the E-2C Advanced Radar Processing System, Ser S55, 25 Jul 78
- UNCLASSIFIED, COTF Evaluation Report, Operational Evaluation of the High Speed Processor for the E-2C Update, Ser 792, 09 May 80 SECRET, COTF Evaluation Report, Operational Evaluation of the E-2C Total Radiation Apertury Control Antenna, Ser S50, 09 Nov 82
  - SECRET, COTF Evaluation Report Operational Evaluation of the E-2C Total Radiation Aperture Control Antenna, Ser S73, G1 Nov 83
- 8. SECRET, COTF Quick Look Report, Initial Operational Assessment of CNO Proj 760-OT-IIA E-2C Update Development Program Group I, 2014002 SEP 85
  - 9. SECRET, COTF Evaluation Report, Operational Assessment of CNO Project 760 Update Development Program (UDP) Group I (OT-IIA), Ser 553/8110, 23 Dec 1985

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 24161N DoD Mission Area: 235 Naval Warfare Support

Title: Aviation Support CVW Budget Activity: 4 Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No. Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
TOTAL FOR PROCRAM ELEMENT W1633 Aerial Refueling Store W1924 External Drop Tank	1,555	970 0	7,303	666 <sup>4</sup> 6	0 0 0	36,468 18,196 18,272

1

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated.

These units, procured in the late 1950's and early 1960's, are nearing the completion of a useful service life as reflected in their inordinately low availability (50 to 70 percent non-ready for iasue), high spare and repair parta demand and high maintenance man-hours per filght hour. The existing state of store readiness provides only marginal capability, will not meet projected needs, and creates a potential for tactical aircraft losses. The most practical solution to this problem is the supplement the refueling capability of dedicated tankers. Aircraft configured with the store will be capable of refueling all carrier-based tactical aircraft. They will be used to provide fuel on demand during normal carrier launch and recovery development of a new store employing current technology. The new store will be employed on carrier-deployed combat aircraft to evolutiona, either as airborne refuelers for cyclic operations, or on-deck alert for unplanned in-flight fuel requirementa. B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEZD: (W1633) Existing Douglas D704 and Sargent-Fletcher Model 31-300 Aerial Refueling Stores are marginally capable of satisfying current operational demands due to poor maintainability and reliability.

primarily towards needs in AAW and Strike warfare. Specific deficiencies being addressed by this effort include a reliable high possible so that sufficient quantities can be procured to meet the anticipated jettison rates. The current shortage of fuel tanks (W1924) To provide fleet sustainability through a new external fuel tank of approximately 330 gallon capacity that is directed density stowage fuel tank design that will increase the quantities of external fuel tanks aboard ship, while minimizing the impact on space and personnel. In developing a war reserve of external fuel tanks it is desirable that these tanks be as inexpensive as adveraely impact AAW and Strike missions. This tank will interface with the A-6, S-3 and F/A-18 and Will be operational by 1991.

C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The change between the funding profile shown in the Project W1924; the 1,251 decrease in FY FY 1987 Descriptive Summary and that shown in this Descriptive Summary is as follows.

Program Element: 24161N

Title: Aviation Support CVW

Project W1633; the 202 decrease in FY 1986 is due to GRH and 1987 is the result of Congressional action and adjustmenta. Department program/budget adjustments.

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Pro ject			FY 1985	FY 1986	FY 1987	FY 1988	Additional	Total Estimated
No.	Title		Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL POR PROGRAM ELEMENT		3,019	1,757	2,221	7,466	12,318	38,903
W1633	Aerial Refueling Store		3,019	1,757	0	0	0	16,898
W1924	External Fuel Tank		0	0	2,221	7,466	12,318	22,005
D. (U)	(U) OTHER PY 1988/89 APPROPRIATION FUNDS:							
								Totaî
		FY 1986	FY 1987	FY 1988	FY 1989		Additional	Estimated
		Actual	Eatimate	Estimate	Estimate		to Completion	Cost
	Aircraft Procurement, Navy:							
	Funds APN/BA7-310720	40,883	35,196	41,969	0		84,000	237,048
	Quantities	100	100	100	0		240	069
	Africraft Procurement, Navy:							
	Funds APN/BA7-310720	0	0	0	14,400		000,09	88,800
	Quantitiea	0	0	0	2,167		000'6	11,167

E. (U) RELATED ACTIVITIES: Ongoing efforts in the aerial refueling area include KC-10A and KC-135 update programs. Each of these aircraft plan the incorporation of a hose reel assembly to facilitate aerial refueling of probe-equipped receiver aircraft. These efforts are the following: Navy Aircraft Interoperability with the KC-10A, Aircraft Flight Test General Program, Program Element 25663N; and Navy Evaluation of KC-135 Prototype Hose and Drogue Aerial Refueling Stores, Aircraft Flight Test General Program, Program Element 25663N. The technology for the new aerial refueling store ia being incorporated into the D-704 with FY 1986 APN-7 War Consumables Line Item funds at the Naval Air Rework Facility, Alameda CA. Thia program will provide for reliability and maintainability improvementa to extend the life of the present store and will help sustain the inventory level until the new store enters the fleet. (W1924) All emerging technology will be fully investigated for high density shipboard storage and disposibility. Companion efforts underway by NAVSUP/NAVAIR and the Naval Postgraduate School will be closely monitored.

1

Program Element: 24161N

Title: Aviation Support CVW

Encineering Center, Lakehurst NJ; Naval Air Test Center, Patuxent River, MD; and Air Test and Evaluation Jquadron Five, China F. (U) WORK PERFORMED BY: Naval Air Development Center, Warminster, PA; Naval Air Propulsion Center, Trenton, NJ; Naval Air Lake, CA. CONTRACTORS: Sargent-Fletcher Company, El Monte, CA.

## G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

## (U) Project W1633, Aerial Refueling Store:

aircraft will be required to provide surge and backup refueling capabilities through the late 1990'a. The project provides for a will no longer sustain deployed carriers, maintenance pipeline and training requirementa. Aerial refueling store-equipped 1. (U) Description: Existing Aerial Refueling stores have been in aervice for 25 years and their inventory level new store that will be compatible with all current store-equipped aircraft.

## 2. (U) Program Accomplishments and Future Efforta

### a. (U) FY 1986 Program:

- o Completed Navy Technical Evaluation (Nov 1985).
- o Completed Initial Operational Test and Evaluation (Nov 1985).
- o Approval for Limited Production (Mar 1986).
- o Completed contractor preproduction tests (Jun 1986).
- o Exercised production option for first production quantity (Apr 1986).

### b. (U) FY 1987 Program:

- o Complete OPEVAL (Feb 87).
- o Approval for full production (May 1987).
- o Exercise second production option (Jun 1987).

UNCLASSIFIED

400

Program Element: 24161N

Title: Aviation Support CVW

c. (U) FY 1988 Planned Program: Not Applicable.

## (U) Project W1924, External Fuel Tanks:

adverse shipbosrd impact on space and personnel. Existing external fuel tanks are in short supply which probibits combat or emergency jettison. Current tanks are of such large size and shape as to limit the number carried onboard an aircraft carrier. This effort will develop a low-cost external fuel tank for tactical aircraft that minimizes 1. (U) Deacription:

## 2. (U) Program Accomplishments and Puture Efforts:

#### a. (U) FY 1986 Program:

o Obtained SECNAV memorandum directing the development program (Oct 1986).

### b. (U) FY 1987 Program:

o Issue contracts for demonstration and validation of concept (Aug 1987).

### c. (U) FY 1988 Planned Program:

o Exercise FSED contract opt an (Apr 1988).

### d. (U) FY 1989 Planned Program:

o Initiate contractor testing.

### o TECHEVAL and OPEVAL (Mar 1989).

o Obtsin approval for production (Sep 1989).

o Exercise production option (Sep 1989).

(U) Pro ram to Completion: Not Applicable.

H. (U) PROJECT OVER \$10 MILLION IN FY 1988/89. Not Arplicable.

### UNCLASSIFIED Program Element: 24161N

.. (U) TEST AND EVALUATION DATA: Not applicable.

Title: Aviation Support CVW

## FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Title: Fleet Telecommunications (Tactical) Budget Activity: 4 - Tactical Program Program Element: 24163N
DoD Mission Area: 345 - Tactical Communications

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

					1 5 5 5 7
FY 1986	FY 1987	FY 1988		Additional	
Actual	Estimate	Estimate		to Completion	Cost
28,282	10,954	8,219		5,229	
10,029	10,954	8,219		5,229	69,792
9,123	•	1			
9,130	•	•	•	1	1
Actual 28,282 10,029 9,123 9,130	1 2000	FY 1987  Fatimate  10,954  10,954	FY 1987 Figurate 10,954 10,954		FY 1987 FY 1988  Figurate Estimate 10,954 8,219 10,954 8,219

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

<sup>1</sup> Project X0695 is funded in Program Element 64232N commencing in FY 1987.

Project X0725 is funded in Program Element 63783N in FY 1987 only; then in Program Element 64232N in FY 1988 and cut.

antennas, VHF Relay Pallet and integration of U.S. Army ECCM radio into Navy ships. Developments will significantly improve the Navy's ability to maintain reliable communications in a hostile environment. Such capability is essential to effective command B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Included in this program element are the development of anti-jam radios, and control and support of mobile military forces.

C. (U) COMPARISON WITH THE 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: In FY-86, an increase in Project W0661 of 4,039 is due to department program/budget adjustments; a decrease of 13,613 in Project X0695 is due to a GRH adjustment and department program/budget adjustments. In FY-87, a decrease of 33,857 in Project X0695 is the result of department program/budget adjustments which transfer the project to PE 64232N; a decrease of 18,835 in Project X0725 is due to department program/budget In FY-88, a net increase of 6,111 in Project W0661 is due to department adjustments which transfer the project to PE 63783N. program/budget adjustments and a NIF rate adjustment.

Program Element: 24163N

Title: Fleet Telecommunications (Tactical)

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

Total	Estimated	Cost	1	Continuing	15 287
	Audi tional				
FY 1989		rst1mate	0	10	0
FY 1988	Continue	ESCIMALE	0	•	0
FY 1987	Ferimoto	TO CTIMATE	43,738	4.17	11000
FY 1986	Actual		42,393	1169	11160
		NAO		APN-5(UMF Relay POD)	

The projects within this element are complementary, not duplicative, of other Navy communications development and improvement efforts and to joint service efforts such as Tri-Service Joint Tactical Communications Program (PE 28010N) and Joint Tactical Information Distribution System (Program Element 25604N) which are being developed for separate needs and requirements. The Army Single Channel Ground and Airborne Radio System and the Air Force "HAVE QUICK" activities both provide basis and input to the ARC-182 Combination Radio. E. (U) RELATED ACTIVITIES:

F. (U) WORK PERFORMED RY: IN-HOUSE: Space and Naval Warfare Systems Command, Washington, DC; Naval Electronic Systems Engineering Centers, Portsmouth, VA, Vallejo, CA. and Charleston, SC; Naval Air Systems Command, Washington, DC; Naval Research Laboratory, Washington, DC; Naval Ocean Systems Center, San Diego, CA; Naval Air Development Center, Warminster, PA; Pacific Missile Test



Program Element: 24163N

Title: Fleet Telecommunications (Tactical)

Corp., Rethpage, Long Island, NY; Rockwell International Corp., Collins Telecommunications Products Division, Cedar Rapids, IA, & Center, Pt. Mugu, CA; Naval Surface Weapons Center, White Oak, Silver Spring, MD; Naval Air Test Center Patuxent, MD.; Naval Avionics Center Indianapolis, 1N.; Naval Telecosmunications System Integration Center, Washington, D.C. and Naval Underwater Systems Center, New London, CT. CONTRACTURS: Lifton Data Systems, Van Nuys, CA; Xetron, Inc., Cincinnati, OH; Grumman Aerospace Anaheim, CA; MITKE Corp., McLear, VA; GTE, Needham, MA; and Westinghouse, Baltimore, MD.

- G. (U) PROJECT'S LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable
- (U) Project W0661, Combination Radio:
- combination radio system. The system is composed of low and high power Very High Frequency/Frequency Modulation (FM), Very High Frequency/Amplitude Modulation (AM), Ultra High Frequency/FM and Ultra High Frequency/AM voice radios, aircraft frequency (W) Description: The AN/ARC-182 (Ambination Radio provides tactical aircraft with a small, securable, hopping filters and broadband aircraft antennas. Capabilities of securable and

Marine Corps, Army and Air Force, as well as allied forces. The Army's Single Channel Ground and Airborne Radio System will also liness and assured tactical coordination through direct airborne communications essential to combat forces of the U.S. Navy, be adapted for shipboard use by COMSPAWARSYSCOM. In addition, an Ultra High Frequency airborne relay pod and Very High Frequency relay pallet and a digital communications terminal compatible with SINCGARS to meet fleet requirements for inter/intra battle group limited range of intercept command, control and communications will be developed. The communications to be retransmitted and received include voice/teletype and data link channels. The Ultra High Frequency relay pod is a Rapid Development Capability project contained within the AN/ARC-182 program, and utilizes four basic AN/ARC-182 radios and two AN/ARC-182 radios modified for The system's communications functions will provide the elements of time-Link 11 capability.

- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- ° Completed HAVE QUICK OPEVAL.
- \* Continued development of Ultra High Frequency/Very High Frequency Electronic Counter Countermeasures radio system and smart modem to be interoperable with HAVE QUICK, HAVE QUICK II and with Single Channel Ground and Airborne Radio System(s).

Program Element: 24163N

Title: Fleet Telecommunications (Tactical)

° Continued acceptance of production basic ARC-182 radios and conducted follow on test and evaluation for new

° Completed development and operational test and evaluation of the Ultra High Frequency Relay Pod, and commenced procurement of the pods.

### b. (U) FY 1987 Program:

- ° Continue development of Electronic Counter Countermeasures (ECCM) radio system and smart modem to prepare for development test and evaluation, continue software development of ECCM waveforms.
- Complete procurement of Ultra High Frequency Relay Pods.
- ° Commence installation system design for U.S. Army SINCGARS Radio, VHF Relay Pallet, and Digital Communications Terminal for surface ship applications.

### c. (U) FY 1988 Planned Program:

- \* Initiate TECHEVAL testing of the ARC-182 combined HAVE QUICK/Single Channel Ground and Airborne (SINGGARS) ECCM system.
- ° Continue installation system design for US Army SINCGARS radio, VHF Relay Pallet and Digital Communications Terminal application on surface ships.

### d. (U) FY 1989 Planned Program:

- ° Complete TECHEVAL of ARC-182 combined HAVE QUICK/SINCGARS ECCM system.
- Initiate and complete OPEVAl, of ARC-182 combined HAVE QUICK/SINCGARS ECCM system.
- Obtain approval for production of ARC-182 combined HAVE QUICK/SINCGARS ECCM radios for aircraft.
- Continue shipboard SINCGARS installation design, conduct OPEVAL and obtain production approval.
- ° Continue VHF Relay Pallet development using SINGCARS Radio, and Digital Communications Terminal software development. Obtain production approval.

406

Program Element: 24163N

Title: Fleet Telecommunications (Tactical)

the ARC-182 ECCM applications to ensure

### e. (V) Program To Completion:

 Begin Preplanned Product Improvement to joint interoperability.  Commence procurement of combined HAVE OUICK/SINCGARS radios for aircraft and SINCGARS ECCM radio for surface ships.

continue procurement of ARC-182 ECCM radios for Aircraft.

Commence procurement of SINGCARS capable VHF Relay Pallet and Digital Communications Terminal

### f. (U) Major Milestones:

Date	7/85	3Q FY89	1Q FY90	4Q FY90
Milestone AN/ARC-182 ECCM	Milestone II	OPEVAL Completion	Milestone III	100

SHIP SINCGARS/VHF RELAY PALLET/DIGITAL COMMUNICATIONS TERMINAL. OPEVAL Completion 3Q FY89

 OPEVAL Completion
 3Q FY89

 Milestone III
 4Q FY89

 IOC
 4Q FY91

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not applicable.

I. (U) TEST AND EVALUATION DATA: Not applicable.

## FY 1958/89 RDIGE DESCRIPTIVE SUMMARY

Budget Activity: 4 - Tactical Programs Title: Undersea Surveillance Systems Program Element: 24311N DoD Hission Area: 237 - Naval Warfare Surveillance and Reconnaissance

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total Estimated Cost	ontinuing N/A	ontinuing	17,954
Additional Esto Completion Co	Continuing Continuing N/A N/A	Continuing Continuing	W/N
FY 1989 Estimate	43,412	43,412	0
FY 1988 Estimate	30,576	30,576	0
FY 1987 Estimate	22,549	22,549	0
FY 1986 Actual	40,911	14,880	17,954
Title	TOTAL FOR PROCRAM ELEMENT Integrated Underses Surveillance System (IUSS) Design and Assessment	Integrated Undersea Surveillance System (IUSS) Development	Battle Group Quick Reaction Surveillance System (BGQRSS)
Project No.	X0763	99:0X	X1938

The above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through

## B. (1) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED:

data handling/transmission systems; the underwater electronic and cable technology as they relate to improving IUSS sensitivity veillance Towed Array Sensor System (SURIASS). Funding for the Fixed Distributed System (FDS) shore signal processing system was provides for the design and development of: the shore based acoustic signal processing systems; the intra-system acoustic and and performance; and, the Reduced Diameter Array (RDA) being developed consolidated into PE 63784N, X1312 by Department action.

adjustment -1,649. The FY 1938 decrease -8,035 is a Department adjustment reflecting the FDS PE consolidation. For Project C. (L) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary and that abown in this Descriptive Summary are as follows: For Project X0766: the FY 1986 total decrease of -4,830 is due to a -1,030 Graham-Rudman-Hollings decrement and a -3,800 decrease due to Department budget action; ind Dep. rtmental adjustments -10,000 and a Congressional the FY 1987 total decrease of -11,649 reflects the

Program Element: 24311N

Title: Undersea Surveillance Systems

X1938, the FY 1986 decrease of -2,046 is due to the Graham-Rudman-Hollings reduction -1,046 and a Department program/budget adjustment -1,000.

(U) PUNDING AS REPLECTED IN THE PY 1987 DESCRIPTIVE SUMMARY:

Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
X0763	TOTAL FOR PROGRAM ELEMENT Integrated Undersea Surveillance System (IUSS)	31,917	48,232	34,198 0	38,611 0	Continuing 0	Continuing Continuing 0 N/A
X0765	Design and Assessment LINK HEMLOCK	395	0	0	0	0	N/A
X0766	Integrated Undersea Surveillance System (IUSS)	21,584	19,710	34,198	38,611	Continuing	Continuing Continuing
X01938	Detection and Classification System Development Battle Group Quick Reaction Surveillance System (EQRSS)	0	20,000	0	0	•	20,000

D. (U) OTHER PY 1988/89 APPROPRIATION FUNDS:

Total	Estimated	ion Cost	Continuing Continuing	Continuing Continuing
	Additional	to Completion	Continu	Continu
	FY 1989	Estimate	35,077	0
	FY 1988		55,525	0
	FY 1987	Estimate	80,951 83,183	10,000
	FY 1986	Actual	156,951	5,760
			8 (332225)	
			Navy Fund	Ę
			rements,	, onstructio
			Other Procurements, Navy Funds	Quantities* Military Construction

<sup>\*</sup> A quantity cannot be specified since there is no one subsystem or system component item that characterizes the mix of hardware and equipments included in SOSUS backfit and future deployments/procurements.

Program Element 63784N, Anti-Submarine Warfare Surveillance, Pixed Distributed System (FDS), and Program Element 24313N, Surveillance Towed Array Sensor System (SURIASS) : these programs provide research and development for additional fixed system and mobile sensors for the Integrated Undersea Surveillance System (1USS). Program Element 63785N, ASW Environmental Acoustic Support (AEAS), provides environmental acoustic support through at-sea measurements and acoustic modeling. E. (U) RELATED ACTIVITIES:

Program Element: 24311N

Title: Undersea Surveillance Systems

Program Element 63747N, Advanced ASW Technology, provides for an increase in Active Adjunct development efforts for the CNO's Urgent ASW Initiative Program (CUARP).

- F. (U) WORK PERFORMED BY: IN HOUSE: Space and Naval Warfare Systems Command, Washington, DC; Naval Scean Systems Center, San Diego, CA (lead laboratory); Naval Research Laboratory, Washington, DC; and Naval Electronic Systems Engineering Activities, St. Intgoes, MD. CONTRACTORS: TRW Systems, McLean, VA and AT&I Technologics Inc., Greensboro, NC.
- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/1989: Nots. Applicable.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/1989:
- (U) Project X0766, Integrated Undersea Surveillance System (IUSS) Development:
- 1. (U) Description: This project provides (1) application of state-of-the-art computer and display technology to the development of signal and data processing subsystems and techniques in the following SOSUS areas; (a) real time signal processing (b) the distribution and transfer of acoustic data from collection subsystems to processing subsystems; (U) recall and tollow-up processing of real time data; (d) development of

(4) training equipments for the Fleet ASW Centers and the Readiness Training Facility, Dam Neck, VA, training courseware and software; and (6) independent Navy test and evaluation of IUSS subsystems including BGQRSS.

- (U) Program Accomplishments and Future Efforts:
- a. (1) FY 1986 Program
- ° Tested

o Initiated system specification for

i (This effort transfers to PE 63784N in FY 1987).

UNCLASSIFIED

(This effort transfers to PE 63784N in

Program Element: 24311N

Title: Undersea Surveillance Systems

· Conducted tasks in conjunction with the effort described in PE 63747N (Advanced ASW Technology), including:

subsystem development.

Completed system specification for Specified

oo Initiated procurement for

Conducted at-sea test of

- o Initiated software development for the Wide Band Acoustic Recall (WBAR) to
- Completed test and evaluation for the Integrated Acoustic Dispiay (IAD), Multiple Flexible Analysis Displays (MILTIFLADS) and Computer Interface Cabinet (CIC) capability.
  - · Completed factory acceptance testing for the Interarray Processor II/Acoustic Display Console (IAP II/ADC) upgrade.
    - · Completed analysis of long term noise data for site 4421.
- · Completed identification of
- (This effort transfers to ° Completed Navy testing for Integrated Acoustic Misplay (IAD) and Wide Band Acoustic Recall (WBAR) upgrade.
  - o Initiated a series of controlled experiments PE 63784N in FY 87.)

#### (V) FY 1987 Program: Ď,

- . Complete analysis of
- or current and projected threats.
  - Initiate development of prototype signal characterization algorithms.
    - · Complete IAD/WBAR subsystem developments.
- ° Complete the Acoustic Display Console (ADC) and IUSS training curriculum developments.
- · Continue
- · Continue iVSS integration and system design transition planning to develop requirements and specifications for Integration at the Naval Ocean Processing Facilities.
- · Complete the design for the
- · Complete the requirements definition and design for a system to

#### (U) FY 1988 Planned Program: 0

- ° Initiate
- o Install
- ° Continue the
- · Cont nue
- system developments related to efforts in PE 63747N (Advanced ASW Technology).

Program Element: 24311N

Title: Undersea Surveillance Systems

d. (v) FY 1989 Planned Program:

° Complete

continue
Technology).

uring demonstrated technologies from PE 53747N (Advanced ASW

e. (U) Program to Completion: This is a continuing program.

f. (V) Major Milestones:

Milestone

System Specification

Award Follow-on IUSS Improvement R&D Contract
January 1986

A. IAP II/Acoustic Display Console Testing

MS II

Sea Trials and Data Analysis

System EDM Specification

System EDM Specification

Date

January 1986

January 1987

December 1987

Rovember 1989

Sea Trials and Data Analysis

September 1989

1. (U) TEST AND EVALUATION DATA: Not Applicable.

## FY 1988/89 RITISE DESCRIPTIVE SUMMARY

DoD Mission Area: 233 - Anti-Submarine Warfare Program Element: 24313N

Title: Ship-Towed Array Surveillance Systems Rudget Activity: 4 - Tactical Programs Total

(Dollars in Thousands) A. (U) FY 1988/1989 RESOURCES (PROJECT LISTING):

Estimated	Continuing	Continuing
Additional to Completion	Continuing Continuing	Continuing Continuing
FY 1989 Estimate	4,447	4,447
FY 1988 Estimate	6,226	6,226
FY 1987 Estimate	5,552	5,552
FY 1986 Actual	1,884	1,884
	TOTAL FOR PROGRAM ELEMENT	Surveillance Towed Array Senwor System (SURTASS)
Project No.		X0758

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or snticipated through FY 1989.

passive undersea surveillance capability against current and projected threat submarines, and flexibility in expanding present undersea surveillance operations supporting tactical anti-submarine warfare forces. In FY 1984, the Block Upgrade Program Prior to FY 1984, this program provided for the initial development of a Surveillance Towed Array Sensor. Now operational, the Surveillance Towed Array Sensor System provides a mobile, long range, B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: commenced to

The Block Upgrade Program contains

passive target classification capability and provide growth for processing low frequency active sonar as an enhancement to passive These improvements will enable the Surveillance Towed Array Sensor System to provide greatly improved support to tactical anti-submarine warfare forces. (Dollars in Thousands) There were no significant changes between FY 1987Descriptive Summary and that shown in this Descriptive Summary. C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY:

Pregram Elements 24313N

(U) FUNDING AS REFLECTED IN THE PY 1987 DESCRIPTIVE SUMMARY:

							Iotal
Pre ject		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
No.	<u> </u>	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	3,731	1,993	5,833	6,356	11,586	138,035
X0758	Surveillance Towed Array Sensor	3,731	1,993	5,833	6,356	11,586	138,035

D. (U) OTHER FY 1988/1989 APPROPRIATION FUNDS:

	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Estimated Cost
SCN (T-AGOS Monohull/Swath)						
(Total Ship FY TOA)	109,460	148,100	166,200	174,000	123,700	1,545,755
Quantity	(2)	(3)	(3)	(3)	(3)	(3) (31)
OPN (332237)	14,613	19,750	21,340	21,549	Continuing	Continuing
UFA (352237)	14,013	19,750	77,340	640,12		Continuing

Program Element 24311N, Undersea Surveillance System, provides shore signal and information processing. Program Element 63785N, ASW Environmental Acoustic Support provides acoustic data and modeling support and testing of Program Element 33109N, Satellite Communications, provides for the development of the satellite terminal. E. (U) RULATED ACTIVITIES: modified arrays. IN-HOUSE: Naval Ocean Systems Center, San Diego, CA (Lead Laboratory). CONTRACTORS: Hughes Aircraft Company, Fullerton, CA; and TRW Systems, McLean, VA. F. (U) WORK PERFORMED BY:

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/1989:

(C) Project X0758, Surveillance Towed Array Sensor:

to provide increases in the capability for long range, passive surveillance against threat submarines. These improvements will (4) Description: This project will develop improvements in signal processing for the Surveillance Towed Array Sensor To provide the increased signal processing, the AN/UYS-2 Enhanced Modular Signal Processor will be incorporated. provide inproved target classification capability

Program Element: 24313N

Title: Shi -Towed Array Surveillance Systems

- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- ° Completed System Operational Design (SOD)
- ° Completed System Requirement Review (SRR)
- Initiated Program Performance and Interface Design Specification
- b. (U) FY 1987 Program:
- ° Complete Preliminary Design Reviw (FDR)
- O Initiate hardware and software architecture design
- ° Initiate Program and Database Design Specification
- c. (U) FY 1988 Planned Program:
- ° Complete Critical Design Review (CDF) and Software Detailed Design Review (SDDR)
  - ° Complete architecture design
- ° Complete software coding
  - ° Complete parameter test
- o Initiste system integration
- d. (U) FY 1989 Planned Program:
- ° Comple'e system integration
- e. (U) Program to Completion:
- · Complete efforts under the follow-on product improvement program including designing, coding and unit testing computer software and installing hardware.
  - ° Field test the Enhanced Modular Signal Processor (AN/UYS-2).
- Perform developmental and operational testing of the SURTASS Block Upgrsde package.
  - Conduct OPEVAL in aboard s fleet SURTASS/T-AGOS platform.

Program Flement: 24313N

Title: Ship-Towed Array Surveillance Systems

### f. (C) Major Milestones:

#### Milestone

Date

15 JAN 1986 FY 1990 FY 1991 FY 1992/10 Milestone II Sponsor Program Review Complete certification testing and TECHEVAI. Complete OPEVAL Milestone III. Sponsor Program Review IOC. 

H. (I'' PROJECTS OVER \$10 MILLION IN FY 1988/1989: Not Applicable.

1. (U) TEST AND EVALUATION DATA: Not Applicable.

## FY 1988/89 RDI&E DESCRIPTIVE SUMMARY

Program Elerent: 24571N DoD Mission Area: 235 - Naval Warfare Support

Title: Special Projects
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	15,405	079,6	13,978	7,465	Continuing	Continuing Continuing
W0431	Tactical Aircrew Combat						
	Training System	3,068	2,297	4,926	5,373	Continuing	Continuing Continuing
W1414	Integrated Air Warfare						
	Training Complex (Fallon)	12,337	4,868	4,921	0	0	67,259
X1823*	Enhanced Naval Warfare						
	Gaming System	(4,965)	2,475	4,131	2,092	Continuing	Continuing Continuing

\* X1825 in PE 64703N prior to FY 1987.

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

the Naval Strike Warfare Center (NSWC) and Strike Warfare Initiatives Program including extending the current training capability in air-to-air combat to other phases of air warfare; e.g., air-to-surface and defense suppression, to provide comprehensive interfaces with additional tactical aircraft, and to include realistic electronic warfare simulation in all training exercises. A necessary to apply lessons learned in Vietnam and Lebanon which are required to avoid repetition of high attrition in future host-dependent remote sites capable of conducting a wide range of simulated war games from battle group/theater level scenarios to complementary development employing advanced technology was initiated in FY 1982 to provide a modern instrumented range at Naval This project has been identified by the Secretary of the Navy as the priority training range requirement conflicts. The Enhanced Naval Warfare Gaming System (ENWGS) is a CNO directed effort to enhance the existing Naval Warfare Gaming System (NWGS) installed at the Naval War College in Newport, Rhode Island. ENWGS will consist of three host sites and four global conflict. ENWGS will satisfy the requirement to provide NO-RISK battle group/battle force warfare training for senior B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program develops advanced state-of-the-art instrumentation systems to support fleet proficiency training and tactics assessment. Tactical Aircrew Combat Training System (TACTS) capabilities support Air Station, Fallon, Nevada for graduate training of Navy and Marine Corps squadrons ranging from single aircrew to full carrier naval officers while supporting operational forces in the development of tactics and execution of the Maritime strategy. air wing exercises.

Program Element: 24571N

Title: Special Projects

of 3,127 is the result of Department program/budget adjustments and Congressional action and adjustments; in FY 1988, a decrease C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: In Project W0431: in FY 1987, a decrease of 3,836 is the result of Department program/budget adjustments. In Project W1414: the decrease of 1,635 in FY 1986 is the result of GRH and Department program/budget adjustments; in FY 1988, the decrease of 725 is the result of Department program/ Project X1823 is a transfer from PE 64703, Personnel, Training, Simulation and Human Factors to PE 24571. In Project X1823: the FY 1986 decrease of 835 is the result of Department program/budget adjustments; in FY 1987, the decrease of 2,145 was due to Congressional action. budget adjustments.

# (II) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
EQ. 23	TOTAL FOR PROGRAM ELEMENT	18,664	16,982	10,500	14,408	Continuing	Continuing
20101	Training System	3,146	3,010	5,424	8,762	Continuing	Continuing
11111	Training Complex (Fallon)	15,518	13,972	5,076	2,646	Continuing	Continuing
۰,1023	rnnanced naval warrare caming System	(3,912)		(5,800) (4,620) (4,527)	(4,527)	Continuing	Continuing

\* From PE 64703N

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

	letion Cost	Continuing Continuing
Addition	to Completion	Cont
	Estimate	11,080
	Estimate	13,460
FY 1987	Estimate	9,500
FY 1986	Actual	9,408
		Aircraft Procurement, Navy (47C6) Other Procurement, Navy (43SC)

Total

E. (U) RELATED ACTIVITIES: The first TACTS was originally developed as an Air Combat Maneuvering Range (ACMR) between FY 1970 and FY 1974, and is now operational at Yuma, AZ. A second system has been installed on the East Coast off Cape Hatteras, NC. Similar systems have been procured by the Navy at Fallon, NV, and the United States Air Force at Nellis Air Force Base, NV; Iyndall Air Force Base, FL; Luke Air Force Base, AZ; Holloman Air Force Base, NM; and in the Mediterranean (Med.). The Navy plans additional

Program Element: 24571N

Title: Special Projects

Global Positioning Systems for DoD ranges, and the Joint Tactical Information Distribution System perform technical work related All USN and USAF ranges are joint use. At Fallon, NV, the existing electronic warfare range instrumentation systems will interface with TACTS. Battle Force In-port Trainer, Battle Force Tactical Trainer, Range Applications Joint Program Office for systems at Cherry Point, NC and Charleston, SC and the Air Force plans an additional system in the vicinity of Southern Florida. to the ASCTS.

Analysis Center, Corona, CA; Naval Air Test Center, Patuxent River, MD; Naval Electronic Systems Engineering Center, Portsmouth, VA; Naval Ocean Systems Center, San Diego, CA; CONTRACTORS: Cubic Corporation, San Diego, CA; SRI International, Menlo Park, CA; F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Weapons Center, China Lake, CA; Naval Air Development Center, Warminster, PA; Fleet Litton Corporation, Sunnyvale, CA; Computer Sciences Corporation, Moorestown, NJ; Booze-Allen and Hamilton, Inc., Bethesda, MD. Spectrum Research Systems, Newport Beach, VA; Value Systems Engineering, Alexandria, VA; Hughes Aircraft Co., Canoga Fark,

## G. (U) PROJECTS LESS THAN SIO MILLION IN FY 1988/89:

# (U) Project WO431, Tactical Aircrew Combat Training System:

Aircrew Combat Training System (TACTS) to include: (1) full strike capability for advanced tactical training including war-at-sea, (2) the capability of interfacing the F/A-18A and future aircraft weapon system data bus to the TACTS Aircraft Instrumentation Subsystem internal, (3) the capability to present realistic computer generated electronic warfare threats and evaluate aircrew performance in a dense electronic warfare environment, and (4) the implementation of simulation models for additional air-to-air, 1. (U) Description: This project provides for the design and development of an advanced state-of-the-art Tactical surface-to-air, and air-to-ground weapon systems.

## 2. (U) Program Accomplishments and Future Efforts:

### a. (U) FY 1986 Program:

- Initiated encryption development program to support future Electronic Warfare (EW) training objectives.
- Continued advanced development efforts to support an all mode AIM-54 (PHOENIX) training capability.
- ° Conducted ship interface demonstration feasibility test,

#### b. (U) FY 1987 Program:

- Initiate war-at-sea capability.
- Initiate development of a flight-line test set.

Program Element: 24571N

Title: Special Projects

° Complete the ALR-45F/67 Radar Warning Receiver (RWR) software interface development.

Initiate development of an aircraft Defensive Electronic Countermeasure (DECM) training capability.

Continue advanced development efforts to support full AIM-54 (PHOENIX) training capability.

Continue encryption development efforts.

Provide additional blue and orange weapon/EW simulations.

c. (U) FY 1988 Planned Program:

Continue development and testing of a war-at-sea capability.

\* Initiate development efforts to support EA-6B, AGM-84 (HARPOON) and AGM-88A (HARM, training capability.

° Conduct testing of encryption, RWR, and AIM-54 interface.

Provide new weapon/FW simulations.

Develop TACTS Instructional Enhancements in response of OR # 028-95-87.

d. (U) FY 1989 Planned Program:

° Conduct testing of the EA-6B, ACM-88A, and AGM-84 training capability.

o Initiate interface for the F-14D, A-6F and AV-8B aircraft.

? Initiate tracking interface requirements for using the Global Position og System.

o Initiate a Product Improvement Program for TACIS.

Weapons simulation and EW computer generated threats need to be The TACTS is a continuing program to develop "\*mulations/stimulations for new continuously incorporated into the TACTS in order to provide realistic aircrew training. weapons/EW capabilities as they are defined and/or refined. e. (II) Program to Completion:

Program Element: 24571N

Title: Special Projects

- (U) Project W1414, Integrated Air Warfare Training Complex (Fallon):
- computer-uriven, advanced technology range instrumentation system designed to provide advanced tactical training for operational aircrews. Training will be provided for either simultaneous or individual operations in air combat maneuvering, tactical no-drop Instrumentation Subsystem (AIS), (1) Computation and Control Subsystem (CCS), (c) Display and Debrief Subsystem (DDS), (d) Tracking Instrumentation Subsystem (TIS). These subsystems, with appropriate communications, microwave links, and remotely 1. (U) Description: The TACTS portion of the Fallon Integrated Air Warfare Training Complex is a state-of-the-art, The system is comprised of four basic subsystems: (a) Aircraft operated master station radios, are integrated to provide an instrumentation system capable of tracking 36 high-activity aircraft. Fallon IACTS is the prototype for all future Navy IACTS systems. bomb scoring, defense suppression and electronic warfare.
- (U) The A1S consists of pod-mounted equipment and/or the internally-carried A1S for the F/A-18A aircraft.
- equipment determined to be three times faster, have more capability, and provide for easier expansion than other existing TACTS (U) The CCS equipment is based on state-of-the-art Perkin-Elmer 3250 computers and supporting peripheral equipment:
- These consoles provide three dimensional displays, engineering data and aircraft launch modes for weapons delivery and air combat maneuvering. (U) The DDS uses advanced technology, multicolored, multifunction large screen displays and consoles.
- the transmitted data via the remotely controlled master station and microwave link to the Computation and Control, and Display and (U) The TIS is comprised of solar-powered, remote data collection and relay stations strategically located throughout the 30 X 50 nautical mile range area. These devices communicate data to and from properly equipped participant aircraft, and relay Debrief Subsystems.
- 2. (U) Program Accomplishments and Future Efforts:
- i. (U) FY 1986 Program:
- Initiated incorporation of the Facility Air Control Tracking Systems (FACTS).
- Initiated DDS disk based system.
- o Initiated integration of the Laser Training System.
- Incorporated DDS display enhancements.
- Incorporated limited war-at-sea capability for the OCEANA TACTS range.

Program Element: 24571N

Title: Special Projects

- Continued interface development for a destroyed target marking system.
- · Initiated the NIKE Radar Interface.
- Initiated expansion of Fallon Supersonic Operations Area and additional ground target sites.
- b. (U) FY 1987 Program:
- \* Initiate relocation of Fallon TACTS equipment into the planned NAVSTRWARCEN Applied Instruction Building
- Procure diagnostics software documentation.
- . Integrate unmanned EW threat emitters into TACIS.
- . Incorporate multiple aircraft ordnance software simulations.
- Provide additional Integrated Air Defense System simulations.
- o Initiate Link Il interface.
- <sup>9</sup> Procure additional TIS Remote Units.
- (11) FY 1988 Planned Program:
- o Incorporation of additional unmanned threat emitters.
- complete Link II interface.
- Incorporation of additional air-to-air and air-to-surface weapons simulations.
- Incorporation of the disk based DDS upgrade.
- ' Completion of the relocation of TACTS equipment into the P-265 building.
- d. (11) FY 1989 Planned Program: Not Applicable.
- e. (P) Program to Completion: Not Applicable.

Program Element: 24571N

Title: Special Projects

## (U) Project X1823, Enhanced Naval Warfare Gaming System:

(U) Description: The Enhanced Naval Warfare Gaming System will provide realistic Battle Group-level training for senior Naval Officers and their staffs, and support the Tactical Warfare Training Curriculum at the Tactical Training Groups. As an operational and educational tool, the Euhanced Naval Warfare Caming System will focus on strategy and tactical development, This system will optimize Battle Group/Battle Force training and combat readiness during anticipated fiscal austerity and reduced operational tempo. These capabilities are not available in any other system. This program enhances the existing Naval Warfare Caming System to support the needs and objectives of the CNO, Fleet Commanders (FLTCINGS), Naval War College, Tactical Training Groups, Atlantic and Pacific, and the Naval Postgraduate School. Three host sites (the Naval War College and the Tactical Training Groups, Atlantic and Pacific) will be capable of stand-alone operation, and interface with four host-dependent remote sites (the FLTCINGs and the Naval operational planning, wargaming and decision making, tactics evaluation, and post-exercise analysis. Postgraduate School).

## 2. (U) Program Accomplishments and Future Efforts:

#### (II) FY 1966 Program:

- Completed procurement and installed Enhanced Naval Warfare Caming System hardware.
- o installed two of three host sites' hardware,
- o Enhanced Naval Warfare Gaming System software delivered to the Government and host sites.

### . (U) FY 1987 Program:

- o Initial Operational Capability (IOC) will occur. IOC is defined as first release of the operational system to the training sites: Tactical Training Groups, Atlantic and Pacific, and the Naval War College.
- o Complete hardware delivery to both host and remotes sites.
- o Continue development of Release 2 computer software.

### c. (U) FY 1988 Planned Program:

- Delivery to Government and host sites of Release 2 computer software.
- o Begin development of Release 3 software.

Program Element: 24571N

Title: Special Projects

- d. (U) FY 1989 Program:
- o Delivery to Government and host sites of Release 3 computer software.
- o Continue software development and enhancements.
- o Begin research on new system architecture for the Enhanced Naval Warfare Gaming System.
- e. (U) Program to Completion:
- o Continue evolutionary software development to meet refined operational requirements.
- o Procure hardware and software based on the new system architecture developed in FY 1989.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not Applicable.
- I. (II) TEST AND EVALUATION DATA: Not Applicable.

## FY 1986/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 24573N
DoD Mission Area: 374 - Multi-Mission, Technology and Support Budget

Navy Cover and Deception Program
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	Title	Actuai	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROCKAM ELEMENT	16,643	9,766	6,762	5,392	Continuing	Continuing
X0805	Shipborne Cover and Deception	1,245	1,700	6,762	5,392	Continuing	Continuing
80849	Offboard Cover and Deception *	15,398	8,066	0	0	0	474,68

\* Project X0849 became S0849 in FY87 as the result of project transfer to the Maval Sea Systems Command

The above funding includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

(V) FRIEF DESCRIPTION F ELEMENT AND MISSION NEED: This program provides equipments, devices, systems and techniques

This program provides an offensive and defensive electronic warfare capability to provide force multipliers at the battle force level. Sub-projects within this item are: (1) Project X0805: Shipborne Cover and Deception (a) van-deployable Included are systems. develons shipboard

(AN/SLQ-34), and (d) product improvements to keep these equipments/systems current with threat changes; and (2) simulators (AN/SSQ-74), (b) ship-towed acoustic simulator (AN/SLQ-33), (c) permanently installed

Project X0849: Offboard Cover and Deception develops a family of expendable simulators simulator (e) Macro Scenario Generator System/Planning Analysis Coordination Module (MACS/PACM) which is a force level planning system providing support to all cover and deception operations, and (f) product improvements to keep these devices current with

C. (V) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: Project X0805 - the decrease of \$2,333 in FY 1986, was the result of Department Budget Adjustment. The decrease of 1,032 in FY 87 was the result of Department/ Program Budget Adjustments (900) and Congressional adjustment (132). Project X0849 - the decrease of 4,811 in FY 1986 represents GRH

425

Program Element: 24573N

Title: Navy Cover and Deception Program

Simulator which was determined not to be required Adjustment of 1,325 and 3,486 due to cancellation of the

The decrease of 4,268 in FY 1987 is the result of Department program/budget adjustment and a Congressional adjustment. The decrease of 12,525 in FY 1988, results from the cancellation of the 'Simulator, restructuring of program objectives and the elimination of the requirements to develop and certify the flight hodies and power sources associated with

these simulators.

(11) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUPPLARY:

Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Eatimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
X0805 X0849	TOTAL FOR PROGRAM ELEMENT Shipborne Cover and Deception Offboard Deception Devices	23,185 3,972 19,713	23,787 3,578 20,209	15,066 2,732 12,334	19,500 6,975 12,525	95,786 31,704 64,082	259,899 87,051 172,848

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

Total Additional Estimated to Completion Cost	Continuing Continuing Continuing Continuing Continuing Continuing
FY 1989 Estimate	32,117 4,787 27,330
FY 1988 Estimate	33,681 0 33,681
FY 1987 Estimate	22,554 0 22,554
FY 1986 Actual	21,622 4,586 17,036
	TOTAL FOR PROCRAM ELEMENT Shipborne Cover and Deception (2340) Offboard Deception Devices (2342)
	OPN X0805 X0849

E. (U) RELATED ACTIVITIES: Program Element 24576N (Project X1370) Counter-Targeting/Counter-Surveillance Expendables; Program Element 24576N (Project X1795) Counter Communications; Program Element 24576N (Project X1795) Command, Control and Communications Countermeasures Decision Aiding; Program Element 64573N (Project X0954) Shipboard EW Improvement.

(U) KORK PERFORMED BY: IN-HOUSE: Naval Surface Weapons Center, Dahlgren Laboratory, Dahlgren, VA: Naval Research Laboratory F. (U) WORK PERFORMED BY: IN-HULLE: Naval Juriace meapons of the context, Context, Contractors: Honeywell, Inc., Wash., D.C., Naval Ocean System Center, San Diego, CA., Naval Weapons Support Center, Crane, IN. CONTRACTORS: Honeywell, Inc., Wash., D.C., Naval Ocean System Center, San Diego, CA., Naval Weapons Support Center, Canada Contractors.

G. (II) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89

Program Element: 24573N

Title: Navy Cover and Deception Program

# (U) Project X0805, Shipborne Cover and Deception System:

(a) van-deployable simulators (AN/SSQ-74), (b) ship towed acoustic simulator AN/SLQ-34), and (d) product improvements to keep these 1. (i) Description: This project provides for the design, development, fabrication, test and evaluation, associated 11fe-cycle items, and Engineering Development Models (EDM) for shipborne cover and deception equipments, devices, systems and equipments/systems current with threat changes. Individual efforts include: (AN/SLQ-33), (U) permanently installed techniques.

a. (U) FY 1986 Program:

o Complete development of the Simulator.

b. (U) FY 1987 Program:

1 198/ Program:

o Initiate specification development for AN/SSQ-74 van-deployable

simulator modernization.

o Initiate specification development for AN/SLQ-33 pre-planned product improvements

c. (V) FY 1988 Planned Program:

o Complete specification developement for AN/SSQ-74 van-deployable simulator modernization.

o Complete specification development for AN/SLQ-33 P3I.

imulator modernization. o Commence design/development of the AN/SSQ-74 van deployable

o Commence design/development of

P3I for the AN/SLQ-33.

d. (V) FY 1989 Planned Program:

o Continue design/development of AN/SSQ-74.

o Continue development of

P31 for the AN/SLQ-33.

e. (U) Program to Completion:

Program Element: 24573N

Title: Navy Cover and Deception Program

o This is a continuing program.

H. (U) PROJECT OVER \$10 MILLION IN FY 1988/89: Not Applicable.

1. (U) TEST AND EVALUATION DATA: Not Applicable.

## FY 1988/89 RDISE DESCRIPTIVE SUMMARY

Program Element: 24575N

DoD Mission Ares: 374 - Multimission, Technology and Support Budget

Title: Electronic Warfare Readiness Support Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project		FY 1986	FY 1987	FY 1988		Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL BOR PROCEASE ELEMENT	2 853	2 040	6 1.50	871 7	200	2000
XOR98	Floor Flortronfo Marfara Support		7,047	0716	007.0	רסוורדוותדוומ	Continuing Continuing
	Group	5,500	1,168	4,300	3,802	Continuing	Continuing Continuing
X1742	EW Readiness Support*	359	*	*	*	*	*
R1882	Data Link Vulnerability**	‡	881	2,158	2,366	Continuing	Continuing Continuing

As this is a continuing program, the above funding includes out-year escalation and encompasses 311 work or development phases now planned or anticipated through FY 1989.

- \* Project X1742 transfers to Program Element 63594N/X1922 in FY 1987.
- \*\* Project R1882 was funded for FY 1986 in Program Element 65866N/X1822.
- capsbillties in the areas of command and control, and-air warfare, anti-surface warfare and electronic warfare. FEWSG capability for reducing system vulnerabilities to hostile exploitation. Program applications will produce systems resistant to electronic supports both research and development and fleet readiness by providing a realistic hostile electromagnetic environment during countermeasures (ECM) and save money by ensuring that electronic counter-countermeasures (ECCM) are incorporated during operational systems that simulate hostile electronic countermeasures and other selected electronic weapons to exercise fleet technical and operational evaluations of developmental systems as well as during fleet exercises; and (2) Data Link Vulnerability (DVAL) assessment methodology for Navy electronic or electromagnetic dependent systems in development. DVAL will identify methods B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program develops: (1) Fleet cleutronic Warfare Support Group (FEWSG) development.
- C. (U) COMPARISON WITH FY 1987 DESCRIFILIVE SUFFRANCE: NONLINE SUFFRANCE SUF Project X1742 was decreased 1,440 in FY 1986 due to program restructure in support of emergent requirements. In FY 1987, Project R1882 was decreased by 1428 because of Department Program (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the 1988 because of Department Program and Budget adjustments. and Budget Adjustments.

Program Element: 24575N

Title: Electronic Warfare Readiness Support

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
	TOTAL FOR PROGRAM ELEMENT	8,311		4,421		Continuing	Continuing
X0898	Fleet EW Support Group	4,335		2,112	6,583	Continuing	Continuing
X1742	EW Readiness Support *	3,976	1,799	*		*	*
R1882	Data Link Vulnerability **	0		2,309	2,203	Continuing	Continuing

\* Project XI742 transferred to Program Element 63594N/X1922 in FY 1987.

am Element 65866N/X1822. \*\* Project R1882 was new start in FY 1986 and was funded in P.

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.

E. (U) RELATED ACTIVITIES: Project X0898 supports Program Element 64573N, Shipboard Electronic Warfare Improvements, by providing the environment for testing and evaluating improvements to electronic countermeasures systems and providing electronic warfare environment for fleet exercises. Project R1882 supports all Navy electronic or electromagnetic dependent systems in development.

Inc., Torrance, CA; Electrospace Systems, Inc., Richardson, TX; McDonnell Dougles, Tulsa, OK; Scientific Communications, Inc., Garland, TX; and Watkins-Johnson, San Jose, CA. (Project R1862) IN-HOUSE: Naval Security Group, Washington, DG; Naval Air Teat Center, Patuxe: River, MD; and Naval Research Laboratory, Washington, DC. CONTRACTORS: Applied Physics Laboratory, Johns Rework Facility, Alameda, CA; and Naval Surface Weapons Center, Dahlgren, VA. CONTRACTORS: Design Engineering Laboratories, F. (U) WORK PERFORMED BY: (Project X0898) IN-HOUSE: Naval Avionics Center, Indianapolis, IN; Pacific Missile Test Center, Pt. Mugu, CA; Naval Electronic Systems Engineering Center, Portsmouth, VA; Naval Research Laboratory, Washington, D.C; Hopkins University, Laurel, MD.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

(U) Project X0898, Fleet Electronic Warfare Support Group (FEWSG):

430

Program Element: 24575N

Title: Electroni Warfare Readiness Support

These assets are also used for evaluating new shipboard radar and EW systems. FEWSC assets include tactical EW (VAQ) squadrons of high speed aircraft with special pods and avionics, long range aircraft with jamming, simulator, and command and control equipment, and ship and shore based vans with special EW capabilities. 1. (U) Description: By developing systems and equipment for FEWSC, this project provides the only capability in the U.S. Navy to create a realistic hostile electronic warfare (EW) environment for training fleet units and developing at-sea EW tactics.

# 2. (U) Program Accomplishments and Future Efforts:

#### a. (V) FY 1986 Program:

- of the AN/ALT-40(V) airborne jammer for incorporation into the PEWSG Airborne Electronic Warfare System (FAEWs). Completed integration and testing of the
- Continued development of software for the FAEWS.
- Attained initial operational capability of the AN/ALQ-170(V)1.
- Co.tinued development of the AN/ULQ-18(V) engineering development model.

#### b. (U) FY 1387 Program:

- Complete vardware/software systems interfaces for the FAEWS.
- Conduct operational and technical evaluation of the AN/ULQ-18(V).
- Conduct studies to replace obsolescent air platforms employed by FEWSG.
- Attain initial operational capability of the AN/ALQ-170(V)2.

### c. (U) FY 1928 Planned Program:

- O Initiate developme, t of the hybrid anti-ship missile simulation system.
- o Initiate development of the hybrid radio frequency/anti-radiation missile (RF/.RM) anti-ship missile simulation

Program Element: 24575N

Title: Electronic Warfare Readinesa Support

Initiate power/antenna improvements for the AN/ULQ-13(V).

(U) FY 1989 Planned Program:

<sup>o</sup> Continue power/antenna improvements for the AN/ULQ-13(V).

e. (U) Program to Completion: This is a continuing program.

(U) Pro ect R1882, Data Link Vulnerability (DVAL):

ECCM effectiveness in those systems during system testing and validate the results during operational test and evaluation. This methodology. Full implementation of the DVAL program will improve the Navy's warfighting capability by providing EW "hardened" systems and a greater understanding of system EW limitations and vulnerabilities. Additionally, DVAL will save money by reducing 1. (U) Description: DVAL is an OSD directed continuing program to fully incorporate electronic counter-countermeasures (ECCM) in all Navy electronic, electromagnetic, and electro-optic/infrared systems during engineering design. DVAL will evaluate is accomplished through application of a detailed technical assessment methodology with the purpose being to identify methods to reduce a system's vulnerabilities to hostile EW electronic countermeasures (ECM) and electronic warfare support measures (ESM). Currently, there are four on-going assessments and four additional programs designated by CNO for application of the DVAL costly backfit fixes. The DVAL program will also track systems through their lifecycles with an eye on emergent threats and changes in vulnerabilities resulting from system modifications.

2. (U) Program Accomplishments and Future Efforts:

. (U) FY 1986 Program: (Funded under 65865N).

o Initiated a Memorandum of Understanding (MOU) to be signed by Air Force/Army/Navy to coordinate Joint Service assessments.

o Initiated assessment of the High Frequency Anti-Jam (HFAJ) communications data link.

o Initiated assessment of MILSTAR EHF SATCOM Link.

Initiated assessment of the MK-XV Identification Friend or Foe (IFF) system.

Initiated assessment of the Joint Tactical Information Distribution System (JTIDS).

Program Element: 24575N

Title: Electronic Warfare Readiness Support

- dentified special test equipment requirements and initiated procurement.
- Determined requirements for additional facilities and personnel.
- b. (U) FY 1927 Program:
- Continue acquisition of special test equipment.
- c. (U) FY 1988 Planned Program:
- ° Complete acquisition of special test equipment.
- \* Initiate assessments of HFAJ, "ILSTAR EHF SATCOM, MK \*XV NFF, JIDDS.
- Initiate new program assessments as assigned by CNO.
- d. (U) FY 1989 Planned Program:
- . Continue assessments of HFAJ, MILSTAR EHF SATCOM, MK-XV, JIIDS.
- Initiate developments 's support of DVAL range tests ar' measurements.
- o Initiate new assessments as tasked by CNO.
- e. (U) Program to Completion: This is a continuing program.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not Applicable.
- I. (U) TEST AND EVALUATION DATA: Not Ap. 11cable.

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Counter Command Control Communications Development Budget Activity: 4 - Tactical Programs Program Element: 24576N DoD Mission Area: 372 - Escort, Stand-Off and Counter C

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	22,441	9,548	6,797	12,847	Continuing	Continuing
\$1370	Counter-Targeting/Counter-	5,395	657	66	2,135	Continuing (	Continuing
	Surveillance Expendables						
X1794	Counter Communications	9,610	4,309	7,151	5,950	Continuing	Continuing
X1795	Command, Control and Communi-	7,436	4,780	2,547	4,762	Continuing	Continuing Continuing
	cations Countermeasures Decision						
	Aiding*						

As this is a continuing program, the above funding includes out-year escalation and encompasses all work or development phases now \* Project X1795 transfers to PE 64230N Project X1979 in FY 88 and is reflected in the appropriate RDT&E Descriptive Summary.

shipboard, airborne and land-based command, control, and communications (C3) systems which are used for targeting, surveillance, B. (J) RRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program is a continuing effort to develop countermeasures to

planned or anticipated through 1989 only.

tactical forces. Sub-projects within this item are: (1) Project S1370: (a) Active Electronic Buoy (AEB) - expendable, airborne against U.S. Navy or shipboard-launched device

(2) Project X1794; (a)

and (c) Landbased Countermeasures (LCM) -

module(s) and hardware to aid Battle Group Staff in tasking Battle Group Electronic Warfare assets, maintaining a current data base of status of resources, and aiding in evaluating effectiveness of assigned Electronic Warfare resources (FY 1986 and FY 1987 only; in FY 88 EWCM transfers to P.E. 64230N, Project X1979), and (b) Countermeasures Assessment Simulator (CMAS) - provides an (a) Electronic Warfare Coordination Module (EWCM) - software interactive C³/C³CM modeling and data base capability to assess rountermeasures effectiveness. and (3) Project X1795:

Program Element: 24576N

Department Budget Adjustment and GRH Adjustment. The decrease of 7,022 in FY 1987 is the result of Department Program/Budget Adjustment (5,700); Congressional Action (1,000) and Adjustment (322). The decrease of 2,767 in FY 1988 was the result of C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: Project S1370 - The increase of 2,967 in FY 1986 was due to cost growth for the Active Electronic Buoy full scale development contract. Project X1794 - The decrease of 7,368 in FY 1987 is the result of Congressional Action (5,674) and Adjustment (394); and Department Program/Budget Adjustment (1300). The decrease of 12,550 in FY 1988 is the result of: (a) delaying the start of Landbased Countermeasures due to higher priority projects and (b) restructure of the SCCM project. Project X1795 - The decrease of 2,100 in FY 1986 was the result of transferring EWCM from this project to P.E. 64230N, project X1979 (reflected in the appropriate RDDS) and Department Program

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUPPRARY:

Total Estimated Ion Cost	ing Continuing Ing Continuing Ing Continuing		Total	Estimated lon Cost	Continuing Continuing	Cont	200 42,600		63,	80 122	UNCLASSIFIED
Additional to Completion	Continuing Continuing Continuing	Continuing		Additional to Completion	Continui	Continui	45,600		41,957		UNCL
FY 1988 Estimate	25,109 94 19,701	5,314		FY 1990 Estimate	61,667	1,375	0	0	21,873	745	
FY 1987 Estimate	23,952 473	11,802		FY 1989 Estimate	52,735	1,126	0	0	0	0	
FY 1986 Estimate	22,320 2,428 10,356	9,536		FY 1988 Estimate	0	0	0	0	0	0	435
FY 1985 Actual	27,371 5,123 11,436	10,812		FY 1987 Estimate	52,640	700	0	0	0	0	.4
				FY 1986 Actual	0	0	0	0	0	0	
Tirle	TOTAL FOR PROGRAM ELEMENT  C <sup>3</sup> CM Development  Counter Communications	Countermeasures Decision Aiding (U) OTHER FY 1988/89 APPROPRIATION FUNDS:		٠	Other Procurement, Navy AEB Funds (33234600)	Quantity	LCM Funds (33234600)	Quantity	PCM Funds	Quantity	
Project No.	S1370 X1794	X1795 D. (U)			\$1370		X1794				

435

Program Flement: 24576N

Counter Command Control Communications Development

E. (II) RELATED ACTIVITIES: Program Element 24573N (Project X0805) Shipboard Cover and Deception, Program Element 24573N (Project X0849) Offboard Cover and Deception, Program Element 64230N (Project X1979) Warfare Support Systems and Program Element 64573N (Project X0954) Shipboard Electronic Warfare Improvements. Naval Research Laboratory, Washington, DC., Naval Surface Weapons Center, Dahlgren Laboratory, Dahlgren, VA; Naval Surface Reapons Center, White Oak Laboratory, Silver Spring, MD; Naval Weapons Support Center, Crane, IN; Naval Ocean Systems Melpar, Vienna, VA; Crane, IN; Naval Ocean Systems Melpar, Vienna, VA; Hughes Aircraft Corp., Fullerton, CA; Litton, College Park, MD; Sanders, Nashua, N.H., Dalmo Victor, Belmont, CA. F. (11) : JRK PERFORMED BY: IN-HOUSE:

# G. (U) PROJECTS LESS THAN SIO MILLION IN FY 1988/89:

# (II) Project S1370 Counter-Targeting/Counter-Surveillance Expendables:

1. (4) This project provides for the design, development, procurement, fabrication, test and evaluation, associated (a) Active Electronic Ruoy which is an expendable airborne or shipboard launched device comprised of an active and (b) Advanced Multi-Purpose Decoy is an expendable which will counter surveillance life-cycle items, and Engineering Development Models (EDM) for Counter-Targeting/Counter-Surveillance Expendables. and targeting radars and advanced anti-ship cruise missile seeker threats of the 1990s. radar transponder in the efforts include:

# 7. (ij) Program Accomplishments and Future Effort:

#### (J) FY 1986 Program:

#### (V) FY 1987 Program: ۵.

#### (J) FY 1988 Planned Program ن

#### (1) FY 1989 Planned Program: ÷

<sup>&</sup>quot; Continued full scale engineering development of the Active Electronic Buoy.

<sup>\*</sup> Complete operational evaluation (OPEVAL) testing of the Active Electronic Buoy.

<sup>&</sup>quot;Obtain approval for full production of the Active Flectronic Ruoy.

<sup>&</sup>quot; initiate devilopment of cost reduction improvements for the Active Electronic Buoy.

Program Element: 24576N

Title: Counter Command Control Communications Development

- o Initiate advanced development of the
- . (C) Program to Completion: This is a continuing program.
- o Develop, test, and evaluate the
- (U) Project X1794, Counter Communications:
- associated life-cycle items for Counter-Communications systems. Individual efforts include: (a) PROFORMA Countermeasures which 1. (U) Description: This program provides for the design, development, procurement, fabrication, test, and evaluation and counter formated C3 and combat direction functions, (b) Landbased Countermeasures

and (c) Shipboard Communication Countermeasures (SCCM) which counter adversary to prevent targeting of friendly communication and weapons systems.

- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- ° Complete design and validation efforts for PROFORMA Countermeasures (PCM).
- b. (U) FY 1987 Program:
- " Award Detail Design Contract.
- ° Initiate detailed design and integration efforts for PROFORMA Countermeasures (PCM).
- · Conduct POM System Design Review (SDR).
- c. (U) FY 1988 Planned Program:
- o Order Long Lead time standard Navy Hardware for Engineering Development Module (EDM) for PCM.
- Initiate Full Scale Engineering Development for PROFORMA Countermeasures (PCM).
- ° Conduct PCM Critical Design Review (CDR).

Program Element: 24576N

Title: Counter Command Control Communications Development

- d. (v) FY 1989 Planned Program:
- capability into Advanced Capability (ADVCAP) EA-68 Aircraft. ° Complete development and integration of
- ° Initiate design and validation of high risk items.
- e. (U) Pro ram to Completion: This is a continuing program.
- Complete test and evaluation of (FY 1991).
- ° Commence development (FY 1990).
- (U) Project X1795, Command, Control and Communications Countermeasures Decision Aiding:

development, test and evaluation.

° Complete

- The CMAS will perform analysis of actual and hypothetical EW and COCM systems, techniques and tactics in a secure environment to Staff for aiding in: (a) tasking Battle Group EW assets to prevent duplication of threat and weapons targeting, (b) maintaining current data base of status of EW and C3CM resources and capabilities, and (c) aiding in evaluating effectiveness of assigned EW Additionally, this item provides for front end engineering and specification of Battle Group decision aiding (U) Description: This project provides for the design, development, fabrication, test and evaluation, associated life-cycle items, and the Full Scale Engineering Development Model of the Electronic Warfare Coordination Module (EWCM) System and Countermeasures Assessment Simulator (CMAS). The EWCM will function as a coordination system to be used by Battle Group (BG) enhancements and necessary modification developments and project support functions for the various line items in this project. facilitate employment of these systems in the tactical environment at sea.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- ° Continued EWCM preliminary system design.
- Awarded EWCM detailed design contract.
- b. (U) FY 1987 Program:

Program Element: 24576N

Title: Counter Command Control Communications Development

° Conduct EWCM System Design Review (SDR).

Onduct EWCM Preliminary Design Review (PDR).

Order EWCM long-lead time standard Navy hardware for Engineering Development Module (EDM).

Participate in design options for integration with the Afloat Correlation System (ACS).

c. (U) FY 1988 Planned Program:

EWCM Program shifts to Warfare Support Systems, Program Element 64230N, Project X1979.

Continue development of CMAS.

d. (U) FY 1989 Planned Program:

° Complete CMAS Phase II model efforts.

. (U) Program to Completion: This is a continuing program.

° Operate and update CMAS for evolution of adversary C3.

° CMAS is developing a single software set for C3 modeling, it is a lab effort only with no hardware development.

. (U) PROJECT OVER \$10 MILLION IN FY 88/89: Not Applicable.

I. (U) TEST AND EVALUATION DATA: Not Applicable.

# FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Propram Element: 25601N

Title: HARM Improvement Budget Activity: 4 - Tactical Programs

DoD Mission Area: 232 - Amphibious, Strike, Anti-Surface Warfare Bud

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
W1780	TOTAL FOR PROCRAM ELEMENT High Speed Anti-Radiation	5,631	2,234	С	o	С	18,656
	Missile Improvement	5,631	2,234	0	0	0	18,656

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated.

- anti-radiation missiles. A joint Navy/Air Force improvement program was initiated in FY 1983 to correct deficiencies noted in radar installations engaged in directing anti-aircraft missiles and artillery. It replaces the SHRIKE and STANDARD ARM High Speed Anti-Radiation Missile (HARM) was approved for full scale production at DSARC III in March 1983. HARM is an air-tr-surface missile used by attacking aircraft to suppress or destroy enemy operational testing, to address areas of cost reduction, and to conduct threat-related analyses. B. (11) BRIEF DESCRIPTION OF ELEMPNT AND MISSION NEED:
- C. (U) EXPLANATION OF CANCELLATION: The Program was cancelled by a program/budget decision to place resources in higher priority programs

TEST AND EVALUATION DATA:

1. (U) Development Test and Evaluation (DILE)

a. (U) Advanced Development (Government) 1972 - 1974. HARM was initiated in 1972 under program management of the Naval Air Systems Command. The initial advanced development effort was conducted at Naval Weapons Center, China Lake, CA to determine significant design features and to select alternate missile and avionics component approaches capable of achieving performance objectives. Thirteen test missiles were launched to gather missile aerodynamic data, validate airframe control and stability and demonstrate guidance performance. Two aviorics configurations were evaluated for threat identification, hand-off and reaction time capability. All test objectives were met. Problems noted and corrective actions taken are listed below.

Corrective Action Wing deflection reduced transonic speeds.

Slow reaction time.

Problem Roll control limitation.

Incorporated parallel processor.

b. (U) Advanced Development (Contractor) 1974 - 1978. In 1974, Texas Instruments was selected as the Weapon System Integration Contractur and was swarded a contract for development of the HARM Weapon System. During this phase of the program, Il delivered 16 missiles and 4 avionics units for test and evaluation. The DI&E program conducted by the Naval Weapons Center (NWC) successfully demonstrated missile aerodynamic stability, reduced smoke motor, guidance capability, flex logic operation, avionics hand-off/interface and system reaction time. All advanced development test objectives were met. Problems noted and corrective actions are listed below.

Aerodynamic heating Problem

Increase missile weight (807 lbs vs 730 lbs)

Corrective Action Use of StainTess steel wings and fins vs aluminum.

operationally acceptable level of 780 lbs. Weight reduced to cost-effective

Use of internal heat diodes.

Software/hardware modification Tracking bias induced from operation of shutter/attenuator

interna, heating limiting missile "on" time

c. {U} Expanded Capability (EXCAP) 1977. In March 1977, TI was directed to initizte a program to extend HARM frequency coverage and improve maneuverability. The first EXCAP demonstration missile was delivered in August 1977. A total of three EXCAP seekers wern successfully tested and evaluated in the laboratory and captive flown on IA-4J and A-7 aircraft. Problems noted and corrective actions taken are listed below.

Problem Rensitivity of Seeker High frequency radome performance

Corrective Action Addition of filters and amplifiers Radome redesigned

d. (9) Full Scale Engineering Development (1978 - 1981)

prototype phise. 15 had full EXCAP capability. The prototype hardware was subjected to ground engineering tests, captive flight tests and full exteap full exteap capability. The prototype hardware was subjected to ground engineering tests, captive flight tests and filling tests. Objectives included acquiration and track of various target signatures in five operational scenarios, and verification of hazard tree performance to aircraft and handling personnel. A satisfactory preliminary indication of operational effectiveness and suitability was obtained from the Navy and Air Force operational testing organizations. HARM capability with the Navy A-7E and the Air Force F-4G aircraft was demonstrated.

(4) A total of 18 firings (16 guided and 2 unquided missiles) comprising the DT/OI-11A of HARM was completed on 31 October 1980 with complete successes, and failures. The failures have been traced to snecific with complete successes, partial successes, and components and corrective action was taken. The partial note! and corrected are listed below.

Problem Interface with ALR-45f Radar Harning Receiver (RHR)

Corrective Action Increased memory capacity of RMR.

Software/Hardware modification.

Increased missile memory

Contractor reviewed fabrication 'echniques and increased quality control.

High Frequency Field of View Non-linearity

Target selectivity ("SKIP")

Microwave Circuit Board Preducibility

8K memory capacity saturation

Multipath Peflections

Effort commenced on software mod

force 101&E. Many IEC-EVAL, which began on 4 May 1931 at the Pacific Missile Test Center (PMIC), evaluated pilot production missiles, avionics and peculiar ground support equipment, and certified readiness of the system to enter operational evaluation. Information Many Iechilar ground support equipment, and certified readiness of the system to enter operational evaluation. Information Many Iechinal Evaluation captive-carry flights, reliability testing, environmental testing and five live firings showed that the HARM system et all performance threshold; except reliability. A first article configuration inspection validated the contractor's competitive production data package. Pilot production hardware was representative of the production missile configuration, although fabricated with low rate production tooling and test equipment.

# 2. (U) Operational Test and Evaluation (OTLE)

- a. (U) Juirt Initial Operational Testing began in January 1979 with Navy and Air Force independent test agencies participating in combined DI/OI-11A. This early involvement of OI with DI was to offset the risks involved in a concurrent program. Of the 18 firings, 12 were fired by OI pilots. The OI&E objectives of phase 11A were to assess the potential operational effectiveness and suitability of HARM through its demonstrated performance in five operational scenarios employing its three modes of operation.
- prototype (U) COMOPIEVFOR's test agency, VX-5, flew 19 captive-carry flights and fired four of the prototype guided missiles. A prototy HARM configured A-7E was used for Navy testing and AFOIEC utilized the F-46 "Wild Weasel" aircraft for Air Force testing. An assessment of HARM's potential operational effectiveness and operational suitability was presented at DNSARC 118 on 7 November 1980. The readiness to proceed into FY-81 initial production was concurred in by the principals and by subsequent OSD review.
- b. (V) Thirty-four operational test firings and 1972.2 hours of captive flight testing were conducted in two essentially equal phases between November 1981 and November 1982. The first phase (OT-118) tested a baseline configuration of the software and was concluded in September 1982 with free flight successes in attempted firings. The primary concern of the Navy was to make the system; the mixer the mixer the mixer the mixer the mixer the system; the system; the notational tests. It was determined that reliability and performance trends were sufficiently positive to allow an assembly rate increase to 25 per month. Phase II testing was concluded on 5 November 1982 with free flight successes in,
  - c. (V) The major concerns of OPIEVFOR and AFOIEC were the following deficiencies:

of operational testing were presented to a DSARC III on 30 March 1983, resulting in approval for full production. DSARC III also approved a correction of deficiencies program for the HARM weapon system.

d. (U) The Program Unager's deficiency correction plan addresses deficiencies listed in the previous paragraph. A limited FOI&E began on 2 April 1984 by AFOIEC with the first block of FY-82 production and avionics to verify production missile effectiveness, refine tactical doctrine, and evaluate missile reliability. This limited FOI&E was completed in December 1984. Full FOI&E is still underway.

e. ( ) F/A-18 HARM NIE was completed June 1984 and demonstrated successful integration of the aircraft, missile, and associated avionics (CLC and radar warning receiver). Urgenc requirement for first F/A-18 operational deployment required an abbraviated coerational assessment which was successfully exmoleted into 1984 and provided basis for ALP of CLC FOIRF behan Feb 1985. HARM missile software was HARM system on the F/E-18 is discussed in the F/A-18 weapon system IEMP 201.

f. (U) Concurrent with HARM improvement efforts during 19:35 the HARM weapon system has been undergoing integration testing as part of the weapon system package for the EA-6B aircraft. Interim HARM capability for EA-6B was directed in Jan 1985 and is discussed in the 6B IEMP 1175. An abbreviated (two firings) occerational assessment was completed in June 1986

Demonstrated Wilestone III Threshold 1/ Milestone IIB Threshold 3. (ii) System Characteristics Frequency Coverage (Band) Operational [U] Frequen

Min/Max Range (nmi) level launco. (c) from 500' AGL 5,000' AGL 15,000' AGL 30,000" AGL <u> 355</u>

Speed (Mach) Pitch (degrees) Off-Axis (degrees) Altitude (MSL) Carriage/Launch Envelope **333** 

Modian CPA (ft) lethality

			Remarks	Testing delayed due to A-6E aircraft inter ace problems, and a higher SECNAV priority to establish an urgent EA-6B HARM capability.	HARM support of other testing.	Six firings (two each from A-7E, F-4G, and F/A-18) to certify FY-84 software upgrade ready for FOT&E (0T-1118).	Establish interim EA-6B/HARM capability in FY-86
Assess Assess		38 dtd 1 Dec 82.	1&E Activity (Past 12 Months) Actual Date	A11 1986	A11 1986	Jan 85-Jan 86	Mar 86-Jun 86
Assess Assess	Assess Assess Assess Assess Assess	hreshold of DCP-9 P.	Planned Date	All 1986	A11 1986	Jan - Apr 1985	Mar - Jun 1986
Environmer:s (V) ECM (V) Multi-path	Reliability (V) System (V) Avionics (U) Avionics (U) Missile (U) Captive (U) Free Flight (V) System	1/ (U) Milestone III Recommended Threshold of DCP-938 dtd 1 Dec 82. $\overline{2}/$ (L) if aircraft pitches up.	4. Gurrent TEE Activity Event	A-6E SWIP HARM Integration (OTE)	Others (A-7E OFP F-4G OFP, F/A-18 OFP, PRAT, ALQ-162, Special Weapons separation, etc.)	FY-84 Software Evaluation (DT-1118) Jan - Apr 1985	EA-68 Interim HARM (DI/OI)

						Serial No.	AFOTEC	AFOTEC Final Report, January 1981	010-TR-3-81 JT&E, White Sands	COMOPTEVFOR 1tr Ser S33 of 14 July 1981	COMOPTEVFOR Norfolk VA secret msg P2820002 May 82 (NOTAL)	AFOTEC secret msg 2816502 May 82 (NOTAL)	AF0TEC secret msg 2318122 Nov B2
Planned C Actual Date Remarks	(FOILE) HARM/	14.	11B (FOILE)		nt at ion	Title	AGM-88A Quick Look Final Report	HARM (AGM-88) AF Preliminary Evaluation	HARM OSU-19/8 Target Detector Countermeasures Field Test Report	OPEVAL Report (J217-01-IIA)	Interim Report of HARM (AGM-88A) OPEVAL (9)	Interim Report on Phase I of the AGM-88A (HARM) 101£E (U)	Quick Look (rinal) Report on the HARM 101&E (U)
Event	(4) F/A-18 01-111 (F018. PHALANX	(i,t) Mavy OT-111A/8 (FOI&E)	(4) Air Force 01-111B (	(L. A-6E SWIP	5. (U) Program Documentation	Oate	6 October 1980	January 1981	14 May 1981	14 July 1981	28 May 1982	28 May 1982	23 Nov 1982

AcM-88A HARM initial Operation AcM-88A HARM initial Operation and Evalualtion, Final Report 10 Jun 1983  OPIEVFOR Evaluation Report Activities of Acm-88A HARM Integration DEVA 11 Jul 1984  Interim Report on Technical E of AGM-8EA (HARM) Integration OPEVA 11 Jul 1984  Ouick-Look Report of operation of AGM-8EA (HARM) Integration OPEVA 11 Jul 1984  Ouick-Look Report of operation of Series and all of AGM-8EA (HARM CLC OP Assessment Review 12 Oec 1984  HARM CLC OP Assessment Review 17 Dec 1984  Ouick-look Report of Limited Ouick-look Report of Limited HARM Capability for USS Range of Aug 1985  Follow-on operational evaluation missile (the F/A-18.	COMOPTEVFOR secret msgs 2412402 and 2412412. Nov 82		M-88 HARM COMOPIEVFOR ltr Ser S40 of 10 Jun 83	valuation MATC msg 1315112 Jun 84 on F/A-18	L Recommendations NWC msg 1523342 Jun 84	nal one HARM weapon LC evaluation)	NWC msg 0921532 Aug 1984	M217-2 signed NAVAIR ltr 6201C/C318 12 Dec 1984 YSCOM forwarded 1.	FUI&E AFOTEC msg 1720302 Oec 84	r/Kennedy CNO msg 2220552 Jan 85	ion of the COMOPTEVFOR ltr Ser 521/S67 of 9 Aug 1985 (EW) suite/high HARM) system in	nt of FY-84 NWC ltr 4850 Ser 3506/1803 of 13 Feb 86	
ii 1983 Jun 1984 Jun 1984 Jun 1984 Jul 1984 Dec 1984 Dec 1984 Dec 1986	Quick Look Report on OPEVAL of HARM (U)	AGM-88A HARM initial Operational Test and Evalualtion, Final Report	OPTEVFOR Evaluation Report AGM-88 HARM	Interim Report on Technical Evaluation of AGM-BEA (HARM) Integration on F/A-18	F/A-18/HARM Integration OPEVAL Recommendations	Quick-Look Report of operational effectiveness of the stand alone HARM weapon employment on the F/A-18. (CLC evaluation)	HARM CLC OP Assessment Review	Test and Evaluation Plan No. M217-2 signed by COMOPTEVFOR and COMNAVAIRSYSCOM forwarded to CNO for review and approval.	Quick-look Report of Limited FUI&E	HARM Capability for USS Ranger/Kennedy	Follow-on operational evaluation of the integrated electronic warfare (EW) suite/high speed antiradiation missile (HARM) system in the F/A-18.	Quick-look Technical Assessment of FY-84 Software Evaluation (01-111 B)	
Feb 1	286	183	983	784	984	1984	184	984	984	5865	<b>S8</b>	986	
	Nov	11 15	Jun	Jun	Jun	lac	21 gu	96	Dec 1	Jan	2.5 2.5	5	,

## FY 1988/89 FDT&E DESCRIPTIVE SUMMARY

Title: Anti-Submarine Warfare Combat System Integration Budget Activity: 4 - Tactical Program DoD Mission Area: 233 - Anti-Submarine Warfare Program Element: 25620N

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total Estimates Cost	331,480
Additional to Completion	182,858
FY 1989 Estimate	14,931
FY 1988 Estimate	14,399
FY 1987 Estimate	14,638
FY 1986 Actual	8,648
Title	TOTAL FOR PROCRAM FLEMENT Anti-Submarine Warfare Combat System Integration
Project No.	S0896

The above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated.

element develops sensor integration and display sharing software applicable to FFC 7, DD 963, and CG 47 Class ships and the computer based MK 116 Mod 5/6/8 ASW Control System applicable to DD 963, DDG 993 and CG 47 Class ships. Ilmely development of the (composed of the Underwater Fire Control System (UFCS) MK 116 MODs 6/7/8, AN/SQR-19 Tactical Towed Array Sonar, AN/SQS-53B hull sonar, and the AM/SQQ·28 Light Airborne Multipurpose System (LAMPS) MK ill signal processor) in surface whips will generate large contacts. An integrated ASW Control System is required to effectively correlate, classify, track, etc., contacts from initial detection to effective and expeditious threat engagement. This program Introduction of the AN/SQQ-89(V), Surface Anti-Submarine Combat System ASW Control System is essential to ensure the effective utilization of new sensor systems. Without such an automated system, B. (W) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: numbers of passive and active

FY 87 Descriptive Summary and that shown in this Descriptive Summary are as follows: In FY 1986, a decrease of -1,743 was due to C (U) COMPARISON WITH PY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the GRH adjustment and Department program/budget adjustments; in FY 1987 a decrease of -2,771 is due to Congressional actions/ adjustments; in FY 1988 a decrease of -5,133 is due to Department program/budget adjustment.

Program Element: 25620N

Title: Anti-Submarine Warfare Combat System Integration

(II) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Total	Estimated	Cost	300,673	300,673
		to Completion	157,335	157,335
	FY 1988	Estimate	19,532	19,532
	FY 1987	Estimate	17,409	17,409
	FY 1986	Estimate	10,391	10,391
	FY 1985	Actual	11,833	11,833
		Title	TOTAL FOR PROCRAM ELEMENT Anti-Submarine Warfare Combat	System Integration
	Project	No.	96808	

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

[otal	Estimated	Cost	*	91,418		
	Additional	to Completion	*	0		
	FY 1989	Estimate	*	0		
	FY 1988	Estimate	*	0		
	FY 1987	Estlinate	40,929	0		
	FY 1986	Actual	20,694	16,916		
			OPN	SCR	Quantity+	•

<sup>\*</sup> OPN funding for Underwater Pire Control System MK 116 ASW Control System has been subsumed into the AN/3QQ-89 SCN (Subhead 8219) OPN (2136) procurement line.

<sup>+</sup> OPN funds support procurement of equipment for product improvements, and ASW Control System equipment and AN/SQQ-89 On-Board Trainers. Therefore, quantity per year cannot be summarized as a single entry.

<sup>(</sup>U) RELATED ACTIVITIES: Program Element 64212N, Project 40474, Light Airboine Multi-Purpose System MK III: development of an Anti-Submarine Warfare helicopter for deployment with surface ships. Program Element 64713N, Project S0234, Tactical Towed Array Sonar AN/SQR-19: development of towed array sonars for surface ship tactical use. Program Element 64575N, Project S1451 AN/SQS-53C: modernization of the surface ship hull-mounted AN/SQS-53A/B sonar. These three projects develop the sensor subsystems of the AN/SQQ-89. The Underwater Fire Control System MK 116 Mod 5/6/8 (ASW Control System) subsystem of the AN/SQQ-89 receives data from the sensors, produces a coordinated tactical display for dissemination, command and prosecution of threats with ASW weapons. Program Element 64713N, Project S1916, ASW Systems Improvement: develops upgrades to the sensors to counter recently identified threat improvements, including reductions in radiated noise.

Program Element: 25620N

Titie: Anti-Submarine Warfare Combat System Integration

Laboratory, New London, CT; Naval Ocean Systems Center, San Diego, CA (Lead Laboratory); Naval Surface Weapons Center, White Oak, Inc., Rockville, MD; TRACOR, Inc., Rockville, MD; Hughes Aircraft Company, Fullerton, CA; General Electric Company, Syracuse, NY; F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Sea Systems Command, Washington, DC; Naval Underwater Systems Center, New London MD; and Naval Sea Combat Systems Engineering Station, Norfolk, VA. CONTRACTORS: EC&G Washington Analytical Services Center, Sciences Application Incorporated, San Diego, CA; Sperry-Univac, Minneapolis, MN; and Integrated Systems Analysts, Inc., Arlington, VA.

- (U) PROJECTS LESS THAN SIO MILLION IN FY 1948/89: Not Applicable
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:
- (11) Project S0896, ASW Combat System Integration:

which weald be available from anti-submarine warfare surface ship sensors, i.e., AN/SQR-19, AN/SQQ-28 Light Airborne Multi-Purpose on, the Combat Direction System programs. Sensor improvement under development will continue to be integrated into the 1. (U) Description: Acoustic sensor integration efforts were initiated during FY 1976 under Program Element 25623N, Surface Ship Schar Modernization, to define an approach for sharing common hardware among the following programs: AN/SQR-19 Tactical Towed Array Sonar, AN/SQS-53B Sonar, and AN/SQQ-78 Light Airborne Multi-Purpose System Shipboard Electronics System. These efferts provided a basis for developing integration to make maximum use of the increased quantity and quality of target data System MX 117 shipboard electronics system, and AN/SQS-53B/G Sonar. These studies resulted in the definition of a display sharing development effort which provided for a reduction in the number of sensor system display consoles (from 5 to 4) required for the conduct of coordinated maiti-sensor systems, resulted in the definition of the ASW Control System MK 116 Mod 5/6/8 to provide necessary computer and display resources for passive data management while interfacing with, but having minimal functional impact Anti-Submarine Warfare Control System. Display sharing and Anti-Submarine Warfare Control System capabilities for existing sensors and developmental sensor systems are being developed under this project.

- 2. (V) Program Accomplishments And Future Efforts:
- a. (II) FY 1986 Program:
- " Continued Auti-Submarine Warfare Control System Mod 5 computer program technical/operational evaluation with full AN/SQQ-89 Anti-Submarine Warfare Combat Suite seasor capabilities.

Program Element: 25620N

Title: Anti-Submarine Warfare Combat System Integration

- ° Conducted DD 96.3 Class Mod 6 integration testing and begin ASW Control System installations on DD 963/CG 47 Class ships concurrent with installations of AN/SQR-19, AN/SQS-53B and AN/SQQ-28 Light Airborne Multi-Purpose System MK III shipboard electronics systems.
- Began efforts to modify the ASW Control System for replacement of AN/UYK-7 computers with the AN/UYK-43R
  - ° Conducted Anti-Submarine Warfare Control System life-cycle support.
- Maintained the AN/S(Q-89(V) Anti-Submarine Combat Suite baseline system at land-based integration test site, Established Anti-Submarine Warfare Combat System training capabilities concurrent with AN/SQQ-28 Light Airborne Multi-Purpose System HK III shipboard electronics, AN/SQR-19 towed array and AN/SQS-53 surfach sonar training,
  - \* Modified the ASW Control System to integrate AN/SQS-53C in support of the AN/SQS-53C TECH/OPEVAL in 1987. resulting in AN/SQQ-89(V) Warfare Combat Suite coordinated shore training.
- \* Regan development of operator trainers for the Underwater Fire Control System MK 116 Mod 7/8 (ASW Control
- \* The Mod 7 is the ASW Control System configuration to be installed on DDG 51 class and Mod 8 is the ASW Control System with AN/HYK-43B upgrade to be installed on DD 963 Class.

#### b. (U) FY 1987 Program:

- \* Support AN/SQS-53C TECH/OPEVAL efforts.
- ° Continue Mod 8 development.
- ° Initiate efforts to modify the Underwater Fire Control System MK 116 MOD 8 Computer Program for non-Vertical Launch System configured DD 963 class ships.
- ° Initiate efforts to define ASW Control System upgrade requirements in support of the overall AN/SQQ-89 Upgrade.
- o Initiate efforts to ungrade the Combat Direction System/ ASW Control System interface for Mod 5/6 systems (includes OS-411.2 changes).

Program Element: 25620N

Title: Anti-Submarine Warfare Combat System Integration

f. (U) Major Milestones: Not applicable.

I. (U) TEST AND EVALUATION DATA: Not Applicable

Program Element: 25633N DoD Mission Area: 238 - Other Naval Warfare

Title: Aircraft Equipment Reliability/Maintenance Program Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/69 KESOURCES (PROJECT LISTING): (Dollars in Thousands)

Profect No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
W1041	TOTAL FOR PROGRAM ELEMENT Aircraft Equipment Reliability/ Maintainability Program (AERMIP)	5,945	1,896	2,032	458	Continuing Continuing	Continuing Continuing

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989. B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: The AERMIP meets the continuing need for a product improvement program to High impact reliability and maintainability improvements to deficient avionics/nonavionic items, often Government-Furnished Equipment common to two or more afreraft models, is usually selected for development. Existing technology is used to design, fabricate, and test prototype modification kits, or test and select available substitute materials, parts, modules or subsystems, calculated to provide higher reliability of in-service aircraft equipment. This program provides non-recurring flight hours accumulated in the operational environment by new afreraft incorporating new technology equipment and materials will enhance reliability and meintainability of in-service aircraft equipment, thus providing increased operational/material readiness disclose failures that were not forecast, but will require correction. This program is currently the only aviation program within the Navy which specifically addresses the reliability and maintainability of in-service aircraft equipment. This effort does not duplicate any other program initiatives for the various in-service aircraft, nor does it preclude any Pre-Planned Product prerequisites, for aircraft or equipment changes subsequently procured for in-service, installed and spares inventories. Improvement (P3I) efforts that the other programs may initiate. of Fleet afreraft.

ment Budget Adjustment. In FY 1987, decreases of 161 for Congressional adjustment and 6,789 for Congressional action. In FY C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE UMMARY: (Dollars in Thousands) The changes between the FY 1987 Descriptive Summary and that shown in this descriptive summary are as follows: In FY 1986, decreases of 412 for GRH adjustment and 1,200 for Depart-1988, decrease of 7,809 for Department Program/Budget Adjustments.

Program Flement: 25633h

Title: Aircraft Equipment Reliability/Waintenance Program

(11) FINDING AS REFLECTED IN THE FY 1967 DESCRIPTIVE SUMMARY:

Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Estimated
W1041	TOTAL FOR PROCKAM ELEMENT Afreraft Equipment Reliability	7,556	7,557	7,556 7,557 8,846 9,841	9,841	Continuing Continuing	Continuing
	and Maintainability Improvement Program (AFRMIP)	7,556	7,556 7,557	978'8	8,846 9,841	Continuing	Continuing Continuing

60

Total

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.

. (U) RELATED ACTIVITIES: Not Applicable.

Air Development Center, Warminster, PA; and Naval Air Rework Facility North Island, San Diego, CA. CONTRACTORS: Marconi Avionics Limited, Rochester, IK; ATRESFARCH Manufacturing Company, Torrance, CA; Teledyne Systems Company, Northridge, CA; and Hazeltine F. (U) WORK PERFYRMED BY: IN-HOUSE: Naval Avionics Center, Indianapolis, IN; Naval Air Test Center, Patuxent River, MD; Naval Corporation, Greenlawn, NY.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

(U) Project W1641, Aircraft Equipment Reliatility and Maintainability Improvement Program:

1. (U) Description: This program was established in FY 1974 to achieve measured improvement in carrier aircraft operational readiness through carefully selected reliability and maintainability improvements. Scope was enlarged in 1976 to add A serious deterrent to achieving desired levels of aircraft operational readiness is the low Mean-Filght-Hours-Retween-Failures of many aircraft systems. Operational failure data are used to identify opportunities for product improvements to address excessive consumption of replacement parts and excessive maintenance man-hours. This program provides nonrecurring design, fabrication, and test of prototype modification kits and test and selection of industry available alternate replacement parts or materials. A major effort during FY 1987 and out-years is the continuing replacement of high failure rate portions of systems and equipments with highly reliable circuitry employing state-of-the-art components. Candidate avionics sets contain electromechanical modules, vacuum tube circuitry, or early solid-state components which have developed high or are no longer manufactured. They are usually high-cost items whose complete replacement with operationally equivalent, new production, state-of-the-art sets is economically not feasible. Modifications increase reliability, reduce piece-part count, maintenance markours, spares requirements, life cycle costs and provide better parts commonality. This program does not fund procurement of modification kits or replacement equipment. land-based tactical aircraft. failure rates

Program Element: 25633N

Title: Aircraft Equipment Reliatility/Maintenance Program

- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- Continued seven incrementally funded developments and helicopter-ship dynamic interface tests for expansion of operating wind envelopes.
- Started improvements to AAU-19/A Counter-Drum Altimeters.
- b. (U) FY 1987 Program:
- Complete five prototype developments; i.e., OK-497/Al Communications Control Group (U/S-3A) and Puise CPU-152/A (U/S-3A); and Ejection Seat chute initiators (A-7B/E, TA-7C, AV-8A/B). aircraft); SN-416 Synchronizer and SA-1568 Switch Amplifier improvements to the AN/APX-76 Interrogator Decoders KY-651 and 651A/ARA-63 Receiving Decoding Group of Automatic Carrier Landing System (Militple (F-4S, F-14A, S-3A, P-3C, EP-3E, KC-130F/R, E-2B/C); the Dual Channel Standard Central Air Data Computer
- o Continue one incrementally funded task and dynamic interface tests.
- Initiate additional reliability product improvements based on Fleet failure reports
- c. (U) FY 1988 Program:
- Converter CV-3914/ASN adapting the AN/ASN-130 or ASN-139 Inertial Navigation Set to the U/S-3; Improved Complete three prototype developments; i.e., AAU-19/A Counter-Drum Altimeter; Airborne Navigational Anti-Fild Control Box (A-6E, KA-6D, EA-6A/B); and other short-term casks initiated in FY 1987.
- o Continue incrementally funded developments and dynamic interface testing.
- Initiate improvements to avionics sets, helicopter rotor and transmission systems, top-ten reported failure items and aircraft installed armament equipment.
- d. (U) FY 1989 Program:
- Complete scheduled prototype developments.

Program Element: 25633N

Title: Aircraft Equipment Reliability/Maintenance Program

- o Continue incrementally funded developments and dynamic interface tests.
- Initiate improvements to avionics sets, helicopter rotor and transmission systems, top-ten reported failure items and aircraft installed armament equipment.

4. (U) Program to Completion: This is a continuing program to improve Flee Readiness by design, fabrication and test of prototype corrections to newly identified reliability deficiencies.

- H. (U) PROJECTS OVER S10 MILLION IN FY 1988/89: Not Applicable.
- I. (U) TEST AND EVALUATION DATA: Not Applicable.

# FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 25658N DoD Mission Area: 235 - Naval Karfare Support

Title: Laboratory Fleet Support Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/k9 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

lotal Estimated Cost	Continuing Continuing
Additional to Completion	Continuing Continuing
FY 1989 Estimate	5,877
FY 1988 Estimate	5,511 5,511
FY 1987 Estimate	5,876 5,876
FY 1986 Actual	5,811
<u>Ittle</u>	TOTAL FUR PRCCRAM ELEMENT Laboratory Fleet Support
Project No.	X0834

As this is a continuing program, the above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

- B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: The Laboratory Fleet Support program is managed by the Navy Science Arsistance Program (NSAP) office. It provides technology assistance to the Fleet by on-site support from Navy laboratories These efforts complement the ROTGE system by bringing available expertise and technology to bear on operational problems and demonstrating feasible solutions. facilitating technical improvement of in-service systems to increase operational effectiveness.
- C. (U) COMPARISON WITH PY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) Changes between the funding profile shown in FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: -335 in FY 1986 is a Gramm-Rudman-Hollings reduction, -180 in FY 1987 is due to Congressional adjustment, and -1,835 in FY 1988 is due to Department budget adjustment.
- (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Estimated
X0834	TOTAL FOR TROGRAM ELEMENT Laboratory Fleet Support	6,326	6,146	6,056	7,346	Continuing Continuing	Continuing Continuing

Title: Laboratory Fleet Support

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: None

E. (U) RELATED ACTIVITIES: Navy Laboratory Independent Exploratory Development, Program Element 62936N (provides for short-term solution of fleet technical problems which effect readiness).

Research and Development Center, San Diego, CA; Naval Environmental Prediction Research Facility, Monterey, CA; Naval Ocean Research and Development Activity, Ray St. Louis, MS; Naval Air Test Center, Patuxent River, MD; Pacific Missile Test Center, Pt. F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Surface Weapons Center, Silver Spring, Maryland; Naval Ocean Systems Center, San Diego, CA; Naval Underwater Systems Center, Newport, RI; Naval Air Development Center, Warminster, PA; Naval Training Systems Center, Orlando, FI.; Naval Research Laboratory, Washington, D.C.; Naval Oceanographic Office, Bay St. Louis, MS; Navel Weapons Center, China Lake, CA; David W. Taylor Naval Ship Research and Development Center, Bethesda, MD; Naval Civil Engineering Laboratory, Port Hucneme, CA; Naval Coastal Systems Center, Panama City, FL; Naval Surface Weapons Center, Dahlgren, VA; Navy Personnel Mugu, CA; Naval Weapons Support Center, Crane, IN. CONTRACTORS: None. OTHERS: Applied Research Laboratory, Pennsyvania State University, State College, Pennsylvania.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

(U) Project X0834, Laboratory Fleet Support:

1. (U) Description: The primary goals of the Navy Science Assistance Program are to achieve time solutions to technical problems that impact the operational readiness of the Navy and Marine Corps and to ensure communications between the technology producer (RDI&E community) and the technology user (Navy and Marine Corps operating forces).

2. (II) Program Accomplishments and Puture Efforts:

a. (U) FY 1986 Program: Demonstrations of technological improvements to operational readiness included:

458

Program Element: 25658N

Title: Laboratory Fleet Support

- 27 scientists and engineers were placed in Naval Fleet staffs as principal technical advisors and consultants.
- Continuous monitoring of submarine radiated noise to locate noise problems as they occur.
- Use of low-cost, commercially available remote vehicle for mine identification.
- Over-the-horizon targeting capability for ships using the SH-2 helicopter.
  - Adaptation of acoustic ASW predictions to probabilistic situations.
    - Past of CV weapons loadout model for changing mission requirements.

Transmission of acoustic data from ship to patrol aircraft.

- (U) FY 1987 Program: ۵.
- Respond to the continual flow of requests from the Fleet and Fleet Marine Forces.
- In situ systems for improving submarine acoustic readiness.
- Develop techniques for detecting hostile torpedoes with in situ equipment.
- Reduce hazard of landing SH-2 helicopters aboard ships
- Eliminate static discharge hazard during loading of CH-53 helicoptera
- Investigate automatic monitoring of acoustic sources
- Modify acoustic twoys for passive targeting
- Adapt air-to-surface weapons for use by patrol aircraft
- Reduce physiological degradation due to heat stress aboard shipa
- Support for 24 scientists and engineers at major Navy and Marine Corps operational commands as principal technical advisors and consultants.
- E ن
- In nature the actual tarks cannot be predicted). Also, a field team of similiar size is expected to FY 1988 and 1989 Planned Program: Technical problem solution will continue on a quick reaction basis (since the program is reactive be deployed.
- Completion: (U) Program φ.
- This is a continuing program.
- (U) PROJECTS OVER \$10 MILLION IN FY 1938/89: Not Applicable æ
- (U) TEST AND EVALUATION DATA: Not Applicable **-**

# FY 1988/89 RDTGE DESCRIPTIVE SUMMARY

Program Element: 25667N DoD Mission Ares: 231 - Anti-Air Warfare

Title: F-14 Upgrade
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	347,865	263,950	184,770	143,904	586,166	
W1408	F-14D	347,865	263,950	184,770	143,904	159,086	
_	EMERGING TECHNOLOGY) *	0	0	0	0	(187,080)	(187,080)
<u> </u>	F-14 SQUADRONS)*	0	0	0	0	(240,000)	

\* Displayed for information purposes only to reflect planned initiatives.

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

Forces is the Soviet Union's large inventory of anti-ship cruise missilea (ASCM's) launched by long range bomber aircraft, escorted by increasing numbers of high speed, highly maneuverable tactical aircraft, some now containing a full look-down, shoot-down This program element provides for operational improvement of Navy F-14 squadrons in order to counter the projected threat, in the most severe threat environment, through the year 2000 and beyond. The requirement exists for very high performance, long endurance, Fleet-Air-Defense aircraft with long range fire control/weapons While the F-14A/Phoenix Weapon System has proven operational capability against existing threats, significant Improvements are required to make it a viable and effective counter to projected threats. The predominant threat to U.S. Navol B. (1) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: system capability.

The large strides the Soviets have made in electronic countermeasures, low observable tachnology, sophisticated jamming techniques and

are also adversely affecting

Title: F-14 Upgrade

Proga .: f.lement: 25667N

the capability of the F-14A/AWG-9 weapon system to successfully prosecute the Outer Air Battle. The F-14D, a major engine, radar, and avionics block upgrade to the F-14A, is essential to sustain combat effectiveness in this projected Anti-Air Warfare operating environment.

PY 1987 Descriptive Summary and this Descriptive Summary are as follows: In FY 1987, increases of 8,000 for Department Budget adjustment to return Project W1839 LWIRST funding to the baseline program and 3,950 for Department Program/Budget adjustment and a (U) COMPARISON WITH PY 1987 DESCRIPT VE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the decrease of 8,421 for Congressions1 action. In FY 1988, increases of 17,623 for Department Program adjustments and 22,590 Department Budget adjustments, this - tion reflects return of Project W1839 LWIRST funding into the baseline F-14D program.

(U) FUNDING AS REPLECTED IN THE FY 1987 DESCRIPTIVE SUPPLARY:

Total Estimated Coat	1,539,068 65,922 1,419,546 53,600
Additional to Completion	442,330 0 408,830 33,500
FY 1988 Estimate	156,657 0 144,557 12,100
FY 1987 Estimate	268,421 0 260,421 8,000
FY 1986 Estimate	347,865 0 347,865
FY 1985 Actual	276,655 65,922 210,733
tt Title	TOTAL FOR PROCRAM ELEMENT Alternate Fighter Engine F-14 Upgrade LWIRST
Project No.	W1839

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

Development of Air Force Common Joint Tactical Information Distribution Systems (JIIDS) (Program Element 25604N and 64771D), Airborne Self-Protection Jammer (ASPJ) (Program Element 64226N) and the Advanced Medium Range Air-to-Air Missile Program (AMRAAM) (Program Element 64314N). Relationship with elements is explained under Section I. (U) RELATED ACTIVITIES:

Pacific Hiasile Test Center, Point Mugu, CA; Naval Weapons Center, China Lake, CA; Naval Air Development Center, Warminster, PA; IN-HOUSE: Naval Air Propulsion Center, Lakehurst, NJ; Naval Air Test Center, Patuxent River, MD; F. (U) WORK PERPORMED BY:

Program Element: 25667N

Title: F-14 Upgrade

Naval Avionics Center, Indianapolis IN, Naval Aviation Engineering Center, Philadelphia, PA; Naval Aviation Logistics Center, Patuxent River, MD; Naval Air Rework Facility, North Island, CA; Naval Training Engineering Center, Orlando, FL. CONTRACTORS: Grumman Aerospace Corporation, Long Island, NY. MAJOR SUBCONTRACTORS: General Electric, Evandale, OH and Hughes Aircraft Company, El Segundo, CA.

- G. (U) PROJECTS LESS THAN \$10 HILLION IN FY 1988/89: Not Applicable.
- 1. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:
- (U) Project W1408, F-14D:
- the existing F-14 weapons system. The improved aircraft, the F-14D, will increase capability in three major areas to sustain The new engine will increase required tactical flexibility against advanced threat operational compatibility with other fleet units by incorporation of DOD directed programs and will increase aircrew effectiveness combat effectiveness in the projected anti-air warfare operating environment. The three major upgrade areas are: new engine, new aircraft and correct significant safety problems associated with the present IF-30 engine. New digitized avionics will enable in high density operations. An upgraded radar will ensure a multi-target, multi-shot capability in the more severe electronic countermeasures environment now projected. These changes will yield significant improvements in capability and performance as well as reliability and maintainability, and will facilitate the total integration and exploitation of related programs i.e., Air Force Common Joint Tactical Identification System (JIIDS), Advanced Self-Protection sammer (ASPJ) and Infrared Search and Track System (IRST). A pre-deployment (primarily seftware) update which includes HARM, HARPOON, AMRAAM, ALR-67, Medium PRF, and ECCM improve-(first delivery November 1987) of the upgraded engine F-14 sircraft (designated the F-14A (PLUS)) and limited production of the 1. (!!) Description: This project provides for the design, development, integration and testing necessary to upgrade ments is planned for incorporation prior to the first deployment. This program permitted production incorporation in FY 1986 digital avionics and an upgraded radar. F-14D commencing March 1990.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (11) FY 1986 Program: Commenced engine flight testing on afroraft #7 which included engine calibrations and Continued software coding and testing. Continued Continued avionics and radar hardware/software integration and development. Continued integrated logistics support and planning and analyses. Continued Roofhouse and Avionics Demonstration Laboratory (API) upgrades. Initiated the design and modifications to the five test vehicles (F-14A's) in preparation for flight testing commencing 2nd Otr FY 1988. Completed trainer specification. Released trainer Request for Proposal (RFF), initial performance checks. Continued engine development and integration. engine, avionics, radar hardware design and fabrication.

Program Element: 25667N

Title: F-14 Upgrade

Complete Roofhouse and Avionic radar/wylonics design and fabilcation. Continue software coding and testing. Continue avionics and radar hardware/software Demonstration Laboratory (ADL) upgrades. Continue test vehicle modifications. Commence IA-3B radar test bed flights to demon-ASMET testing, R&M demonstration, Calibration/Performance/Loads Demonstration/Hi Alpha testing. Conduct Navy evaluations for the engines DT-IIA/B/C. strate TKS, PDSTT and weapons support. Commence HARM/HARPKAN, AMRAAM, ALR-67 integration development. integration and development. Continue integrated logistics support and planning and analyses. Centinue engine integration testing to include: b. (U) FY 1987 Program:

F-14D aircraft. F-14A (PLUS) development completed. First F-14A (PLUS) delitors November 1987. Continue avionics hardware and Conduct NPDM 111A for 11mited production decision for 7 F-14D aircraft. Conduct NPDM IIIB for 11mited (3) FY 1988 Planned Program: Conduct production readiness review for long lead funds for 7 pilot production software integration testing. Integrate Crumman software tapes. Commence radar/avionics flight testing (Jan 88) to include communications navigation instrumentation (CNI) displays, radar lock on modes, radar/stores management system (SMS) integration. production decision for 12 F-14D sircraft.

Combuct TA-38 radar support flights. Integrate Grumman software tape updates with increased capabilities. Continue flight testing NCTF, additional live weapons firing (PMTC). Conduct DT/OT IIC. Conduct NPDM IIIC for limited production decision for 19 F-14D d. (U) FY 1989 Planned Program: Continue avionics and radar hardware/software integration and development. to demonstrate: ECCM improvements, mixed missile launch, rault isolation, IRSI/ICS/JIIDS/ALR-67/ASPJ operation, full radar modes/

tests), flight worthiness, qualification, test, analyze and fix, and subsystem integration. Incremental software, Program Design noftware development matures, total system integration will be achieved. Technical Maison with the Department of Defense directed with Air Force Common Julit Tection Information Distribution System (JTIDS), ALR-67, Airborne Self-Protection Jammer, and Infrared ment planning and analysis for logistic support will be conducted. Conduct DT-IID (TECHEVAL) and OT-IID (OPEVAL), Conduct NPDM e. (U) <u>Program to Completion</u>: Integrate final Grumman software tapes. Continue flight testing to complete demonstration of fully integrated engine, avionics, and radar upgrade. First F-14D production aircraft delivery in March 1990. Tests performed by prime contractor, radar contractor and other equipment suppliers will involve hardware performance (bench Reviews and Critical Design Reviews will provide the Navy with the status of the software development process. As hardware and programs will be accomplished throughout full-scale development to assure that the F-14D weapon system design is fully compatible Search and Track System. These systems will be integrated depending upon equipment availability. Throughout, Full Scale Develop-111D for full production decision.

Project - Emerging Technology reflects recognized requirement to integrate/insert new developing technology into the baseline Planned initiatives include Multi-sensor correlation, HARM/NARPOON weapon integration and possible low observable technology. Project - F-14 Squadrons reflects the long-term rescourring P31 infitiatives reguined to allow upgrade to systems currently in development for system incorporation. These would include: IRST, advanced air-to-air weapons, additional radar upgrades and avionics systems improvments.

Program Flement: 25667N

Title: F-14 Upgrade

f. (v) Major Milestones:

Milestone

Full Scale Development Contract Award
 Milestone II
 Contractor Development Testing

Contractor Development Testing First Flight (F110-400)

First Flight (Avionics/Radar) First Production F-14A (PLUS)

Operational Evaluation (OPEVAL)

First Production F-14D 5 .5

I. (U) TEST AND EVALUATION DATA:

Date

September 1986 January 1988

March 1985 July 1984

November 1987 June 1990

## A. (U) Development Test and Evaluation

- vas is 1 cember 1973 after a series of contractor tests, Navy Preliminary Evaluational Capability (first operational squadron) infitial trials phase. The AMC-9 radar and AIM-54A PHOENIX missile have successfully performed their functions during firings at single and multiple targets within a large variety of filght geometries.
- margin of the Fratt and Whitney IF 30 engine. Approximately one in four of all F-14A accidents have been engine related. Satisfactory resolution of the stall margin problem requires a major redesign of the compressor section of the engine. Aircrews have been instructed to svoid flight regimes/engine operations which are prone to engine stalls. Engine bleeds (with associated thrust loss) have been incorporated to improve stall margin. A decision has been made by the Secretary of the Navy to resolve the operability problem through installation of the General Electric F110-400 engine in the FY-86 and subsequent F-14 production (U) The P-14A has been and is still today subject to operability and safety of flight deficiencies due to the stall aircraft. A limited engine retrofit program it aims planned.
- 3. (U) The F-14A was designed in the 1960a to counter the threat of the 1970s and 1980s. To successfully counter the projected threat of the 1990s and beyond a major vespon system upgrade was initiated to increase the operational capability of the F-14, incorporation of F110-GE-400 engines will provide substantially improved sircraft performance, safety and operalability. Procurement of F-14A(FLUS) aircraft (F-14 aircraft with the new engines) commenced in FY-86. Incorporation of an improved radar, using U.S. Air Porce F-15 technology, and digital avionics will provide significantly increased capabilities, particularly in an electronic countermessures environment. Initial procurement of F-14D sircraft, incorporating the new engines, radar and avionics, is planned for mid FT-88.

# B. (U) Operational Test and Evaluation (GT&E)

1. (ij) Operational test involvement by COMOPTEVFOR during the development phase was limited because the time frame was prior to establishment of current early OTSE policy incorporated in OPNAVINST 3960.10 series. However, a series of eleven partial OPEVAL's in discrete phases were conducted from May 1977 to October 1979 after the F-14A was in production. COMOPTEVFOR concluded the F-14A weapons system significantly increased the existing capabilities of naval aviation. Some of the significant discrepancies cited in weapons system vers:

<u>.</u>	() Operational	C. (v) Operational/Technical Characteristics	Objectives	Performance	
J	v) Fighter Esc.	(v) Fighter Escort Mission Radius (N.M.)			
J	(U) Sustained Load P	oad Factor, .9H 35K (g)	2.37	2.18	
<u> </u>	U) Acceleration	(U) Acceleration .8M to 1.8M (minutem)	2.04	2.19	
J	(U) Empty Weight (1bm)	it (1bs)	35,979	40,422 1/	
٤	/) AWC-9 Max D	(V) AWG-9 Max Detaction/Track (SM2 tet) (N.M.)			

1/ The F-14A experienced about an K.3% weight growth from design geo-ahead through lat Quarter FY-80. At this point in development the F-4 had experienced 15,4% weight growth.

			TAE Activity (Past 12 Houths)
Event	Planned Date	Actual Date	Reparks
F-14A(PLUS) First Filght	AUC 86	29 SEP 86	Excellent resultss. Subsequent joint contractor/Navy teating evaluated the follow-ing engine dewellopment areas: performance measurements, throttle transients, flutter, callbrattiom, vibration, heat exchanger, fire warning, airstart envelope, suggentor and aurtomatic power compensator (APC).
			T&F Activity (Next 12 Months)
Event	T.	Planned Date	Remarks
DT-11A (F-14A(PLUS))		FE9 87	Formal evaluation ouf engioe development parameters/areas lister above. To be conducted at Calvertion, N.Y.
DT~11B (F-14A(P1.US))		APR 87	Evaluation of Singlie Engine performance, environmental control system, sirstarta.

itability.	Radar flight tests to demonstrate controls and displays, PDS and RWS modes, and BIST.	nications, navigation and identification
Evaluation of Dual Chin Pod and cerrier autability.	Radar flight tests to demonstrate controls	Avionics flight tests to desonstrate communications, navigation and identification functions and system integration.
30L 87	DEC 87	JAN 88
DT-11C (F-14A(PLUS))	DT/OT-11A (Radar) (TA-3B)	DT/OT-11A (Avionics) (P-14D)

E. (U) Progrem Documentation

1. (U) COMOPTENTOR PROJECT REPORTS

Serial No.	C154	968	\$103	\$126	8118	8130	\$152	8158	SS	922
Title	OPEVAL of the F-14A/PHOENLX Weapons System	OPEVAL of the F-14A/PHOENLY Weapons System	OPEYAL of the F-14A/PHOENLX Weapons System	OPEVAL of the F-14A/PHOENEX Weapons System	OPEVAL of the P-14A/PHOENLX Wespons System	OPEVAL of the F-14A/PHOENIX Weapons System	OPEVAL of the F-14A/PHOENIX Weapons System	OPEVAL of the F-14A/PHOENIX Wespons System	OPEVAL of the F-14A/PHOENIX Weapons System	OPEVAL of the P-14A/PHOEMIX Weapons System
Date	05 May 77	16 Aug 77	31 Aug 77	30 Sep 77	11 Oct 77	12 Oct 77	19 Dec 77	23 Dec 77	11 Jen 78	01 Mar 78

UNCLASSIFIED

46.1

C135	\$221	808		C273	S-14
Follow-oo OPEVAL of the F-114A M:-61Al Gun and Real-Time Gunsight	Second Navy Preliminary Evailuation of AWG-9 Update System (Block 5/2008)	Initial Operational Evaluation AWG-9 Update	(FINAL)	AWG-9 Update Navy Preliminanry Evaluation Final Report	AMG-9 Update Second Navy Prreliminary Evaluation Final Report
07 Jun 82	31 Aug 82	08 Feb 83	(U) PHIC TECHNICAL REPORTS (FINAL)	29 May 81	11 Jee 83
0	m	D	(U) PP	.4	
			2.		

UNCLASSIFIED

4.68

<sup>3. (</sup>U) F-14D TEMP HAS BEEN APPROVED BY SECNAV, AWAITING AAPPROVAL BY OSD FOLLOWING NAVY/OPTEVFOR REVISION INCORPORATING OSD CONDENTS.

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 25670N DoD Mission Area: 323 - TIARA for Tactical Warfare

Title: Tactical Intelligence Processing Budget Activity: 4 - Tacrical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

lotal		to Completion Cost	Continuing Continuing
		Estimate	2,155 2,155
	FY 1988	Estimate	2,081
	FY 1987	Estimate	2,396
	FY 1986	Actual	1,375
		Title	TOTAL FOR PROGRAM ELEMENT Shipboard Tactical Intelligence Proc.
	Project	No.	W0521.

The above funding profile includes out-year escalation and encompasses all work or development phases through FY 1989.

- Centers aboard aircraft carriers, amphibious command ships, and amphibious assault ships in order to meet fleet requirements. requirements for the sea control and power projection roles and hardware to replace the 20-year-old computers and peripherals now This project directly contributes to the ability of 28 different ships/stations to meet their responsibilities in B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This project studies and evaluates potential updates for the Intelligence Updates investigated include developments in software, data bases and integration plans to support new intelligence readiness support of fleet users of intelligence information. installed.
- C. (U) COMPARISON WITH THE FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The differences between the funding profile contained in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: In FY 1987, an increase of 236 is the result of Department program/budget adjustments and a Congressional adjustment.

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

					i		Total
Project		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL TO DESCRIPTE TO THE PERSON	200 6	737 -	7 160	178	Sont desired and	200
	TOTAL FOR PROGRAM ELEMENT	7,020	1 1 1	7,100	07167	COULTINATUR	CONCENION
W0521	Shipboard Eactical Intelligence Processing	2,026	1,454	2,160	2,128	Continuing	Continuing
							טבונונט
		4	69			UNCLA	UNCLASSIFIE

Program Element: 25670N

Title: Tactical Intelligence Processing

20000

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

		FY 1987	FY 1988	FY 1989	Additional	Estimated
	Actual	Estimate	Estimate	Estimate	to Completion	Cost
r Procurement, Navy:	14,694	565'6	10,299	10,299 10,950	Continuing	Continuing
55)						

- Air/Ground Intelligence System, uses same basic data and similar analysis as in the Aircraft Carrier Center and a close working relationship has been established with the Marine Air/Ground Intelligence System project to assure compatibility and nonduplication of development effort; Navy Command and Control System, System Engineering and Integration, PE 63763N. There is no Marine Corps Command/Control/Communication System, Program Element 26626M, Project COO62. Marine unnecessary duplication of effort within the Navy or the Department of Defense. E. (U) RELATED ACTIVITIES:
- F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Electronic Systems Engineering Activity Detachment, Philadelphia, PA, and Naval Surface Weapons Center, Dahlgren, VA. CONTRACTORS: Planning Research Corporation, McLean, VA; Aeroneutronic-Ford, Palo Alto, CA; Martin Marietta, Denver, CO; Bendix Inc., Mishawaka, IN; Northrop Corporation, Hawthorne, Ca; Sperry, St. Paul, MN.
- G. (U) PROJECTS LESS THAN SIO MILLION IN FY 1988/89:
- (U) Project WO521, Shipboard Tactical Intelligence Processing:
- Center's data base to expand ten-fold to accommodate strike warfare information, amphibious intelligence, increased data flow from new reconnaissance systems and flag support for the sea control mission. Concurrent with data base expansion has come requirements to provide more timely intelligence in varied forms/formats to additional users throughout the task group. Miltiple developments (U) Description: The Aircraft Carrier Intelligence Center, a subsystem of the Naval Intelligence Processing System, became operational in 1962 to provide intelligence required by operational commanders. Since then Intelligence Centers despite Commanders' demands for more and better intelligence information. Increased requirements have caused the CV Intelligence are required to satisfy these requirements and to maintain state-of-the-art performance in the Intelligance Centers. They include hardware, software and system developments oriented toward providing timely support to commanders in balance with the spread of These centers have had little developmental improvement, have been added to LCC's, LHA's, and LHD's (now under construction).

Program Element: 25670N

Title: Tactical Intelligence Processing

# 2. (U) Program Accomplishments and Future Eiforts:

#### a. (U) FY 1986 Program:

Assessed computer programs for use with the graphic plotter.

• Continued study of software and data base requirements to support sea control and power projection missions with intelligence support. \* Completed Jevelopment of the Fleet Imagery Support Terminal. Initiate Operational Test and Evaluation to obtain Approval for Full Production (AFP) decision.

° Initiated a study of storage and retrieval techniques and equipment for use with the shipboard Intelligence Closed Circuit Television Distribution System.

#### . (U) FY 1987 Program:

° Complete the computer program study started in FY-86 for the graphic plotter for use in the amphibious ship intelligence centers, i.e. LHA-IC, LCC-IC, LHD-IC. O Investigate a means to allow the shipboard intelligence centers to accommodate direct digital interfaces with other shipboard command and control systems, i.e. Tactical Flag Command Center (TFCC), Afloat Correlation System (ACS) and Advanced Combat Direction System (ACDS). \* Complete efforts in the storage and retrieval of imagery for the shipboard Intelligence Closed Circuit Television System \* Provide and execute a plan to modify shipboard intelligence center software to use the DOD mandated JINTACCS (Joint Interoperability of Tactical Command and Control Systems) message standards. \* Initiate engineering to test the ability of the Fleet Imagery Support Terminal (FIST) to work with national and other service image distribution systems.

° Conduct engineering required to test the FIST program with the shipboard CCTV system for storage and distribution requirements.

UNCLASSIFIED

471

Ų,

Program Element: 25670N

c. (U) FY 1988 Planned Program:

Title: Tactical Intelligence Processing

systems, e.g. Tactical Flag Command Center (TFCC), Afloat Correlation System (ACS), Electronic Warfare Coordinator's Module (EWCM) • Continue effort to allow the shipboard intelligence centers to support other shipboard command and control and Advanced Combat Direction System (ACDS). ° Continue execution of a plan to transition maintenance of the intelligence data base to use of the Joint Interoperability of Tactical Command and Control System (JINTACCS) message standards. ° Design an interface between the tartical intelligence centers afloat with the Defense Intelligence Agency data base via the Special Compartmented Intelligence (SCI) network. Obevelop changes to the intelligence centers to process and analyze information from new reconnaissance sensors in order to support the embarked air wing power projection mission.

° Continue development of the Fleet Imagery Support Terminal enhancements to utilize national source imagery and to interact with the shipboard closed circuit television storage and distribution system.

Intelligence integrated Data System/Integrated Data Base (MIDS/IDB) structure using intelligence standard data base management Obevelop software, hardware and procedures to permit afloat intelligence centers to process the DIA Military systems and query languages.

d. (U) FY 1989 Planned Program:

Complete shore based testing of the ability to integrate intelligence with other command and control

systems.

° Conduct shorebased testing of an intelligence interface between tactical intelligence centers afloat and the DoD intelligence information System.

Continue efforts in exploring means to process and analyze intelligence information from new sensors.

° Continue development of software, hardware and procedures to permit afloat intelligence centers to process the DIA Military Intelligence integrated Data System/Integrated Data Base (MIDS/IDB) structure using intelligence standard data base management systems and query languages.

Program Element: 25675N

o Investigate means to support micro-processors in the Battle Force Information Management architecture with a satisfactory intelligence data base.

Title: Tactical Intelligence Processing

\* Assess the adequacy and/or need for enhancements to optical processing and storage for use with the CCIV systems, electro-optic processing and video transfer of imagery, shore-to-ship and ship-to-ship.

### (U) Program to Completion:

o This is a continuing program.

- H. (U) PROJECTS OVER S10 MILLION IN FY 1988/89: Not Applicable
- I. (U) TEST AND EVALUATION DATA: Not Applicable

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 25674N DoD Mission Area: 372 - Escort, Stand-off and Counter C3

Title: Electronic Warfare Counter Response Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
M0556	TOTAL FOR PROGRAM ELEMENT Electronic Warfare Counter	81,179	50,104 48,297	54,613	26,523	Continuing Continuing	Continuing Continuing
W1747	Response EA-6% HARM Integration	4,952	1,807	2,734	0	0	6,493

As this is a continuing program, the above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989 only.

which are expanding in frequency, density and technical complexity. The EA-68 weapons system is designed for airborne detection and jamming of enemy command and control systems and radars associated with targeting, surveillance, anti-aircraft artillery, and operations in dense radar-controlled environments throughout the service life of the EA-6B. Integration of the ACM-88 HARM into B. (U) RRIEF DESCRIPTION OF ELFMENT AND MISSION NEED: This program element funds the continuing development and/or integration of all electronic warfare systems for the EA-68 tactical support aircraft. Major efforts include the development and integration of a new Advanced Capability (ADVCAP) Receiver Processor Group (RPG) and the integration of a communications jamming capability into the EA-6B. These efforts provide for the electronic countermeasure response to new generation/advanced threat weapon systems air-to-surface, surface-to-surface and surface-to-air missiles. It will support carrier and advance based tactical aircraft the EA-68, to improve selective anti-radiation missile targeting, is also contained within this program element.

The reduction of 6,819 in FY 1987 was from Congressional Action and Department Budget Adjustments. Congressional C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) Project W1747 is increased 2,993 in FY 1986 and decreased 3,810 FY 1988 as a result of cost benefits from the SECNAV directed accelerated HARM integration program and inflation Action reduced project W0556 by 12,785 in FY 1987.

Program Element: 25674N

Title: Electronic Warfare Counter Response

(U) FUNDING AS KEFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	T) le	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
98500	TOTAL FOR PROCRAM ELEMENT Flactionic Unitare Counter	35,804	78,186	69,708	58,509	Continuing	Continuing
77/10	Response FA-68 HARM Integration	0	1.959	8,626	6.544	0	17,129
		1			•		

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.

(U) RELATED ACTIVITIES: Air Force EF-111 under program element 64220F incorporates a variant of the ALQ-99 tactical jamming The integration into the EA-6B ADVCAP of a Tactical Command and Control Communications Countermeasures System, being developed under Program Element 64224N, Airborne Electronic Warfare Engineering, is funded by this program element. unnecessary duplication of effort between this program and others within the Navy or the Department of Defense.

Naval Heapons Center, China Lake, CA; Naval Research Laboratory, Washington, DC; Naval Air Development Center, Warminster, PA; and Naval Avionics Center, Indianapolis, IN. CONTRACTORS: Grumman Aerospace Corporation, Bethpage, NY; Eaton Corporation, Deer Park, NY; Raytheon Corporation, Goleta, CA; Litton Amecon, College Park, MD; Applied Physics Laboratory, Laurel, MD; Sanders Associates, Nashua, NH; Teledyne Systems, Northridge, CA; Texas Instruments, Colorado Springs, CO; Texas Instruments, Ridgecrest, CA; Teledyne (U) WORK PERFORMED BY: IN HOUSE: Pacific Missile Test Center, Point Mugu, CA.; Naval Air Test Center, Patuxent River, MD; Microwave, Sunnyvale. CA; and five others.

. (U) PROJECTS LESS THAN SIO MILLION IN FY 1968/89:

(U) Project W1747, EA-6B HARM Integration:

1. (U) Description: This project provides the integration efforts to improve selective anti-radiation missile targeting Major improvement in capability to be achieved is a higher by integrating the AGM-88 HARM into the EA-68 wespon system. probabiling of kill on the target radar sites.

. (U) Program Accomplishments and Future Efforts:

a. (U) FY 1986 Program

Program Element: 25674N

Title: Electronic Warfare Counter Response

- \* Initiated production HARM integration program.
- Completed interim HARM integration for ICAP-II.
- Developed hardware integration approach and investigated tactical utilization.
- b. (U) FY 1987 Program:
- Commence prototype HARM integration and installation study.
- Complete hardware qualification testing.
- c. (U) FY 1988 Planned Program:
- . Complete full scale development and flight test in EA-6B improved capability II (ICAP II).
- (U) FY 1989 Planned Program: Not applicable
- e. (U) Program to Completion: Not applicable.
- (U) PROJECTS OVER SIG MILLION IN FY 1988/89:

Ŧ.

- (U) Project WO556, Electronic Warfare Counter Response:
- aircraft (EA-6R) to provide an electronic countermeasures response to new threat systems. This is accomplished by continuing 1. (4) Description: This project provides for the incorporation of electronic warfare equipment in tactical support development and testing of the first comprehensive update of the EA-6B passive detection system to counter the migration of threat and the proliferation of systems

of the current EA-6B tactical jamming system. This Advanced Capability (ADVCAP) receiver-processor-group (RPG) will counter

reception capability and reduce Jammer response times. This program also provides for integration of a Tactical Command and Control Communications in dense signal environments. Th. RPG will provide a

Program Element: 25674N

Title: Electronic Warfare Counter Response

Countermeasures System in the EA-6B aircraft. Full scale development of the ADVCAP RPG began with Milestone II in February 1983 The contract consists of three elements: Full Scale Development of the RPG and subsequent development contract awards. communications jamer into the EA-6B.

- 2. (U) Program Accomplishments and Puture Efforts.
- a. (U) FY 1986 Program:
- \* Continued ADVCAP full scale engineering under firm fixed price contract.
- \* Fabricated the engineering development models.
- \* Commenced software development.
- \* Commenced integrated logistic support development.
- Commenced test bed aircraft modification/fabrication.
- b. (U) FY 1987 Program:
- Deliver EA-6B ADVCAP RPC engineering development models.
- Conduct qualification tests and electromagnetic compatibility tests.
- c. (U) FY 1988 Planned Program:
- Conduct reliability development and weapon replaceable assembly maintainability demonstration.
- \* Conduct other associated developmental tests, continue integration, logistics support development and test bed aircraft final assembly.
- d. (U) FY 1989 Planned Program:
- \* Continue integration on EA-6B.

Program Element: 25674N

Title: Electronic Warfare Counter Response

\* Continue logistics support development.

° Conduct contractor flight tests.

° Continue software development.

e. (U) Program to Completion:

Conduct software integration tests.

° Conduct initial Navy technical evaluation of ADVCAP RPG and ALQ-149.

° Continue integration on EA-68.

Continue logistics support development.

° Conduct contractor flight tests.

° Continue software development.

° Conduct initial operational test and evaluation leading to limited production decision.

° Completion of the technical and operational evaluation will support the rate production (M/S IIIB) decision programmed to occur in FY-91.

(v) Major Milestones: ų, MILESTONE

DATE

1. M/S II (FSED)

TECHEVAL
 OPEVAL
 M/S IIIA (Limited Production)

3/4

Title: Electronic Warfare Counter Response

Program Element: 25674N

5. M/S IIIB (Full Rate Production) 6. 10C

1. (U) TEST AND EVALUATION DATA: Attached

6/17

#### TEST DATA

- A. (U) Development, Test and Evaluation.
- (U) Development Test and Evaluation of the EA-6B is conducted by Nevy eircraw and ground maintenence personnel assigned to the Havel Air Test Center (NAVAIRTESTURN), Petuxent River, MD.
- 2. (U) The Mavy Preliminary Eveluation (NPE I) was conducted in Decamber 1968 utilizing en serodynemic prototype aircraft. NPE II was conducted to resvaluete corrections to HPE I deficiencies end reculted in estisfectory correction of ell deficiencies arcept two items, which have subsequently been
- 3. (U) Mevy Preliminery Eveluetion III (NPE III) was conducted between 16 Pebruary end 6 Herch 1970 to determine the resdiness of the evionice systems for the Board of Inspection end Survey (BIS) triele. All tests were conducted at the contractor's facility, Grumman Astrospace Corporation (GAS), Celverton, New York. The electrical, communications, newigation end identification systems functioned properly. The Tactical Jerming System (TJS) was capable of performing the besic functions of eignst reception, processing the aubesquent transmitter essignment, and radiation. Deficiencies causing inconsistant eystem operation were corrected prior to sircreft ecceptance for BIS triels.
  - 4. (U) The Flying Quelities end Performence Triels of the EA-6B eircreft, established by the BIS, were conducted at the MAVAIRFESTCEM from 1 May 1970 to 11 August 1971. The Mayy Technical Evaluation (MTE) wes conducted eimultaneously with the performence triels. Eighty-four flighte for a total of 174.6 flight hours were flown. The purpose of the triels was to evaluate the EA-6B eircreft for the tectical electronic countermeasure (EGM) mission and to determine specification compliance.
- 5. (U) The Nevy Preliminery Eveluation (NPE) of the EA-6B Expended Cepability (EXCAP) Avionics System wee conducted 1 to 8 August 1972 et Calverton, New York, by e team composed of personnel from MAVAINTESTCEM end Air Test end Eveluation Squedron FIVE (WI-5). The purpose of the MPE was to define eystem deficiencies which would degrede performance of the tectical jamming mission end to escertein whether the

EXCAP would be capable of undergoing subsequent BIS trials. In addition, certain 10728 requirements were completed during MPE. The EXCAP eystem demonstrated an improved and expanded cepability over present production systems.

- 6. (U) The BIS trials on the Expandad Cepability version of the Tectical Jemming System were conducted at the MAVAIRTESTCEM from 14 May 1973 to 6 November 1975. The purpose of the BIS was to evaluate the Expended Cepability of the EA-6B for the tactical ECM mission and to determine specification compliance. Discrepancies identifiad were corrected.
- 7. (U) The Mavy Preliminary Evaluation (MPE) of the EA-6B Improved Capability (1CAP) Avionica System wem conducted between October 1975 and January 1976 at the contractor's fecility, Calverton, New York, by a team supervised by MAVAIRTESTCEM which included participation by VX-5. The ICAP system satisfactorily demonstrated the desired improvements designed into the ICAP version.
- (U) The Nevy Technical Evaluation (NTE) of the ICAP System was conducted from April to August 1976 of MAVAIRTESTERM. One hundred-tac flights were flown. Discrepancy reports were prepared and corrective ection teken.
- 9. (U) The Navy Preliminery Evaluations (NPE) I and II on the Improved Cepability II (ICAP II) Avionice System were conducted from 17 25 November 80 and 15 29 June 81 respectively. The flighte were cooldacted at the contractor's facility, Calvarton, New York, by a team supervised by NAVAIRTESTCEN which included perticipation by VX-5. MPE II varified that the majority of discrepancioe discovered in Navy Preliminary Evaluation (NPE I) were corrected. The Improved Capability (ICAP II) System demonstrated a significant improvement; over the ICAF System.
- The 1CAP-Il Tectical 10. (U) The ICAP II Board of Inapection & Survey BIS/IECHEVAL commenced 11 January 1982 and successfully complated 8 April 1982 with the recommendation to commence operational evaluation (OPEVAL). Relimbility and maintainability date gathered includes greater than 294 hours man time between failures (WIBF) (no failures) for all ICAP II aquipment arcapt the Universal Excitar, which was 53 hours. Discrepancies reported ware all minor and the majority will be corrected in production.

UNCLASSIFIED

1 ....

Jemming System (TJS) exhibited excellent potential for the tectical jemming mission and wes a significant improvement ownr the mission capability of the earlier ICAP system. TECHEVAL of the ASM-123 System and the ASM-130 instial navigetion system into the EA-68 was conducted from 8 February - 11 April 1983. No significent problems were encountered end a recommendation was made to commence OPEVAL.

- 11. (U) Final BIS triels for ICAP II were conducted 1 June 31 July 1984. The sircreft was recommended for FOTAE as heving srcellent potential to perform the Tactical Electronic Werfars mission. Additional reliability dats on the Universel Excitar was gathered concurrantly with Follow-on Test & Evaluetion (FOTAE).
- 12. (U) DT Tasting for interim HARM on EA-6B was successfully completed in July 1986.
- 13. (U) The Nevel Air Systems Command (PMA-234) is the EA-6B program manager.
- B. (U) Operationel Test and Eveluetion
- (U) The EA-68 program preceded DOD and Mavy test and eveluetion policies which ere now locorporated in DOD Directive 5000.3 and OPMAVIMST 3960.10.
- 2. (U) Operational Test end Evaluation is conducted by Havy aircraw assignad to YX-5 under tha guidance of Commander Operational Tast & Evaluation Force (COMOPTEVFOR). Maintenance is parformed by Navy tachnici:ns essigned to the fleat equedrons at Naval Air Station (NAS) Whidbey Island, Washington.
- 5. (U) The Navy Operational Eveluation (OPEVAL) of the EA-6B Tectical Jemming aircraft coosisted of four pheas. Pheas I was a quick reection, limited scope OPEVAL conducted from May to October 1971. Its primary purposs was to provide the first daploying squedrons with information relating to the capabilities/limitations and tactical employment of the aircreft. Phase II was asteblished to accomplish those teating goals not achieved during the compressed time frame of Phase I. Flight testing was done in iocramental fashion from Jenuery 1972 to Mey 1973. Its purposs was to datermine the operational affectiveness of the besic EA-6B against various threat redar end missile systems not tacted during Phase I. It was found that the basic EA-6B was operationally effective within the constraints of its frequency cepebility but was subject to several limitations.

- and primarily addressed new band capabilities and their affectiveness against land and sea threats. Major test results, promulgated in the PHASE III final report, recommended that exciters for bands 5/6, 7, 8 and 9 tectical jamming pods be approved for servica usa. OPEVAL of the incorporation of the ASN-130 inertial navigation system and the ASN-123 display system was conducted 12-24 April 1983. So aignificant problems was discovered. The final report was released by OPTEVPOR on 7 July 1983 and recommended approval for full 4. (U) Phase III was a two part oparational avaluation of the EA-6B Expanded Capability (EACAP) aircraft. Initial oparational test and avaluation (OTAE) was conducted at the contractor's facility during the devalopmental test cycle from June 1972; to February 1973. On-eite observars witnessed oparationally Jaming System. Three partial reports were published in 1972 and 1975. The accord part of Phase III coosisted of analytical study efforts and flight testing conducted by Air Test and Evaluation Squadron PLVE (VX-5). This effort was accomplished incrementally over a 17 month period from July 1975 to November 1974 eignificant testing and analyzed tast results in order to provids an sarly assessment of the EXCAP Tactical production.
- tests and svaluation deemed oscessary to cootinue tactica development for all EA-6B models. 2.047-0024AL, conducted by VE-5, commenced in October 1976. It was terminated in February 1977 due to software deficializations. Subsequantly, it was reschedulad and complated in September 1977. Two raportae were written by COMOPTEN POR regarding Phase 1V massesment of ICAP. The first raport, dated 17 May 1978, astimated that the EA-6B ICAP mircreft possessed minimum acceptable effectiveness for typical operational missions. The second report dated 7 March 1979 concluded that the EA-6B ICAP has the poteotial to be operationally suitable. operational assassant of EA-68 laproved Capability (ICAP) peculiar capabilities and equipment, and to davelop tectics for optimum amplogment of the ICAP Tactical Jemming System. Phase 1V included follow-on (U) Phase IV was assigned by Chief of Mayal Operations (CNO) in September 1974 to make
- Buscrous evaluations have been conducted and reports have been published by COMOPfEVPOR on EA-6D isctics and effectiveoess against specific threat systems. 3
- iodicated the ayetam had the potential to be operationally effective and suitable. COMOPTEVPOR recommended provisional approval for service use (PASU) for 1CAP II which was granted on 19 April 1982. OPEVAL for 1CAP II commenced in May 1982 and was complated 26 July 1982. The final report concluded that the ICAP II EA-6B (4) An initial operational tast of the ICAP II system was complated 23 July 1981. Tast results

configuration was operationally "finitive and potantially operationally suitable. COMOPTRYPOR recommended an extension of the previously given of approval for limited production (formally PASU). OPENAL of the ASH-125 display system and the ASH-130 inertial navigation system was conducted 12-24 April 1983. The final report by STEVTOR recommended approval for full production but not fleet introduction until deficiencies were corrected and tested during ICAP II Of-III which was conducted from the corrected. These deficiencies were corrected and tested during ICAP II Of-III which was conducted from the the EA-6B ICAP II system is operationally effective and potentially operationally suiteble. Limited flast introduction was granted.

8. (U) An operational assessment of intaria MARM on the EA-6B was successfully complated July 1986.

#### CHARACTERISTICS C. (VA STSTEM

#### Operationel . 3

- Spead (Kts)
  (1) Max et See Leval
  (2) Stall Spead (Power Approach)
  Specific Range at Optimum Altitude (MM/lb)
  Takeoff Distance (over 50° obstacle) (ft)
  Radius/Renge (Combat) (MM)
  Combat Calling Altitude (ft)
- Mission Raliability Maintainability (1) Standerd Depot Level Maintananca (SDLM)
  - cycle (month)
    (2) Maintenance Man-Hours per Flight Hour Weight (Takaoff) (1b) (Cerrier)
    Pissensions (Length/Span) (ft)
    - ج <u>ب</u>

- 2. (v) Technical (Electronic Warfars System)
- . Average Radieted Power (WATT/NHZ)
  Band 1
  Band 2
  Band 4
  Band 5/6
  Band 7
  Band 8
  Band 9
  - DF Accuracy (Deg. Error)
    Band 1
    Band 2
    Band 4
    Band 5/6
    Band 7
    Band 8 ۵
- D. (U) Current Test and Eveluation Activity

TAR ACTIVITY (PAST 12 MONTHS)	
=	MONTHS)
=	21
BE ACTIVITY	(PAST
16.2 40	ACTIVITY
-	13

Renarks	56 COMPLETE - Recommendation for Interim campility subsitted.
Actual Date	Feb 86 - July 86
Planned Date	Feb 86 - July 86
Zvent	Intarim HARM on ICAP II

RM on ICAP II	Feb 86 - July 86	Feb 86 - July 86	<pre>%eb 86 - July 86 COMPLETS - Recommendation for int capability submitted.</pre>	or int
	TAE Acti	TAE Activity (Mart 12 Months)	3	
Zvent	Plannad Date	Actual Date	<b>Кенатка</b>	
ICAP II Block 86/HARM	Jan - Jun 88			

### E. (U) Program Documentation

	Serial No.	WST-0016R-68
DEVELOPMENT AND TEST PROJECT REPORTS		
	71110	EA-6B
	Date	1968

	CONCETEVEDE PROJECT REPORTS (CONTINUED)	
Date	71110	Serial No.
1970	BIS EA-6B	W3T -0001 6R-70
1971	ZA - 6B	WST-004R-71
11971	BIS EA-63	WST-00238-71
1972	#PE EA-68	WST-0024R-72
3' MAY 19,4	SXCAP BA-68	WST-SyR-74
S ROVEMBER 1975	HPE EA-6B ICAP/ALQ-99 T.S	SA-708-75
16 APRIL 1976	MPE ICAP ALQ-99 TJS	SA-C10H-76
09 HOVEMBER 1977	SERVICE ACCEPTANCE TRIALS & TECH EVAL OF ICAP EA-68; FINAL REPORT	858
OB NOVEMBER 1977	EA-68 ICAP BIS	SA-83H-77
24 MARCH 1979	SERVICE ACCEPTANCE TRIALS & TECH EVAL OF ICAP EA-68; PINAL REPORT	9001/23/1006
26 AUGUST 1981	MANY PREL EVAL OF AN/ALQ99 SYS IN BA-6B ICAP II AIRPLANR	SV-S72R-81
9 MARCH 1962	MANY PREL EVAL OF AN/ALQ99 SYS IN EA-6B ICAP II	SY-534-82

32	ST-954H-62	, TEMP 591	SY-C29R-84	£ \$000	6 100	317	347
ICAP II INSTIAL TRIALS PHASE & HAVY TECH EVAL OF SHVICE ACCEPTANCE TRIALS, PHOJ BIS 21523 FINAL HEPORT	BIS REPORT ICAP II	EA-68 ICAF II TEST AND EVALUATION MASTER PLAN	BIS HEPORT (PRELIMINARY) - ICAP II	OPEVAL of the EA-68 factical Electronic Warfers Aircraft (PM I)	OPEVAL of the EA-6B factical Elactronic Warfare Aircraft (PH III)	Initial Operational Test and Evaluation of the EA-GB (EXCAP) Tactical Electronic Variane Aircraft (PH III)	Initial Operational Test and Evaluation of the EA-68 EXCAP Tactical Electronic Warfare Aircreft (PH III)
21 SKFTEMBR 1902	4 AUGUST 1983	30 MARCH 1984	17 AUCUST 1984	02 May 72	21 Sep 72	28 1-b 73	65 Aug 35

#### UNCLASSIFIED

488

	COMOPTEVFOR PROJECT REPORTS (COMFINUED)	
Deta	Title	Serial Ho.
04 Apr 74	OPEVAL of the EA-6B Inctical Electronic Verfere Aircraft (PH II)	322
96 Jul 76	OPEVAL of the EA-6B EXCAP (Expanded Capability) factical Electronic Werfare Aircraft (PH ILI)	362
TT 1.04 TO	OPEVAL Effectivanass EA-6B Tactical Jaming System Against Missile Beacon Tracking Channel SA-3	367
17 May 78	OPE"AL of the BA-6B ICAP Aircraft	838
07 No. 79	OPEVAL of the EA-6B ICAP Aircraft	279
24 Aug 81	Initial Operational Teat and Evaluation of EA-6B	H/A
16 Dec 62	Operational Evaluation of the "EA-6B ICAP IF (Improved Capability II) Airplane	LL ST7
0e Jun 83	OPEVAL of EA-6B ICAP II (Discrepancy Reports)	0110
07 Jul 83	OPEVAL of BCP-367 for EA-6B iCAP-1	196
o5 Jul 85	Follow on Operational/Evaluation of the EA-6B ICAP II (improved Capability) Aircraft	853

## FY 198H/89 RDT&E DESCRIPTIVE SUMMARY

DOD Mission Area: 233 - Anti-Submarine Warfare Program Element: 25675N

Title: Operational Reactor Development Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 19R6 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
\$1303	TOTAL FOR PROGRAM ELFMENT Operational Reactor Development	12,025	18,310 18,310	35,497 35,497	39,587 39,587	Continuing Continuing	Continuing Continuing

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

- testing, evaluating, modifying, and improving components and systems for operating reactor plants. This effort is necessary to ensure the continued safe and reliable operation of naval nuclear propulsion plants. Beginning in FY 1988, work is being component development which will go to Pi. 63570N). Accordingly, TRIDENT (PE 11228N) is reduced by the value of the transferred This program element provides for transferred into Operational Reactor Development from two other program elements. The nuclear propulsion work in TRIDENT (PF 11728N) has become generic enough in nature that it should properly be funded under Operational Reactor Development (less nuclear propulsion work. Secondly, to better categorize nuclear refueling and servicing equipment development work, this work and associated funding is being transferred from Advanced Muclear Reactor Components and Systems Development (PE 63570N) into this B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: A growing amount of the Naval Nuclear Propulsion Program's research and development effort is directed toward improvements to existing nuclear propulsion plants.
- to the transfer of effort and funds from TRIDENT (PE 1122RN) and Advanced Nuclear Reactor Components and Systems Development (PE FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: The increase of +12,752 in FY 1988 is due C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the 63570N, Project S1258).

Program Element: 25675N

Title: Operational Reactor Development

(11) FUNDING AS REPLECTED IN THE PY 1987 DESCRIPTIVE SUPPRARY:

Project No. Iitle	FY 1985 Actual	FY 1986 Eatimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
TOTAL FOR PROGRAM ELEMENT \$1303 Operational Reactor Development	12,791	12,719	18,872	22,745	Continuing Continuing	Continuing Continuing

D. (U) OTHER FY 1948/89 APPROPRIATION FUNDS: Not Applicable.

research and development program elements (PE 62324N, Nuclear Propulsion Technology, and PE 63570N, Advanced Nuclear Reactor E. (U) RELATED ACTIVITIES: Work conducted under this program element is closely coordinated with other mayal nuclear propulsion Components and Systems Development) and with research and development work on nuclear reactor planta conducted by the Department of Energy. F. (U) WORK PERFORMED BY: CONTRACTORS: Westinghouse Electric Corporation, Bettis Atomic Power Laboratory and Plant Apparatus Division, Pittsburgh, PA; General Electric Company, Knolls Atomic Power Laboratory and Machinery Apparatus Operation, Schenectady,

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

(U) Project S1303, Operational Reactor Development:

(U) Description: This program encompasses the growing effort to test, evaluate, modify, and improve systems and components in operational reactor plants.

2. (U) Program Accomplishments and Future Efforts:

. (C) FY 1986 Program:

° Analyzed reactor component performance, evaluated operational data, and continued thermal and hydraulic analyses of various reactor plants to ensure continued safe and reliable operation.

rogram Element: 25675W

Title: Operational Reactor Development

- ° Continued thermal and hydraulic core analyses of various reactors to enaure operating performance ia within dealgn limits.
  - Carried out thermal and hydraulic testing and analysia of D2W reactors for backfitting into
- o Analyzed and tested structural hardware to ensure asfe and reliable operation.
- ° Conducted autoclave and ahock testing of lead unit modified suator to be used with control rod drive mechanism.
  - . Incorporated revised head area componenta for modified stator into power unit design.
- Continued design engineering for control rod drive mechanism
- Continued testing of reactor components to characterize atress corrosion.
- Conducted design reviews of various reactor systems and components to resolve emergent problema.

teating devices for

a Initiated work on improved

#### b. (U) FY 1987 Program:

- ° Resolve design isaues, evaluate engineering teats, and provide thermal and hydraulic analyaea of various reactor plants and components to ensure continued reliability.
- Analyze cure thermal and hydraulic performance of varioua operating reactor plants to ensure thermal dealgn limits are not exceeded during core lifetime
  - reactor will be compatible with exiating ahip design. ° Continue testing to ensure the
- components and hardware to enaure integrity during core life. ° Continue structural testing of
- ° Continue work on a modified stator to power control rod drive mechanism.
- Complete shock testing of lead units.
- Continue design effort to adapt control rod drive mechanisms.
- and shipboard noise data to ensure prototypic testa of componenta. Correlate component
- Continue testing of reactor components and materials to identify potential stresa corrosion cracking concerns in
- and ultrasonic test inapection methods, and new technology for processing Develop and test improved test signals.
- Develop reactor plant noise test procedures and transmission evaluation methoda to eliminate unacceptable noise

### c. (C) FY 1988 Planned Program:

deficiencies identified through testing and operational data for all classes of nuclear powered submarines and surface shipa. Resolve emergent system and component

ならい

#### WACLASSIFIED

# Title: Operational Reactor Development

- Perform prototypic testing of reactor plant systems and components to confirm reliable operation and design performance standards.
  - equipment and methods to support refuelings and overhauls of naval nuclear propulsion plants. Efforts include: Design and develop reactor, servicing and
    - Preparation of D2W reactor servicing procedures and performing D2W refueling system checkout.
      - Continuing design effort for S8G prototype and shipboard refuelings.
- refueling procedures for use with SSN 688 Class - Beginning design effort for
- Continuing design effort to support AlW refueling and performing system checkout and acceptance testing of the waterborne expended fuel container.
  - Providing designs for nuclear fuel and irradiated core component shipping containers.
- Perform thermal, hydraulic, and mechanical analyses to evaluate reactor and reactor component performance to ensure that thermal design limits are not exceeded during lifetime of operating reactor plants. Work includes thermal/hydraulic analyses to:
  - Evaluate reactor
- Provide impact assessments to support reactor plant equipment and design changes.
- Support reactor operating life extensions.
- core reactor hardware. ° Continue stress, vibration, and brittle fracture analyses of
- ° Continue modified stator development for the control rod drive mechanism to further improve reliability and to reduce maintenance costs.
- ° Conduct modified stator life cycle testing in a prototypic environment to confirm design.
  - ° Continue work on improved eddy current testing and inspection techniques.
- O Provide noise test procedures and methods for conducting noise diagnostic tests on operating ships, support noise tests on shipboard noise tests and evaluate mechanical design problems, and perform operating reactor plants.
  - Develop new chemical cleaning process to
- o Design and test valve improvements to correct operational problems.
- d. U FY 1989 Planned Program:
- deficiencies identified through testing and operational data for Resolve emergent system and component all nuclear powered warships.
- ° Conduct prototypic testing of reactor plant systems and components to ensure reliable operation and design

Program Element: 25675N

Title: Operational Reactor Development

Oevelop reactor servicing and annealing equipment and methods for naval nuclear propulsion plants.

Perform thermal, hydraulic, and mechanical analyses to evaluate reactor and reactor component performance.
 Continue stress, vibration, and brittle fracture analyses.

° Continue modified stator development and testing.

° Develop noise tests and support noise reduction efforts for operating ships.

° Continue development of steam generator tube inspection techniques and steam generator cleaning methods.

Obvelop corrections to operational valve problems.

(U) Program to Completion: This is a continuing program. е.

(U) Major Milestones: Not Applicable ţ.

I. (U) TEST AND EVALUATION DATA: Not Applicable

49.4

# FY 1988/89 HOTSE DESCRIPTIVE SUMPRIY

Program Element: 26313M DoD Mission Area: 345 - Tactical Comunications

Title: Marine Corps Telecommunications Andget Activity: 4 - Tactical Programs Ital

A. (U) FY 1988/89 REXURCES (PROJECT LISTING): (Dollars in Thousands)

Estimated Obst	Continuing *	Continuing Continuing Continuing
Additional to Completion	Continuing *	Continuing Continuing Continuing
FY 1989 Estirate	8,895	4,14 3,660
FY 1988 Estimate	8,306	3,054
FY 1987 Estimate	7,658 428 #28	3,969 2,865 0
FY 1986 Actual	5,772 272 330	5,170
Title	TOTAL FOR PROTRAM ELEMENT Satellite Communications Equipment Landing Force Integrated Comminications	Systems Implementation Communications Terminal Improvements Communications Ancillary Equipment Tactical Communications Center
Project.	00000 00043	C1931

\* Funding consolidated into (1981, Communications Ancillary Equipment in this program element in FY 1988 and beyond. \*\* Funding line for Landing Force Integrated Communications Systems Implementation, Project COO43, will be terminated in FY 1987 and beyond. As this is a continuing program, the above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

- B. (U) BRUEF DESCRIPTION OF BLANDAN AND MISSION NEED: This program provides for the development and improvement of Marine Corps ground telecommunications items not being developed within the chartered responsibilities of the Joint Tactical Communications Agency. Equipments developed within this program support the mission area of command and control and are those equipments upon which commend and control is totally dependent.
- C. (U) COMPARISON WITH FY 1987 DEXTRIPTIVE SIMMRY: (Dollars in Trousards) The dranges between the funding profile shown in the FY 1987 Descriptive Summary are as follows: Satellite Communications Equipment: The FY 1897 decrease of 552 is due to undistributed Congressional reductions to this program element. Communications Terminal

UNCLASSIFIED

1

Program Element: 26313M

Title: Marine Corps Telecommunications

Marine Corps Combat telecomunications warfighting deficiency. The FY 1987 decrease of 3,50 is due to undistributed Congressional reductions to this program element. The FY 1988 decrease of 2,945 is due to increased cost specificity for estimates of product improvements to these equipments. Communications Ancilliary Equipment: The FY 1988 decrease of 2,895 is due to display of the Tactical Communications Center as a separate line item beginning in FY 1988. Tactical Communications Center: A separate line item in FY 1988 for a hardware improvement previously contained in COVAB, Transmission Subsystem The FY 1986 increase of 2,181 is due to acceleration of development for the Tactical Communications Center, a Improvements in this program element. Improvements:

# (U) FUNDING AS REPLECTED IN THE FY 1987 DESCRIPTIVE SUMMRY:

Total Estimated Cost	Continuing Continuing	* Continuing Continuing
Additional to Ompletion	Cortinuing Cortinuing	* Continuing Continuing
Estimate	14,559 4,427	5,999 4,133
FY 1987 Estimate	11,644 1,376	* 7,319 2,949
FY 1986 Estimate	3,387 278	% 88,0
FY 1985 Actual	6,514 240	604 5,670 0
Title	TOTAL FOR PROGRAM ELEMENT Satellite Communications Equipment Landing Force Integrated Communications	2 1
Project No.	000 <del>0</del> 0	00048 C1931

<sup>\*</sup> Funding line for Landing Force Integrated Comunications Systems Implementation, Project 00043, will be terminated in FY 1987 and beyond.

As this is a continuing program, the above funding profile includes out-year escalation and encompresses all work and development phases now planned or anticipated through FY 1988 only.

<sup>\*\*</sup> New project line with efforts formerly contained in 00048, Communications Terminals Improvements. Separate program stabus for cost and Congressional oversight.

Program Element:

26313M

Title: Marine Corps Telecommunications

# D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

Total	Additional Estimated to Completion Cost		1	(01)		ı	t		081	OEL	OET.			Œ	<u>P</u>		OBI.	OBJ.	CELL	
	FY 1989 Estimate		1,703	(30)		24,201	(873)	7,633	28	ı	i	1	i	2,691	3		70,167	(12)	ŧ	3
	FY 1988 Estimate		ŧ	į		17,316	(58)	ı	<b>1</b>	ŧ	ŧ	i	I	2,420	( <del>7</del> 3)		9,887	(12)	ŧ	1
	FY 1987 Estimate		ı	i		7,574	(380)	ı	ı	i	i	i	ŧ	2,681	(75)		1	1	ı	•
	FY 1986 Actual		ì	ŧ		ı	i	- bow may	ŧ	ı	ı	ı	Ī	1,476	(F)		į	ľ	3,745	(11)
	Litle	Satellite Communications Equipment	AVTSC-96 Modification	(qty) (RCN 140132)	Communications Terminal Improvements	AVPSC-2 (Digital Communications Terminal	(qty) (RCN 041703)	AVPRC-104, AVCRC-1394, AVARC-138 Arti-Jam Mod	(qty) (RON 047239)	SINCEARS	(qty) (RON 043638)	Linear Power Amplifier/Multicoupler	(gty (RCN 041098)	ANDYT TACTER	(qty) (RON 041248)	Communications Ancilliary Equipment	AVASC-63A Tactical Comm Center	(qty) (RON 041113)	Reproduction/Distribution Facility	(mtv) (PON (M1113)
	Project No.	0000			87000											C1931				

\*ILE CONSISTS OF VARIOUS CONTITUES OF 3 DIFFERENT COMPONENTS.

E. (U) RELATED ACTIVITIES: U.S. Marine Corps project Tactical Satellite Communications Equipment is related to Navy Program Element 33105N, Satellite Communications, Army Program Element 33142A, Satellite Communications and Air Force Program Element 63431F, Advance Space Communications. The Navy equipment was shelterized for use in the field and the Army project is being monitored and influenced to ensure USV requirements are met. USVC project Communications Terminal Improvement

26313M rogram Element:

Title: Marine Corps Telecommunications

is related to Navy Program Element 33401N, Communication Security. The U.S. Marine Corps is participating jointly with each of the other Services and the National Security Agency in developing secure voice equipment.

F. (U) WORK PERCEMBD BY: IN-HOLDE: Electromagnetic Compatibility Healysis Carca, American, Transporter, Indianapolis, IN; Naval Ber Diego, CA; Naval Avionics Facility, Indianapolis, IN; Naval Electronics System Security Engineering Center, Washington, DC; MJB, Albany, CA; MJB, Barstow, CA. CONTRACTORS: Cincinnati Electronics Company, Cincinnati, CH; Highes Aircraft, Fullerton, CA; Magravox Company, Fort Wayne, IN & Torrance, CA; Litton Data Systems, Van Nays, CA; National Security Agency, Fort Meade, MD; Harris Corporation, Rochester, NY; and Collins Radio Group, Cechr Rapids, IA., PACER Systems, Inc., Chippeae Falls, WI.

# G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

# (U) Projects COMO, Satellite Communications Equipment:

- 1. (U) Description: This project will monitor and influence the development of tactical Ultra High Frequency, Super High Frequency and Extremely High Frequency satellite communication terminals for the Fleet Marine Forces.
- (U) Program Accomplishments and Future Efforts:

#### (U) FY 1986 Program: ä

0

- Completed a Marpower/Training Impact Aralysis for the Single Charmel Objective Tactical Terminal use in Milstar
- Identified, evaluated and recommended to the Commandant of the Marine Corps new Test, Messurement, and Diagnostic Equipment/Automated Test Equipment systems required to support satellite equipment. 0
- Continued AVISC-96, Satellite Communications Terminal, product improvement (design/develop prototype). 0
- Completed Marpower/Training Impact Aralysis for Single Charmel Objective Tactical Terminal use in Milstar networks. 0
- Ontinued studies associated with Single Charnel Objective Tactical Terminal (link and network analysis), 0
- Monitored other service satellite programs of potential interest to the Marine Corps.

Program Element: 26313M

Title: Marine Corps Telecommunications

### b. (U) FY 1987 Program:

- Ontine to monitor other service programs for tactical Ultra High Prequency/Super High Prequency/ Extremely High Prequency satellite comunications terminals for the Fleet Marine Force. 0
- Ontine studies associated with Single Charmel Objective Tactical Terminal use in Milstar Networks. 0
- Contine AVISC-96, Satellite Communications Terminal, Product Improvement (Build/Test prototype) 0
- Prepare to participate in Army operational testing of Single Charnel Objective Bactical Terminals. 0
- Investigate the modification (embedded crypto and advanced nerrowhand digital voice terminal compatibility) of a fielded ultra high frequency marpack radio. 0
- c. (U) FY 1988 Planned Program:
- Consolidate this effort into C1931, Communications Ancilliary Equipment in this program element.
- (U) Project COOMB, Communications Terminal Improvements:
- taken to prevent the equipment from causing or being the victim of radio interference when deployed. Finally, this program develops/monitors naw items of communications terminal equipment to support the communication of record and data traffic for all 1. (U) Description: This project develops/monitors new items in the areas of High Frequency/Very High Frequency/Ultra High Frequency radio, system integration, multi-dranmel transmission systems. This program also provides support for tasks not incorporated under orgaling projects, and ensures that during development of communication-electronic equipment, precautions are tactical users with emphasis on the Tactical Communications Center.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:

0

- Determined the suitability and operational capabilities of the Naval Ocean Systems Center developed anterna, High Frequency Long-Haul Anterna, and the steerable Null Processor Group (GL-275/MC).
- Tested/evaluated/approved for service use the AVPRC-113 radios.

Program Element: 26313M

Title: Marine Corps Telecommunications

Contracted for progregation the AVCINC-171A(V)2 Ultra High Prequency Hadio for HAVE QUICK modification test and evaluation. 0

o Continued procurement of ANPRC-68 radio.

0

0

- Provided electromagnetic compatibility support not directly attributable to HAVE QUICK testing and other nonspecific projects.
- Commenced fabrication of and (first article testing) CE-334 after approval for service use 0
- Continued to identify potential problems and recommend corrective action for the Marine Air Command and Control Shelterized Radio System (OE-334).
- Developed a variety of equipment interfaces for the AVUGG-74 teletype to provide a near-term Tactical Communications Center capability and supported and tested the UGC-74 bubble memory modification. 0
- Conducted maturity developmental testing for Single Channel Ground-Air Radio system 0
- Developed two test pre-production models of a tactical communication center reproduction/distribution facility. 0
- Implemented product improvement to the software for the NVPSC-2 Digital Communications Terminal, ANVUCG-74, Teletype. 0
- Developed and initiated testing of RC-392 very-high frequency anterna for broadbard application. 0
- o Fielded an AVTRQ-55 tactical frequency management system.
- o Completed the design and testing of AV/CC-74 telebype equipment interfaces.
- Initiated and developed a very high frequency multicoupler capability for vehicular and mobile applications.
- Ompleted the tactical communication center reproduction/distribution facility test and final pre-production
- Conducted first article test of CE-334/TRC, Shelterized Radio System, and proceeded to full scale production. 0
- Monitored frequency happing enhancements to excisting ultra high frequency radios and developed handbooks for those 0

Program Element: 26313M

Title: Marine Corps Telecommunications

- Completed development of new communication protocol and messages for the AVPSC-2, Digital Communications Terminal.
- Completed testing of the RC-392 anterna modification and incorporated changes proposed by test.
- Initiated development of AVARC-139, Digital Widebard Transmission System.
- o Continued testing and evaluation of tactical anternas.
- AVASC-634 tasks conducted unter this project number described under project number C1975, this program element.

### b. (U) FY 1987 Program:

- Initiate efforts to obtain a Global Positioning Satellite timing source for Marine Corps HAVE QUICK II (ECOM) capable ultra high frequency radios.
- lest the HAVE QUICK portion of the AVCAC-171A(V)2, Ultra High Prequency Radio, and field the system. 0
- o Perform FOINE and field the steerable Null Processor Group (GL-275/NRC).
- Continue development efforts to incorporate ECOM capability in high frequency radios.
- Proceed to production of the ANVENC-171 A(V) 4 HAVE QUICK capable, ultra high frequency radio.
- Ocrtract for prototype AVARC-139's, Digital Widebard Transmission System.
- o Field the AVPRC-113 and AVVRC-83 Ultra High Frequency Radios.
- complete Digital Communications Terminal protocol enhancements.
- Initiate development efforts for an automated frequency management and CEDI system. 0

# c. (U) FY 1988 Planned Program:

- Obstract for prototype AVTRC-120 High Frequency Communications Centrals.
- Complete development and operational testing of Stort Term Anti-Jam in the High Prequency Anti-Jamming Program 0
- o Field the AVCHC-171 A(V)4 HAVE QUICK Radio.

Program Element: 26313M

Title: Marine Corps Telecommunications

- o Accept delivery of ANARC-139, Digital Widebard Transmission System Prototypes.
- o Corduct AVARC-139 Developmental/Operational Testing.
- Continue development efforts to obtain a Global Positioning System time source for Ultra High Frequency Arti-bending Redics. 0
- d. (U) FY 1989 Planned Program:
- Achieve approval for service use for AVARC-139, Digital Widebard Transmission System. 0
- Continue development efforts for an automated frequency management and CEDI System. 0
- Initiate very high frequency multicoupler test and integration efforts within the Marine Corps command and control 0
- Corduct Developmental/Operational Testing of AN.TSC-120 High Frequency Communications Centrals. 0
- e. (U) Program to Completion: This is a continuing program.
- (U) Project C1931, Communications Andllary Equipment:
- 1. (U) Description: This project provides research and development in communications security frequency requirements and meragement, and the improvement of tactional radio ancillaries.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- Completed development of prototypes of field expedient anterna kits for very high frequency and high frequency 0
- Conducted operational test and evaluation of first article CE-334, Smelterized Radio System. 0

Program Element: 26313M

Title: Marine Corps Telecommunications

### b. (U) FY 1987 Program:

- o Assemble the first production unit of the CE-334, Shelterized Radio System.
- Continue development of the command, control, and communications information system. 0
- Initiate program documentation for field expedient anterna kits for Marine Corps Very High and High Prequency

0

- Initiate and develop very high frequency and high frequency multicoupler capability for vehicular and mobile applications.
- ANASC-634, Tactional Communications Center tasks described under Project C1975 this programe lament. 0
- Transition Tactical Communications Center subproject to Project C1975, a separate line item in this program elanent. 0

# c. (U) FY 1988 Planned Program:

- Begin developmental efforts of a 30-88 ingeinentz vehicular wideband Frequency Hopping Anterna.
- o Field the CE-334, Sheiterized Redio System.
- o Continue testing and development of Field Expedient Anterna Kits.

# d. (U) FY 1989 Planned Program:

- Ortine testing and evaluation of Field Expedient Anterna kits.
- o Continue development of the vehiclar wideband frequency hopping anterna.
- e. (U) Program to Completion: This is a continuing program.

Program Element: 26313M

Title: Marine Corps Telecommunications

# (U) C1975, Tactical Commissions Center

1. (U) Description: This project will develop operational software, training and maintenance programs in support of the ANNEC-634, Tactical Communication Center, building on the technological base of the ANNEC-634, special security communication center, developed for intelligence. This is a modification of an off-the-shelf intelligence system for general service record message traffic. This system replaces the AVTRC-SM and the AVTRC-37.

2. (U) Program Accomplishments and Puture Efforts:

### a. (U) FY 1986 Program:

- This program was contained in project 00048, Comunications Terminal Improvements in this program element. 0
- Initiated a new software program for the AVMSC-634, Tactical Communications Center, to provide a tactical communication center capability. 0
- completed construction of two prototype systems.
- o Continued software independent verification and validation.

### b. (U) FY 1987 Program:

- This program was contained in project C1931, Communications Ancillary Equipment in this program element.
- Conduct development/operational tests for the AVASC-634, Tactical Communication Center. O
- o Continue software independent verification and validation.
- o Conduct environmental testing of hardware.
- Obtain limited production decision to purchase long term lead items of GFE in FY 1988. 0
- o Initiate Comunication Simulation block upgrade.
- o Initiate Tri-Tac Mode VI block upgrade.
- o Develop a Staff Users Guide Manual.

Program Element: 26313M

Title: Marine Corps Telecommunications

- c. (U) FY 1988 Planned Program:
- o Complete software and system-level testing.
- o Complete operational testing.
- o Continue Comunication Simulation block upgrade.
- o Continue Tri-Tac Mode VI blook upgrade.
- o Continue software development verification and validation.
- d. (U) FY 1989 Planned Program:
- o Full production decision.
- o Initiate software pre-planned product improvements.
- o Continue software independent verification and validation.
- e. (U) Program to Completion: This is a continuing program.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not applicable.
- I. (U) TEST AND EVALUATION DATA: Not applicable.

# FY 1986/89 HOIZE DESCRIPTIVE SUMARY

Program Element: 2623M DOD Mission Area: 212 - Indirect Fire Suport 211 - Direct Fire Ombat

Title: Marine Corps Ground Contat/Supporting Arms Systems (Operational Systems)

Budget Activity: 4 - Tactioal Programs

A. (U) FY 1988/89 RESCURCES (PROTECT LISTING): (Dollars in Thousands)

Total Tall Estimated Letion Cost	ing Continuing	ng Continuing ing Continuing				ng Cartinuing	ng Continuing	ng Continuing	ng Continuing
Additional to Completion	Continuing Continuing	Continuing Continuing	1	Continuing	Cortinaing	Continuing	Continuing	Continuing	Cortinuing
FY 1989 Estimate	2,309	1,430 19,113	*	**	7,057	11	12,382		(5,37)
FY 1988 E-timate	58, <del>5</del> 8 7,52	748 15,537			6,437		23,493	*	(16,035)
FY 1987 Estimate	136, 136 4,089	1,894	*	2,537	, ¥, 88	88	11,324	0	0
FY 1986 Actual	33,22 4,056	3,943	弘	3,8	<u> </u>	2,016	6,663	1,330	0
Title	TUTAL FOR PROTRAM ELEMENT Shoulder-Launched Multipurpose Assault Wearners	Fire Suport Systems Product Improvements Assault Amphibiaus Vehicle 7A1 Product.	Modular Universal Laser Equipment	Amphibias Recorneissance Equipment	Light Armored Vehicle-Product Equrovement****(13679)	Amphibias Armor Systems Process, Improvement. Program	Marine Corps Ground Wespeers and duct. Improvement	Joint, Minitions Testing	Light Amored Vehicle – Air Defense
Project. No.	0000	C2018	00027	900	2 CO	C1763	C1901	C1908	C1960

Terminated

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

Project efforts and funding consolidated under COO18, Fire Support Systems in this Program Element for FY 1987. Project moved to Program Element 26624M and renamed Combat Support in FY 1988 and beyond. Funded in Program Element 64656M, Light Amored Vehicle.

Marine Corps Ground Combat/Supporting Arms Systems (Operational Systems) Title:

improvements are initiated in response to field identified discrepancies and that capability enhancements are developed for (U) HRIEF DESKRIPTION OF ELEMENT AND MISSION NEED: This program element provides funds to ensure that modifications existing ground combat and supporting arms weapons systems and equipment.

the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: Shoulder-Launched Multipurpose Assault Weapon: The FY 1988 increase of 3,243 is due to FY 1986 competitive contractual delays associated with engineering development of the heavy metal liner, high explosive anti-armor round. These funds were reprogrammed to other critical Marine Corps deficiencies. Fire Support System Product Improvement: The FY 1986 decrease of 1,37 and the FY 1988 decrease of 2,110 corps deficiencies. Surface to Air Missile Systems as a future replacement for the HWMK system. Light Amored Vehicle: The FY 1986 decrease of 3,123 is due to a Marine Corps decision to complete 75mm assault gun, ammunition development and terminate the Light Amored Vehicle-Assault Can prototype program in FY 1987. The FY 1987 decrease of 5,288 is due to Congressional undistributed reductions efforts, this project C1555 light Armored Vehicle (Product Improvement Program), and C1960, Light Armored Vehicle-Air Defense. Additionally, Light Armored Vehicle-Assault Oan efforts were terminated in FY 1988 based upon a Marine Corps warfighting analysis Marine Corps has determined that as an acquisition goal, a single fleet of tanks will be sought, comprised of the M1A1. The FY 1986 increase of 1,613 results from amphibious unique salt water testing of the M1A1 engine (AG1-1500). The FY 1988 increase of 665 supports USAC unique development and testing of amphibious environment items that include the M1A1 deepwater fording kit and 1986. The FY 1987 degreese of 420 is due to Congressional undistributed reductions to this program element. The FY 1988 degreese of 2,711 results from a Marine Corps decision not to pursue additional HWMK product improvements but to address Mobile tank-infantry telephone. Marine Corps Ground Weaponry Product Improvement: An effort to improve the capabilities of the IRACON anti-armor weapon system was initiated in FY 1986. The FY 1986 decrease of 2,177 is due to delays in contract definitization for arti-armor weapons systems. The FY 1987 decrease of 1,637 is due to Congressional undistributed reductions to this program element. The FY 1988 increase of 15,501 reflects a continuation of program costs delayed in FY 1986, and a FY 1985 Navy program AVIRO 36 radar and M109 Houtzers. The FY 1987 decrease of 573 is due to Congressional undistributed reductions to this program element. Assault Amphibious Vehicle 741 Product Improvement. Program: The FY 1987 decrease of 1,575 is due to Congressional undistributed reductions to this program element. The FY 1988 increase of 3,445 is due to a FY 1985 Marine Corps decision to to this program elament. The FY 1988 decrease of 14,326 is due to the separation of the Light Armored Vehicle project into two recommending acceleration of the more critical air defense efforts. Amphibious Armor Systems (Product Improvement Program): The terminate the Landing Vehicle Tracked (Experimental) program and extend the service life of the current Assault Amphibious Vehicle 7A1 until FY 2000. Product improvements ensure that required combat capabilities for the vehicle through the 1990's are being initiated. These are discussed in detail in the project effort descriptions. Amphibious Recornaissance Equipment: The FY 1986 decrease of 1,003 is due to the Marine Corps decision to utilize a non-developmental item approach for the acoustic detection system. Air Defense Missile Systems: The FY 1986 increase of 2,815 is due to joint Army/Marine HWWK delay of the FY 1985 program due to Sengmant York Divas test range priority utilization. These scheduled HWWK efforts were completed in FY

(Operational Systems)

decision to accelerate rocket motor and tracker improvements related to weapons system range, time-of-flight, and garner survivability. This acceleration will lower total procurement costs. This project also includes the Joint Service Small Arms Program beginning in FY 1987, and in FY 1988, Infantry Mortans, AVTRQ-36 Counter Battery Redar, Joint Munitions Testing, Mobilar Universal Laser Equipment and the General Support Rocket System. Joint Munitions Testing: This program is a new start in FY 1986 initiated by the Joint Munitions Council. The FY 1986 decrease of 1,855 supports creation of a database for analysis of live fire test results. FY 1988 and FY 1989 funds were decreased to -0- in response to DoD budget adjustments.

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMRY:

Title  TOTAL FOR PROTRAM ELEMENT  TOTAL FOR PROTRAM ELEMENT  TOTAL FOR PROTRAM ELEMENT  TOTAL FOR PROTRAM ELEMENT  TOTAL FOR PROTRAM  Fire Suport Systems Product Improvements  Assault Amphibious Vehicle 7A1 Product  Tyd  Assault Amphibious Vehicle 7A1 Product  Modular Universal Laser Equipment  Modular Universal Laser Equipment
Program Marine Corps Ground Weaponry Product. 1,865 Improvement.
Joint, Minitions Testing

Project titled Landing Vehicles Tracked in FY 1986 and prior years.

Project efforts and funding consolidated under 00018, Fire Support Systems in this Program Element for FY 1987 and beyond. \*\*\*

Funded in Program Element 64656M, Light Armored Vehicle.

FY 1985 funds request for M-60 Product. Improvement deleted by the Congress. \*\*\*

Joint program initiated by Secretary of Defense in FY 1986. \*\*\*\*\*

Title: Marine Corps Ground Combat/Supporting Arms Systems (Operational Systems)

D. (U)	D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Procur	Programment Marrine Corps	e Corps				
Project. No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1539 Estimate	Additional to Completion	Total Estimated Oost
900							
2000	Shoulder-Laundhed Multipurpose Assault Weapon,	<b>.</b>					
		1				ĺ	į
	HOOSEL, BARN (HE) (CAR)	4,470	Ī	1	1	A A	A C
	(qty) (RON 027253)	( <del>21</del> )	į	į	1		
8000	Artillery Computer System						
	Battery Computer System, AVGIK-29	21,949	•	ĺ	į	1	32,35
	(qty) (RON 020272)	(148)	ĺ	t	Í	į	(991)
00021	Assault Amphibious Vehicle 7A1 Program						
	AAV7A! PIP	ì	# <del>288</del>	21,702	47,828	32,542	A P
	(gdy) (RON OZZUZI)	•	1	J	1	1	1
	AAV Applique Armor	ſ	5,268	1	5.83 88.03	14, 183	30,309
	(qty) (RON 027231)	1	(189)	1	(446)	(099)	(133)
	AAV Automatic Fire Sensing and Suppression	1	1	2,349	3,013	7,050	12,412
	System (qty) (RON 022421)	1	1	(93)	( <del>12</del> 0)	(819)	(1419)
	AAV Upgarined Weapons Station	1	7,500	17,178	31,815	6,749	63,242
	(qty) (RON 022421)	1	(00)	(230)	(06t)	(87)	(206)
	AAV Bow Plane	į	1,500	2,175	2,142	2,15	7,932
	(qty) (RON (022421)	1	(489)	(O.A.)	(360)	(360)	(1339)
	AAV Transmission/Auxillary Steering Unit	t	1	į	1	7,935	34,935
	(qty) (RON 022421)	t.	1	1	1	(1323)	(1333) (333)
	Thermal Sight	j.	ı	1	•	73,622	73,62
		Ī	Í	1	ľ	(153)	(1153)
	Infantry Weapons Mount	Í	1	į		4,351	4,351
	(qty) (RON (022421)	Í	ı	ı	1	(173)	(153)
	NBC Protection System	Í	ř	L	j	80,036	80,036
	(qty) (RON 022421)	Ī	Ī	Í	ì	(173)	(153)
	Advanced Propulsion System	1	ļ	L	1	151,781	51,781
	(qty) (RCN 022421)	•	T	1	Ì	( <del>1</del> 83)	(1333)
	AAVE7A1	Ī	1	İ	Ĺ	136,533	136,533
	(qty) (RON 022421)	1	1	1	C	(%)	<u>8</u>

UNCLASSIFIED

.605

# UNCLASSIFIED Program Element: 26623M

: Marine Corps Ground Combat/Supporting Arms Systems	
Marine Corps Ground (	(Operational Systems)
. Title:	

	OET N OET OET			
	OET NA OET OET OET OET			
(2) (11) 1 1	4,13 3,54 (8)	59,295 - 31,230	1,769 (572) 5,119 (9427)	3,230 (13589) 4,675 (497) 9,748 (528) - - 2,989 (5000) 100 (1000)
8 8 8 8 8	30,128	章, " · 章,	3,029 (1039) 8,839 (16652)	25,191 (22,182) (4.15) (4.15) (28,183
1111	23,169	1 1 1 1	2,740 (1000) 7,865 (16920)	1,532 (22181) 1,012 (189) 7,467 (350)
1111	38,411	1111	11, 193	2,286 (10000) (1,200 (103) (103)
	Air Defense Missaile Systems HWK Missaile Modifications (qty) (RON 035401) Early Wenning Device (qty) (RON 142576) Amphibicus Amor Systems Product.		Marine Corps Grand Weaporry FIP Machine Can, Light Squad Automatic M249 (SMM) (qty) (RON O21113) Rifle (5.56mm M16A2-Improved) (qty) (RON O21123)	Pustol, 9mm, Auto Hersonal Daferne Weapon (qty) (RCN 020463) Machine Oun (MK-19) 40mm (qty) (RCN 021173) Dragon Warhead (PIP) (qty) (RCN 02173) I-81 Mortar (qty) (RCN 022033) XM-4 Cartine (qty) (RCN 0221143) Infantry Weapons Mod (qty)
3009	CT120		<u>2</u>	

E. (U) RYARD ACTIVITIES: The projects within this program relate to all similar existing and developing systems.

Program Element: 26623M

Title: Marine Corps Ground Combat/Supporting Arms Systems (Operational Systems)

CA; U.S. Army Missile Command, Redstone Arsenal, AL; Naval Sea Systems Command, Washington, D.C.; Naval Coastal Systems Certer, Parms City, FL; and U.S. Army Tark Automotive Command, Warren, MI; Naval Surface Weapons Center, Dahlgren, VA; U.S. Army Armanert Research and Development Command, Lover, NJ CONTRACIONS: Raytheon Company, Bedford, M4; Ceneral Dynamics, Pamona, CA; Bruradick Corporation, Costa Mera, CA; FMC Corporation, San Jose, CA; Litton Industries, Van Nays, CA; and McDornell Edglas Astronautics Company, Hitsville, FL; Colt Industries, Hartford, CT. F. (U) WORK PERCORNO BY: IN-HONSE: Marine Corps Development and Education Command, Quantico, VA; Marine Corps Tactical System Support Activity, Camp Pendleton, CA; Space and Naval Warfare Systems Command, Washington, DC; Naval Weapons Center, China Lake,

# G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

- (U) Project COO10, Shoulder-Lanched Multipurpose Assault Weapon:
- Increased emphasis on the strategic importance of large population centers indicates the mesorry strong points. Additionally, continued development of a family of wanheads is required to meet other urban terrain conduct requirements including defeat of armored vehicles and neutralization of troop concentrations. destroying masonry and earth/timber defersive positions and nautralizing personnel. Presently there is no other weapon in our likelihood for compat in built-up areas during any major conflict in the future. Military operations in urban terrain will require increased use of this weapon. The weapon will be employed on the battlefield against burkers or in urban combat against 1. (U) Description: This Marine Corps program developed a lightweight, portable assault weapon capable of breaching or inventory to accomplish this task.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- o Continued to field the Shoulder-Landaed Multipurpose Assault Weapon.
- o Initiated improvements to the laurcher system.
- Я o Ontinued engineering development of preplanned product inprovements to the launcher, and development family of warreads which will be fired from the launcher.
- o Commerced development of the heavy metal and copper liner high explosive anti-armor warhead.
- o Initiated engineering development of preplamed product improvements to the laurchen.

Program Element: 26623M

Title: Marine Corps Ground Combat/Supporting Arms Systems (Operational Systems)

b. (U) FY 1987 Program:

- o Continue engineering development of a family of warheads to include the copper liner and heavy metal high explosive anti-armor projectiles.
- o Continue preplamed product improvements to the launcher and warhead design as required.
- o Milestone III High Explosive Arti-Armor (Oppoer Liner).
- c. (U) FY 1988 Planned Program:
- o Complete development of the heavy metal high explosive anti-armor.
- o Continue preplamed product improvements to the launcher.
- d. (U) FY 1989 Planned Program:
- o Continue preplamed product improvements to the launcher.
- e. (U) Program to Completion:
- o Continue preplanned product improvements as necessary.
- (U) Project 00018, Fire Support System (Product Improvements):
- equipment and weapons. It will also monitor and/or participate in the five support development programs of other services. This includes artillery and rocket weapon systems munitions, survey/meteorological equipment, target and training devices. (U) Description: This program conducts independent development and product improvement of Marine Corps fire support
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- o Conducted Battery Computer Systems Follow-On Test and Evaluation as required.
- o Conducted a Fire Support Systems Interoperability Study, e.g., Battery Computer System, Digital Communications Terminal, etc.

Program Element: 26623M

Title: Marine Corps Ground Combat/Supporting Arms Systems Operational Systems)

o Participated with U.S. Army in Back-up Computer System Product Improvement.

o Repadaged Lithium Dirolchloride battery to adapt to Modular Universal Laser Equipment.

### b. (U) FY 1987 Program:

o Continue Fire Support System Interoperability Study.

o Complete Independent Verification and Validation of the Battery Computer System/Digital Communications Terminal Interface and prepare for developmental and operational testing, if required.

o Incorporate Modular Universal Laser Equipment product improvement efforts under this project line.

o Monitor and/or participate in U.S. Army Fire Support System Programs, e.g., M109 Howitzer Improvements Program, target acquistion device, survey/metrological improvements, etc.

o Complete adaptation of lithium dinolchloride battery for Modular Universal Lasar Equipment.

# c. (U) FY 1988 Planned Program:

o Cortact Fire Support System Interoperabilit ' Operational Testing and Evaluation.

o Begin evaluation of cardidates for general support rocket system equipment.

o Participate in and/or monitor U.S. Army Fire Support System Programs.

# d. (U) FY 1989 Planned Program:

o Corduct shipboard compatibility testing of Multiple Launch Rocket System.

o Develop laser hardened lens for Modular Universal Laser Equipment.

o Complete product improvement of pulse repetition coding for Modular Universal Laser Equipment.

o Participate in and/or monitor U.S. Army Fire Support Systems programs (ANVIRQ-36 mod and lightweight Meteorological Data System ).

Program Element: 26623M

Title: Marine Corps Ground Combat/Supporting Arms Systems (Operational Systems)

- e. (U) Program to Completion:
- o Complete any testing and evaluation to support fielding of Multiple Landa Rodet System.
- o Continue participation and/or monitor U.S. Army Fire Support Systems Programs.
- (U) Project C1120, Air Deferme Missile Systems:
- (U) Description: This program provides for hardware and software improvements to the HWMK surface-to-air missile This includes efforts to improve tactical digital interface compatibility between HMMK and other agencies of the Marine Corps Tactical Air Command and Control System and Other Services involved in Joint Tactical Air Operations. This program includes Marine Corps participation in joint efforts to develop a replacement for HWMK. The program also supports developmental efforts to improve Marine Corps lightweight air defense missile systems. This includes joint development of product improvements to the Stinger weapons system itself and development of new equipment for our low Altitude Air Defense units.
- 2. (U) Program Accomplishments and Future Errorts:
- 1. (U) FY 1986 Program:
- o Completed development and commenced evaluation of HAWK Prese III/Battery Compatibility software.
- Phase III/Battery Compatibility of HAWK H Testing Testing and Operational modifications and product improvements. o Completed Developmental
- efforts to develop modifications for HWWK equipments to ensure survivability in high threat environment. o Continued
- o Continued efforts to identify a surface-to-air weapons system to replace HMMK in the late 1990's to fulfill the mobile surface-to-air missile system requirement.
- o Began lightweight early warming detection device program for low altitude air defense units.
- o Participated with U.S. Army in development of Stinger night sight.

Program Element: 26623M

Marine Corps Ground Combat/Supporting Arms Systems (Operational Systems)

#### b. (U) FY 1987 Program:

- o Continue to update software and correct deficiencies identified during operational testing of HWMK Prase III/Battery Compatibility modifications.
- o Continue Program for lightweight early warming detection device for forward area air defense units.
- o Continue to participate with U.S. Army in development of a Stinger night sight.
- o Participate in U.S. Army selection of padestal mounted stinger for potential mobile low altitude air defense system for our low altitude air defense units.
- o Continue efforts to identify a surface-to-air weapons system to replace HAMK in the late 1990's to fulfill the mobile surface-to-air missile system requirement.

# c. (U) FY 1988 Planned Program:

- o Complete Developmental Testing/Operational, Testing II of lightweight early warning detection device for our low altitude air deferme units.
- o Participate with U.S. Army in developmental testing of a Stinger night sight.
- o Continue development of a mobile low altitude air defense system.
- o Participate with other services and NATO in development of a surface-to-air weapons system to replace HAMK in the late 1990's to fulfill the mobile surface-to-air missile system requirement.

# d. (U) FY 1989 Planned Program:

- o Begin developmental efforts associated with mobility and survivability modifications to the Phase III HWWK Weaporrs System.
- o Begin development of a product improvement to the HAMK tracking adjunct system to provide a day and night
- o Participate with U.S. Army in developmental and operational testing of the Stinger night sight.

Program Element: 26623M

Title: Marine Corps Ground Combat/Supporting Arms Systems (Operational Systems)

- o Participate in final developmental and operational testing phase of the U.S. Army pedestal mounted Stinger program to fulfill Marine Corps requirement for a mobile low altitude air deferme system.
- o Participate with other Services' and NATO in development of a surface-to-air weapons system to replace HAMK in the late 1990's to fulfill the mobile surface-to-air weapons system requirement.
- e. (U) Program to Completion
- o This is a continuing program.
- (U) Project C1955 LIGHT APPLYED VEHICLE (LAV)
- 1. (U) IESTRIPTION (Requirement and Project): This program is an acquisition effort directed toward the acquisition of modified "off the shelf" light armored vehicles which will be product improved and be used a number of mission

rolles. These armortoxocted, swimmable, helicopter transportable vehicles will increase the mobility and firepower of the Marine Corps ground combat elements.

- 2. (U) PROCRAM ACCOMPLISHMENTS AND FUTURE EFFORTS:
- а. (U) FY 1986 Program:
- o Completed testing of arti-tark, mortar, logistics and recovery vehicles.
- o Continued testing of command/control vehicles.
- o Initizial first product improvement: night sight for Light Armored Wehicle-35 to better uniteh effective range of MEUZ ZFM drain gan.
- o Milestone II approval for Light Amored Vehicle Air Defense.
- o Comitmed jointly with the U.S. Army and U.S. Air Force hypervelocity missle demonstration and validation as a far-tern arti-tark armenert.
- b. (U) FY 1987 Planned Program:
- o Evaluate proposed product improvements to the fielded mission rolle vehicles.

Program Element: 26623M

Title: Marine Corps Ground Combat/Supporting Arms Systems (Operational Systems)

- o Complete testing of commend/control vehicle.
- o Contract for Light Amored Vehicle Defense (LAV-AD) prototypes. Select up to two contractors to each develop two prototypes.
- o Cortine 75m automatic carron and ammittion development and foreign carron evaluations.
- o Continue jointly with the U.S. Army and U.S. Air Force hypervelocity missile demonstration and validation as a far-tern arti-tark amenent.
- o Select up to two contractors to develop Light Amored Vehicle Air Defense prototypes.
- c. (U) FY 1988 Planned Program:
- o Continue to evaluate proposed product improvements to the Mielded mission rolle vehicles.
- o Test competitive right sights for the Light Amored Vehicle-3.
- d. (U) FY 1989 Planned Program:
- o Cartinue to evaluate proposed product improvements to the fielded mission role vehicle.
- e. (U) Program to Completion:
- o Source selection for Light Amored Vehicle-35 might sight.
- o Continue Hypervelocity Missile system full-scale development jointly with the U.S. Army.

# (U) Project CT/63, Authibiass Araor Systems Product Ingravaent:

and Combat Mobility Requirements and Programs Study it was determined that the Marine Corps should, as an acquisition goal, seek a single flact of tanks comprised of the MIM1. To this end a procurement decision was made at the recommendation of a Marine Corps systems Acquistion Review Council conducted in late 1984. This program will allow the Marine Corps to develop, test, and evaluate those ISMC operational requirements of the MIM1 tanks unique to amphibious operations, a despeater fording kit and a evaluate those ISMC operational requirements. The current Marine Corps tanks (MCOA1 RICE/PASSIVE) have not been upgraded to a state-of-the-art level and are wilnerable to the current threat. As a result of a recent Marine Corps Long Range Armor, Anti-Armor, Fire Support, (U) Description:

11

Program Element: 26623M

Marine Corps Ground Combat/Supporting Arms Systems (Operational Systems) Title:

tank-infantry telephone. The current MBBA1 tank retriever will need to be product improved (MBBAX) to maintain capabilities with the transistion to the MIBA1 tank. Limited MBBA1 RED will be conducted for USMC unique amphibious operational concerns.

- 2. (U) Program Accomplishments and Future Efforts:
- (U) FY 1986 Program:
- o Participated in U.S. Army developmental testing and operational testing of the MIA1 tank.
- o Completed USAC unique testing requirements of MGOA1 applique armor.
- o Completed Milestone III, procurement decision of MOA1 applique armor.
- o Conducted Marine Corps unique amphibious testing of the MIA1.
- o Ortinued to evaluate critical cost effective options to selectively improve the operational capability of the MOA1 tank during transition to the MIA1 tank.
- o Continued to develop a dequater fording kit and tank-infantry telephone for the MIA1 tank.
- b. (U) The FY 1987 Program:
- o Ontinue the degwater fording kit, tank-infantry telephone and amphibious ship tie downs development.
- o Corclude unique amphibious testing of the MIA1 tank.
- o Prepare for fielding of the MIA1 tank.
- o Corduct Marine Corps unique amphibicus testing for the MIA1 track width mine plow and adaptability to the MGCA1 tank during transition to the MIA1 tank.
- o Continue to evaluate critical improvements to the MSCA1 tank during transition to the MIA1 tank,
- (U) FY 1988 Planned Program: ပံ
- UNCLASSIFIED o Complete development work on the deep water fording kit, the tank/infantry phone and amphibious ship tie-downs

Program Element: 26623M

Title: Marine Corps Ground Combat/Supporting Arms Systems (Operational Systems)

o Continue to evaluate U.S. Army Block Improvement Program.

d. (U) FY 1989 Planned Program:

o Initiate Marine unique testing of the MBBAX tank retriever.

o Continue to evaluate U.S. Army Block Improvement Program.

e. (U) Frogram to Completion:

o This is a continuing program.

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

(U) Project COO21, Assault Amphibians Vehicle 7A1 Product Improvement Program:

1. (U) Description: This program provides the Marine Corps with the capability to corduct surface-borne amphibious assaults by keeping the present amphibious vehicle effective until a follow-on vehicle becomes operational in 2000. This preplanned product improvement program will commence with the development, fabrication and testing of applique armor kits, a whicle automatic fire sensing and suppression system and a transmission/hydrostatic steer unit improvement and testing of the upgarned 40m/50 caliber amement station, and a bow plane. In addition, this program commences development of nuclear, biological, and chamical monitor, survey, alarm and deferse systems.

2. (U) Program Accomplishments and Puture Efforts:

a. (U) FY 1986 Program:

o Cortinued preplanned product improvements.

o Comerced analysis of collective nuclear/biological/chemical sensing and protection system.

o Cortinued to develop and test the automatic fire sensing/suppression system.

o Completed fabrication of applique armor kits for full scale development, conducted a | ilestone III A and continued Applique Armor Kits testing.

o Made a millestone III decision to procure the bow plane.

Program Element: 26623M

Marine Corps Ground Combat/Supporting Arms Systems (Operational Systems) Title:

o Continued evaluation of infartry waspors mount kit.

o Continued to evaluate engineering drange proposals, modification instructions, technical instructions at the Amphibian Vehicle Test Branch.

o Commerced development of an Assault Amphibious Vehicle Engineer 7A1.

o Continued a feesibility study on the potential of an Assault Anthibious Engineer 7A1.

b. (U) FY 1987 Program

o Continue feasibility analysis of the Assault Amphibious Vehicle Engineer 7A1

o Complete acquisition decisions (Milestone III B) concerning first procurement of applique armor kits.

o Begin development of a collective nuclear, biological and chemical alarm and protection system.

o Initiate Upgurned Weapon Station improved night sight evaluation.

o Continue to elevate engineering drange proposals, modification instructions, and technical instructions at the Amphibian Vehicle Test Branch.

o Initiate researu and development for follow-on procurements of Enhanced Applique Armor Kit (EAAK).

(U) FY 1988 Planned Program: ڻ

o Cortinue development of collective nuclear, biological and chemical detection/protection system.

o Continue development of Assault Amphibiaus Vehicle Engineer 7A1.

o Continue Upgarmed Weapon Station improved night sight research and development.

o Conduct testing of enhanced applique armorkits for follow-on procurements.

Program Element: 26623M

Title: Marine Corps Ground (Operational Systems)

d. (U) FY 1989 Planted Program:

o Cortine development of collective nuclear, piological and chanical detection/protection system.

o Continue development of Assault Amphibious Vehicle Engineer 7A1.

o Compilete Upgarned Weapon Station improved night sight research and development.

o Complete testing of exhanced applique armor kits.

e. (U) Program to Completion:

o This is a continuing program.

f. (U) Major Milestones:

Milestone

1. Exhanced Applique Armor Kit

2. Night Sight upgrade

3. Collective NEC S-stem

4. Assault Amphibicus Vehicle Engineer 7A1

FY 1991

(U) Project C1901, Marine Corps Ground Weaporry Product Improvement:

1. (U) Description: Monitor or participate in Congressionally directed and other service programs relating to ground combat weaponry and ancillary equipment. This includes munitions, artillary and raval gunfire weapons, tank and arti-tank weapon systems, and infantry weapons. The program element provides for monitoring the results of national and international ground weapoury program developments. Beginning in FY 1987, this program also manages and administers the development of small arms weapons systems requirements, coordinate development weapons systems requirements, coordinate development activities, reduce cost, and improve the efficiency of the material acquisition process.

Program Element: 26623M

Title: Marine Corps Ground Combat/Supporting Arms Systems (Operational Systems)

# 2. (U) Program Accomplishments and Future Efforts:

#### .. (U) FY 1986 Program:

- o Received Congressional funding and direction to product improve the man-portable, anti-tank Dragon waspon
- o Initiated a competitive request for proposals to improve the warhead peretration, combine and reduce the weight of the day and night traders, and improve the rocket motor capability, e.g., reduce time flight, increase range, and games survivability of the Dragon.
- o Awarded a competitive contract to accomplish the Dragon improvement.

#### b. (U) FY 1987 Program:

- o Award option to existing contract for development of a countermeasure hardened, combined day-night tracker and rocket motor improvements for the Dragon anti-armor system.
- o Incorporate the consolidation of Joint Service Small Arms Program developments.
- o Pursue/monitor anti-tank weapons, tank developments, and extended range munitions under development by other services/inclusivy through the Joint Service Small Arms Program.
- o Contine to investigate hypervelocity munitions.
- o Initiate improvements and developments that capitalize on state-of-the-art emerging weaponry technologies.
- o Continue efforts related to development of the Advanced Cominat Rifle System.
- o Continue to support improved armor piercing ammunition, lightweight general purpose heavy machine gan development, improved 40mm ammunition, improved sights and five control devices, for the MK19 MXD 3.

# c. (U) FY 1988 Planned Program:

- o Commence retrofit and redistribution of improved Dragon warhead.
- o Continue development of a countermeasure handraid, combined day-night tracker and rosket inctor inprovements for the Dragon.

S

Program Element: 26623M

Title: Marine Corps Ground Combat/Supporting Arms Systems (Operational Systems)

o Parsue/monitor antiannor weapons, tank developments, and extended range manitions under development by other Services/Industry through Joint Services Small Arms programs.

o Continue to moritor medium and heavy anti-armor efforts.

o Continue to investigate/monitor hypervelocity munitions.

o Initiate improvements and developments that capitalize on state of the art technologies.

o Continue to participate and support Joint Service Small Arms Programs.

d. (U) FY 1989 Planned Program:

o Commence retrofit and redistribution of inproved Dragon warhead.

o Continue development of a countermeasure hardened, combined day-night tracker and rocket motor improvements for the Dragon. o Arsue/monitor antiarmor weapons, tank developments, and extended range minitions under development by other Services/Industry through Joint Services Small Arms programs.

o Continue to monitor medium and heavy anti-armor efforts.

o Continue to investigate/monitor hypervelocity munitions.

o Initiate improvements and developments that capitalize on state of the art technologies.

o Continue to participate and support Joint Service Small Arms Programs.

e. (U) n x x to Completion:

o Medium arti-armor developments to completion.

o Hypervelocity minitions developments to completion.

o Emerging small arms technologies to completion.

(U) TEST AND EVALUATION DAIA: Not applicable.

H

UNCLASSIFIED

523

# FY 1988/89 ROTZE LESCHIPTIVE SUMMAN

DOD Mission Area: 215 - Land Warfare Support Program Element: 26624M

Title: Marine Corps Combat Services Support (Operational Systems

Andget Activity: 4 - Tactical Programs

(U) FY 1988/89 RESCURCES (PROJECT LISTING): (Dollars in Thousands) Ą.

							Ictal Ictal
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
Ş.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
				,			
	TOTAL FOR PROGRAM ELEMENT	8,	2,473	2,886	2,550	_	Continuing
	Ornhat Service Support Product Improvement	772	1,36	1,861	2,016	$\overline{}$	Continuing
	Tactical Vehicle Fleet Product Improvement*	89	861	**	*	_	Continuing
	Marine Corps Contact Clothing and Equipment	<del>1</del> 3	**	***	***	***	**
	Combat Support ****			3,135	器	Continuing	Continuing
	Marine Corps Tactical Deception **	R	<b>9</b>	****	****	Continuing	Continuing
62600	Marine Corps Container Systems Improvements	B	*	*	*	*	*

In FY 1986 this project was titled Expeditionary Shelter System.

Funding consolidated in COO76, Combat Service Support Product Improvements. Funding consolidated in COO79, Marine Corps Combat Logistics Support, Program Element 64717M, Marine Corps Combat Service Support (Engineering).

As this is a continuing program, the above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989. B. (U) HRIEF DESTRIPTION OF BENEAT AND MISSION NEED: There is a continuing requirement to update and improve the performance capabilities of fielded contact service support equipment. The research, development, test and evaluation funds will provide for the product improvement of bulk fluel equipment, utilities equipment, logistics equipment, shelters, engineering survey sets, advancements in a camputage and tactical deception hardware and techniques will be monitored. Ourrent equipment will be office machines, earthmoving equipment, tool sets, maintenance shops and tactical motor transport vehicles. State-of-the-art modified as appropriate and campuflage and deception items procured as approved.

Program Element: 26624M

Marine Corps Combat Services Support (Operational Systems) Title:

improvements to operational systems and a restructure of combat service support efforts to utilize both emerging and modern off-the-shelf technology. Tactical Vehicle Fleet Product Improvement: The FY 1986 decrease of 205 is due to accelerated completion of product improvements by joint service programs and increased utilization of U.S. Army amphibious compatible improvements. Combat Syport: The Fy 1986 decrease of 1,003 is due to a non-developmental item strategy for the accustic detection system. The FY 1988 increase of 1,275 is due to development acceleration of the Small Unit Nevigation System. Marine Corps Tactical Deception: The FY 1986 decrease of 103 was due to a lower cost non-developmental item approach. Marine Orgs Container Systems (U) COMPARISON WITH FY 1987 DESTRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Sumary and that shown in this Descriptive Sumary are as follows: Contat Service Support Product The FY 1986 decrease of 89 and the FY 1988 decrease of 718 are due to accelerated completion of product Improvements: The FY 1986 decrease of 20 is due to utilization of other service developed, amphibious compatible improvements. Improvement:

# (U) FINDING AS REPLECTED IN THE FY 1987 DESCRIPTIVE SUMMRY:

Project Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	Fy 1988 Estimate	Additional to Completion	Total Estimated Cost
TOTAL FOR PROGRAM BLAMENT Combat Service Support Product Improvement Tactical Vehicle Fleet Product Improvement* Marine Corps Combat Clothing and Equipment Marine Corps Tactical Deception** Marine Corps Container Systems Improvements	<u>7.</u> 358원 1 1 1 1	1822 = E.R	67,71 1,612 1887	2,573 1,199 57 57 57 57 57	Continuing Continuing Continuing	Cortinuing Cortinuing Cortinuing

As this is a continuing program, the above funding profile in lucks out-year escalation and encarpasses all work or development phases now planned or anticipated through FY 1988 only.

In FY 1986 this project was titled Expeditionary Shelter System.
 In FY 1986, this project was titled Marine Corps Cambuflage Technology.
 In FY 1987 and beyond, consolidated (funded) in COOT9, Marine Corps Contat Logistics Support, Program Element 6477TM, Marine Corps Combat Service Support (Engineering)

Program Element: 26624M

Title: Marine Corps Combat Services Support (Operational Systems)

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

							Ictal
Project.		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
Š.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT						
92000	Combat Service Support Product Improvement						
	Container Pamily	8	3	3,002	±,980,	<u>P</u>	
	(gty) (RON 066013)	1	1	(1889)	(13730)		
	Topographic Remoduction	1	1	ı	288. 17		
	(atv) (BON 067141)	,1	1,	ı	(3)	æ	
	Topographic Mending System	1	í	8	ı		
	(dtv) (RON 067301)	1	1	(2)	1	<b>A</b>	æ
	Container Hardler	ı	7	8,118	ī	P P	
	(dtv) (RON 0630'1)	1	ì	( <del>R</del> )	j	<u>A</u>	
	Material Hardling Equipment	1.351	\$	2,30	2,199	<u>P</u>	
	(qty) (RON 067262)	1	ī	1	i,	Æ	
00085A	Small Unit Navigation System	1	į	į	ĵ		
	(qty) (RON 146288)	1	1	1	ī	A	

in Material Hardling Equipment for Amphibious Logistics Support Astone; Mobility Equipment Research and Development Command joint development of forklift modifications (Program Element 647134). Marine Corps Combat Clothing and Equipment: U.S. Army Natick Laboratories developments in fabric/Webbing material (Program Element 627234); Joint Service efforts on the Battle/Dress Uniform (Program Element 647134). Tactical Vehicle Fleet: U.S. Army Mobility Equipment Research and Development Command activities. E. (U) RELATED ACTIVITIES: Ordent Service Support Product Improvement: U.S. Army Air Mobility Research and Development Command efforts (Program Element 642041) with helicopter slings; U.S. Naval Civil Engineering Laboratories efforts (Program Element 63719N)

F. (U) WORK PERCHAD BY: IN-HOISE: Marine Corps Development and Education Command, Quantico, VA; Combat Service Support Product Improvement; Naval Civil Engineering Laboratory, Port Hierems, CA; Tactical Vehicle Fleet Product Improvement: Mobility Engineering Research and Development Command, Ft. Belvoir, VA; Clothing and Equipment; U.S. Army Natick Laboratories, Natick, MA; Tactical Vehicle Fleet Product Improvement; U.S. Army Tank-Automotive Command, Warren, MI.

Program Element: 26624M

Title: Marine Corps Combat Services Support (Operational Systems)

- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:
- (U) Project COOTS, Contait Service Support Product Ingrovement:
- 1. (U) Description: This program continually evaluates approved-for-service-use contat service support equipment for improvements which will extend useful service life, modifications which will improve efficiency, and for state-of-the-art changes which will enhance equipment equabilities. For example, evaluation of a family of rigid and knockdown shelters and a family of intermediate sized containers which have been approved by the Joint Committee on Tactical Shelters and are a part of the DDD standard family of tactical shelters. Buth the shelters and the containers are designed to meet international dimensional standards the container-oriented merchant fleet. In FY 88 and beyond this project includes tactical vehicle fleet product improvement, which of the International Standards Organization which will accommodate both tactical and strategic modes of transportation, especially provides the optimum mix of tactical motor transport vehicles and support equipment for Fleet Marine Force employment; provides for transportation of dimensionally standard loads in view of containership realities of the midrange period; and reduces types of wehicles requiring maintenance support. In FY 88 and beyond this project includes container systems, a family of dimensionally standardized tactioal containers which will comply with current DoD instructions for container supported distribution systems and which will be compatible with standards for intermodal transportation.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1996 Program:
- o Continued evaluation of current combat service support equipment and alterations required for interface with dimensionally standard loads.
- o Continued evaluation of document destructors and visual graphics equipment.
- o Completed evaluation of photomapping and drafting equipment.
- o Corducted 5-ton product improvement program materials handling equipment for cargo handling/snow plow, 5-Ton product improvement program final report. Developed high mobility multipurpose wheeled vehicle improved weapon station ballistics protection.
- o Conducted corrosion control; depot rebuild procedures, new technology investigation.
- o Conducted development test/initial operational test and evaluation of motor transport support items, maintenance shop system, and modernization support items.

Program Element: 26624M

Title: Marine Corps Combat Services Support (Operational Systems)

- o Evaluated commercial motor transport items for suitability as members of the Tactical Vehicle Fleet.
- o Initialed production test/final report for the Logistics Vehicle System.
- o Prepared for Logistics Vehicle System fielding.
- o Completed testing of tool kit, prepared technical data package, issued test report.
- o Conducted development of the Tactical Bulk Fiel Delivery Sub-system for the Light Armored Vehicle (Logistics) and Assualt Amphibias Vehicle-7A1 (Logistics).
- o Completed development/operational testing of survey set and reproduction van set.
- o Completed the testing of an on-board crane for the M939 series vehicles as an amunition handling device.

#### b. (U) FY 1987 Program:

- o Corduct product improvement and evaluation of tool kits for engineer battalions, specifically pioneer tool kits for engineer squad and platcon.
- o Braluate 55 gallon drum handling attachment for forklifts.
- o Corduct evaluation of large tire drange systems.
- o Continue product improvements on rigid/knockdown shelters with emphasis on Nuclear/Biological/Chemical survivability daracteristics.
- o Ontine product improvements on containers with emphasis on interior configurations, intermodal characteristics, and International Standards Ogranization arraying features.
- o Monitor other Services' rigid shelters program.
- o Braluate product improvement to the fielded reproduction van and shelterized Topographic Mapping and Survey Sets.
- o Product improve the SIXCON electric pump.

Program Element: 26624M

Title: Marine Corps Combat Services Support (Operational Systems)

- o Complete development of the Tactical Bulk Fuel Delivery sub-system for the Light Armored Vehicle (Logistics) and the Assault Amphibious Vehicle-7A1 (Logistics).
- o Begin product improvement of the 20,000 gallon fabric tank,
- o Initiate effort to product improve helicopter external lift equipments and procedures.
- o Braluate feasibility and affordability of a floatation system capable of Loating the medium girder bridge (International Standards Organization compatibility required).
- o Initiate product improvement program to product improve current tentage to match USMC soft shelter Aequired Operational Capability (RCC).
- c. (U) FY 1988 Planned Program:
- o Corduct developmental/operational testing of Logistics Vehicle System Rearbody Unit MK18/19.
- o Corduct developmental/operational testing of 5-ton International Standards Organization bed conflguration.
- o Continue development of product improvements for Logistics Vehicle System High Mobility Multipurpose Vehicle, and
- o Ontine development of product improvement of helicopter external lift equipments and procedures.
- o Evaluate commercially available mapping/drafting and office equipment.
- o Continue to provide support to all other surveys and DoD programs in product improvement of mapping, charting and office equipment.
- o Continue to evaluate a floatation system capable of floating the medium girder bridge (International Standards Organization compatibility required).
- o Develop a kit to provide operator protection from small arms/fragmentation while on earthmoving equipment.
- o Evaluate commercial batteries to replace Military Standard Batteries in engineer/Motor transport vehicles,

Program Element: 26624М

Title: Marine Corps Combat Services Support (Operational Systems)

o Omplete the product improvement of the 20,000 gallon fabric tank.

o Continue utilities equipment product improvement.

o Ontine design, test, and evaluation of product improvements for intermediate sized container family.

o Continue design test, and evaluation of product improvements for rigid/Arockdown shelter family.

o Moritor other Services' rigid shelters program.

o Complete development efforts to improve current tentage to meet USMC soft shelter MC.

o Continue to develop corrosion control technology to enhance effectiveness and service life.

d. (U) FY 1989 Plarmed Program:

o Continue product improvements for intermediate size container family and for rigid/knockdown shelter family.

o Continue to evaluate and improve bulk fuel equipment which requires product improvements.

o Ontine protect improvement of utilities equipment.

o Kanitor other Services' rigid shelter program.

o Outline development of product improvements for Logistics Vehicle System, High Mobility Multipurpose Vehicle and

o Continue product improvements on helicopter external lift equipment and procedures.

o Contine evaluation of commercial mapping/drafting and office equipment.

o Continue evaluation of medium girder bridge floatation system.

o Continue development of hardening kits to provide combat service support vehicle operator protection from small

530

Program Element: 26624M

Title: Marine Corps Combat Services Support (Operational Systems)

o Ortine to develop corrosion cortrol technology to enhance equipment effectiveness and service life.

- e. (U) Program to Completion:
- o This is a continuing program.

# (U) Project 0005, Contat Support:

- equipment having potential recornaissance applications. Present and projected development objectives include: A Small Inflatable Boat/Silenced Propulsion System and Waterproof Bags (equipment and weapons) for surface recornaissance team operations; a Small Unit Navigation System to allow accurate recornaissance team ravigation during airborne or waterborne operations and improved SUBA The Marine Corps continuously monitors commercial and other Service developments in specialized This project provides funding for a variety of small projects that are not easily categorized under a major project title. It includes amphibious recornaissance equipment, cold weather equipment and in FY88 Tactical Deception. (U) Description: equipment.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- o Continued development of the Small Unit Mavigation System (to Milestone II) as a project initiated by the Defense Advanced Research Projects Agency to chansize the NAVSTAR Global Positioning System Manpack unit.
- o Monitored U.S. Anny and other Service developments in cold weather equipment.
- o Continued to manitar other Service specialized equipment efforts.
- o Searched for suitable replacement for small inflatable boat.
- o Orttinued to monitor other Service specialized equipment efforts.
- o Waterproofed equipment bags evaluated.

Program Element: 26624M

Title: Marine Corps Combat Services Support (Operational Systems)

#### b. (U) FY 1987 Program:

- o Explore potential for non-develpmental items for enhanced listening devices for recornaissance teams.
- o Cortinue development of the Small Unit Navigation System prototype.
- o Continue to monitor other Service specialized equipment efforts to include amphibiaus reconnesissance an ald weather equipment.
- c. (U) FY 1988 Planned Program:
- o Testing of Small Unit Navigation System.
- o Continue development of Acoustic Detection System contingent on Milestone  $\Pi$  approval.
- o Continue to monitor other Service specialized equipment efforts.
- o Continue development of the Small Unit Navigation Systems to include test and evaluation of prototype systems.
- o Testing and development of Multispectral Close Combat Decoys, Communications Simulators and other deception
- o Outline to monitor other Service and industry developments in tactical deception.

# d. (U) FY 1989 Planned Program:

- o Continue to monitor other Service specialized equipment efforts.
- o Fund final development and operational testing of the Shall Unit Navigation System.
- o Continue to monitor other Service specialized equipment developments.
- o Continue to monitor other Service and industry tactical deception efforts.
- o Testing and development of radar, thermal and visual target generators and signature suppression devices and materials.

Program Element: 26624M

Title: Marine Corps Combat Services Support (Operational Systems)

e. (U) Program to Completion:

o This is a continuing program.

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not applicable.

I. (U) TEST AND EVALIMITON DATA: Not applicable.

# FY 1988/89 ROIGE DESCRIPTIVE SUMMRY

DoD Mission Area: 374 - Multi-Mission, Technology and Support Program Element: 2665M

Title: Marine Corps Intelligence/Flectronics Warfare Systems Operational Systems

Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/99 REXURCES (PROJECT LISTING): (Dollars in Thousends)

							विका
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
S.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	4,63	21,777	15,239	32,73	Continuing	Continuing
09000	Forward Pass	1,481	1,114	*	*	Continuing	Continuing
29000	Intelligence Analysis System	(元子)**	5,935	3,249	4,00	Continuing	Continuing
99000	Communications and Non-Communications	***(3361)	3,288	1,0	1,180	Continuing	Ocnt inning
	Electronic Courtermeasures						
00937	Mobile Electronic Warfare Support. System	3,7#	***	0	0	1	:
C1236	All Source Imagery Processor	***(6218)	***(7130)	(12077)	9,631	Continuing	Concinuing
C1297	Tactical Remote Sensor System	***(2273)	4,589	7,018	4,313	Continuing	Continuing
C1988	Taccical Electronic Recornaissance	***	6,845	2,798	17,575	12,840	51,302
	Processing and Evaluation System						
C1961	Mobile Electronic Warfare Support System	***	***	8	1,965	Continuing	Continuing

Funding consolidated in C1397, Tactical Remote Sensor System.

Funded in Program Element 2662M, Marine Corps Command Control and Communications Systems (Operational Systems).

Funded in Program Element 64718M, Marine Corps Intelligence/Electronic Marfare Systems (Engineering).

Consolidated into project 00066, Communications and Non-Communications Electronic Countemmeasures, Program Element 26625M, \*\*\*

Funded in project 00062, Intelligence Analysis System in this Program Element. \*\*\*\*

\*\*\*\*\*\* Funded in this Program Element under project 00537, Mobile Electronic Warfare Support System.

The above furding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989. (U) HRIEF DESCRIPTION OF BEMENT AND MISSION NEED: This Program Element provides ROIME funds for the operational systems development of Marine Corps intelligence/electronic warfare equipment that will complement current and future sensors, systems, and data evaluations required for the support of operating forces. Title: Marine Corps Intelligence/Electronics Warfare Systems (Operational Systems)

1988 decrease of 4,746 is due to programmatic restructure and refinement for incrementally funded cost estimates. Commications and Non-Commications Electronic Contemporares: The FY 1988 decrease of 5,614 is due to separate listing of funding for the Mobile Electronic Nation. This separation is in consonance with Congressional guidance to provide visibility for critical line items. Mobile Electronic Warfare Suport System: The FY 1986 increase of 2,467 was due to acceleration of comminications and jamming electronic equipment integration into the vehicle chassis. Tactical Remote Sensor System: The FY 1986 increase of 20 is due to delays in new contract awards. The FY 1988 increase of 1,348 incrementally replaces those funds reduced in FY 1986. Tactical Electronic Recornaissance Processing and Evaluation System: The FY 1987 decrease of 1,019 is due to a Congressional undistributed reduction to the program element. The FY 1988 decrease of 399 is due to better cost estimates the FY 1987 Descriptive Summary and that shown in this descriptive summary are as follows: Forward Peas: The FY 1986 increase of 995 is due to acceleration of development for grand-to-air linkage with tactical remote sensor systems. Intelligence Aralysis System: The FY 1987 decrease of 1,584 is due to a Congressional undistributed reduction to the program element. The FY COMPARISON WITH FY 1987 DESCRIPTIVE SUMMRY: (Dollars in Trousands) The changes between the funding profile shown in to design, fabricate and integrate a data link system for air platform/ground receiver use.

# (U) FUNDING AS REFLECTED IN THE 1987 DESCRIPTIVE SUMMRY:

							Total
Project		FY 1985	FY 1986	FY 1987		Additional	Estimated
βο.	Title	Actual	Estimate	Estimate	Estimate	to Corpletion	Cost
	TOTAL FOR PROGRAM ELEMENT	88	1,163	28,45	24,149	Continuing	Continuing
	Forward Pass	88	984	1,148	419	Continuing	Continuing
	Intelligence Analysis System (IAS)	*(6648)	*(7414)	7,519	7,995	Continuing	Continuing
99000	Commissations and Non-Commissations	<b>**</b> (1890)	***(2821)	3,504	6,868	Continuing	Continuing
	Electronic Courtermeasures						
	Mobile Electronic Warfare Support System	*(1842)	229	***	***	1	1
2386	All Source Imagery Processor	*(1849)	***(6223)	(261/2)***	***(10,429)	*	*
C1297	Tactical Remote Sensor System (TRSS)	*(みな)	***(2023)	4,787	5,670	Continuing	Continuing
C1928	Tactical Electronic Recornaissance Processing		0	7,86	3,197	Continuing	Continuing
	and Evaluation System						

Funded in Program Element 26626M, Marine Corps Command Control and Communications Systems (Operational System).

Funded in Program Element 63730M, Marine Corps Intelligence/Electronic Warfare Systems (Advanced). Funded in Program Element 64718M, Marine Corps Intelligence/Electronic Warfare Systems (Engineering).

<sup>\*\*\*\*</sup> Consolidated into project 0006, Comunications and Non-Comunications Electronic Countermeasures, this Program Element.

Program Element: 26625M

Title: Marine Corps Intelligence/Electronics Warfare Systems (Operational Systems)

The above finding profile includes out-year escalation and enompasses all work and development phases now planned or anticipated through FY 1987 only.

D. (U) OTHER FY 1986/89 APPROPRIATION FUNDS:

Total Estimated Oost	
Additional to Ompletion	
FY 1989 Estimate	
FY 1988 Estimate	1111
FY 1987 Estimate	15,367 (12) -
FY 1986 Actual	1.1.1.1
Title	Comminications and Non-Comminications Electronic Countermeasures Mobile Electronic Warfare Support System (qty) (RCN 142466) WF/UF Comminications Electronics Contermeasures (qty) (RCN 040376)
Project No.	99000

- E. (U) RELATED ACTIVITIES: Not applicable.
- WORK PEPFORMED BY: IN-HOUSE: Naval Air Development Center, Warminster, PA.; Naval Avionics Center, Indianapolis, IN. 9 ĹŦ,
- G. (U) PROJECTS LESS THWN \$10 MILLION IN FY 1988/89:
- (U) Project 0000, Forward Pass: In FY 1988 and beyond this effort is funded as a subproject of C1297, Tactional Remote Sensor Systems in this Program Element.
- (U) Project COOC2, Intelligence Aralysis System
- 1. (U) Description: This project supports improvements in the Intelligence Analysis Center to correct deficiencies identified during development. Principal deficiencies are the query response unit, teletypewriter, plotter, and software programs to identify map parameters and message retrieval.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:

o Maintained software configuration management.

Program Element: 26625M

Title: Marine Corps Intelligence/Electronics Warfare Systems (Operational Systems)

- o Modified software for better message handling and routing.
- o Prowred lower echelon hardware, mini-micro computers, for tactical intelligence management processing and dissemination.
- o Developed system design improvements for new software release.
- o Commerced development of a standard tactical area file.
- o Commenced development of intelligence analyst scratch pads.
- o Comerced development of map digitalization/outhode ray tube presentation capability.
- o Commenced development of intelligence analyst decision aids.
- o Initiated development of a lower exhelon intelligence processing and dissemination capability.
- o Continued development of software for a lower echelon intelligence processing and dissemination capability with stand alone mini-mioro computers for tactical intelligence management systems.
- o Implemented the ANTONN Mode I Mode VII communication protocol, compartmented-mode processing and all-source collection management.

#### b. (U) FY 1987 Program:

- o Transfer efforts for the Tactical Electronic Recornaissance Processing and Evaluation System to an independent line in the program element.
- o Develop specifications for a smaller intelligence analysis center which has greater mobility and logistical supportability.
- o Complete and issue Software Release III, which will process Joint Interoperability of Tactical Command and Control Systems formatted massages, to the operating force.
- o Conduct operational test and evaluation of a lower echelon intelligence processing and dissemination capability.

Program Element: 26625M

Title: Marine Corps Intelligence/Electronics Warfare Systems (Operational Systems)

- c. (U) FY 1988 Planned Program:
- o Investigate replacement main frame computers which are smaller, lighter in weight and have increased Automated Data Processing capabilities.
- o Investigate ADA software programming.
- o Investigate comminication requirements for DOD IIA interface.
- d. (U) FY 1989 Planned Program:
- o Draft requirements for Intelligence Arelysis Center III.
- o Begin development of down-sized shelter configuration.
- o Draft mobility specification for Intelligence Analysis Center II
- e. (U) Program to Completion:
- o Continue to develop a smaller intelligence analysis center with improved computer suite, mobility, and logistical supportability.
- (U) Project 00066, Comunications and Non-Comunications Electronic Countermeasures Systems:
- transmitters and racturs. A standoff communications jammer is required which will jam VFF and UFF tactical transmitters. This jammer will be the replacement for the currently fielded AVVIQ-19 Jammer. A similar requirement exists to field a system 1. (U) Description: The goal of this program is to satisfy the continuing requirement for Communications and Non-Communications Electronic Countemmeasures Systems which will provide the Marine Corps the ability to jan/deceive enemy The Martine Corps also must be capable of jamming or deceiving counternortar/counter-battery, combat surveillance, target acquisition and certain other ground based radars. capable of jamming high frequency transmitters.

Program Element: 26625M

Title: Marine Corps Intelligence/Electronics Warfare Systems (Operational Systems)

2. (U) Program Accomplishments and Future Efforts:

a. (U) FY 1986 Program:

o Continued and accelerated advanced development of an expendable jammer (Expendable Drone).

o Prepared documentation for Milestone I for Communication Electronics Counter Measures Set (very high/ultra high

o Submitted request for information of available very high frequency/ultra high frequency and high frequency occumulation electronics countermeasures sets (jammers).

b. (U) FY 1987 Program:

o Suimit request for proposals concerning very high frequency/ui-ra high frequency jammers.

c. (U) FY 1988 Planned Program:

o Corduct, source selection of very high frequency/ultra high frequency jammers.

o Issue request for proposal dealing with high frequency jammers.

d. (U) FY 1989 Planned Program:

o Complete Milestone III and obtain production decision for very high frequency/ultra high frequency jammers.

o Conduct source selection of high frequency jamens.

e. (U) Program to Completion:

o Complete Milestone III and obtain production decision of high frequency jammers.

(U) Project C1291, Tactical Pende Sersor System:

1. (U) Description: This system is an unattended ground sensor capable of detection of movement during amphibious operations and realized sensors, monitors, operations and follow-on operations ashore. The set of equipment consists of hand emplaced and air delivered sensors, monitors, and radio relays.

539

Program Element: 26625M

Marine Corps Intelligence/Electronics Warfare Systems (Operational Systems) Title:

## 2. (U) Program Accomplishments and Future Efforts:

(U) FY 1986 Program:

o Completed fabrication of a disposable seismic intrusion detector.

o Initiated investigation into interface with the Intelligence Analysis Center.

o Commenced fabrication of system relays and monitors.

o Corrected discrepancies discovered during developmental and operational testing.

o Commenced design and fabrication of engineering development models for Rhase V equipment.

o Propared for Developmental and Operational Testing I of the Tactional Hemote Sensor System.

b. (U) FY 1987 Program:

o Corduct Developmental and Operational Testing I and complete documentation for Marine (brps Systems Acquisition Review Council II decision of the Tactical Memote Sensor System.

o Propare a timent amalysis update to cost alternatives of sensor systems.

(U) FY 1538 Planned Program: o;

o Corduct Development and Operational Testing II and complete documentation for procurement decision of the Tactical Penote Sensor System.

o Continue integrated logistic support documentation of the Tactical Remote Sensor System.

(U) FY 1989 Planned Program: ÷

o Contuct factory training for fielding of the Tactical Henote Sensor System.

o Complete integrated logistic support documentation of the Tactical Penote Sensor System.

UNCLASSIFIED

540

Program Element: 26625M

Title: Marine Corps Intelligence/Electronics Warfare Systems (Operational Systems)

- e. (U) Program to Completion:
- o Continue to develop additional types of sensing devices to improve USMC Tactical Remote Sensor System capabilities.
- (U) Project C1928, Taction Electronic Recornaissance Processing and Evaluation System:
- 1. (U) Description: This is a portion of the Marine Air Ground Intelligence System previously funded under the Intelligence Aralysis System. This effort was initiated as a separate line item in FY 1987 for Navy and Marine Corps Management. This system currently provides electronic signals from aviation recommissance data to the Marine Air Ground Task Force via the Marine Air Ground Intelligence System. Without upgrade this ceases to support intelligence efforts in FY 1988.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- o Received funding as a portion of the Intelligence Analysis System project 0006 in this Program Element.
- o Initiated an upgrade to the existing system to replace the current (2808 computer with a Navy standard UNK-43 computer.
- o Amarded a competitive contract to develop software and system integration.
- o Continued development of software and systems integration.
- b. (U) FY 1987 Program:
- o Furd as a separate line item.
- o Omplete development of software and systems integration.
- o Commence integration of the TADIXS-B Tactional Receive Equipment software into the Tactional Electronic Feormaissance Processing and Evaluation System.
- o Support the Tactical Electronic Recommaisance Processing and Evaluation System software support activity.

Program Element: 26625M

Title: Marine Corps Intelligence/Electronics Warfare Systems (Operational Systems)

- c. (U) FY 1988 Planned Program:
- o Prepare detailed test plan for phase II Operational Testing.
- o Orchot phase II Operational Testing.
- o Athieve Initial Operational Capability phase II for the Tactical Electronic Reconnaisance Processing and Evaluation System.
- d. (U) FY 1989 Planned Program:
- o Initiate block upgrade.
- o Integrate automated interfaces within external systems.
- o Ortline erhancements to maintain compatibility with EA6-B aircraft.
- e. (U) Program to Completion:
- o Complete block 3 upgrade.
- o Complete erhancements enabling compatibility with EM6-B aircraft.
- (U) C1961, Mobile Electronic Warfare Support System
- . (U) Description: This is an electronic warfare suite of equipment designed to fit in a highly mobile tactical It will provide the ground commander with a mobile electronic warfare system capable of operating in a variety of situations. The electronic warfare suite will be modular in design to facilitate quick installation and removal. It will detect, locate and degrade enemy tactical AM and FM radio communications. tactical situations.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- o This program was contained in project 00937, Title: Mobile Electronic Warfare Support System.

Program Element: 26625M

Title: Marine Corps Intelligence/Electronics Warfare Systems (Operational Systems)

#### b. (U) FY 1987 Program:

o This program will be contained in project 00066, Title: Communications and Non-Communications Electronic Counter messares systems.

#### c. (U) FY 1988 Planned Program:

o Survey technology for systems upgrades providing enhanced frequency coverage.

o Survey technology for systems upgrades providing enhanced system mobility.

o Incorporate vehicle upgrades being conducted under the Light Armored Vehicle program that are applicable to the Mobile Electronic Warfare Support System vehicle.

#### d. (U) FY 1989 Planned Program:

o Baluate systems providing expanded frequency coverage.

o Evaluate systems providing enhanced system mobility.

o Continue vehicle upgrades as identified.

#### e. (U) Brogram to Completion:

i,

o Incorporate upgrades to system for extended frequency coverage.

o incorporate upgrade to system for enhanced mobility.

o Continue vehicle upgrades as identified.

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not applicable.

I. (U) TEST AND EVALUATION DATA: Not applicable.

### FY 1988/89 RUTGE DESCRIPTIVE SUMPRY

Program Element: 2625M

DoD Mission Area: 351-Lard Warfare

Title: Marine Corps Command/Control/Communications Systems (Operational Systems)

Budget, Activity: 4 - Tactical Programs

A. (U) FY 1988/99 RESQUACES (PROJECT LISTING): (Dollars in Trousands)

Total	Estimated	Obst	Continuing	Continuing	1	Continuing	Continuing		Continuing	Continuing		Continuing		Continuing	Continuing
	Additional	to Completion	Cortinuing	Cortinuing	ı	Continuing	Continuing		Continuing	Continuing		Continuing		Continuing	Continuing
	FY 1989	Estimate	25,063	7,36	*	*	6,475		**	***		6,073		3,901 100,001	1,34
	FY 1988	Estimate	B, 2₫	7,160	#	*	3,42		**	***		4,205		6,13	4,23
	FY 1987	Bstimate	24,950	7,401	*	西,6	3,185		8	###(59五)		3,87		2,2	₹ 2.
	FY 1986	Actual	32,081	7,108	3,387	3,149	2,465		ξį	1,564		2,975		2,656	2,764
		Title	TOTAL FOR PROGRAM ELEMENT	Marine Corps Command and Control. Systems*	Tactical Air Operations Module	Position Location Reporting System	Tactical Systems Inter/Intraoperability	Program	NAVSTAR Global Positioning System	Intelligence Analysis Center Product	Improvement, Program	Marine Air Command and Conturol Systems	Operational Development	Aviation Redar Product Improvement Program	Trainting Devices/Simulators Program
	Project.	Q		000 <del>3</del> 6	95000	000H2	000H2		2002	3000		<b>®</b> 103		C1067	C1#3

Remand in FY 1988 from Marine Integrated Fire and Air Support System.

\*\* Funds correctionated in Project, 00103, Marine Air Command and Control Systems (Operational Systems).

\*\*\* Funding correctionated in 00056, Marine Corps Command and Control Systems.

\*\*\*\* Funded in Program Element, 26625M, Marine Corps Intelligence/Electronic Warfare Systems (Operational System).

The above furting profile includes out-year excelation and encompasses all work and development phases now planned or antidipated through FY 1989.

Program Element: 25626M

Title: Marine Corps Command/Control/Communications Systems (Operational Systems)

operational Marine command, control and communications systems. Efforts will be directed toward achieving inter/intraoperability and total integration of tactical command, control and communications systems and related subsystems. Individual system This program element provides funds for the further development of modification and enhancements are initiated as part of this project. (U) BRIEF LESCHIPTION OF BLEMENT AND MISSION NEED:

of effort for ratar product improvements. Training Devices/Simulators Product improvement: The FY 1967 decrease of 1,422 is due to Congressional undistributed reductions to this program element. The FY 1965 increase of 895 results from a product Module (ANYTYQ-23). Aviation Radar Product Improvement: The FY 1986 decrease of 1,095 and the FY 1987 decrease of 2,964 is due to a refinament in scope to Congressional untistributed reductions to this program element. The FY 1983 decrease of 1,076 is due to a refinament in scope 2,168 is due to Joint. Tactical Information Distribution System Tactical Data Link-J integration into the Tactical Air Operations The FY 1986 decrease of 1,095 and the FY 1987 decrease of 2,964 is due A standard Navy UMK-413 Computer Roution Location Reporting System and the NAVSTAR Ground Positioning System within this project line. Tactical Air Operations Module: This project was consolidated into CO103, Marine Air Ground and Commissions (Operational Systems) in this Program Element.

Fortion Location Reporting System: The FY 1986 decrease of 785 is due to delays required by reliability testing. The FY 1987 decreases of 1,598 is due to Congressional undistributed reductions to this program element. Tactical Systems Interview. results from less tran previously estimated costs and for delays in planned intra/interoparability studies while awaiting subject systems maturity. NAVSIAR Global Positioning System: The FY 1986 decrease of 49 is due to program maturity impact on program This project was consolidated into Marine Corps Command and Control Systems in FY 1988. Intelligence Analysis growenert Program: This project is compared and described in Program Element 26625M, Marine Corps FY 1987 decrease of 2,165 is due to Congressional undistributed reductions to this program element. The FY 1988 decrease of 1987 decrease of 6,490 is due to Congressional undistributed reductions to this program element. The FY 1988 decrease of 10,480 COMPARISON WITH FY 1987 DESCRIPTIVE SUMMRY: (Dollars in Trousends) 'The stanges between the funding profile shown in the FY 1987 Descriptive Sammery and that shown in this descriptive sammery are as follows: Marine Corps Command Control Systems: The FY 1988 decrease of 1,625 reflects a Marine Corps decision to convolidate the Tactical Combat Operations project, The FY 1986 decrease of 5,108 results from delays in contracting interoperability efforts. The FY Intelligence/Electronic Warfare Systems (Operational Systems). Marine Air Command and Control Systems Operational Development. The FY 1986 decrease of 356 results from dranges in improvement strategy from development to non-development item approach. The will be incorporated into the system to accommodate the Integrated Manauver Control Concion software. improvement acceleration for the Tactical Warfare Simulation Evaluation and Analysis System. Center Product Improvement Program: Intraoperability Program: meragement costs.

Program Element: 26626M

Marine Corps Command/Control/Communications Systems (Operational Systems) Title:

(U) FUNDING AS REPLECTED IN THE FY 1987 DESCRIPTIVE SYMMRY:

							Total
Project		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
Š.	Ittle	Actual	Estimate	Estimate	Estimate	to Completion	Orat
	TOTAL FOR PROGRAM ELEMENT	20,710	39,064	39,92	57,999	Continuing	Continuing
3€000	Marine Integrated Filte and Air Support System	*(11,779)	7,34	7,737	8,735	Continuing	Continuing
15000	Tactical Combat Operations	<b>*</b> (1,481)	*(1,830)	*(4,249)	11,343	Continuing	Continuing
00038	Tactical Air Operations Module	##(5,493)	3,106	**	*	1	1
27,000	Position Localtion Paporting System	*(6,32)	3,934	5,325	7,285	Continuing	Continuing
300	Tactical Systems Inter/Intraoperability	2,633	7,573	9,675	13,602	Continuing	Continuing
	Program						
20025	NAVSTAR GLOBAL Revittioning System	178	છ	83	23	Continuing	Ortining
	Improvement, Program						
25000	Intelligence Analysis Center Product	6,648	7,414	****(7519) ****(7995)	(2662)	Continuing	Continuing
	Improvement, Program						
00103	Martine Air Comment and Continol Systems	4,277	3,41	6,019	6,373	Ortining	Continuing
	Operational Development						
C1067	Aviation Redar Product Improvement Program	4,616	3,77	5,208	7,228	Continuing	Continuing
C1443	Training Devices/Simulators Product.	2,478	2,538	5,876	3,330	Continuing	Continuing
	Improvement,						

The above furting profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1988 only.

<sup>\*</sup> 

Furded in Program Element 64719M, Marine Corps Command/Control/Communications Systems (Engineering). Furded in Program Element 64720M, Tactical Air Operations Mobile. Funds corpolidated in Project CO103, Marine Air Command and Control Systems (Operational Systems). Funded in Program Element, 26629M, Marine Corps Intelligence/Electronic Warfare Systems (Operational System). \*\*\*

Marine Corps Command/Control/Communications Systems (Operational Systems) Title:

ION FUNDS:
1988/89 APPROPRIATION F
1988/89
COLLEGE FY
(3)
<u>.</u>

Tetal		Œ	115.8% 8.6.8%	(51)	140,448 (9)	(0)	OE I	ŒĮ.		130	Œ.		TBD.	OFF.	Œ	Œ	TEO	(F)	OEI.	Œ				OEL TER	OBI.		Ħ	OH THE	UNCLASSIFIED
	Additional to Completion	Œ	55. 188. 188.	(2)	65,375	Ŧ)				OH.	Æ		00,700	9)	田	图		P		<u>P</u>		!			Æ	Œ.		Ī	
	FY 1989 Estimate	00°07	65.683	(8)	31,613	િ	)	1		•	ļ		8,230	<del>(</del> ±)	1	1	3,100	(12)	3,750	(₹)		1	な。	<b>€</b>	4,73 90,73	(2G	3,782	(2)	
	FY 1988 Estimate	1	71.623	6)	ľ		1	ı		1	1		1	•	4,908	3	2,035	9	5,681	(38)			Ì	1	2,836	(₹)	t	1	54.7
	FY 1987 Estimate	1	1 66m, 05	(2)	00	•	2,662	F		Ü	1		ī.	Ì	1	1	2,124	9)	١	•			1	Ī	1	ı	t	1	#3
	FY 1986 Actual	ı		(2)	43,460	9	11,937	Í		998	•		1	,	ţ	•	Ī	1	1,477	€	rovement.)		•	•	I	1	ļ	•	
D. (0) OTHER IT 1900 OF MILLIAM LAND.	Title	TOTAL FOR PROTACH ELEMENT Marine Corps C2 System Marine Integrated Fire and Air Support System	(qty) (RCN 140024) Tettinal kir Operations Mobule AV/TYO-23	(qty) (RON 140034)	Position Loadion Reporting System	(qry) (nun HooH) NAVSTAR (clobal Positioning System	Marpack Redios & Equipment	(qty) (RON 045001)	Marine Air Command and Control Systems Operational Development	Taction Air Operations Central AVTYQ-2	(qty) (RCN 147239)	Aviation Redar Prouct Improvement	Reder Set, AW/TPS-32 Decoys	(qdy) (RON tH225)	Ractar Set. ANTRO-59 MD	(qty) (RON 147239)	Rechr. Set. AVTRS-32 MD	(q5y) (RNC 14/7239)	Rectar Set AVTRS-63 MD	(qty) (RCN 147239)	Training Devices and Simulators (Product Improvement	lactical warrare Similarian, Evaluation and	Analysis System	(gty) (RCN 040278)	Precision Gunery Training System	(qty) (RON 64453)	Combined Arms Staff Trainer	(qty) (RON 64453)	
<u>.</u>	Project. No.	£000	9000	}	27,000	25000			(D)			C1067									Ω₩3								

Program Element: 26626M

Title: Marine Corps Command/Control/Communications Systems (Operational Systems)

(12) (10t) 多多 83 (qty) (RCN 64453) Manal Wargarres

Simulation, ARIBASS, Multiple Integrated Laser Engagement System, Individual Remote Target System, Armor Remote Target System, Army Instructional Management System. U. S. Navy; Electronic Warfare Simulation developments, SMCEY SMM, Battle Group Tactical Battalion Automated Battle Simulation, Brigade Automated Simulation Exercise, Battle U. S. Army; Trainer, Versatile Training Systems. (U) RELATED ACTIVITIES:

F. (U) WORK PERCORD BY: IN-HOLDE: Marine Corps Development and Education Command, Quantico, VA; Marine Corps Bactical Systems Support. Activity, Marine Corps Bace, Camp Pendleton, CA; Naval Space and Weapons Command, Washington, DC; Naval Cocan Systems Center, Bander, San Diego, CA; U.S. Air Force Tactical Intelligence Systems Directorate, Harsom AFB, MR: Naval Surface Weapons Center, Dahlgran, VA; Naval Training Systems Center, Orlando, FL; Combat Surveillance and Target Acquisition Lab, Ft. Mormouth, NJ. CONTRACTORS: Litton Industries, Van Ruys, CA; Westingtone, Baltimore, MJ; Systems Development Corp., Mciean, VA; Computer Science Corporation, San Diego, CA; Sierra Research Corp., Buffalo, NY; Ceneral Electric Corp., Syracuse, NY; Highes Aircraft, Co., Fullerton, CA, and ITT Gilfillan, Van Nays, CA; Norden Systems, Normalk, CT; MITRE Corp., Mciean, VA; Advanced Technology, Mciean, VA, SCI Technology, Inc., Hurtsville, A. and Camptek Research, Buffalo, NY.

- G. (U) PPOJECTS LESS THAN \$10 MILLION IN FY 1988/89:
- (U) Project 00036, Marine Corps C2 Systems:
- System, the Postion Location Reporting System and NAVSIAR Global Rositioning System. Marine Integrated Five and Air Support System is a selectively automated tactical commend and control system for the integration of mortans, artillery, may a gundine and direct air support assets to addieve more effective and responsive five support for ground manager forces. It is designed division, infantry and artillery regiments/battalions. Nemote firing units and observer teams will interface directly with the their planning operations and tactical intelligence functions. It is designed to support a complete Marine Air Ground Task Force and will be located in all compat units down to squadron/battalion level. Position Location Reporting System is an active system (U) Description: This project includes Marine Integrated Fire and Air Support System, the Tactional Combat Operations Marine Integrated Five and Air Support System using the Digital Communications Terminal equipment. Tactical Combat Querations System is a tactical command and control system which will assist Marine Air Ground Task Force commanders in the performance of to support a complete Marine Air Ground Task Force, and will be located at the headquarters of the Marine Air Ground Task Force, which maintains electronic tracks on marpack, wehicle and aircraft position location reporting systems user units. Global

Program Element: 26626M

Marine Corps Command/Control/Communications Systems (Operational Systems) Title:

and reference time around the globe. (DoD directed joint program with U.S. Air Force as executive agarcy). 3. Evaluation of the Tactional Contact Operations System, an automated system which will assist Marine Commanders and their staffs as they execute Positioning System is a passive electronic system used to locate reference points utilized by Position Location Reporting System. In FY 1988 and beyond this project includes three efforts which were formerly separate project lines. They are:
1. Downstring of the master station for Position Location Reporting System, a joint Army/Marine Corps program to automatically provide accurate (ground within 15-30 meters; air within 25-100 meters), real-time, ravigation information and position location and identification of friendly combat elements automatically to the tactical commenter to facilitate better meneuver control and more effective fire and air support. 2. Evaluation of the manpack version of NAVSTAR Global Positioning System, a space-based radio navigation system that provides equipped users the capability to determine absolute, three dimensional position, velocity and reference time around the globe. (Dob directed joint program with U.S. Air Force as executive agency). 3. Evaluation of real-time command and control functions of Contrat Operations.

# (U) Program Accomplishments and Future Efforts:

- а. (U) FY 1986 Program:
- Completed angineering development model fabrication of the Marine Integrated Fire and Air Support System. 0
- Continued Developmental Testing II of the Marine Integrated Fire and Air Support System. 0
- Commerced preparation for Operational Testing-II. 0
- Commenced programations for the production decision of the Marine Integrated Fire and Air Support System. 0
- Commerced development of interfaces that were deferred from the Marine Integrated Fire and Air Support System engineering development model. 0
- Refined engineer development model handware for production of the Marine Integrated Fire and Air Support System. 0
- b. (U) FY 1987 Program:
- Commerce Operational Testing  $\Pi$  of the Marine Integrated Fire and Air Support System. 0
- Analyze Operational Testing II results, and corresponding recommended changes of the Marine Integrated Fire and Air Support System. 0
- UNCLASSIFIED Commence improvements to the system that result from testing of the Marine Integrated Fire and Air Support 0

Program Element: 26626M

Marine Corps Command/Control/Communications Systems (Operational Systems) Title:

Ortione preparations for the production decision and effort of the Marine Integrated Fire and Air Support 0

Conduct Marine Corps Program Decision Meeting III of the Marine Integrated Fire and Air Support System 0

Continue development of the deferred interfaces with associated "action" command/control/communications systems of the Marine Integrated Fire and Air Support System. 0

Bhaluate and incorporate recommended dranges from Operational Test  $\Pi$  for production of the Marine Integrated Five and Air Support System. 0

Outline refinement of hardware for production of the Marine Integrated Fire and Air Support System. 0

Ontine preparation for the production effort of the Marine Integrated Fire and Air Support System.

(U) FY 1988 Planned Program:

Outline development of the deferred interfaces with associated tactical command/control/commication systems of the Martine Integrated Five and Air Support System. 0

Cortinue to evaluate and incorporate dranges from Operational Test II for production of the Marine Integrated Fire and Air Support. System. 0

Outline preparation for the production effort of the Position Location Reporting System. 0

Accept, the first system of the follow-on Position Location Reporting System buy. 0

Monitor Operational Test II of NAVSTAR Global Positioning System marpack terminals. 0

(U) FY 1989 Planned Programs ö

Complete planned deferred capability engineering for incorporation into Marine Integrated Fire and Air Support production base line. 0

Participate in NAVSTAR Global Positioning System in multi-service operational test and evaluation. 0

UNCLASSIFIED

550

Program Element: 26626M

Title: Marine Corps Command/Control/Communications Sistems (Operational Systems)

Prepare for Marine Corps Program Decision Macting IIIB decision to begin procurement of the NAVSTAR Global Positioning System Margades. 0

e. (U) Ingram to Completion:

This is a continuing program.

(U) Project COOFS, Tactical Systems Inter/Intraoperability Program:

1. (U) <u>Description</u>: This project assures that Marine Corps tactioal command and control systems are interceptable with other services and allied systems in joint and combined operations, and interceptable among themselves to the degree required by approved Department of Defense guidance and validated Marine Corps operational require. Latts.

2. (U) Program Accomplishments and Puture Efforts:

(U) FY 1986 Program:

o Drafted Marine Orrys Interoperability Managament Pian.

o Initiated Interoperability test program development.

Continued to equiposize NATO interoperability, and US Marine Corps/US Navy interoperability. 0

Rublished updated Marine Corps Technical Interface Concepts and Technical Interface Design Plan documents. 0

o Rabitshed updated Marine Corps Massage Element Dictionary.

Continued development of a Resition Location Reporting System and Marine Integrated Fire and Air Support System 0

USMC participated in Joint Tactical Commend/Control/Comminations Central Data Base System. Э Cortinued intra/interoparability configuration management of Marine Carps, Joint and Allied Standards. O

o Established protocol test bed.

Program Element: 26626M

Title: Marine Corps Command/Control/Communications Systems (Operational Systems)

o Continued support of NATO workling groups.

Continued development of USAC interoperability data bese.

b. (U) FY 1987 Program:

Continue revision of Marine Corps Technical Interface Concepts and Technical Interface Design Plan documents. 0

o Implement interoperability testing.

Continue to develop Marine Corps interoperability standards.

Cortinue the development of the interoperability database.

Continue to emphasize NATO interoperability.

octions configuration management of Marius Corps, Joint and Allied standards.

c. (U) FY 1988 Planned Program:

Implement Marine Corps Interoperability Database

o Cortine interoperability testing.

Continue to develop Marine Corps interoperability standards.

o Continue configuration management of Marine Corps, Joint, and Allied standards.

d. (U) FY 1989 Planned Program:

o Continue interoperability testing.

o Continue to develop Marine Corps interoperability standards.

o Continue configuration management of Merine Corps, Joint, and Allied standards.

Program Element: 26626M

Title: Marine Corps Command/Control/Communications Systems (Operational Systems)

- e. (U) Program to Completion:
- o This is a continuing program.
- (U) Project (0)03, Marine Air Command and Control Systems Operational Development:
- 1. (U) Description: Inds project provides support for the Marine Air Command Control System to ensure that it addieves interposability and compatibility both within the Marine Corps and in Joint/Allied operations.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- Oritimed Taction1 Air Command and Control development for growth to AVTYQ-23 Taction1 Air Operation Module intevintraoperability. 0
- Maintained engineering drange proposals development for other Marine Air Command and Control Systems (i.e., TMC-1, TRO-2, TRO-34). 0
- o Maintained other system support as required.
- Outlined hardware and software upgrade in support of the AVTM-34 Tactical Data Communications Central. 0
- o Continued a product improvement program for the Tactical Air Command Center.
- o Continued interoperability upgrade of the AVTXQ-23 Tactional Air Operations Module.
- o Initiated effort to improve the Direct Air Support Center.
- Instituted block upgrades to ensure interoperability among Marine Air Command and Control Systems and between the Marine Air Command and Control System and other services, including NATO. 0
- b. (U) FY 1987 Program:
- Meintain other system support as required.

Program Element: 26626M

Title: Marine Corps Command/Control/Communications Systems (Operational Systems)

- Initiate efforts to reduce the systems infrared emissions and signature of Marine Air Command and Control Systems. 0
- Ortine block software upgrade in support of Marine Air Command and Control fielded systems. 0
- Cortinue preplamed product, improvement, of the AWTPB-1D Radar Course Directing Central. Ç
- Transition lactical Air Command Center upgrades through a product improvement program into a separate line item, C1929, Advanced Tactical Air Command Central in Program Element 64719M, Marine Corps Command/Control/Communications Systems (Operational Systems). 0
- o Continue efforts to upgrade and improve the Direct. Air Support Center equipment.
- Continue hardware and software upgrade of fielded systems to meet current threat by improving nuclear, biological and chantoal deferme capabilities. 0
- Orrect definiencies discovered during field tests/usage of the Tactical Air Operations Module, AVTM-23 Taction Air Operations Module. 0
- c. (U) FY 1988 Planned Program:
- o Cortinue block software upgrades in support of fielded systam.
- Continue correction of deficiencies discovered during field tests/usage of the AVINQ-23 Tactical Air Operations 0
- Outine block interoperability upgrades for fielded systems (i.e., AVIXQ-3A Tactical Data Comunications Central). 0
- Begin integration of Joint Tactional Information Distribution System and anti-jam High Prequency Radio equipment into AVTNO-23 Tactional Air Operations Motule. 0

Program Element: 26626M

Title: Marine Corps Command/Control/Communications Systems (Operational Systems)

d. (U) FY 1989 Planned Program:

o Continue block software upgrades in support of fielded systems.

o Cartinue block interoperability upgrades for fielded systems.

Ortine Joint Tection Information Distribution System/High Frequency Arti—lem Redio integration into AVING-23 Taction Air Operations Module. 0

Outline correction of defloiencies discovered during test/usage of the AVTMQ-23 Taction1 Air Operations Module. 0

. (U) more to Completion:

o Continue block intercorability upgrades for fielded systems.

Complete Joint Tactical Information Distribution System/High Prequency anti-jem integration into AVTMQ-23 Taction Air Operations Module. 0

Continue block or there upgrades in support of Melded systems.

(ii) Project C1067, Aviation Reder Product Turnement:

1. (U) Description: This project ensures that modifications, improvements, and actions in response to field identified discrepand is are developed for editing radars and associated equipments. It also ensures that electronics counter-measures and arti-arti radiation missile expability for editing and developing radar systems are defined and developed.

2. (U) Program Accomplishments and Puture Efforts:

a. (U) FY 1986 Program:

Cortinued to identify required drange/mods to production and fielded system with the emphasis on AVTPS-32, AVTPS-63, and AVTPS-99 radars, as well as radar remoting and anti-radiation missile efforts to optimize radar and Tactical Air Operations Module survivability. 0

o Completed AWTPS-59 radar decoy terting.

o Completed AVTPS-32 radar decoy development.

Program Element: 26626M

Title: Marine Corps Command/Control/Communications Systems (Operational Systems)

- Initiated AVTPS-59 radar product improvement to increase the performance in a high-threat, high-clutter 0
- o Tested AVTPS-32 radar decoys.
- o Imroved electronic courter-courter measures performance of all radars.
- Improved design for the reliability for AVTES-32 radar transmitter control unit and receiver synthesizer. 0
- Continued AVTPS-63 Product Improvement of solid state transmitter components to achieve improved reliability and maintainability. 0
- b. (U) FY 1987 Program:
- Design modifications for the reliability, adaptability and maintainability of the ANVIRS-32 radar receiver.
- Continue improvements on a spectrum analyzer to reduce electronic countermeasure vulnerability of the AVTPS-59 0
- Plan for design of a new ultra-low sidelobe anterna for operation in a high threat environment by the AVTRS-63
- Outline development of solid state transmitter component, to improve the reliability of the AVIPS-63 mater. 0
- c. (U) FY 1988 Planned Program:
- Identify and integrate a non-developmental item display compole into the NVTPS-32 mater. 0
- Continue to develop the spectrum analyzar to reduce electronic countermeasure vulnerability of the AVTPS-59 0
- d. (U) FY 1989 Planned Program:
- o Continue development of the receiver modification to the AVIRS-32 moder.
- Begin development of the energy management track-while-scen ground control interface upgrade to the AVTRS-59 radar. 0

Frogram Element: 26626M

Title: Marine Corps Command/Control/Communications Systems (Operational Systems)

- Begin development of a solid state transmitter for the AVTRS-63 radar.
- e. (U) Program to Completion:
- o Complete anti-radiation missile defense system for the AVTPS-59 and AVTPS-32 radars.
- Omplete reliability, adaptability and maintainability improvements to the AVTPS-32 and AVTPS-63 radars. 0
- Omplete development, production, and fielding of electronic counter-counter measures enhancements to AVTRS-63, AVTRS-32, and AVTRS-99 redens. 0
- (U) Project CH443, Training Devices/Similators (Product Improvement).
- opportunity to practice the tactical decisions they would make on a battlefield. It will also develop training devices and similators which are not or cannot be developed in conjunction with a major end item such as the Combined Arms Staff Trainer and the Precision Armary Training System. Additionally, this is a continuing project that identifies methods and techniques to 1. (U) Description: This project will continue the product improvement of the Tactical Warfare Simulation, Baluation, and Analysis System and a family of manual wargame based tactical training systems designed to give unit commanders and staffs an improve the effectiveness of training conducted throughout the Marine Corps.
- 2. (U) Program Accomplishments and Puture Efforts:
- a. (U) FY 1986 Program:
- o Continued final prototype development of the battalion level wargame (SIBBLINHIST).
- Corducted final prototype test of INNER, the first cocupational specialty game-based training system, and initiated production contract. 0
- o Developed the functional desmecteristics of the Combined Arms Staff Trainer.
- o Contracted for production of STEELIHHIST and IMMER.
- Ortined softwere design and documentation for Tactical Warfare Simulation and Braluation and Aralysis System Integrated Manauver Controller. 0

Program Element: 26626M

Marine Corps Command/Control/Communications Systems (Operational Systems) Title:

Orducted preliminary design review, completed program performance specifications, and initiated preliminary design specifications of Tactical Wartare Simulation, Evaluation, and Aralysis System Integrated Manaver Control 0

- Released request for proposal for the Precision Garnery Thaining System: Contract with programment options. 0
- Avarded contract for the development of the Combined Arms Staff Thainer.
- b. (U) FY 1987 Program
- Omplete the Dactional Markare Simulation Braluation and Aralysis System Integrated Manauver Controller (INC) critical design review. 0
- Orrbut development/operational testing of Combined Arms Staff Trainer. 0
- Conduct operational test of the Tactical Marfare Similation, Braluation and Analysis System automated display System. 0
- Complete preliminary design specifications and conduct critical design review and develop test plan specifications for Tactical Warfare Similation, Brainstion, and Analysis System Integrated Manuser Control 0
- Aerd contract and corduct, operational testing of the first article TOM Arti-Armor variant of the Precision Ornery Training Syrtem. 0
- Ovitinue prototype development for production of TACMAR and STEELTHAGT Amphibitious variants. 0
- (U) FY 1988 Planned Programs ပ
- Bagin development of Tactional Warfare Simulation Byaluation and Analysis System interface with Marine Tactional Air Command and Control Systems. 0
- Install initial Combined Arms Staff Trainer at Twentynine Palms, CA. 0
- Initiate coding and testing of software for Tactical Marfare Simulation, Evaluation, and Analysis System Irragated Manauver Centrol. 0

Program Element: 26626M

Title: Marine Corps Command/Control/Communications Systems (Operational Systems)

- Initiate production contract for STEELIHRIST Authibious variant.
- o Complete development of Marine Corps Manual Wargames.
- Pield Tarticel Nerfare Similation Baluation and Analysis System Integrated Manuever Control software and install fourth equipment suite at Camp Butler. 0
  - o Award contract for production of STBELINHIST (Amphilb), KIRLEMAN, and COMBMI ENGINEER.
    - o Everalise production option for TOM variant of Precision Genery Training System.
- Orderst developmental/operational testing of the first article IRMOON variant of the Precision Cannery Thaining 0
- d. (U) FY 1989 Planned Program:
- Continue development of Tactional Warfare Simulation, Byaluation and Analysis System interface with Marine Tactional Air Command and Control Systems. 0
  - o Award contract for additional Combined Arms Staff Trainers.
- o Begin development of Continued Arms Training System.
- Desruise production option for the IRACIN variant of the Precision Cunnery Training System. 0
  - e. (ii) Program to Completion:
- o This is a continuing program.
- H. (U) PROJECTS OVER \$ 10 MILLION IN FY 1988/89: Not applicable.
- . (U) TEST AND EVALUATION DATA: Not. applicable.

### FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 27316N DoD Mission Area: 244 - Defense Suppression

Title: Tacit Rainbow Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESCURCES (PROJECT LISTING): (Dollars in Thousands)

Total	Estimated	Cost	24,536	2006
	Additional	to Completion	3,951	
	FY 1989	Estimate	5,896	2006
	FY 1988	Estimate	14,689	14,000
	FY 1987	Estimate	0 0	>
	FY 1986	Actual.	0 6	
		<u>11t1e</u>	TYTAL FOR PROCRAM ELENENT	Tacit Kainbowa
	Project	No.		MZDD

\* Funding for Navy peculiar requirements only. Air Force is lead service with development funding in PE 27316F.

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated

- loitering system that can search out and attack emitting enemy radars and jammers. This system will provide commanders with a Both air and surface-launched variants will be developed with maximum component commonality between the variants being mandatory. The system will interface with existing and planned command, control, communications, and intelligence (C<sup>3</sup>I) elements and be The Services have an urgent need for a low-cost, programmable, airborne weapon that can defeat/suppress the enemy's ability to: (1) acquire and attack friendly forces and (2) jam friendly emitters. compatible with individual and joint Service employment concepts. B. (U) BRIFF DESCRIPTION OF ELEMENT AND MISSION NEED.
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: Not Applicable.

Program Element: 27316N

Title: Tacit Rainbow

D. (U) OTHER PY 1988/89 APPROPRIATION FUNDS:

Weanon Procurement, Navy.	FY 1986 Actual	FY 1987 Fstimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
Funds Quantities*	00	00	0 0			

\* Air Force procurement will commence in FY 1988.

Service and Army and Navy personnel integrated into a Joint System Program Office (JSPO). Air Force funding for Tacit Rainbow is The Tacit Rainbow (TR) program is a tri-Service effort with the Air Force serving as the Executive E. (U) RELATED ACTIVITIES: provided under PE 27316F.

Wright-Patterson, Air Fonce Base, OH; Warner Robbins Air Logistics Center, Warner Robbins Air Force Base, GA; Naval Air Systems Command, Washington DC; Navsl Weapons Center, China Lake, CA; Army Material Command, Washington DC; Army Missile Systems, Redstone Argenal, AL; Dugway Proving Ground, UT. CONTRACTORS: Northrop Corporation, Ventura Division, Thousand Oaks, CA, was selected as (JSPO) at the Aeronautical Systems Division, Wright-Patterson AFB, OH; Other government organizations include: Air Force Tactical Air Command, Langley Air Force Basc, VA; Air Force Strategic Air Command, Offutt Air Force Base, NE; Air Force Logistics Command, the prime contractor for full scale development and initial air-launch vehicle production. Additional contractors will be IN HOUSE: The Tacit Rainbow development and acquisition program is managed by the Tacit Rainbow competitively selected for second-source air-vehicle production. F. (U) WORK PERFORMED BY:

G. (U) PPOJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable.

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

(U) Project W2002, Tacit Rainbow:

1. (U) Description: The Tacit Rainbow development program will significantly increase the Services' capability to suppress enemy air defenses by producing a low-cost, programmable, airborne loitering system that can search out and atrack emitting enemy radars and jammers. Air-launched Tacit Rainbow vehicles will be compatible with the Air Force B-52 aircraft, and

Program Element: 27316N

Title: Tacit Kainbow

significantly less than other anti-radiation attack weapon systems. The Air Force has negotiated a \$161M cost cap for completion of the full scale development contract. A unit production cost of \$110,000 is anticipated based on a February 1986 Air Force/Navy Using simplified seeker and guidance techniques and stateof-the-art technology, this autogramous weapon system is designed to produce a viable emitter attack capability at a cost Air Force and Navy tartical affects (F-16, A-7, F/A-18, A-6E),

- 2. (1) Program Accomplishments and Future Efforts:
- a. (11) FY 1986 Program: Not Applicable,
- Contractor-conducted development flight tests will precede an Air Force/Navy combined Development Test and Evaluation/Initial Operational Test and Evaluation using the B-52 and A-6E aircraft. An improved vehicle seeker is in marallel development to meet a An air-launch vehicle Crifical Design Revism was conducted in October 1986. joint operational requirement to attack a larger number of target types. (U) FY 1987 Program:
- · air-launch vehicles, An acquisition strategy will be developed and Navy Air Force and Navy combined Development Test and Evaluation/Initial Operational Test using the Air Force W) FY 1988 Planned Program: Complete the air-launch vehicle full scale development. The Air Force and Navy intend to procure which will provide for an air-launch vehicle production competition. respectively. A low-rate-initial-production decision is planned aircraft will be completed.
- d. (II) FY 1989 Planned Program: Commence weapon system preplanned product improvements including expanded seeker capabilities and mission computer performance enhancements. The air-vehicle will be qualified on additional tactical aircraft (F/A-18 and A-7). Follow-on Operational Test and Evaluation will be conducted.
- and havy air-launch production will be completed

the first year of air-launch vehicle rate production. Air Force respectively.

Program Element: 27316N

Title: Tacit Rainbow

f. (4) Major Milestones:

Milestone

Date

Air-Launch Milestones

1. 2. 3.

(U) Milestone Ill(U) Complete full scale development(U) First Production Delivery(W) Initial Operational Capability

1. (U) TEST AND EVALUATION DATA: Not Applicable.

## FY 1988/89 FOTELE DESCRIPTIVE SUMPLRY

Program Element: 28010M DoD Mission Area: 345 - Tactical Communications

Title: Joint Tactical Commications Program Budget Activity: 4 - Tactical Programs

1 Trousands)
i suellod)
T LISTING):
(PROJEC
HEEDURGES
1988/89
(U) FY
A.

Total

Cost	Continuing Continuing Continuing
Additional to Completion	Continuing Continuing Continuing
FY 1989 Estimate	2,850 1,363 1,487
FY 1988 Estimate	4,601 3,582 1,019
FY 1987 Estimate	5,705 4,187 1,518
FY 1986 Actual	12,494 10,672 1,822
Title	TOTAL FOR PROTRAM BLEMENT Unit Level Switches Product Improvement Marine Corps Unilateral TRI-TAC Test and Flatlation
Project No.	0000 00065

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

- B. (U) HRUEF DESTRIPTION OF ELEMENT AND MISSION NEED: Provides for the development of the TRI-TAC unit level switches and supporting technical control elements for which the Marine Corps has been designated the developing service by Assistant Secretary of Defense for Command, Control, Communications and Inivelligence and further provides Marine Corps testing of Joint Secretary of Defense for Command, Control, Communications and Inivelligence and further provides Marine Corps testing of Joint Tactical Communications Program equipments. Equipments developed within this program support the mission area of command and control and specifically support the switching requirements of the various subsystems within the Landing Force Integrated Communications System.
  - 1,238 is the to Congressional reductions to slow Unit Level Circuit Switch planned product improvement efforts until after limited operational testing has been completed in FY 1987. The FY 1988 decrease of 6,075 is due to a FY 1985 and FY 1986 limited operational testing has been completed in FY 1987. C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMRY: (Dollars in Trousands) The dranges between the funding profile shown in the FY 1987 Descriptive Summary are as follows: Unit Level Switches Product Improvement: The FY 1986 increase of 2,670 results from correction of DI/OT identified deficiencies. The FY 1987 decrease of Linguistics and the FY 1987 decrease of Li acceleration of the follow-on RAD program which was designed to correct testing deficiencies prior to commencement of production, significantly reducing the number of new interface requirements in the TRI-TAC architecture, and a providing a reassessment of significantly reducing the number of new interface requirements in the TRI-TAC architecture, and a providing a reassessment of

Program Element: 28010M

Title: Joint Tactical Communications Program

desired enhancements for the Unit Level Chrouit Switch equipments. Marine Corps Unilateral IRI-TMC Test and Baluation: The FY 1986 increase of 824 and the FY 1988 decrease of 1,663 are due to acceleration in the FY 1986 and FY 1987 of the full scale development phase of the Marine Corps! Fiber Optic Cable System. Four (4) 12-kilometer fiber optic links will be developed. The Fiber Optic Cable System will replace the CK-11230 cable system and will provide a significant enhancement in mobility.

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SLAWRRY:

							हिंद्
Project		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
9	Title	Actal	Estimate	Estimate	Estimate	to Completion	Obst
	TOTAL FOR PROGRAM ELEMENT	21, 131	000,6	6,939	12,339	Continuing	Continuing
64,000	Unit Level Switches Product Improvement	17,639	8,002	5, <u>t</u> R	9,657	Continuing	Continuing
95000	TRI-TAC Joint Testing Facility	1,306	2	<b>•</b>	•	*	*
200065	Marine Corps Unilateral INTIAC	2,3	86	1,534	2,682	Continuing	Continuing
	Test and Evaluation					11	

Project 00056 (TML-TAC Joint Testing Facility) funding for FY 1986 and beyond is transferred to the Joint Tactical Command, Control, and Communications Agency.

The above furting profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1963 only.

## D. (U) OILER FY 1988/89 APPROPRIATION FUNDS:

Total  Y 1988 FY 1989 Additional Estimated Stimate to Completion Cost	13,706 20,557 TBO
FY 1987 F Estimate	13,706 (12) 38,395 (143)
FY 1986 Actual	1 1 #E(#)
Title	Unit Level Switches ULCS, USMC AVTIC-42 (qty) (RCN 041063) SB-3865 (qty) (RCN 041063)
Project No.	6 <del>1</del> ,000

Program Element: 28010M

Title: Joint Tactical Communications Program

E. (U) RELATED ACTIVITIES: This effort is related to Program Element 28010A, Tri-Service Joint Tectical Communications Program, Air Force; and PE 28010N, Tri-Service Joint Tactical Commications Program, Navy. National Security Agency is developing Commications Security equipment for the Unit Level Switch programs.

CONTRACTORS: F. (U) WORK FERFORMED BY: IN-HINE: Space and Naval Warfare Electronic Systems Command, Washington, DC. COMI Calculon Orporation, Rodwille, MD.; International Telephone and Telegraph, Defense Communications Division, Nutley, NJ.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

(U) PROJECT 00049, UNIT LEVIEL SMITCHES (Product Improvement):

1. (U) Description (Requirement and Project): The Marine Corps was tasked by Assistant Secretary of Defense, Command, Control, Comminications and Intelligence, to develop and procure a Unit Level Circuit Switch to satisfy all service requirements. This development and acquisition program was further defined in instructions issued to the Marine Corps by the Director, TMI-IMC (JIC3A) The Unit Level Circuit Switch will extend, where required, the performance capabilities of the new large capacity switches, AVTIC-39, and its associated Communications Security with the Switch Board - SB-3865, to the unit The Unit Level Message Switch development was assigned to the Marine Corps to provide automated massage switching capabilities for all U.S. Armed Services.

2. (U) Program Accomplishments and Future Efforts:

a. (U) FY 1936 Program: Unit Level Circuit Switch/Message Switch

o Continued follow-in RED effort of Circuit Skitch.

o Continued full scale environering development of the Massage Switch.

o Awarded production contract of Circuit Skitch.

Commerced preparation for limited Operational Test II of ANVITC-42 unit level circuit switch.

Program Element: 28010M

Title: Joint Tactical Communications Program

b. (U) FY 1987 Planned Program: Unit Level Circuit Switch/Message Switch

Orduct engineering budgetary study of potential technological enhancements for FY 1991 block upgrade of Circuit Switch.

o Corclude Full Scale Brgineering Development for Unit Level Circuit Saitch.

o Corduct limited Operational Test II of the Unit level Circuit Switch.

o Bagin procurement of 38-3865 Tactional SuitchBoard.

o Neivroish Auli Scale Engineering Development model unit level message switches.

o Conduct regression test of UMS software.

Provide contractor operator training on Unit Level Massage Switch prior to Operational Testing. 0

Conduct Dewslopmental Testing and Operational Testing of the Unit Level Message Switch. 0

o Corclude effort to identify final configuration of message switch.

c. (U) FY 1988 Planned Program: Unit Level Circuit Switch/Message Switch

o Evaluate errements to Unit Level Circuit Switch.

Complete full scale engineering development of the message suitch and procure reprocurement data package. 0

Evaluate potential technological enhancements with the Marine Corps for the unit level message switch. 0

d. (U) FY 1989 Planned Program: Unit Level Circuit Switch/Message Switch

Ontine evaluation of potential technological and interoperability extenoments within the Marine Corps for the unit level circuit switch. 0

Omplete preparation of Unit-Level message switch for competitive procurement.

Program Element: 28010M

Title: Joint Tactical Communications Program

Relurtish equipment as required for the Unit Level Message Switch.

e. (U) Program to Completion: Unit Level Circuit Switch.

o Initial operational capability for Marine operational forces in FY 1990.

o Submit request for proposal for Unit Level Message Subtoh.

Ontine evaluation of potential technological and interoperability enhancements to Unit Level Massage 0

Ortine evaluation of additional product improvements to accomplate future data transmission requirements of the Marine Corps and enhance system interoperability. 0

(U) Project COOS, Marine Corps Participation in TRL-TAC Programs:

Corps Develoyment and Education Commend testing of TRI-TAC equipment, transportation of Marines and Marine Corps peculiar test and evaluation equipment to the joint test bed for testing, development of a digital fiber optic cable system for the unit level 1. (U) <u>Description</u>: This program provides for technical writer support in the formulation of joint test plans, Marine switches, development of a fiber optic multiplexing system and development of a syscon/techcon for Marine tactical forces.

2. (U) Program Accomplishments and Future Efforts:

a. (U) FY 1986 Program:

Provided technical support to U.S. Army Test and Evaluation Command chring joint development testing to ensure that Marine Corps requirements were included in the joint service test and evaluation master plan of the single subscriber terminal. 0

joint interoperability testing, to include Marine Corps peculiar communications/electronics Continued equipment 0

Continued full scale engineering development of digital fiber optic programs and evaluated a tactical throwon-the-ground analog/digital applique unit for use with a fiber optic cable system. 0

Program Element: 28010M

Title: Join: Tactical Communications Program

peculiar Oprigo Marrine include β testing, interoperability Continued participation in in communications/electronics equipment. 0

- o Continued evaluation of syscon/technon requirements.
- Ortined evaluation of a tactical throughout analog digital and electro-optical fiber optic cable system. 0

#### b. (U) FY 1987 Program:

- Carclude full scale argineering development of digital fiber optic cable system, developmental/operational test and initiate correction of discrepancies discovered during testing.
- Manitor and evaluate selected joint tactional command, control and communications agency testing activities with potential Marine Corps impact. 0
- Outine planning for interoperability testing to include Marine Corps peculiar communication/electronic equipment. 0
- Ballate and select a field test set that will determine attenuation of fiber optic cable assembly and locate (within 5 meters) a break in the line. 0
- o Commence planning/development of tactical systom/techcon.
- Continue development of a throw-on-the-ground analog/digital fiber optic multiplexing system. 0
- c. (U) FY 1988 Planned Program:
- Orrelate all full scale engineering development on digital and analog fiber optic cable systems for trunking. 0
- Begin evaluation of applique units (electro-optical converters) for fiber optic cable system. 0
- o Continue development of tactical system control and technical control.
- Manitor and evaluate selected joint tactical command, control, and communications agency testing activities with potential Marine Corps impact. 0

Program Element: 28010M

Title: Joint Tactical Communications Program

d. (U) FY 1989 Planned Program:

Begin production of fiber optic applique (electro/optical converter).

o Continue development of tactical system control and technical control.

Maritor and evaluate selected joint tactical command, control, and commanications agency testing activities with potential Marine Corps impact. 0

o Conclude Full Scale Engineering Development of Marine Corps Fiber Optic Multiplexing System.

e. (U) Program to Completion:

o This is a continuing program.

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not applicable.

I. (U) TEST AND EVALUATION DATA: Not applicable.

### FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63109N DoD Mission Area: 374 G3 Protection/Multi-Mission, Technology and Support

Title: Integrated Aircraft Avionics
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total	Fstimated	Cost	Continuing	ļ	Continuing
	Additional	to Completion	Continuing Continuing	H	Continuing Continuin
	FY 1989	Estimate	2,093	0	2,093
	FY 1988	Estimate	2,375	0	2,375
	FY 1987	Estimate	20,498	13,950	6,548
	FY 1986	Actual	•	1	
			FOR PROGRAM ELEMENT	INEWS Adv Dev *	Adv Dev **
		Title	TOTAL	INEWS	ICNIA
	Project	No.		W1953	41954

In FY 1986 funding for this project included within PE 63206N Project W0638. In FY 1988 and 1989 funding is included in Air Force PE 63109F.

\*\* In FY 1986 funding for monitoring Air Force and Army ICNIA development effort wis included within PE 63217N Project WO446.

The above funding profile includes escalation and encompasses all work or development phases now planned or anticipated through FY

subsystems to demonstrate the substantial savings in life cycle costs to be gained through subsystems synergism and shared common integration of aircraft avionics systems, provides intelligent resource management of sensor data and countermeasures and affords recent developments in VHSIC, microwave/millimeter wave, and electro-optic device technologies as well as by innovations in computer architecture, data transfer/storage device and electronic cooling/packaging techniques. The INEWS/ICNIA programs are joint, advanced technology development efforts designed to demonstrate the integration of electronic warfare and communication/ navigation/IFF functions for application in future aircraft including the Navy Advanced Tactical Aircraft (ATA), the Air Force Advanced Tactical Fighter (ATF) and the Army LHX. Puture projects will explore integration of all major core and mission avionics integrated sircraft avionics for Navy advanced aircraft and provides consolidated support for the Navy portion of the Integrated INEWS/ICNIA are very innovative architectures based on Very High Speed Integrated Circuit (VHSIC) technology that allow for total The integration of avionic functions provides a dramatic decrease in the life cycle cost, complexity, size and weight of aircraft systems while significantly The ability to integrate avionics functions is made possible by B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program element provides funding for the advanced development of Electronic Warfare System (INEWS) and the Integrated Communications, Navigation, Identification Avionics (ICNIA) programs. substantial growth potential through addition rather than modification of avionic subsystems. improving aircraft performance, survivability and readiness. hardware between systems and platforms.

Program Element: 63109N

Title: Integrated Aircraft Avionics

C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The significant changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: Project W1953, INEWS: Reduced 1,661 in FY 1987 due to Congressional adjustment; reduced 22,903 in FY 1988 due to Department program/budget adjustment. W1953 INEWS development funding for FY 1988 to completion was transferred to the Air Force, joint service lead program sponsor in PE 63109F.

Project W1974. AIA: Reduced 2,540 in FY 1988 due to Department budget and program adjustments.

(U) F EDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

								Torai
Project			FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
No.	Title		Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL.	FOR PROGRAM ELEMENT	•	1	22,484	27,818	TBD	TBD
W1953	INFWS	INFWS Adv Dev	,	•	115,611	22,903	TBD	TBD
75 (A	1CN1A	Adv Dev	•	1	6,873	4,915	TBD	TBD

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not applicable.

contribute to and support INEWS development efforts. The Electronic Devices portion of Program Element 62234N (Support Systems being exploited in ICNIA and INEWS efforts. Program Element 62732N (Command Control and Communications Technology) has developed much of the radio frequency (RF) receiver technology used in ICNIA front-ends. Program Element 63217N, Project W0446 (Advanced Navy and joint services VHSIC/VHSIC insertion programs have demonstrated the signal processor/preprocessor hardware being used in ICNIA/INEWS. The Navy is currently completing the development of a VHSIC based communications signal processor under Program Element 62762N. The Air Force and Army are pursuing The DoD/tri-service MIMIC Program is developing microwave/millimeter wave monolithic circuits for EW and Communications systems under Program Element 63706D. Air Force INEWS efforts are supported by Program Element 63109F. There is E. (U) RELATED ACTIVITIES: Flectronic warfare advanced development efforts in Program Element 63206N (EW Advanced Development) Inchnology) has developed VHSIG devices, microwave/millimeter wave devices, surface acoustic wave devices and packaging technology Avionic Subsystems Technology) develops standard avionic modules, connectors, standard enclosures and integrated racka technology the development of ICNIA terminals under Program Element 63109F (INEWS/ICNIA Advanced Development) and Program Element 63207A ne unnecessary duplication of effort within the Navy or the Department of Defense. being exploited in modular avionic systems such as ICNIA/INEWS.

Title: Integrated Aircraft Avionics

Program Element: 63109N

F. (U) WORK PERFORMED BY:

TRW, San Diego, CA; Sanders Assc., Nashua, NH; General Electric, Utica, NY; Westinghouse (U) Primary Contractors - INEWS: Electric Co, Baltimore, MD. TRW, San Diego, CA.; Rockwell/Collins, Cedar Rapids, 1A; Singer Kearfott, Little Falls, NJ. (U) Primary Contractors - ICNIA:

(U) IN-HOUSE: Naval Air Development Center, Warminster, PA; Naval Air Test Center, Patuxent River, MD; Naval Avionics Center, Indianapolis, IN; Naval Weapons Center, China Lake, CA; Pacific Missile Test Center, Point Mugu, CA; Naval Research Laboratory, Washington, DC; and Air Force Wright Aeronautical Laboratory, Wright-Patterson AFB, OH.

G. (U) PROJECTS LESS THAN S10 MILLION IN FY 1988/89:

(U) Project W1953, INEWS Advanced Development:

significantly raise aircrew EW situation awareness and mission effectiveness by employing advanced processing techniques and VHSIC technology which will automatically provide real time multi-sensor fusion, countermeasures response and weapons systems cuing in processing, sensing, control and display interface, and countermeasures. The system will be developed in a modular fashion so as 1. (U) Description: This project provides funding for the Air Force managed INEWS prime contract, development efforts to INEWS will provide a multi-spectral threat warning and countermeasure capability for the ATA and ATF. The totally integrated EW system will The INEWS prime mission equipment will include hardware and software to provide signal data to easily accommodate the incorporation of later technological developments and be packageable for use in future aircraft. accommodate Navy unique ATA/mission requirements and Navy laboratory, engineering and test support. an easily comprehensible format.

2. (U) Program Accomplishments and Puture Efforts:

a. (U) FY 1986 Program: (program funded in PE 63206N, EW Advanced Development)

Completed INEWS concept definit in investigation (INEWS Phase 1A).

\* Prepared for the Defense Acquisition Review Council (DSARC) Milestone 1 (Postponed until 4/87).

Conducted down-selection to two Joint Venture contractor teams.

· Awarded INEWS Phase 1B demonstration/validation and risk reduction contract

Program Flement: 63109N

Title: Integrated Aircraft Avionics

b. (U) FY 1987 Program:

° Continue INEWS Phase IB demonstration/validation and risk reduction.

Commence design and fabrication of a breadboard Integration System Facility (ISF).

° Commence INEWS software development.

Commence Freliminary Full Scale Development (FSD) tasks.

° Prepare for Joint Requirements and Management Board (JRMB) Milestone I.

c. (U) FY 1988 Planned Program: (Program funded in Air Force PE 63109F)

Ontinue Preliminary Full Scale Development tasks.

° Begin source selection for FSD (Phase 2).

Prepare for JRMB Milestone II.

d. (U) FY 1989 Planned Program: (Program funded in Air Force PE 63109F)

· Participate with USAF in FSD.

UNCLASSIFIED

574

Program Element: 63109N

Title: Integrated Aircraft Avionics

#### f. (') Major Milestones:

DATE	FY 87/3 Qtr	FY 88/40	7. 91/40	FY 93/30	FY 95/40
			IIIA (11m prod)	MS IIIB (full prod) FY 93/30	
MILESTONE	MS I	MS II	MS IIIA	MS IIIB	100
MILE	1.	2.	3.	4.	5

## (U) Project W1954, ICNIA Advanced Development:

1. (U) Description: This project develops a new family of modular communications, navigation and identification avionics The Air Force/Army program began in FY 1984 with the Navy joining the effort in FY 1986. All Navy funding in this project is for Navy unique waveforms and Navy development support only. Navy advanced development model (ADM) equipment will be a five or six The ICNIA program is a tri-service program with Air Force the designated executive service. function terminal including one or two Navy unique waveforms. equipment for future naval aircraft.

## 2. (U) Program Accomplishments and Future Efforts:

#### a. (U) FY 1986 Program:

- o Initiated joint ICNIA development effort with Air Force/Army.
- ° Completed a memorandum of agreement with the Air Force,

#### b. (U) FY 1987 Program:

- o Establish presence as full tri-service member in the ICNIA program.
- Develop Navy requirement documents and incorporate in contract.
- ° Begin development of software for unique Navy waveforms.

### c. (U) FY 1988 Planned Program:

Program Element: 63109N

Title: Integrated Aircraft Avionics

Continue development of software for unique Navy waveforms.

° Participate in Air Force and Army DT&E.

d. (U) FY 1989 Planned Program:

\* Participate in Air Force and Army DI&E.

° Commence fabrication of a Navy mini-ICNIA terminal.

e. (U) Program to Completion:

° Complete fabrication of Navy ICNIA terminal.

Conduct test and evaluation of Navy ICNIA terminal including Navy unique waveforms.

H. (U) PROJECTS OVER S10 MILLION IN FY 1988/89: Not Applicable.

I. (ii) TEST AND EVALUATION DATA: Not Applicable

UNCLASSIFIED

576

### FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63206N
DoD Mission Area: 371 - Self-Protection Budget Activity:

Title: Electronic Warfare Advanced Development
Budget Activity: 4 - Tactical Programs

A. (U) FY 1968/89 RESOURCES (PROJECT 1.ISTING): (Dollars in Thousands)

							Total
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	46,012	27,718	62,350	46,821	Continuing	Continuing Continuing
W0638	Airborne Defensive Electronic						
	Countermeasures	26,167	12,392	36,829	28,644	Continuing	Continuing Continuing
07904	Offboard Electronic Warfare	19,845	11,824	21,712	14,262	Continuing	Continuing Continuing
W1935	Strike Electronic Warfare						
	Simulator	(3,900*)	3,502	3,809	3,915	0	17,126

\* Funded in from Project W0602, 64255N in FY 1986, not included in total shown here.

As this is a continuing program, the above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

flight crews with: (1) threat warming of advanced threats to cue evasive maneuvers or activate jammers/deceptive repeaters to Joint Airborne Expendable Decoy Office (JAEDO), scheduled to stand-up in July 1987. JAEDO will be charged with the development B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program element provides for advanced development efforts to ensure the combat survivability of tactical fixed and rotary wing aircraft through the development of self-protection systems to provide divert missile guidance radar and target trackers; and (2) offboard electronic warfare (EW) expendable systems which will decoy/ It also accommodates the Navy EW platforms. Efforts in this program element include coordinated and joint multi-service developments in Radar Frequency (RF), Electro-Optical (EO) and Infrared (IR) countermeasures. A joint Army, Navy and Air Force effort is ongoing to establish the development of the Strike EW Simulator (SEWS) and supports advanced technology demonstration and transition of EW projects for all jam the threat missile's guidance and cause the threat to be diverted to a safe miss distance. management of airborne expendable deccy systems.

Summary and that shown in this Descriptive Summary are as follows: For W0638, in FY 1986 the decrease of 3,219 was the result of C. (U) COMPARISON WITH FY 1987 DESCRITTIVE SUMMARY: The changes between the funding profile shown in the FY 1987 Descriptive

Program Element: 63206N

Title: Electronic Warfare Advanced Development

CRH and Department Program/Budget Adjustments. In FY 1988 , net increase in W0638 of 8,973 was due to a NIF rate adjustment and a Department Program/Budget Adjustment. For W0640 in FY 1986, the decrease of 4,808 was the result of CRH and Department Program/Budget Adjustments. In FY 1987 the decrease of 10,720 was due to Congressional action and adjustments and Department Program/Budget Adjustments.

## (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

- \* Transitions from Project W0602, 64255N in FY 1987.
- D. (U) OTHER FY 19RE/89 APPROPRIATION FINDS: Aviation support equipment-air launched ordnance (OPN)-Budget Activity (3):

FY 1985 FY 1987 Actual Estimate
40,300

- \* Quantities consist of all airborne EW Expendable Counter Measure Systems including Air-Launched Chaff, Infra-Red Flares and Expendable Jammers.
- countermeasures in accordance with the 1985 DoD EW Plan. This program element is E. (V) RELATED ACTIVITIES: Air Force and Army related efforts are formally coordinated through the Joint Tactical Coordinating Group/Warning Receiver Countermeasures Subgroup and informally in various joint development planning meetings, exchange of project coordinated with the Air Force Optical Countermeasure Program (Program Element 63743F) and the Army Optical Countermeasure Program reports, and use of Test and Evaluation facilities. Joint/cooperative programs are underway in the areas of Warning, Missile Detection Systems and

Program Element: 63206N

Title: Electronic Warfare Advanced Development

Related efforts with the U.S. Air Force and the U.S. Army in the foreign material exploitation area are coordinated through the OSD sponsored Tri-Service CROSSEGM-S Committee, the Joint Coordinating Committee on Electronic Defense Systems and through the mutual use of facilities. There is no unnecessary duplication of effort between this program and others within the Navy or the (Program Element 65711A) to keep abreast of emerging technology and advanced development, and to avoid duplication of effort.

- Naval Avionics Center, Indianapolia, IN; Naval Ocean Systems Center, San Diego, CA; Naval Surface Weapons Center, Dahlgren, VA; and Naval Weapons Support Center, Crane, IN. CONTRACTORS: Sanders Associates, Inc., Nashua, Nd; Applied Technology, Sunnyvale, CA; Lundy Electronics, Inc., Pompano Beach, FL; LORAL, Yonkers, NY; Rockwell International, Tulsa, OK; TRACOR, Austin, TX; Texas Instruments, Dallas, TX; Northrop, Rolling Meadows, IL; SEDCO, Long Island, NY; Loral Electro-Optical Systems, Pasadena, CA; Honeywell Gorp, Lexington, MA; Perkin Elmer Corp, Norwalk, CT; and Pacific Sierra Research Corporation, Santa Monica, CA, Grumman WORK PERFUKKED BY: IN-HOUSE: Pacific Missile Test Center, Point Mugu, CA; Naval Research Laboratory, Washington, DC; Naval Weapons Center, China Lake, CA; Naval Air Test Center, Patuxent River, MD; Naval Air Development Center, Warminster, PA; Aerospace Corp., Bethpage, N.Y.
- (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:
- (U) Project W1935, STRIKE EW SIMULATOR (SEWS):
- It will provide a unique capability to determine performance effectiveness of proposed electronic warfare equipment, i.e., INEWS and electronic warfare equipment mixes (before design and construction) through evaluation of that by sea control and force projection tactical afreraft (TACAIR) missions. Concurrently, it will provide an effective means of 1. (U) Description: This project develops the Strike Electronic Warfare Simulator (SEWS) which is a digital tactical in computer simulated multi-threat, multi-electronic countermeasures environments which are expected to be encountered evaluating electronic countermeasures (ECM) tactics in support of strike warfare. The SFWS will be located at the Naval Weapons Cost avoidance/reduction is obtained through mutual and cooperative use of Navy and Air Force exiating/new software developments under a memorandum of agreement. Center (NWC), China Lake, CA. airborne simulation model.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program
- Ocompleted 11sk reduction demonstration of SEWS ability to simulate and measure ECM effectiveness of a multiple aircraft/ECM sortie against a limited threat environment.
- Conducted a proof-of-design, through comparison of results with live flight data.

Program Element: 63206N

Title: Electronic Warfare Advanced Development

- Initiated Phase II software development, to support simulation of additional threats and scenarioa.
- ° conducted designs reviews with the INEWS Joint Venture Team (JVT) contractors to ensure INFWS digital model compatibility with SEWS.
- b. (U) FY 1987 Program:
- . Continue development support for the INEWS digital model.
- ° Complete Phase II software development effort.
- Demonstrate multiple aircraft/ECM versus a large threat simulation and measurement of effectiveness capability.
- (U) FY 1988 Planned Program:
- \* Evaluate INEWS JVT system concepts and support the INEWS development.
- · Complete Phase III software development to provide a simulation capability for the remaining planned threats, ECM equipment, and tactical scenarios capabilities.
- d. (U) FY 1989 Planned Program
- Ochduct final demonstration of the SEWS' full system.
- e. (U' Program to Completion: Program completed in FY 1989.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:
- (U) Project W0638, Airborne Defensive ECM:
- 1. (V) Description: This project provides the advanced development of radio frequency and electro-optical technology and ECM systems for increased fixed wing and helicopter aircraft and aircrew survivability. Specific components/equipments include: countermeasures techniques; AVR-2 Laser Warning Receiver for helos; electro-optical countermeasures (USA/USAF); integrated defensive avionics program (IDAP) - provides missile detection and the correct DECM electro-optical countermeasures technique and laser counterm-asures techniqu~ development; laboratory support for countermeasures (USA/USAF\*);

Program Element: 63206N

Title: Electronic Warfare Advanced Development

response at the appropriate time. Laboratory support is provided to establish an organic software support capability to provide for development, integration and configuration control of reprogrammable electronic warfare system software.

\*Joint/coordinated efforts with service as indicated in parenthesis.

- 2. (U) Program Accomplishments And Future Efforts:
- b. (W) FY 1986 Program:
- ° Continued
- countermeasures jamming technique development.
- Ochtinued electronic warfare equipment integration and organic software support capability for ALQ-126K, ALQ-162, ALR-45F and ALR-67.
- ° Continued definition of laser designator countermeasures.
- ° Continued system definition and risk reduction for Electro-Optical Countermeasures and system definition for tactical aircraft laser warning receiver.
- Commenced integrated defensive avionics program (IDAP) risk reduction for the A-6F.
- Completed concept definition phase of the joint Integrated Electronic Warfare System (INEWS) project (USAF).
   (INEWS advanced development is funded in PE 63109N, Integrated Aircraft Avionics, beginning in FY 1987.)
- Awarded INEWS risk reduction contract.
- Continued joint advanced development of laser range finder countermeasures with USAF.
- techniques for radar warning receivers and jammers, including electronically erasable programmable read only memories (EEPROM) for the ALR-67 and ALQ-126B. Continued investigation of
- c. (v) FY 1987 Program:
- Continue system definition for active

° Continue

jamming techniques development.

systems.

581

Program Flement: 63206N

Title: Electronic Warfare Advanced Development

- Continue development of electronic warfare techniques.
- ° Continue electronic warfare equipment integration and organic software support capability.
- ° Continue development of increased frequency coverage and improvements in reliability/maintainability.
- Complete DT/OT II of AVR-2.
- Initiate incorporation of electronically erasable programmable read only memories (EEPROMs).
- Continue IDAF development. Investigate incorporation in F-14D and F/A-18 II.
- Perform test and evaluation or

techniques for radar warning receivers and jammers.

- c. (#) FY 1988 Flanned Program
- o Incorporate
- techniques into radar warning receivers and jammers.
- Continue IDAP development and integration into A-6F.
- ° Complete system definition and prepare for engineering development of Electro-Optical countermeasures System and Laser Countermeasures System.
- Continue development of electronic warfare techniques.
- ° Continue development of increased frequency coverage and improvements to reliability/maintainability.
- Continue field reprogrammability efforts.
- " Iritiate changes to EWSSA to support EEPROMs.
- d. [W] TY 1989 Flanned Frogram:
- o Install IDAP on A-6F testbed.
- ° Commence engineering development of

UNCLASSIFIED

system and

Program Element: 6320.1N

Title: Electronic Warfare Advanced Development

o Continue development of electronic warfare techniques.

Continue incorporation of

techniques into radar warning receivers and janmers.

Continue field reprogrammability efforts.

e. (U) Program to Completion: This is a continuing program.

f. (U) Major Milestones:

MILESTONE

DATE

AVR-2 Laser Warning Receiver

M/S 11 (FSD)

M/S III (Full Rate Production)

IOC (First Depioyed)

Laser Warning Receiver for ALR-67A(V)2

K/S 11 (FSD)

M/S III (Full Rate Production)

IOC (First Deployed)

Integrated Defensive Avionics Program (IDAP)

M/S II (FSD)

P/S IIIA (Limited Production)

M/S IIIB (Full Rate Production)

IOC (First Deployed)

(U) Project W0640, Offboard Electronic Warfare:

(V) Description: This project provides for the advanced development of radio frequency and infrared offboard electronic wariare systems and the development of infrared onboard countermeasure systems for Navy and Marine fixed wing and helicopter aircraft. This project increases aircrew and aircraft survivability through application of new and/or improved infra-Specific component/equipments include: Airborne Active Expendable Decoy (AAED); Generic Expendable (radio frequency continuous missile warning receiver; fixed wing red, radio frequency, and flare technology as applied to expendables and associated dispensers for offboard countermeasures. wave) Decoy (GEN-X); MJU-8A/B and MJU-2C airborne expendable flare decoy; AAR-47 missile detection set; and Advanced Infrared Countermeasures systems.

Program Flement: 6370/4N

Title: Electronic Warfare Advanced Development

2. (U) Program Accomplishments And Future Efforts:

a. (II) FY 1986 Program:

° Completed test and evaluation of AAR-47 missile warning set.

Continued development of multi-shot chaff cartridge.

° Continued improved flare development.

\* Continued joint program with Air Force for advanced IR missile detection (Fly's Eye) system.

° Continued development of towed AAFD.

° Completed GEN-X advanced development.

b. (U) FY 1987 Program:

° Commence FSED development of the towed AAFD.

Continue development of multi-shot chaff cartridge.

° Continue development of the KJU-8A/B airborne expendable flare decoy.

c. (v) FY 1988 Planned Program:

" Continue FSED and integration of the towed AAFD on the A-6F.

° Continue development of the advanced missile detection system with the U.S. Air Force.

Continue development of airborne expendable decoys.

° Complete development of chaff multiple cartridge.

d. (U) FY 1989 Planned Program:

Continue development of the advanced missile detection system.

UNCI. ASSIFIED

584

Program Element: 63206N

Title: Electronic Warfare Advanced Development

Continue development of advanced IR Decoys.

\* Commence engineering development of the MJU-20 Forward Flying Decoy Flare.

Continue development of new improved dispensers.

\* Install AAFD On A-6F testbed. Initiate DT on AAED.

e. (U) Program to Completion: This is a continuing program.

f. (V) Major Milestones:

1. (U) TEST AND EVALUATION DATA: Not Applicable

UNCLASSIFIED

585

### FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Title: Air/Ocean Tactical Applications Budget Activity: 4 - Tactical Programs

Program Element: 63207N DoD Mission Area: 353 - Kaval Warfare

A. (II) FY 1988/89 RESOURCES (PROJECT LISFING): (Dollars in Thousands)

							Total
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROCRAM ELEMENT	6,613	4,286	13,971	15,909	Continuing	Continuing
X0512	Tectical Env. Support Sys. *	2,382	0	0	0	Continuing	Continuing
X0513	Air-Ocean Prediction	1,108	1,238	1,757	2,294	Continuing	Continuing
7.0514	Air-Ocean Shipboard						
	Neasurement	1.168	1,453	1,696	2,249	Continuing	Continuing
X0577	Remote Occass Measurement						
	System **	1,604	628	0	0	Continuing	Continuing
X094R	Precise Time & Time						
	Interval	351	196	1,816	2,648	Continuing	Continuing
X700R	Tactical Ocean Data Assimilation						
	and Prediction	0	0	8,702	8,718	0	17,420

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

<sup>\*</sup> Tactical Environmental Support System development transferred to PE 64230N, project X1752 as part of the Battle Force Command and Control (BFC2) restructure.

<sup>\*\*</sup> Aumote Ocean Measurement System project transferred to PE 63704N, project X1596 in FY 1988 and out as part of project consolidation.

This program comprises the Navy effort to provide a shipboard These projects will provide Battle Croup. Surface Action Group and Amphibious Task Force command and control with tirely The present shipboard environmental systems are outdated, slow, and incapable of meeting the weather and oceanographic data capability to optimize weapon and sensor performance as a function of the changing oceanographic and atmospheric environment. environmental data allowing the commander to optimize the selection and employment of available weapons, sensors and platforms. requirements of modern naval weapons systems and tactics. Precise Time and Time Interval will upgrade the Department of Defense RRIEF DESCRIPTION OF ELEMENT AND MISSION NEID:

Program Element: 63207N

time reference standard and dissemination methods critical to meeting strategic missile system accuracy requirements and future Strategic Defense initiatives, as well as satellite navigation improvements and development of jam-proof, secure communications. cceanographic data. Additionally, this work will exploit all possible data sources to improve the Navy's capability to provide Tactical Ocean Data Assimilation and Prediction maximizes the effectiveness and availability of remotely sensed and conventional tailored oceanographic support to Fleet and shorebased users.

shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: in FY 1986, an increase of 532 Department program/budget adjustments in project XO512 and a decrease of 472 GRB and Department program/budget adjustments in project X0514; in FY 1987, decreases of 2,031 in project X0512, 511 in project X0573, 195 in project X0514, and 430 in project A0948 are the result of GRN, Department program/budget adjustments, and Congressional adjustments/actions; in FY 1988, decreases of 1,688 In protect XU512, 671 in project X0513, 785 in project X0514, 1,195 in project X0527, and 1,068 in project X0948 are the result of Department program/budget adjustments. In FY 1988, an increase of 8,702 in project X2008 is the result of Department (Dollars in Thousands) The changes between the funding profile COMPARISON WITH THE FY 1987 DESCRIPTIVE SUMMARY: program/budget adjustments.

## (U) FUMDING AS REFLECTED IN THE PY 1967 DESCRIPTIVE SUMMARY:

Total	Estimated	Cost	Continuing	Continuing	Continuing		Continuing		Continuing		Continuing	
	Additional	to Completion	Continuing	Continuing	Continuing		Continuing		Continuing		Continuing	
	FY 1988	Estimate	10,676	1,688	2,428		2,481		1,195		7,884	
	FY 1987	Estimate	7,522	2,031	1,749		1,648		:69		1,397	
	FY 1986	Fstimate	6,730	1,850	1,172		1,640		1,697		371	
	FY 1985	Actual	6,663	1,689	1,429		1,736		1,505		304	
	-	Title	TOTAL FOR PROCRAM FLEMENT	Tactical Fnv. Support Sys	Air-Ocean Prediction	Air-Ocean Shipboard	Measurement	Krante Ocean Measurement	System	Precise Time & Time	Interval	
	Project	No.		X0517	X0513	X0514		70577		X094.P		

<sup>(</sup>U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not applicable.

UNCLASSIFIED E. (B) RELATED ACTIVITIES: Program Riement 3516CN, (Defense Meteorological Satellite Program); Program Element 64218N, (Air/Ocean Equipment Engineering); Program Element 63704N, (ASW Oceanography); Program Element 62455N, (Ocearcgraphic and Atmospheric Support Technology).

Program Element: 63207N

Title: Air-Ocean Tactical Applications

Naval Environmental Prediction Research Facility, Monterey, CA; Naval Air Development Center, Warminster, PA; Naval Ocean Research F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Ocean Systems Center, San Diego, CA; Naval Oceanographic Office, Bay St. Louis, MS; and Development Activity, Bay St. Louis, MS; Naval Research Laboratory, Washington, DC; and Naval Observatory, Washington, D.C. and Naval Electronic Center, Vallejo, CA. CONTRACIORS: Lockheed, Huntsville, Alabama.

- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:
- (U) Project X0512, Tactical Environmental Support System:
- develops a system to automatically ingest data from satellites, shore based facilities, and local measurements and to process the of the environment becomes increasingly critical to the success of offensive and defensive missions. Sensors and weapons must be wisely employed to exploit the environment; Ilmitations potentially imposed by the environment must be avoided. This project action officers, weapons systems, etc. Project exploits off-the-shelf computer hardware and existing Navy applications software 1.(U) Description: As enemy submarines become faster and quieter, and sensors become more capable, an accurate knowledge data into tactically relevent parameters and to distribute the results in the format needed by battle group commanders, tactical to provide essential information at modest cost. Design uses modular hardware and software to meet new requirementa with minimal future acquisition and life-cycle costs.
- 2.(U) Program Accom lishments and Future Efforts:
- (U) FY 1986 Program:
- Continued development of applications software for the Tactical Environmental Support System [TESS(3)].
- Developed TESS (3) interface requirements documentation.
- Developed TESS (3) acquisition support documentation.
- Prepared a Request For Proposal for the TESS (3) engineering development model (EDM).
- b. (U) FY 1987 Program:
- TESS (3) funding transferred to PE 64230N, project X1752 as part of the Battle Force Command and Control (BFC<sup>2</sup>) restructure.

Program Element: 63207N

Title: Air-Ocean Tactical Applications

## (U) Project X0513, Air-Ocean Prediction:

decision making. Output can take the form of environmental variables or user-tailored tactical products. These serve as inputs to sssessments of air/ocean effects on wespon system performance. For example, the atmospheric winds and density forecast models produced by this project sre essential in order to achieve the stated accuracy capabilities of gunnery and missile weapons This project provides for the design and development of a modern numerical prediction system to provide forecasts of atmospheric and oceanographic conditions to afloat and ashore Navy command and control to support tactical Description: systems.

## 2. (U) Program Accomplishments and Future Efforts:

#### a. (U) FY 1986 Program:

- Developed techniques to merge satellite and sltimetry dsta into the Tropical Atmospheric Analysis.
- Implemented Northern Hemisphere Optimal Ocean Thermal Analysis.
- ે Implemented Greenland Sea/Norwegian Sea Thermal Structure Forecast Model.
- Assimilated operational ice analyses into Arctic Basin Ice Forecast Model; developed Barents Ses Ice Forecast
- ° Completed enhanced Forward Looking Infrared Model.
- Began experimental testing of atmospheric global forecasting and analysis system.

#### b. (U) FY 1987 Program:

- Complete operational implementation of the Navsl Operational Global Atmospheric Prediction System (NOGAPS 3.0) spectral model version.
- Develop sitimeter data merge into Optimal Ocean Thermal Analysis.

Program Element: 63207N

Title: Air-Ocean Tactical Applications

Implement Barents Sea Ice Forecast Model; develop East Greenland/Norwegian Sea Ice Forecast Model.

Develop Surf and Acoustic Command and Control Graphics.

\* Implement first-generation Global Ocean Circulation Model; begin Western Med Model.

° Implement satellite data merge techniques into the Tropical Atmospheric Analysis.

Begin development of the Advanced Tropica. Cyclone Model for the Navy-Air Force Joint Typhoon Warning Center (Western Pacific/Indian Oceans).

Continue development of global 3-D Planetary Boundary Layer Model in support of fleet electro-optical systems.

c. (U) FY 1988 Planned Program:

Begin development of second generation Global Ocean Circulation Model; implement Western Med Model.

Evaluate and verify Advanced Tropical Cycline Model.

Implement East Greenland/Norwegian Sea Ice Model; develop Sea of Okhotsk Model.

Evaluate and verify 3-D Planetary Layer Model.

o implement the atmospheric global analysis-prediction model.

d. (U) FY 1989 Planned Program:

Implement Advanced Tropical Cyclone Model.

Continue development of second-generation Nobel Ocean Circulation Model; develop Indian Ocean Model.

Implement Sea of Okhotsk Ice Forecast Model; develop Chukchi/Bering Sea Ice Model.

Program Element: 63207N

Title: Air Ocean Tactical Applications

- e. (U) Program to Completion:
- Integrate data from all available environmental satellites into the global/regional analysis/forecast models.
- Introduce fine mesh eddy-resolving global/regional ocean circulation model for ASW support.
- Development and implementation of a coupled air/ocean globel circulation model to improve forecast skill.
- This is a continuing program.

## (U) Project X0514, Air-Ocean Shipboard Measurements:

1.(U) Description: This project provides for the development of airborne and shipboard censors to measure the local atmospheric and cceanographic parameters essential to the optimum selection and employment of naval weapons systems, sensors and This data, coupled with satellite data, will provide the Battle Group Communders with a data set to continuously monitor the changing atmospheric and oceanog.aphic environment in their immediate vicinity, allowing them to optimize the selection of weapons, sensors and platforms. platforms.

## 2.(U) Program Accomplishments and Future Efforts:

- (U) FY 1986 Program:
- Completed advanced development of the baseline Shipboard Meteorological and Oceanographic Observing System
- Prepared technical and business plans to transition SMOOS to engineering development.
- Completed demonstration of Raman Laser Radar (LIDAR) technology to remotely measure atmospheric profiles of water vapor and temperature.

#### b. (U) FY 1987 Program:

Program Element: 63207N

Title: Air-Ocean Tactical Applications

Initiate SMOUS P31 to measure water vapor, precipitation, sea state, lightning, turbulence and sea surface temperature.

Transition the advanced development baseline SMOOS to engineering development.

### c. (U) FY 1988 Planned Program:

- Complete development and testing of an Infrared Extinction Sensor for the baseline SMOOS.
- Continue SMOOS P31 evaluation of sensors to measure water vapor, precipitation, sea state, lightning, and turbulence.
- Initiate development of an improved means to measure sea surface temperature for the baseline SMOOS.

### d. (U) FY 1989 Planned Program:

- Complete development and testing of a SWOOS precipitation sensor.
- begin advanced development of LIDAR Atmospheric Profiler (LAP) designed to continuously measure the atmospheric moisture, temperature and wind conditions around the Battle Group.

### e. (U) Program to Completion:

- Complete Preplanned Product Improvement (P<sup>3</sup>I) program for the Shipboard Meteorological and Oceanographic Observing System (FY 1992).
- Transition LIDAR Atmospheric Profiler (LAP) to engineering development.
- . This is a continuing program.

## (U) Project XO527, Remote Ocean Measurement System:

oceanographic satellite sensor technology to meet specific Navy operational requirements, e.g., to support missile systems and This project serves three primary objectives: (1) to develop or assess atmospheric and (U) Description:

Program Element: 63207N

Title: Air-Ocean Tactical Applications

anti-submarine warfare; (2) to develop processing algorithms to convert raw satellite data into atmospheric and oceanographic parameters; and (3) to provide ground-truth for operational spaceborne sensors to ensure that the measurements being made are

## 2. (U) Program Accomplishments and Future Efforts:

#### a. (U) FY 1986 Program:

- Commenced development of a scatterometer algorithm to derive sea surface wind speed and direction needed to support at-sea aircraft operations and for cruise missile fire control.
- Developed the microwave radiometer algorithm to derive sea surface temperature through clouds in support of anti-submarine warfare operations. ۰
- Began definition studies of advanced oceanographic remote sensing suite including new sensor technologies.
- ° Completed Geodetic/Geophysical Satellite (GEOSAT) altimeter validation.

#### b. (U) FY 1987 Program:

- ° Continue definition studies of advanced oceanographic remote sensing suite.
- Begin Multi-Channel Altimeter studies.
- Begin Synthetic Aperture Radar applications studies for use in ocean surface sensing.

### c. (U) FY 1988 Planned Program:

• Remote rean Measurement System funding transferred to PE 63704N, project X1596.

## (U) Project X0948, Precise Time and Time Interval:

subsurface, air and shore communications, navigation and time dissemination systems. Develop advanced detectors and an optical (U) Description: Upgrade the accuracy of the Naval Observatory's Master Clock System (MCS) for DOD surface,

Program Element: 63207N

Title: Air-Ocean Tactical Applications

Establish a time station located at the Consolidated Develop a laser station for determination of earth rotation and polar interferometer to study radio and optical sources used for precise timing. Space Operation Center (CSUC), Colorado Springs, CO.

## 2. (U) Program Accomplishments and Future Efforts:

#### (II) FY 1986 Program:

- Developed and tested one additional advanced frequency standard.
- Continued development of the very low frequency monitor portion of the Master Clock System.
- Developed operational plan for Consolidated Space Operations Center (CSOC) program.

#### b. (U) FY 1987 Program:

- Integrate and test additional hydrogen maser and other advanced standards.
- Conduct site survey and procure components for Consolidated Space Operations Center (CSOC) program
- Develop charged couple device array for electronic position measurements for Light Detector development.
- Evaluate optical and infrared interferometry results from technology base programs
- ° Develop estimated cost for th.: Very Long Baseline Interferometry (VLBI) program.

### c. (U) FY 1988 Planned Program:

- Develop advanced frequency standard.
- ° Integrate hydrogen masers and advanced standards into Master Clock System.
- Test and evaluate critical components and assemble Consolidated Space Operations Center (CSOC) time station.

Program Element: 63207N

Title: Air-Ocean Tactical Applications

- Develop specialized camera for Light Detector System,
- Design Very Long Baseline Interometry (VLBI) system.

### d. (U) FY 1989 Planned Program

- Develop electronics for Very Long Baseline Interferometry (VLBI) system.
- o Integrate specialized camera in various telescopes of Light Detector System.
- Develop telescopes for optical interferometer.
- Continue integration of advanced atandards and time algorithm development.
- Development of new frequency atandard.

### e. (U) Pro ram to Completion:

- Pevelop laser timing telescope and begin fabrication
- Complete optical interferometer installation (FY91).
- Develop telescope and trailers for Very Long Baseline Interferometry System.
- Continue testing of advanced frequency standards for Master Clock System.
- . This is a continuing program.

# (U) Project X2008, Tactical Ocean Data Assimilation and Prediction:

sensors become more sophisticated and complex, the marine environment has an ever increasing impact on sensor/weapon system performance. Inaccuracies and distortions induced by the ocean and atmosphere must be understood and meaaured and the resulting constraints minimized in system design and employment. Unless critical air/ocean parameters are both measured and intelligently As weapons and considered in weapon or sensor selection, deployment and mode of tactical options, ineffective performance or total system failure Description: The Navy operates in a hostile and potentially system degrading environment.

Program Element: 63207N

Title: Air-Ocean Tactical Applications

these observations must be addressed. An observational network of sufficient resolution and density is realistically a conventional measurement techniques may be improved, the quantity of conventional data collections will be limited by affordability. Spaceborne sensors can provide observations well distributed in space and time but improvements in the quality of This project exploits all potential data sources, both foreign and can result. The major deficiency in supporting tectical operations with analyses and predictions of the marine environment is the While the quality of lack of accurate observations well-distributed in space and time of critical air/ocean parametera. domestic, to ensure the full potential of the Navy's weapon systems and platforms are realized. consolidation of conventional and remotely sensed data.

- 2. (U) Program Accomplishments and Future Efforts:
- a. (II) FY 1988 Planned Program:
- ° Detailed planning for exploitation of Defense Meteorological Satellite Program as means of obtaining oceanographic data.
- " Assimilation modeling for all-source visual, infrared and altimeter data.
- ° Complete scatterometer processing algorithm.
- b. (U) FY 1989 Planned Program:
- Exploit European Space Agency satellite data.
- " Conduct Synthetic Aperature Radar processing and application studies.
- o initiate single station forecasting models.
- . (II) PROJECTS OVER SIO MILLION IN FY 1988/89: Not Applicable.
- 1. (U) TEST AND EVALUATION DATA: Not Applicable.

### FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Dob Misaion Area: 476 - Training, Medical, and other

Title: T-45 TRAINING SYSTEM
Budget Activity: 4 - Tactical Programs

General Personnel Activieles

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

al	:Imated	Cost	587,457	587,457
Tot		to Completion Cos	47,670	047,670
	FY 1989	Estimate	87,822	87,822
	FY 1988	Estimate	96,015	96,015
	FY 1987	Estimate	129,213	129,213
	FY 1586	Actual	115,986	115,986
			TOTAL FUR PROGRAM ELEMENT	S
	4.	Title	TOTAL	I-45TS
	Pro Ject	No.		W1142

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated.

- beyond. Projected I-2/IA-4 aircraft shortages due to attrition and service life expiration, as well as increasing operating and B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: The m(ssion is to provide undergraduate jet pilot training for prospective carrier-based Navy/Marine Corps pilots, and selected international students to meet aircrew requirements in the 1990's and support costs, require development of a cost-effective replacement. The complementary aspects of flight training, (flight, simulation, and academics) are integrated to develop an effective, affordable and efficient system.
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in thousands) The change between the funding profile shown in the FY 1987 Jeacriptive Summary is as follows: The decrease of 4,950 in FY 1987 is the result of Congressional action and Department program/budget adjustments. The increase of 1,436 'n FY 1988 is a Department budget adjustment which restores a prior budget reduction against a firm-fixed price program.

## (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Estimated	589,074 589,074
Additional E	133,595 133,595
FY 1988 Estimate	94,579
FY 1987 Estimate	134,163
FY 1986 Estimate	115,986
FY 1985 Actual	67,512 67,512
Title	TOTAL FOR PROGRAM ELEMENT T-45IS
Projec No.	W1142

UNCLASSIFIED

Total

#### UNCLASSIFIED Program Element: 63208N

Title: I-45 TRAINING SYSTEM

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
Aircraft Procurement, Navy Funds (43CH)	0	56,374	383,583	432,941	3,316,003	3,316,003 4,188,901
Quantities	0		12		797	300

ejection seats procured under the Navy Aircrew Common Ejection Seat (NACES) project for planned development flight test and E. (U) RELATED ACTIVILIES: Aviation Life Support Systems (PE 64264N): T-45A development schedule is dependent on availability of production milestones.

Douglas Aircraft Company, Long Beach, CA; PRINCIPAL SUBCONTRACTORS: British Aerospace Limited, Kingston, England; Rolls Royce F. (U) WORK PERFORMED BY: IN HOUSE: Lead Laboratory: Naval Air Development Center, Warminster, PA; Naval Training Support Center, Orlando, FL; Naval Air Propulsion Center, Trenton, NJ; Naval Air Test Center, Patuxent River, MD; Naval Air Engineering Center, Lakehurst, NJ; Chief of Naval Education and Training, Pensacola, FL; Naval Avionics Center, Indianapolis, IN; CONTRACTORS: Ltd., Bristol, England; Sperry Systems, Reston, VA.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable.

H. (U) PROJECTS OVER SIG MILLION IN FY 1988/89:

(U) Project W1142, T45TS:

replacement of the present pilot training system to meet future requirements. An inadequate number of training aircraft will be available beginning in the late 1980's because of attrition and service life constraints. The Navy has explored alternatives for satisfying this need. Options ranging from maintaining existing trainer aircraft to acquisition of a totally new system have been examined and defined. Six parallel competitive contracts were awarded for industry exploration of alternatives in 1981. The training system based on the McDonnell Douglas derivative of the British Aerospace Hawk aircraft was awarded a Full Scale Engineering Development contract in October 1984. The program has been structured to achieve a balanced mix of aircraft, simulators and academic materials that will provide trained aviators equal to or better than those currently being produced, while As documented in the Mission Element Need Statement, a need exists to provide a cost-effective minimizing acquisition and operating costs. 1. (U) Description:

#### UNCLASSIFIED Program Element: 63208N

Title: T-45 TRAINING SYSTEM

2. (U) Program Accomplishments and Future Efforts:

a. (U) FY 1986 Program:

° Continued system engineering and propulsion testing.

° Commenced fabrication/assembly of the R&D articles.

Conducted logistic support analysis and development of technical and publication data.

• Continued development of ground training systems components (Operational Flight Trainer (OFT) simulator, academics, and Training Integration System (TIS)).

Conducted T-45A Critical Design Reviews (CDR).

Conducted Simulator Critical Design Review (CDR).

b. (U) FY 1987 Program:

\* Design and fabrication of aircraft and simulators will be completed.

Prime contractor will begin hardware system integration.

\* Increased effort will be directed toward preparing for first flight (scheduled for early FY 1988) and associated T&E support.

c. (U) FY 1988 Planned Program:

Pirst flight of T-45A.

Regin test and evaluation of two R&D aircraft.

Establish maintenance capability.

Update integrated logistics support plan.

Conduct academics Critical Lesign Review (CDR).

Program Floment: 63208N

Title: T-45 TRAINING SYSTEM

Beets Functional Configuration Audit (FCA),

(U) FY 1989 Planned Program:

" Conduct T-45A Sea Trials and TECHEVAL.

o Insplant acceptance test on TIS.

° Conduct OFT In-Plant Acceptance Test.

Acquire ILS support.

(U) Program to Completion: :

Conduct afferaft OFEVAL.

\* Acceptance of instructional flight trainer, academics, and TIS in plant.

System validation at NAS Kingsville.

(II) Major Milestones: Ľ.

MILESTONE

DATE

Mission Element Needs Statement Approval DSARC 1/11

FSED Contract Awarded

Completed A/C Preliminary Design Review

Completed A/C Critical Design Review 

A/C First Flight

A/C Test & Fvaluation

Complete OPEVAL

Initial Operational Capability (100)

Oct 1984 Jul 1985 Jul 1986

Sept 1984 June 1979

Dec 1987 - Nov 1989 Mar 1990

Sep 1990

- 1. (U) TEST AND EVALUATION
- of: elrcreft, simulators, acedemics, treining integration system (TIS) and contractor logistic support. McDonnell Douglas was chosen es prime contractor through a competitive source selection process. British Aerospace (BAe), Rolls Royce, and Sperry are the principal subcontractors essisting McDonnell Douglas. The TASTS DIEE plan was developed by making maximum use of applicable British The Mayal Undergraduate Jet Flight Training System (T45TS) is an integrated training system comprised TGE results and operational experience with the BAe Hawk.
- 1. (U) Development Tsst end Eveluetion (DIGE)
- end extensive combined Msvy and contractor DT&R effort. The program commenced Pull Scale Engineering Development (FSEU) with the signing of a letter contract on 2 October 1984. The integrated test schedule and the resource summary are described in the approved Test and Eveluation Master Plan (TEMP) No. 786, dated 19 Movember 1984, which is being updated. The T-45A aircraft development will utilize the Principal Site Testing concept at the Mevel Air Test Center (NATC), Patuxent River, Md. after initial contractor tests at Vuma, Az. Integral to principal site testing is extensive participatory flying by MATC test pilots throughout the Contractor/Msvy flight test program. Development of the ground based T45TS subsystems will be eccomplished at appropriate contractor fscilities. The T-45A eircraft DT&E will utilize a traditional aircraft development approach of dedicated Navy test (INSURY) (Avietion Member), will make independent technical assessments and will conduct DT-III in accordance with the schedule outlined in the TMP. A TASTS Reliability end Mainteinability (REM) and logistic supportability development will be monitored and demonstrated. Logistics for the TASTS DTEE will be fully contractor supported as described in the TEMP. Three significant DTEE tests have been conducted to date. First, a 500 Hour Accelerated Simulated Mission Endurance Test (ASHET) was accomplished at Naval Air Propulation Center (MAPC), Trenton, MJ, from 17 January to 6 April 1983, on a modified MK 861 Adour engine. The post test 1984. These teste verified expected T-45A epin modes and recovery characteristics which ere satisfactory for an intermediste/advanced treiner. Third, a fatigue and damage tolerence penel eimpleting lower wing skin of the T-45A was successfully tasted. This test with applied loads representing severe service usege indicates that the redesigned lower wing skin has a eafe failure mode, i.e. potential for visually detectable crack growth prior to complete failure. changes to the ASMET angine which will be incorporated in the T-45A engine to improve its performance, reliability and durability in phases, including ere triels, and Technical Evaluation (TECHEVAL). Additionally, two combined Development Test/Operational Test (DT/OT) test phases will be conducted to provide early operational assessments of the TASA alreraft. Board of Inspection and Survey (U) The TASTS Test Program will provide a technical evaluation of the characteristics of the TASTS through an integrated disessembly and inspection revealed a highly successful test with no major discrepancies. The Adour angine used in the ASHET is nearly identical to the planned T-45A angine which has been recently designated the F-405. Electromagnetic interference (EMI) hardening, improved corrosion prevention, en engine condition monitoring system, and a manual back-up fuel control are the major the certier environment. Second, Botary Balance Spin Model Wind Tunnel tests were conducted at MASA Langley from April to July

U) Major DT&E Schedule Milestones:

Sep - Oct 89 Feb 91 and Oct -Aug - Oct 88 Oct - Dec 88 Oct - Dec 88 - Jul 89 Jan 88 Jun 90 (U) Simulators: In-Plant Acceptance Test
(U) Academics: Computer Aided Instruction In-Plant Acceptance Test
(U) Training Integration System: In-Plant Acceptance Test
2. (U) Operational Tost and Evaluation (OTGE) Contractor/Navy DT-11 Flight Test Program First Fatigue Life Completion DT-III INSURV Tests TECHEVAL, DT-IIH (U) T-45A Aircraft:

92

(U) Operational testing of the T-45A aircraft will be conducted by Commander, Operational Test and Evaluation Force (COMOPTEVPOR). System validation of the complete T45TS system, including the ground based subsystems will be conducted by Chief of Mayel Education and Training. The T45TS system will be fully contractor supported through the FSED Phase.

(U) Major OTEE Schedule Milestones:

145TS 10TER of Grown Fraining Subsystem T-45A OPEVAL, OT-IIC TASTS System Valide one (SYSVAL) T-45A Early IOTAE, OT IIA,B

Concurrent with in-plant acceptance tests

Sep 88 and May 89

Feb - Mar 90 Jul - Sep 90

(U) TASTS System Character vites:

(U) The key IASIS system operational characteristic is that it must be capable of producing an annual Pilot Irgining Rate (PIR) of 600 pilots with a surge capability of up to 30%. The IASIS system must further accomplish this training with equipment which is more reliable, supportable, and cost effective to operate than the equipment used in the present intermediate and advanced jet training phases of the Mavy Integrated Filght Iraining System (NIFIS).

(U) Aircraft Subsystem: Three hundred (300) T-45A aircraft will be procured. Two (2) instrumented T-45A flight test articles and two T-45A ground test articles will also be procured. The aircraft bysystems' detailed characteristics are included in the detailed specifications, and include, but are not limited to, the following thresholds.

Production Threshold 12,758 lbs 14,400 hrs 40,000 ft 0.85 MACH FEED Threshold 12,758 lbs 14,400 hrs 40,009 ft Service Celling (min)
Maxim m Level Flight Speed (30,000 ft) Characteristics Take-Off Gross Weight Airframe Service Life

#### UNCLASSIFIED

A ....

Approach Speed	125 kt.s	125 kts
Substained Level Turn G	3.4 8	3.4 8
Maximum Range	1,000 rm	1,000 nm
Mean Flight Hours Between Failure	2.2 hr	3.2 hr
Direct Maintenance Man Hours/Flight Hour	16.0 hr	10.0 hr
Design Mission Capability	85.0%	85.0%

replaced by a 2F138 Operational Flight Trainer (OFT) and a 2F137 Instrument Flight Trainer (IFT). The lFT, in essence is an OFT without a visual cueing system. These devices will use existing technology developed for the F/A-18 simulator and will provide a substantial improvement in simulation performance over existing training command capabilities. Ten LFT simulators and 22 OFT simulators are planned. The development prototype simulator will eventually be delivered as one of the 22 OFT simulators. Detailed simulator are listed in the Simulator Subsystem Specification. The production availability threshold for the simulator sub-system is 95%.

(U) Academics Subsystem: The academics will encompass a mixture of classroom lectures, textbooks, workbooks, 4E10 Computer Assisted Instruction (CAI) training devices and other media which will be designed to facilitate a building block approach closely integrated with the simulator and flight training phases. Detailed academic characteristics are specified in the Academics Subsystem Specification. The prototype CAI device will be accepted in the plant. During production, CAI and other training equipment will be installed at the three training sites. The academics production availability threshold is 95%.

(U) Training Integration System: The 4K9 IIS training device facilitates efficient scheduling and use of all training assets, including instructors and students. Terminals will be installed at each of the training sites and at Chief of Naval Air Training, CWATEA) headquarters. The TiS will share central processing units (CPU's) with the CAI equipment. Detailed TIS characteristics are listed in the TIS Subsystems Specification. The TIS production availability threshold is 95%

#### . (U) Current res Activity

Event. (U) Canopy & Min.Det.Cord.(MDC) (U) Antenn.a (U) WIMG/MLG Structure (Fetigue) (U) Modified Mawk Flight Test Evaluation Event	TGE Activity (Past 12 Months)  Planned Date Jan 86 - May 86 Aug 85 - Mar 86 Aug 85 - Mar 86 Aug 86 - Jan 87 Aug 86 - Jan 87 Aug 86 - Jan 87 Aug 86 - Apr 86 TGE Activity (Next 12 Months)	9929
(U) Fatigue & Damage Tolerance (main landing gear fitting)	itting) Aug 86 - Jan 87	

(U) Interseat Sequencing (U) Onboard Oxygen Generating System (OBOGS) (U) Drop Test (Landing Gear Calibration) (U) Main Gear JIG Drop (U) Landing Gear System (U) Wose Gear JIG Drop (U) Hydreaulic System (U) Stabilator To DES ULT (U) Speed Brake (U) Design Sink Speed (U) Gear Door Activators (U) Arresting Hook (U) Gear Loor Activators (U) Gear Loor Activators (U) Gear Loor Activators (U) Arresting Hook (U) Gear Loor Activators (U) Gear Loor Activators (U) Arresting Hook (U) Gear Loor Activators (U) Arresting Hook (U) Gear Loor Activators	CO CO T OO AOU	Nov 86 - Mar 87	Web 87 - Hav 87	87	87 -	May 87 - Jul 87	Jun 87 - May 88	Jun 87 - Jul 87	Jul 87 - Aug 87	Tul 87 - Feb 88	Oct 87 :: Dec 87	Oct. 87 - Sep 87	. 78	Nov 87 - Dec 87	
(U) Inte (U) Onbo (U) Main (U) Main (U) Land (U) Lyon (U) Spec (U) Spec (U) Desi (U) Gean (U) Gean		(U) Interseat Sequencing	Onboard Oxygen Generating System (OBOGS)	Drop Test (Landing Gear Calibration)	Main Gear JIG Drop	(U) Landing Gear System	(U) Wose Gear JIG Drop	Hydraulic System	(U) Stabilator To DES ULT	Speed Brake	Design Sink Speed	(U) Gear Door Activators	Arresting Hook	(U) Gear/Oil/Flap interlocks	(U) Static Test (launch bar)

#### 5. (U) Program Documentation

- (U) An analysis of the High Angle of Attack Aerodynamics and Spins for the Navy T-45A Aircraft and Trainer, the Rotary Balance Wind Tunnel Test Report, was submitted Aug 1984. (U) Adour 6002 - 492 Hour Accelerated Simulated Hission Endurance Test Report, Report No. E/AKS/78986, was submitted Sep 1983.
  - (U) Mayal Undergraduate Jet Flight Training System (T45TS) Test and Evaluation Master Plan (TEMP) No. 786, dated 19 November 1984, approved 21 March 1985. A revised TEMP has been submitted for review.

### FY 1998/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 63216N DoD Mission Area: 225 - Air Warfare Support

Title: Aviation Life Support Systems Budget Activity: 4 - Tactical Programs Total

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	11tle	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Estimated Cost
7850n	TOTAL FOR PROGRAM ELEMENT	1,786	3,762	3,621	8,683	Continuing	Continuing Continuing
	and Devices	1,786	851	1,902	5,889	Continuing	Continuing Continuing
1600H	Airtiew impact injury Prevention*	,	2,911	1,719	2,794	Continuing	Continuing Continuing

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

\* Project N0097 is an ongoing effort that transferred from PE 63706N in FY 1987.

related to inflight/underwater escape and postflight survival/rescue on land, or in sea, are developed for functional compatibility as acceleration or G forces, vibration, buffet, debilitating temperatures and harmful radiation. Protective clothing and devices life support systems designed to protect Navy/Marine Corps helicopter, fighter/attack and patrol/transport crews from natural and induced environmental/physiological stresses and hazards encountered during all aspects of military flight operations. These developments are designed to enhance specific mission performance while providing aircrew protection from inflight stresses such This program supports the development of integrated, advanced airborne R. (U) RRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: with inflight equipment.

increased by 415 due to Department program adjustments; in FY1987, the decrease of 904 is the result of Congressional action and adjustments and Department program/budget adjustments. Project M0097: in FY 1987, the increase of 289 is the result of C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands). The changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: Project W0584 during FY 1986, was Congressional adjustments; in FY 1988, the decrease of 998 is the result of Department program/budget adjustments.

Program Element: 63216N

Title: Aviation Life Support Systems

## (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Total Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	1,081	1,371	4,377	4,685	Continuing	Continuing
MO584	Aircrew Protective						
	Clothing and Devices	1,081	1,371	1,755	1,968	Continuing (	Continuing
7600M	Aircrew Impact Injury						
	Prevention*	0	0	2,622	2,717	Continuing	Continuing Continuing

\* Project M0097 is an on-going effort that transfers from PE 63706N in FY 1987.

D. (U) OTHER FY 1988 APPROPRIATION FUNDS: Not Applicable.

Research, Evaluation and Management (ASRREM) Committee. Aerospace Flight Dynamics, PE 62201F; Blomedical Technology, PE 62233N; Air Vehicles, PE 62122N; Enhanced Fighter Maneuverability, PE 62702E (DARPA); Life Support Systems, PE 63231F (USAF); Aircrew Life Support Systems, PE 64264N; and Life Support Equipment, PE 64706F, all perform coordinated projects related to PE 63216N. Work in (U) RELATED ACTIVITIES: All aircrew life support projects are controlled for duplication and commonality by the Iri-Service Life Support Equipment Steering Committee, the Joint Environmental Working Group (Flight), and the Armed Services Biomedical acceleration/impact is coordinated with work at the U.S. Air Force Armstrong Aeromedical Research Laboratory.

CONTRACTORS: Grumman, Bethpage, NY; Moog-Carlton, Aurora, NY; MRS Systems, Norwalk, CI; Roeing Aerospace, Seattle, Wa. Scott F. (U) WORK PERFORMED RY: IN-HOUSE: Lead laboratory is the Naval Air Development Center, Warminster, PA; Naval Medical Research Institute, Rethesda, MD; Naval Aerospace Medical Research Laboratory, Pensacola, Fl; and the Naval Rio-Dynamics Laboratory (NRDL), OTHERS: Naval Air Engineering Center, Lakehurst, NJ; Naval Weapons Center, China Lake, CA; Naval Ordnance Aviation, Sierra Madre, CA; American Optical, Southbridge, MA; Evaporated Coating, Huntington Valley, PA; Gentex Corp., Carbongale, PA; Aro Corp., Dayton, Ohio; Hughes Aircraft, Long Beach, CA; GIE Laboratories, Waltham, MA; Honeywell Inc., Minn, MN; Station, Indian Head, MD; Naval Air Test Center, Patuxent River, MD; and Naval Dental Research Institute, Great Lakes, IL. and Barnes Eng. Co. Stamford, CT. New Orleans, LA.

G. (U) PROJECTS LESS THAN SIO MILLION IN FY 1988/89:

(U) Project WO584, Aircrew Protective Clothing and Devices:

Program Element: 63216N

Title: Aviation Life Support Systems

designed to ensure each crewan protection against natural and induced environmental or physiological hazards encountered during This project develops the functionally integrated system of protective clothing and equipment routine, combat, and emergency flight operations; as well as during escape, survival, and rescue operations.

## 2. (U) Program Accomplishments and Future Efforts:

### a. (U) FY 1986 Program:

- o Initiated multi-wavelength (Four specific wavelengths) aircrew laser eye protection program contracts for development of advanced systems.
- o Completed aircrew gliding escape system program.
- o Initiated Integrated Night Vision System (INVS) portion of Tactical Life Support System (TLSS) program.

### b. (U) FY 1987 Program:

- o Finalize development of multi-wavelength laser eye protection system. Evaluate and select best system for transition to engineering development.
- o Initiate tactical life support system program adapting USAF system design for integration into Navy aircraft. Demonstrate/verify system performance (centrifuge environment).

## c. (U) FY 1988 Planned Program:

- o Continue development of tactical life support system for Navy aircraft. Redesign for integration of improved seat-mounted restraint, personal floatation, anti-explosure protection, eye protection (laser, night vision, flash blindness).
- o Initiate advanced aircrew station program.
- o Complete multi-wavelength laser eye protection system.

Program Element: 63216N

Title: Aviztion Life Support Systems

## d. (U) FY 1989 Planned Program:

- o Continue development of tactical life support system. Demonstrate/verify system concept.
- Design/fabricate full-scale, high-altitude cockpit capsule for dynamic flight simulation for proof of concept. o Continue advanced crew station program.
- o Initiate common fixed scats program (helo and non-ejection fixed wing aircraft).
- o Complete tactical life support system program.
- o Continue advanced crew station program.
- o Continue common fixed seat program.
- o Initiate VP/PC escape and survival program.
- e. (U) FY 1990-1992 Program:
- o Complete tactical life support system program.
- o Continue advanced crew station program.
- o Continue common fixed seat program.
- o Initiate VP/VC escape and survival program.

## (U) Project M0097, Aircrew Impact Injury Prevention:

- impact, and determine the correlation of these dynamic responses with physiological effects and injuries. This information will These products will 1. (U) Description: This project is designed to develop human dynamic and injury-response models of acceleration then be used to evaluate human protective systems to prevent casualties resulting from aircraft crashes and ejections. be used to design, construct and validate mannequin and mathematical models of the human impact response.
- 2. (U) Program Accom lishments and Future Efforts:

Program Element: 63216N

Title: Aviation Life Support Systems

#### a. (U) FY 1986 Program:

- o Continued development of the acceleration and impact biodynamic data bases.
- o Regan quantitative comparison of the dynamic responses of the Hybrid III head-neck mannequin with human kinematic responses.

#### b. (U) FY 1987 Program:

- o Develop engineering specifications for the improved Hybrid III head-neck mannequin.
- o Regin development of improved Hybrid III prototype for head and neck,
- animal injury model for acceleration impact in the minus-x direction (forward deceleration/impact).

## c. (U) FY 1988 Planned Program

- o Complete development of the improved Hybrid III head-neck mannequin prototype.
- o Prepare a 3-dimensional model of the completed head-neck mannequin with a human dynamic response torso (joint Air Force-Navy program).

## d. (U) FY 1989 Planned Program:

- o Collect data for the injury model on impact in other vector directions.
- o Prepare injury tolerance limits for head-neck motion.
- o Develop engineering specifications for an integrated head-neck-torso mannequin (joint Air Force-Navy program),
- e. (U) Program To Completion: This a continuing program. Tasks planned include:
- o Fabricate a 3-dimensional, instrumented, biodynamically faithful mannequin (joint Air Force-Navy

6:0.9

Program Element: 63216N

Title: Aviation Life Support Systems

o Establish the minus-x acceleration/impact (forward deceleration) vector injury tolerance limits.

- H. (U) PROJECTS OVER S10 MILLION IN FY 1988/89: Not Applicable.
- 1. (U) TEST AND EVALUATION DATA: Not Applicable.

## FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Flement: 63220N DoD Mission Area: 225 - Air Warfare Support

Title: Lift Fan Development Budget Activity: 4 - Tactical Program

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total Estimated Cost	Continuing
	Con
Additional to Completion	Continuing C
FY 1989 Estimate	2,856
FY 1988 Estimate	0 0
FY 1987 Estimate	0 0
FY 1986 Actual	0 0
Title	TOTAL FOR PROGRAM ELEMENT AMSS
Project No.	W1689

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through 1989.

development for an airborne system which integrates active and passive surveillance using multi-spectral sensors. Such organic Significant commonality and affordability benefits can be obtained by integrating several tactical sensors in a common in the enlarged 21st century battle space. The at-sea tactical commander must be The Advanced Multimission Sensor System (AMSS) will provide improved The AMSS program is a concept Approaching platform require more capable sensors be developed. capability is presently provided by the combined efforts of E-2C, EA-6B, S-3A, and EA-3B aircraft. able to monitor wide-ocean areas using organic assets in order to execute the Maritime Strategy. (W) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: surveillance of

airframe/engine aircraft. AMSS will allow more cost-effective production of new aircraft and reduce CV maintenance/support requirements by consolidating future CV airwings into a minimum number of aircraft.

- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: Not Applicable.
- D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.
- (U) KELATED ACTIVITIES: Aircraft Weapon System/Subsystem technology base developments are being conducted under: <u>.</u>

Applicable development in the areas of integrated avionics, cockpit display, antenna and electrical systems, and carrier maintenance/supportability. PE 63251N - Aircraft Systems (Advanced):

Program Element: 63220N

Title: Lift Fan Development

Applicable development in the areas of aerodynamics, structures, cockpit displays electrical systems, propulsion and personnel protection. PE 62122N - Aircraft Technology:

Applicable development in the area of aircraft and weapon composite and advanced PE 62761N - Materials Technology: metallic materials.

PE 63202N - Avionics: Applicable developments/demonstrations in Integrated Inertial Sensor Assembly.

PE 63109N - Integrated Aircraft Avionics: Applicable developments in electronic warfare and communications/navigation/ identification systems. IN-HOUSE: Lead Laboratory is the Naval Air Development Center, Warminster, PA; OTHERS: Naval Air Engineering Center, Lakehurst, NJ; Naval Air Propulsion Center, Trenton, NJ; Naval Avionics Command, Indianapolis, IN. F. (U) WORK PERFORMED BY: CONTRACTORS: None.

# G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

# (U) Project W1689, Advanced Multimission Sensor System:

program which will yield a system design definition. This development will use advanced aircraft technologies and systems where The goal of the AMSS program is to improve the Battle Group Commander's ability to extend multi-sensor and needs currently fulfilled by the E-2C, EA-6B, S-3A and EA-3B aircraft. The approaching obsolescence of these weapons systems require increased sensor capability. The AMSS is a systems concept development (u) Description: A new advanced airborne sensor system will be required in the late 1990's to meet the mission multi-spectral surveillance into the enlarged battle space of the 21st century.

## 2. (II) Program Accomplishments and Future Efforts:

- a. (U) FY 1986 Program: Not Applicable,
- b. (U) FY 1987 Program: Not Applicable.
- c. (U) FY 1988 Planned Program: Not Applicable.

Program Element: 63220N

Title: Lift Fan Development

d. (U) FY 1989 Planned Program: Commence AMSS Concept Formulation Phase which will include:

o Mission performance requirements and analysis.

o System design concepts.

o Airframe configuration development.

o Propulsion - engine development.

o Avionics - core systems and mission specific sensors.

e. (U) Program to Completion: This is a continuing program.

H. (U) PROJECTS OVER \$10 MISSION IN FY 1988/89: Not Applicable.

I. (U) TEST AND EVALUATION DATA: Not Applicable.

FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63228N DoD Mission Area: 353 - Naval Warfare

Title: CV ASW Module Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total	Estimated	Cost	Continuing	Continuing Continuing
		EI	Continuing Continuing	Continuing
	FY 1989	Estimate	5,175	5,175
	FY 1988	Estimate	5,115	5,115
	FY 1987	Estimate	4,655 3,106	3,106
	FY 1986	Actual	4,655	4,655
		11cle	TOTAL FOR PROCRAM FLEMENT	Warfare Module
	Project	No.	50517	

The above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY

- B. (11) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program element provides for the continuing development of computer program/equipment improvements necessary to upgrade the aircraft carrier anti-submarine warfare module which provides the link in elements of the carrier combat system. The principal objective is an increase in the ASW war fighting capability aboard aircraft carriers by providing for pre-mission, in-flight, and post-mission information exchange and coordination with the S-3 afreraft and the CY helicopter along with storage, correlation, processing analyses and display of anti-submarine warfare data as an integral the aircraft carrier chain of command between air anti-submarine warfare weapon systems, the Navy Tactical Data System, and other part of the Combat Direction System.
- (Dollars in Thousands) The FY 1986 increase +678 is the net result of restoration of a Congressional adjustment +763 and increased cost of computer program development +197 offset by reductions for GRH adjustment -?17 and Department Rudget Adjustments -60. The FY 1987 decrease -1149 is due to Congressional adjustment and C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: Repartment program/budget adjustments.
- (U) FUNDING AS REFLECTED IN THE FT 1987 DESCRIPTIVE SUMMARY:

Program Element: 63228N

Title: CV ASW Module

Project No. Title	FY 1985 Actual.	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
TOTAL FOR PROCRAM ELEMENT Afternoff Carrier Anti-Cohmaning	5,240	3,977	4,255	5,281	17,146	79,758
	5,240	3,977	4,255	5,281	17,146	79,758

D. (U) OTHER FY 1988/89 APPROFRIATION FUNDS:

		-ASWM Systems)	ting 19 CV.	tes to exis	(Program involves updates to existing 19 CV-ASWM Systems)	(Ouantity) Not Applicable -	
Continuing Continuing	Continuing	29,473 27,894 17,401 9,713	17,401	27,894	29,473	Pl-77 Procurement (OPN) (312247)	P1-77
on Cost	to Completion	Estimate	Estimate	Estimate	Actual .		
Estimated	Additional	FY 1989	FY 1988	FY 1987	FY 1986		
Total							

Program Element 64217N, S-3 Weapon System Improvement Program, and Program Element 64229N, CV Helo will be supported by the Module; Program Element 64711N, Project X0486, Anti-Submarine Warfare Operations Center, will use (U) RELATED ACTIVITIES: selected common hardware.

UNIVAC, St. Paul, MN; Hughes Afreraft, Fullerton, CA; and Rockwell International, Autonetics Division, Anaheim, CA; and F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Air Development Center (lead laboratory), Warminster, PA. CONTRACTORS: Intermetrics, Inc., Warminster, PA.

- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:
- (U) Project S0517, Aircraft Carrier Anti-Submarine Warfare Module:
- the ASK function into the carrier Combat Direction System through expansion of ASA Module interfaces and a Combat Direction 1. (1) Description: This project provides for the design and development of the CV-ASW Module computer program and equipment required to meet the Navy tactical operational requirement. A primary objective of this effort is the integration of System/ASK Module display equipment upgrade.

Program Element: 63228N

Itle: CV ASW Module

2. (U) Program Accomplishments and Future Efforts:

## a. (U) FY 1986 Program:

- Pegan conversion of Model 4.1. computer program to run on AN/UYK-43.
  - ° Began computer program TECHEVAL.
- OContinued the restructuring of the CV-ASW Module hardware program to adopt the Navy standard AN/UYQ-21(V)
- ° Began development of the CV-ASWM capabilities necessary to meet the submarine threat of the post 1995 period.

## b. (U) FY 1987 Program:

- \* Enhance interfaces with other combat system elements and develop an interface with CV-IC in order to increase the speed with which CV-ASWM exchanges tactical data.
- o Deliver Model 4.1 computer program to CVN-69, 71.
- ° Centinue conversion of the Model 4.1 computer program to run on AN/UKY-43.
- ° Continue development of CV-ASWM capabilities necessary to meet the submarine threat of the post 1995 period.

## c. (U) FY 198P Planned Program:

- Complete testing of models 4.2.1 and 5.1 computer software including TECHEVAL/OPEVA1.
  - Prepare upgrade to software program to develop model 5.2 program.
- ° Continue development of interfaces with other combat system elements.
- Continue development of CV-ASWM capabilities necessary to meet the submarine threat of the post 1995 period.

## d. (U) FY 1989 Planned Program:

- ° Develop model 5.2 program.
- ° Continue development of interfaces with other combat system elements.
  - o Study requirements for an advanced acoustic signal processor.
- ° Continue development of CV-ASWM capabilities necessary to meet the submarine threat of the post 1995 period,
- e. (U) Program to Completion: The following activities are planned:

Program Element: 63228N

Title: CV ASW Module

- o Maintain Computer Program documentation configuration control.
- Upgrade Test and Evaluation Master Plan in preparation for TECHEVAL/OPEVAL.
  - ° Conduct TECHEVAL/OPEVAL.
- ° Continue development of interfaces with other combat system elements.
- Continue development of CV-ASWM capabilities necessary to meet the submarine threat of the post 1995 period.
   Develop CV-ASWM computer program modifications to the Enhanced Modular Signal Processor (ESMP).
- f (U) Program Major Milestones:

Program Model 4.1 System	System	
Model 4.2 System	System	
Model 4.3 System	System	

Milestones MS III 1Q/FY88 MS III 3Q/FY88 MS II 2Q/FY89 20/FY83

H. (U) PROJECTS OVER \$10 PTLION IN FY 1988/89: Not Applicable

I. (U) TEST AND EVALUATION DATA: Not Applicable

## FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 63251N DoD Mission Area: 225 - Air Warfare Support

Title: Aircraft Systems

Budget Activity: 4. - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total	onal Estimated	to Completion Cost	0 N/N 0
		Estimate to Com	0 0
		Estimate Est	0 0
	FY 1987	Estimate	CO
	FY 1986	Actual	9,495 9,495
		Title	TOTAL FOR PROGRAM ELEMENT Advanced Aircraft Systems
	Project	No.	W0585

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated.

- future Navy/Marine Corps mission needs in preparation for Department of Defense/Navy decisions required to establish line item future Navy/Marine Corps aircraft. Oblique wing technology will continue to be investigated in conjunction with related NASA B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program provides a means to define aircraft weapon system options for It also provides a means for advanced development of aircraft weapon system technologies for aircraft development programs.
- The Program for FY 1988 and beyond Congressional action zeroed this program in FY 1987. C. (U) EXPLANATION OF CANCELLATION: Congressional action zeroed this program in FY 198 was cancelled by a program/budget dec' ion to place resources in higher priority programs.

## FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

63254N 233 - Anti-Submarine Warfare DoD Mission Area: Program Element:

Budget Activity: 4 - Tactical Programs Title: Air Anti-Submarine Warfare

A. (U) FY 1988/89 RESCURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
W1292	TCTAL FOR PRICRAM ELEMENT Advanced ASW Sensors and Frocessing	3,813 3,813	5,333	8,523 8,523	9,717 9,717	Continuing Continuing	Continuing

The above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY

effectiveness through development of advanced hardware and software associated with airborne acoustic systems, including sensors, processing, post-processing, data recording and display capabilities to meet the deeper diving, faster and quieter Soviet submarine This program provides improved air anti-submarine warfare platform B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: threat of the 1950s.

Gramm-Rudman-Hollings and Department budget adjustments. FY 1987 was decreased by -3,798 for Congressional action and adjustments (Dollars in Thousands) Project W1292 - FY 1386 was degreased -812 for C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: and Department program/budget adjustments.

(U) FUNDING AS RETAR TED IN THE FY 1987 DESCRIPTIVE SUPMARY:

		2001	600	1001	000 T W		Total
Project		FY 1985	FY 1986	FI 198/	F1 1968	Additional	rstimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	6,252	4,625	9,131	8,270	Continuing	Continuing
W1292	Advanced ASW Sensors and	6,252	4,625	9,131	8,270	Continuing	Continuing
	Processing						
						LINCI ASSIFIE	SSIFIED
			710				

Program Element: 63254N

Title: Air Anti-Submarine Warfare

- D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable
- Program Element 64261N, Acoustic Search Sensors, provides for engineering E. (U) RELATED ACTIVITIES: Program Element 67711N, Undersea Target Surveillance Technology, provides for initial determination of development of selected sensor systems and signal processing. feaaibility of candidate technology approaches.
- CONTRACTORS: (HLA) Magnavox, Fort Wayne, IN and Hazeltine, Braintree, MA; (AA) Luckheed, Burbank. CA; Sparton, Jackson, MI; F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Air Development Center, Warminster, PA; Naval Ocean Systems Center, San Diego, Sippican, Marion, MA; Sanders, Nashua, MH.
- G. (0) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:
- (V) Project W1292, Advanced ASW Sensors and Processing:
- increased capacity and flexibility to handle multi-sensor data loads. This project provides advanced development for both active 1. (W) Description: This project will provide improved air ASW mission effectiveness through development of advanced Key objectives are platform accommodation of advanced sensors; improved detection, classification, localization, tracking and hardware and software associated with acoustic systems including sensors, processing, post processing, data record, and display. and passive sensors, processing and displays. The focus of these sensor systems has expanded from the classical

The Engineering Development of these projects is carried on in PE64261N when they transition from this Advanced and to develop concepts to exploit active transmissions from threat submarines. Development stage.

- 2. (U) Program Accomplishments and Future Efforts:
- (U) FY 1986 Program
- O Horizontal Line Array (HLA) ADM testing and the hardware prime item specification is completed. HLA Active Receiver (ADAR) requirements included in HLA functional specifications.
- Development of: in-buoy signal processing; software algorithms; operational concept, functional specification; platform integration impacts.
  - Active Enhancement (AE)
  - prototype hardware evaluated.
- Laboratory trainers and flight testing conducted to support Milestone II decision. o Active Adjunct (AA) - System concepts/designs and acoustic receivers evaluated
- o Tactical Arctic Sonobuoy (TAS) Alternatives for ice penetration techniques investigated.

Program Element: 63254N

Title: Air Anti-Submarine Warfare

## b. (VI FY 1987 Program:

Select system development option. Continue in-buoy processing development. Transition to PE 64261, WO480. - Include bearing and FM algorithms in ADM units. Continuous Wave portion transitions to PE 64261, W0480.

 HLA/Air Deployed Active Receiver (ADAR) - Demonstration tests with missions.

in simulated search

· Horizontal Line Array (HLA) - program transitions to FSED in FE 64261, W0480, Acoustic Search Sensors.

\* Active Adjunct (AA) - System design to be developed in FSED will be selected. Selection of development options for localization missions.

O Tactical Arctic Soncbuoy (TAS) - Application of ice penetration techniques to specific sensors will be investi-

## c. (u) FY 1988 Planned Program:

o Air Deployable Active receiver (ADAR) - Processing/display sizing/coding to be performed. Analysis of test data.

\* Active Enhancement (AE) - Evaluate other improvements (pulse : aping, depth determination, countermessures).

- Continue program (concept validation and test); complete software development; Transitions to P.E. 64261N, Project W0480. begin platform integration tests.

\* Advanced Processing (AP) - Advanced processing for multiple sensors.

o Active Adjunct (AA) - Commence development of both avionics software and sonobuoy modifications.

o Initiate Development Options Papers for Advanced Active Sonobuoy (AAS), Improved Low Cost Sonobuoy (ILCS), and Improved Tactical Surveillance Sonobuoy (ITSS).

Tactical Arctic Sonobuoy (TAS) - Selection of development options(s). Contract award(s) for ADM units.

## d. (U) FY 1989 Planned Program:

Air Deployable Active Receiver (ADAR) - System design to be developed in FSED will be selected.

° Tsctical Arctic Sonobuoy (TAS) - ADM testing.

 Advanced Processing (AP) - Continuation of advanced processing for improved detection classification, localization, including countermeasures resistance.

· Prepare to award initial ADM contracts in FY 1990 for AAS, ILCS, and ITSS.

Active Adjunct (AA) - System development continues.

• Active Enhancement (AE) - Demonstrated improvements, transition to PE 64261, WO480.

Program Element: 63254N

Title: Air Anti-Submarine Warfare

- e. (U) Program to Completion:
- This is a continuing project.
   All programs being developed under this project will potentially transition to PE 64261N, W0480 for Full Scale Engineering Development.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not applicable.
- I. (U) TEST AND EVALUATION DATA: Not applicable.

622

FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

4 - Tactical Programs 265 - Amphibious, Strike, and Antisurface Warfare Budget Activity: 63256N DoD Mission Area: Program Element:

A. (II) FY 1988/69 KESOURCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROCRAM ELEMENT	525,249*	0	3,988	17,909	Continuing	Continuing Continuing
W1425*	V-22 OSPREY	525,249*	0	0	0	0	*
W1 97.1	V-22/ASW CF	0	0	3,988	17,909	Continuing	Continuing Continuing

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated \* Project W1425 V-22 OSFREY changed from PE 63256N to 64262N in FY 1987 to reflect transition into 6.4 FSED effort. through 1989.

- to provide primary outer zone ASW protection and secondary surveillance and targeting support. The V-22 ASW variant will meet this need through its vertical and short takeoff and landing (VSTOL) capabilities and state-of-the-art weapons system. It will be capable of operating independently from and being supported by carriers and a variety of aviation capable ships. The tilt-rotor technology of the V-22 ASW variant provides performance, range, speed and operational flexibility which will enhance future ASW (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: The U. S. Navy has an urgent requirement in the mid-1990's for an aircraft mission effectiveness. This aircraft will replace the S-3.
- (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: Project W1425, in FY 1986 decrease of 30,306 for GRH adjustment and 2,071 for Department Budget adjustment and increase of 300 for Department Program/Budget adjustment. Project W1971 reflects funding for planned effort for the V-22 ASW variant.
- (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY: Not Applicable.
- D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.
- The Air Force will have a unique project line in the Air Force budget to support their unique development requirements. At this (U) RELATED ACTIVITIES: The V-22 is a joint service program with the Navy as Executive Service and Air Force participating. time the V-22 ASW Variant has singular application to the U. S. Navy only. ь Li

Program Element: 63256N

Title: V-22A

Naval Air Test Center CONTRACTORS: Airframe: F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Air Development Center (Avionics Engineering) Warminster, PA; (Operational Testing) Patuxent River, MD; Naval Avionics Center (Avionics Software) Indianapolis, IN. Bell-Boeing, Fort Worth, TX; Engine: Allison Gas Turbine Division, General Motors Corp, Indianapolis, IN.

- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:
- (U) Project W1971 V-22 ASW CF:

vertical and short takeoff and landing (VSTUL) capabilities and state-of-the-art weapons system. It will be capable of operating The V-22 ASW variant will meet this need through its independently from and being supported by carriers and a variety of aviation capable ships. The tilt-rotor technology of the V-22 ASW variant provides performance, range, speed and operational flexibility which will enhance future ASW mission effectiveness. The U. S. Navy has an urgent requirement in the mid-1990's for an aircraft to provide primary outer zone ASW protection and secondary surveillance and targeting support. This aircraft will replace the S-3. (U) Description:

- 2. (U) Program Accomplishments and Future Efforts:
- Compiled preliminary studies of mission configuration changes from a V-22 aircraft to (U) FY 1986 Program: V-22 ASW variant aircraft.
- b. (U) FY 1987 Program: Not Applicable.
- c. (II) FY 1988 Planned Program:
- o Analyze alternative mission equipment packages.
- o Analyze external stores design alternatives.
- o Perform predesign engineering for crew station layout alternatives.
- d. (II) FY 1989 Planned Program:
- o Perform preliminary design effort for mission configuration.

## UNCLASSIFIED Program Element: 63256N

Title: V-22A

## e. (U) Program to Completion:

- o Award FSED contract for avionics integration and fuselage modification.
- o Configure two production V-22 airframes with ASW avionics and stores modifications.
- o Conduct JECH/OPEVAL.
- o Obtain Approval for Limited/Full Production.
- f. (U) Major Milestones:

I. (U) TEST AND EVALUATION DATA: Not Applicable.

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63257N DoD Mission Area: 223 - Close Air Support & Interdiction

Title: A-6F Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dellars in Thousands)

	pa	!	502
rota1	Estimated	ost	717,502 717,502
T		to Completion C	19,536
	FY 1989	Estimate	78,097 78,097
	FY 1988	Estimate	124,023
	FY 1987	Estimate	170,950
	FY 1986	Actual	235,412 235,412
		Title	TOTAL FOR PROGRAM ELEMENT A-6F
	Project	No.	W1788

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

- Provides improvements for the A-6 aircraft to upgrade its current capabilities against the growing surface-to-air and air-to-air defensive threat through the remainder of this century, to increase its operational readiness, to improve survivability and to B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: The element provides for development of specific propulsion, airframe, and avionics improvements for the A-6F aircraft to enhance performance, reliability, maintainability, and survivability in the 1990's. The project includes development of a high resolution radar for standoff targeting, higher thrust engines, modern digital autonics, minor afrirame improvements, and survivability/vulnerability enhancements resulting from lessons The Libya lessons learned will be incorporated under the first A-6F block improvement, learned during the Libya operations. Engineering Change Proposal (ECP) -1. provide standoff targeting.
- the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: FY 1987 increase of 27,694 is the net result of Congressional action and adjustments and a Department budget adjustment, FY 1988 increase of 49,787 is due to a C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The significant changes between the funding shown in Department program adjustment. Both Increases are for Incorporation of the first A-6F block improvement, ECP-1.

Program Element: 63257N

Title: A-6F

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

							Total
Project				FY 1987	FY 1988	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	68,727	236,051	143,256	74,236	81,441	618,081
W1788	A-6F	68,727	236,051	143,256	74,236	81,441	618,081

## D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

						Total
	FY 1986	FY 1967	FY 1988		Additional	
	Actual			Estimate	to Completion	Cost
Aircraft Procurement, Navy, A-6F:						
Funds (41AC)	0	0 123,642*	839,477**	839,477** 854,289**	Continuing	Continuing Continuing
Quantities	0	0	12	18	120	150
* A-6F only						
** A-6E/F mixed						

E. (U) RE.ATED ACTIVITIES: Program Element 24134N (A6 Squadron) contains the A-6E Weapons Integration development program which forms the baseline from which the A-6F is being developed and assures enhanced A-6E mission capabilities to meet the requirements of the 1990s. F. (U) WORK PERFORMED BY: CONTRACTORS: Grumman Aerospace Corporation, Bethpage, NY; General Electric Company, Lynn, MA; United Technologics, Norden Division, Norfolk, CT. IN-HOUSE: Naval Air Development Center, Warminster, PA; Naval Air Propulsion Center, Trenton, NJ; Navel Weapons Center, China Lake, CA.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable.

Program Element: 63257N

Title: A-6F

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

## (U) Project W1788, A-6F

survivability through use of improved avionics, propulsion and survivability technology to upgrade engines, radar, and other This effort interfaces with F-14D which is undergoing simultaneous development, and must be available for production The primary goal of this multifaceted effort is to improve fleet reliability, performance and capabilities being addressed by this effort include vulnerability, standoff capability and reliability/maintainability as The threat being addressed is surface-to-air missiles, gunfire and hostile aircraft, which are projected to be operational in the post-1990 In FY 1988. Specific components to be developed under A-6F include radar and engines. Major improvements to be achieved are Special characteristics are then resolution radar for improved standoff targeting, higher thrust engines, modern digital avionics and minor airframe changes. Emergent technology has produced capalility improvements not available at initiation of FSD. These include a night attack system, autonics subsystems. The effort is directed primarily towards needs in Antisurface Warfare and Strike Warfare. Identified in fleet reliability reports, DIA DST-1200F0597-82, October 1982, and TACAIR Warfare Assesaments. increased survivability, reliability/maintainability and improved operational capability. EW systems and others to be incorporated in initial production under the block title ECP-1. (U) Description:

## 2. (II) Program Accomplishments and Future Efforts:

- Continued full scale development including critical design reviews of the aircraft, engine, Began ECP-1 concept formulation. FSED aircraft major component assembly commenced. radar, and mission computer software. a. (U) FY 1986 Program:
- Complete assembly and delivery of four FSED aircraft. Conduct first flight, initial developmental testing and pilot production decision. Commence development and integration of ECP-1. (U) FY 1987 Program:
- Conduct flight tests to expand flight envelope, integrate radar and avionics, and verify mission computer software. First limited production Milestone IIIA decision Full scale development flight testing continues throughout the year. c. (U) FY 1988 Planned Program: Accept delivery of fifth FSD aircraft. will be reached in March 1988.
- (U) FY 1989 Planned Program: Conduct carrier suitability tests, TECHEVAL, and OPEVAL.
- (U) Program to Completion: Completion of developmental testing, operational test and evaluation and full scale production decision in 1990. Conduct ECP-1 TECHEVAL and OPEVAL.

28

Program Element: 63257h

Title: A-6F

## f. (U) Major Milestones:

- Department of the Navy Strategy Board Decision
- Secretary of the Navy Direction
  - Full Scale Development Contract
    - Prototype Fabrication
- Developmental Test and Evaluation Pilot Production Decision
- Operational Test and Evaluation (Baseline) (ECP-1)
  - Approval for Limited Production 8. 9.
    - Approval for Pull Production
- Initial Operational Capability

#### Date

31 July 1984 August 1984 - May 1987 May 1987 - June 1989 March 1987

August 1990 - December 1990 June 1989 - March 1990 FY 1988/89 FY 1990

## T. (U) TEST AND EVALUATION DATA (U)

- 1. (U) Development Test and Evaluation
- year 1970. The prototype afroraft was an A-6A with a new microminiaturized radar, computer and weabons release system firstalled. Reliability/maintainability demonstration tests were successfully conducted on the new radar, computer and weapon release system and specifications were met. The filght test program confirmed system interface and the software computer program with no major deficiencies encountered. The fiscal year 1975 configuration included with a Forward Looking Infrared (FLIR) sensor, iaser ranger and designator and a laser energy receiver. The FRAM system allows high resolution withing of the target and the ability to execute self-contained delivery of laser guided walso being backfitted into earlier production models as well as A-6E airc-aft converted from the A-6A aircraft in the Conversion in Lieu of Procurement (ELLOP) Program.
  - b. (U) A successful Navy Preliminary Evaluation (NPE) for the A-6E was conducted in 1971 and a Board of Inspection Survey (BIS) trial was conducted in 1972 (Model A-6E Aircraft Service Acceptance Trial, Project BIS Report «1293, Final Report, 11 June 1973). The A-6E aircraft was approved for service use on 22 December 1972.
- c. (U) The TRAM configured A-6E successfully completed Development, Test and Evaluation (DI&E) trials in June 1976. Based upon the results of the DI&E and the Operational Test and Evaluation (DI&E), the A-6E TRAM was the A-6E TRAM Detecting and Ramping Set (ORS) began in July 1976. An initial May Technical Evaluation (TECHEVAL) of A-6E TRAM Detecting and Ramping Set (ORS) began in July 1977 (A-6E TRAM TECHEVAL). Third Report (FIBAL) all January 1979). A limited TECHEVAL for Reliability and Maintainability (R&M) was completed in August 1979. Approval for Service use (ASU) was granted in March 1980 and the system has been approved for full production.
  - d. (U) The A-6E Operational Flight Program (OFP) has been progressively updated. The last three operational center, E120, E220 and E230, have been developed by the A-6 Weapon System Support. Activity at the Naval Weapons center. China take, California. Major improvements include revised weapon ballistics algorithms, updated inertial measurement unit alignment routines, additional system/visual weapon delivery modes, enhanced nuclear weapon BSU-85 and system integration recently introduced weapon systems such as SKIPPER I), BIGEYE, GATOR, FMU-140 and BSU-85. E230 completed development testing in September 1985 and operational testing in May 1986 and was approved for fleet use in June 1986.
    - e. (U) The capability to carry and launch the AGM-84A HARPOOM missile on the A-6E aircraft has been developed. This project combines the all weather anti-ship missile capability of HARPOOM with the A-6E all weather carrier attack aircraft. Development testing has been completed.

f. (U) In June 1980, the Chief of Naval Operations approved the commencement of the Demnstration and Validation (D&V) phase of development for the A-6E All Meather Standoff Attack Control System (ANSACS) to provide Emproved radar resolution and processing for target classification from standoff ranges. After the DAV phase was satisfactorily completed, authority to enter full scale development was denied in March 1982 because of affordability

g. (U) Integration of the AGM-80A High Speed Anti-Radiation Missile (HARM) and the ALR-67 threat warning receiver was initiated in 1982. In 1983 A-6E HARM missile integration was expanded to include the AGM-65E Laser Maverick, AGM-65F Imaging Infrared Maverick, AGM-64D Block IC HARDIGH and ordvisions for a Generic Air-to-Surface tasks conducted by Grumman Aerospace Corporation included development of a new missile command and launch system, digital multiplexed missile interfaces and extensive system software. The developmental E215 fight program was then meroged by the Naval Weapon Center with the current fleet Operational Flight Pregram (OFP) (E230) to become E240. The TEP 820

## 2. (U) Operational Test and Evaluation

a. (U) Operational Evaluation (OPEVAL) testing of the prouction configuration A-6E was completed in 1973 and concluded that the A-6E retained all The capabilities of the A-6A and achieved improved weapon system maintainability/reliability (Final Report of 0.y-33 OPEVAL of the A-6E Attack Navigation System, 2 January 1974).

b. (U) Follow-on Operational Test, and Evaluation (FOTAE) of the \*-6E was assigned to VX-5. Project operations began in January 1975 and were com leted in November 1975. Results, published in 1976, showed arrial minn delivery and the E-2.0 computer program to 1.2 operationally effective. The E-2.0 (BASIC), E-105 Carrier Airborne Inertial Mavigation System (CAIMS) E-110 (TRAM), E-120, E-220 and E-230 operational flight programs have now been tested and approved. c. (U) Initial Operational Test and Evaluation (IDTRE) of the A-GE TRAM (Target Recognition and Attack Multisensor) system was conducted by VX-5 in two phases (OT-IIIA and OT-IIIB) from 1976 to 1979. The OT-IIIA testing phase was completed in early July 1976. COMOPIEVENR concluded that the A-GE TRAM system was operationally effective and potentially operationally suitable, and recommended continued development, provisional approval for service use, testing on 10 September 1979 at NMC China Lake, CA, and completed flight testing on 16 November 1979. The (PEYAL report concluded that the A-GE TRAM was operationally effective and operationally suitable, and recommended approval for service use and full-scale production (OPEVAL of the A-GE TRAM System, 17 March 1980).

d. (U) In June 1980, an operational evaluation of an upgraded A-6E Target Procognition and Attack Multiscnsnr (TRAM) Operational Fight Program (OFP) (E-110 plus Strike Attack Vectoring (SAV)) was conducted to test the improved operational capabilities. E-110 + SAV was determined to be operationally effective and release to TRAM configured problem concluded that E-110 + SAV provided reasonable weapon delivery accuracy in all delivery modes. Therefore, the Commander of Operational Test Forces (COMOPETFOR), in August 1880, recommended release of the E-110 + SAV OFP to all to bomb long in loft delivery modes (primary war-at-sea delivery tactic) and recommended follow-up corrective action to eliminate this anomaly. This anomaly was corrected in the E-220 OFP released to the fleet in April 1984.

e. (U) An operational assessment of the A-6E TRAM/HARPOON missile integration, to determine the feasibility of an early deployment of the system, was conducted in July 1980. Test results indicated potential operational possibility was not effectiveness of the A-6E TRAM/HARPOON, however, a comprehensive assessment of operational suitability was not development of a fix for an arming lanyard discrepancy. In June 1981, VX.-5 completed Operational Evaluation (OPEVAL) of the A-6E TRAM/HARPOON integration. COMOPTEFOR concluded that the A-6E HARPOON Meapon System is operationally suitable based on demonstrated system reliability and availability. Copic of the A-6E HARPOON Meapon System for service use and production (OPEVAL) production (OPEVAL) and availability. Was granted 20 January 1983.

f. (U) Follow-on Operational Test and Evaluation of th A-6E TRAM was assigned to VX-5. Project operations began in December 1981 and are continuing. An operational test and evaluation of the upgrade A-6E TRAM nFP, designated Elecember 1981 and evaluation of an apparent steering and weapon delivery accuracy problem, and resumed in October 1983. Teliniang was successfully completed and E-120/220 were introduced in the fleet in April 1984. Follow-on Test and Evaluation (FRIÆE) on nFP El20-01/220-01 was successfully conducted by VX-5 in October 1984 to correct two software anomalies and was released to the fleet on 23 October 1984. Foliae on nFP El20 began in Movember 1985 and completed in May 1986. NFP-El20 was released to the fleet in July 1986. Ol-IIA of the El40 System Meapons Integration Program (SMIP) configuration will commence in June 1987 and complete in September 1987.

3. (8) System Characteristics -- A-6E TRAM

(U) Operational/Technical Characteristics

Operational/Technical Characteristics

Demonstrated Performance

Objectives 1/

Forward Looking IR (F1 1R) Resolution (Narrow Field of View)

System Tracking Rates Azimuth Elevation

System Tracking Accuracy Azimuth Elevation

System Stabilization (with compensation)

Laser Range Accuracy

FLIR Range Performance (DD 931 Class, A/C olt 4000 ft) Detection Classification Identification

Unjuided Bombing Accuracy (1500 ft Altitude)

Laser Receiver Tracking Range

91.432/	33.2 hrs2/ 45.3 hrs2/	83.3%2/	10022/27
85%	18.5 hrs	70%	75%
Operational Reliability (ORS) Prohability	Mnan Time Returen Failure	Maintainability (Operational Readiness Test)	Maintainabjiity (Fault Isolation Test)

1/ Updated A-GE TRAM Naval Decision Coordinating Paper (NDCP MOS29-TE dated 6 Dec 1978)  $\overline{2}/$  Results of A-GE TRAM Navy Technical Evaluation (NTE)  $\overline{3}/$  Results of A-GE TRAM Operatonal Test and Evaluation (018E)

## 4. (U) Current Test and Evaluation Activity

Months)	Oate Remarks	Nov 85 - May 86 E230 released to fleet Jun 86	Months)	Date Remarks	TECHEVAL	101&E	NPEVAL
(U) T&E Activity (Past 12 Months)	Planned Date Actual Oate	Oct 85 - Apr 86 Nov 85 -	(U) IBE Activity (Next 12 Months)	Planned Date Actual Date	Jan 87 - Aug 87	Fab 87 - May 87	Jun 87 - Sep 87
	Event	A-6E TRAM Follow-on 18E (E230)		Event	E240 SKIP 67-11C	E240 SMIP GT-11A	E240 SWIP 01-118

## 5. (U) Program Documentation

COMOPTEVFOR PROJECT REPORTS

DATE	TITLE	SERIAL NO.
2 Jan 74	Final Report of U/v-93 OPEVAL of the A-6E Attack Navigation System	ວ
18 Jun 76	OPEVAL of the A-6E TRAM System	C240
2 Har 77	Initial Operational Evaluation of the A-6E TRAM System	950
22 Jan 79	OPEVAL of the E-11D Operational Flight Program for the A-6E CAINS and TRAM Aircraft	C22
17 Mar 80	OPEVAL of the A-6E TRAM System	C74
10 Sep 81	CREVAL of the A-6E HARPOON Weapon System	C277
27 Jun 60	(PTEVFOR Tectics Guide A-6E TRAM System E233 OFP	77 1031-01-86
	DEVELOPMENT TEST REPORTS	
11 Jun 73	Model A-6E Aircraft Service Acceptance Trial, Project BIS Report 21293, Final Report	
19 Aug 76	Muclear Meapons Supplemental Report	Ser C41
3 Jan 79	A-6E TRAM TECHEVAL (0T-1118), Third Report (FINAL)	SA-C14R-78
29 Nov 85	A-6E E230 OFP Technisal Description	NWC TM 5696

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63260N DoD Mission Area: 234 - Mine Warfare

Title: Airborne Mine Countermeasures Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
W0528	TOTAL FOR PROCRAM ELEMENT Advanced Afrborne Mine	11,411	10,680	8,975	12,322	Continuing Continuing	Continuing
W0529	Countermeasures Equipment Airborne Minehunting System	5,315	4,227	3,151	5,665	Continuing Continuing	Continuing Continuing

As this is a continuing program, the above funding includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989. B. (V) BRIEF DESCRIPTION OF ELFMENT AND MISSION NEED: Development of airborne mine countermeasures systems that are required to counter known and projected mine threats. Provides

mechanical minesweeping capability against moored mines, and a capability to mines, at greater area coverage rates mines, a

locate and neutralize than surface mine countermeasures platforms. C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding shown in the FY 1987 Pescriptive Summary are as follows: The FY 1986 reduction -1,164 was caused by the GRH and Department program/budget adjustments. The FY 1988 reduction -6,134 was caused by Department program/budget and NIF rate adjustments.

Program Element: 63260N

Title: Airborne Mine Countermeasures

i

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
W0528	TOTAL FOR PROGRAM ELEMENT Advanced Afrborne Mine	15,306	12,575	11,565	15,109	Continuing (	Continuing
W0529	Countermeasures Equipment Airborne Minehunting System	5,675 9,63 <u>1</u>	3,588	4,357	5,937 9,172	Continuing Continuing	Continuing Continuing

(U) OTHER FY 1988/89 APPROPRIATION FUNDS:

Total Estimated	Cost			Continuing
Additional	to Completion (			Continuing
FY 1989	Estimate			24,335
FY 1988	Estimate			14,390
FY 1987	Estimate			17,421
FY 1986	Actual			17,868
		Advanced Airborne MCM	Equipment Afrborne Minehunting System	OPN (BA 3) (334248)
		W0528	W0529	

E. (U) RELATED ACTIVITIES: Computer-aided detection/classification, cable fairing, and towed body technologies developed under Program Element 62315N Mine and Special Warfare Technology; Sonar technology developed under Program Element 63502N, Surface Mine Countermeasures, Project SO260, Minehunt and Project Si:04, Neutralization. F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Coastal Systems Center, Panama City, FL; David W. Taylor Naval Ship Research and Development Center, Bethesda, MD and Naval Surface Weapons Center, Dahlgren, VA. CONTRACTORS: EDO Government Products Division, College Point, NY; Tetra-Tech, Inc., San Diego, CA; and Lockheed Advanced Marine Systems, Santa Clara, CA.

Program Element: 63260N

Title: Airborne Mine Countermeasures

- C. (U) PROJECTS LESS THAK \$10 MILLION IN FY 1988/89:
- (U) Project W0528, Advanced Airborne Mine Countermeasures Equipment:
- 1. (V) Description: In 1970, the Chief of Naval Operations made a decision to restructure the mine countermeasures force from one based solely on surface ships, to a force whose optimum performance is achieved with a mix of airborne and surface platforms, utilizing the best capability of each. The rapid speed of forward deployment and effectiveness of helicopter minesweeping have been proven in Haiphong, Suez, and the Red Sea and has led to a requirement to expand helicopter mine countermeasures from the early, shallow water, precursor sweep capability to a deeper and more effective capability to sweep

Systems developed under this project include: AN/ALQ-166 Magnetic Sweep to sweep magnetic mines A/N37U-1 Controlled Depth Moored Sweep to increase sweep depth

streaming time; AN/ASQ-182 Magnetic Environment Measurement Set to increase magnetic sweep efficiency and helicopter safety; Advanced Acoustic Sweep, including Pressure Acoustic Monitor,

- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- \* AN/ALQ-166 Continued Navy evaluation.
- A/N37U-1 Continued technical evaluation.
- b. (U) FY 1947 Program:
- \* AN/ALQ-166 Complete Navy evaluation and complete design of changes.
- A/N37U-1 Complete technical and operational evaluations.
- c. (U) FY 1988 Planned Program:
- $^{\circ}$  AN/AIQ-166 Complete fabrication of changes and initiate technical evaluation.
  - ° A/N37U-1 Obtain Approval for Full Production.
- d. (U) FY 1989 Planned Program:
- AN/AIQ-166 Complete technical and operational evaluations.
- AN/ASQ-182 Advertise and award contract for design and fabrication of Engineering Development Models.
- Advanced Acoustic Sweep Advertise contract for design and fabrication of Advanced Development Models.

Program Flement: 63260N

Title: Airborne Mine Countermeasures

e. ( ) Program to Completion: This is a continuing program which includes the following events:

	MS 11	OPEVAL	MS III	100
AN/ALQ-166 Mag Sweep	FY 78/1Q	FY 89/3Q	FY 90/1Q	
A/N37U-1 CDMS	FY 80/1Q	FY 87/40	FY 88/2Q	
AN/ASQ-182 MEMS	FY 89/1Q	FY 92/2Q	FY 92/40	
Advanced Acoustic Sweep	FY 93/1Q	FY 96/2Q	FY 97/1Q	
Marker/Reference Buoy	FY 91/10	FY 94/30	FY 95/1Q	
Rapid Deploy Mechanical Sweep	FY 91/10	FY 94/3Q	FY 95/1Q	
Global Positioning System	FY 91/20	FY 95/3Q	FY 96/1Q	

## (U) Project W0529, Airborne Minehunting System:

Development of airborne mine countermeasures systems to hunt, detect and neutralize bottom and moored mines. The Soviets possess pressure-combination mines 1. (V) Description:

and classiffication, and systems for mine neutralization by explosive charge, with equipment designed to provide shallow and deep water minehunting and minefield reconnaissance capabilities against both bottom and moored mines. Systems being developed under AN/AQS-20 Sonar Mine Detecting Set (previously known as the Advanced This project includes sonars for mine detection this project are: Acoustic Tracking Device and Neutralization System to neutralize mines Minehunting Reconnaissance System) neutralization time

Bottom Survey System Fixed Reconnaissance and Mine Search

- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- \* Acoustic Tracking Device and Neutralization continged fabrication of operational test models and aircraft installation.
  - ° AN/AQS-20 Sonar Mine Detecting Set ~ conducted critical Advanced Development tests.

Program Element: 63260N

Title: Airborne Mine Countermeasures

#### (II) FY 1987 Program: å

- Acoustic Tracking Device and Neutralization conduct environmental tests, and preliminary explosive safety tests.
  - \* AN/AQS-20 Sonar Mine Detecting Set . Prepare specifications, for competitive procurement of Advanced Development test models.
- (I) FY 1988 Planned Program: ٠,
- Acoustic Tracking Device and Neutralization Deliver operational test models and complete technical evaluation.
  AN/AQS-20 Advertise and award contract and initiate design of Advanced Development Models.
- (U) FY 1989 Planned Program: Ġ.
- Acoustic Tracking Device and Neutralization Complete operational evaluation and obtain Approval for Full
- \* AN/AQS-20 . Complete fabrication and initial test of Advanced Development Models.
- (W) Program to Completion: This is a continuing program which includes the following events: e.

	MS II	OPEVAL	MS III	100
Acoustic Tracking Device/	FY 82/10	FY 89/10	FY 89/30	
Neutralization System				
AQS-20 Sonar Mine Detecting System	FY 90/10	FY 93/30	FY 94/10	
Rottom Survey System	FY 90/10	FY 54/30	FY 95/10	
Fixed Recon & Mine Search	FY 94/30	FY 98/2Q	FY 99/10	

- H. (U) PROJECTS OVER \$10 MILLION IN FY 1938/89: Not applicable.
- (U) TEST AND EVALUATION DATA: Not applicable. .

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63261N DoD Mission Area: 323 - TJARA for Naval Warfare

Title: Tactical Air Reconnaissance Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/H9 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

	FY 1986 Acrual	FY 1987 Estimate	FY 1988 Estimate	FY 1939 Estimate	Additional to Completion	Total Estimated Cost
TOTAL FOR PROCRAM ELEMENT	5,850	22,865	8,570	8,631	Continuing	Continuin
Tactica! Reconnaissance System	2,256	4,274	9,570	8,631	Continuing	Continuing Continuing
Remotely Piloted Vehicles	3,594	18,591				

<sup>\*</sup> Project W1870 transferred to program element 64511N, (Intelligence Systems) in FY 1988.

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

intelligence to the tactical commander. Present systems provide such imagery from manned platforms using film-based sensors. The There is a need for timely tactical reconnaismance imagery (in real-time via data links) for manned platforms. Manned reconnaissance, with larger mission payloads, can provide both broad coverage and high resolution imagery at extended ranges from the tactical base. The aircrew provides Present assets, F-14/TARPS (Tactical Air Reconnaiseance Pod System) with U.S. Navy and the RF-4B with U.S. Marine Corps use film-based sensors. The RF-4B also has an imaging SLR (Side Looking Padar) and data link. The RF-48 is being replaced by the multi-mission F/A-18D(RC). A reconfigurable data-11nk pod will be added to ensure an all-weather, standoff, and data-11nk capability in the F/A-18D. Interservice sensor The Tactical Air Reconnaissance Program provides timely imagery nose for the F/A-18 using film-based and electro-optic sensors has been demonstrated. Advanced electro-optic sensors will be A reconnaissance added when developed by the U.S. Air Force Advanced Tactical Air Reconnaissance System (ATARS) program. necessity to return to base and process the film delays analysis (interpretation). flexibility to update navigation and adjust coverage for a target-of-opportunity. commonality and video imagery interoperability are primary program requirements. B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED:

Program Element: 63261K

Title: Tactical Air Reconnaissance

C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: in Project W0534, FY1987 was decreased gressional actions and adjustments; Project W1870 (Remotely Piloted Vehicles) in FY1987 was increased by 9,057, within that dollar amount is an increase of 11,057 due to Department program adjustment and a decrease of 2,000 due to congreasional action by 4,234, within that dollar amount is a decrease of 2,000 due to Department program adjustmenta and a 2,234 decrease due to Conand the decrease of 18,901 is due to the fact that Project W1870 was transferred to PE 64511N.

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	Title	FY 1985 Actual	FY 1986 Eatimate	FY 1987 Estimate	FY 1988 Eatimate	Additional to Completion	Total Estimated Cost
W0534 W1870	TYTAL FOR PROCHAM ELEMENT Tactical Recommunisance System Remotely Piloted Vehicles	8,663 8,663 0 (	2,207 2,207 (3,990)**	18,042 8,508 9,534*	27,705 8,804 18,901	Continuing Continuing	Continuing Continuing

\* PE 63635M provides additional funding for Marine Corps requirements. \*\*Below Threshold Reprogramming action.

D. (U) OTHER TY 1988/A9 APPROPRIATION FUNDS: Not Applicable.

## F. (U) RELATED ACTIVITIES:

Program Element 24136N, (F/A-18 Squadrons); Africaft to receive reconnaiasance capability.

Program Element 26625M, (Joint Service Imagery Processing System); station receiving data-linked imagery from F/A-18D(RC).

Program Element 645119, (Intelligence Systems); Complements manned reconnaissance in specialized threat acenario.

Integration into F/A-185(RC) suite. A Memorandum of Agreement between the U.S. Air Force and the U.S. Navy to coordinate tactical reconnaissance development was signed 11 March 1985. The U.S. Air Force will lead in electro-optic sensor development, and the Program Element 64710F, (Tactical Reconnaissance); U.S. Air Force program developing advanced electro-optic sensors for II.S. Navy will lead in concept definition of unmanned tactical reconnaissance vehicles. Coordination is maintained on a monthly basis between the two services, and there is no unnecessary duplication of effort.

### UNCLASSIFIED Program Element: 63261N

Title: Tactical Air Reconnaissance

activities: Naval Air Test Center, Pstuxent River, MD; CONTRACTORS: McDonnell Aircraft Co., St. Louis, MO; Fairchild Space and Electronics Co., Germantown, MD; Goodyear Aerospace Co., Phoenix, AZ. Lead Laboratory is the Naval Air Development Center, Warminster, PA; OTHERS: 1N-HOUSE: F. (U) WORK PERFORMED BY:

## G. (U) PROJECTS LESS THAN SIO MILLION IN FY 1988/89:

## (U) Project W0534, Tactical Reconnaissance System:

U.S. Marine Corps multi-mission F/A-18D(RC). The existing U.S. Marine Corps RF-4B will be phased out. The existing film-based reconnaissance sensors will be replaced with electro-optic sensors and data links for real-time transmission of imagery directly to the battle group or amphibious force commanders. A baseline system using an existing infrared line scanner converted to an electro-optic output and off-the-shelf tape recorder will be mounted internally. The exiating UPD-4 Side-Looking Radar and Data Link, now internal in the RF-4B, will be carried in a pod on the F/A-18D(RC). Growth provisiona for inclusion of advanced electro-optic sensors to be developed by the U.S. Air Force will be provided. Commonality and interoperability goals are being 1. (1) Deacription: The purpose of this project is to introduce a real-time tactical reconnaissance capability into the achieved through working groups and coordination meetings with related air and surface atation programs.

## (U) Program Accomplishments and Puture Efforts:

#### (U) FY 1986 Program

- o Completed sensor study of electro-optic reconnaissance equipment,
- o Formed working group with U.S. Air Force to coordinate development plans (U.S.N/U.S.A.F MUA of 11 March 1985).
- o Completed flight test evaluation of reconnaissance nose in F/A-18.
- o Installed engineering model ground station to receive electro-optic and SLR imagery.
- o Accepted Critical Design Review (CDR) and Sensor Control/Data Display Set (ASQ-XXX) for F/A-18.
- o Coordinated demonstrations of electro-optic equipments with U.S. Air Force to avoid duplication. o Planned Full Scale Development (FSD) activity to be initiated with FY 1987 funding.
  - Conducted flight teat of new infrared lineacanner with low-alt/high-speed capability.
    - o Initiated flight test of UPD-4 SLR and data link in pod on  $F/\hbar$ -18.

#### <u>.</u>

o Complete flight test of UPD-4 SLR and data link in pod on F/A-18.

Program Element: 63261N

Title: Tactical Air Reconnaissance

- baseline electro-optic sensor suite, and UPD-4 SLR Pod with growth for advanced electro-optic systems for o initiste design of modification to aircraft provisions and software as necessary for incorporation of U.S. Marine Corps F/A-18D(RC).
  - o Conduct flight and ground tests as necessary for configuration definition of the F/A-18D(RC).
    - o Initiste logistic support and facility planning for complete system.
- o Participate with U.S. Air Force in specification and initiation of development of advanced electro-optic
- o Definitize U.S. Navy electro-optic reconnaissance program in concert with the U.S. Air Force.

### . (U) FY 1988 Planned Program:

- o Complete development of pod and interface elements for pod carriage of UPD-4 SLR and data link.
  - o Update EDM ground station for reception of imagery from UPD-4,
- o Regin Installation of aircraft provisions to accommodate reconnaissance package.
- o Initiate development of Video Management System (VMS) components for baseline electro-optic system.
  - o Continue flight demonstrations of advanced electro-optic sensor prototypes.
- o Monitor development of advanced electro-optic sensors by U.S. Air Force. Approve Critical Design Review (CDR) of those sensors.

### d. (U) FY 1989 Planned Program:

- o Conduct test and evaluation tests of the UPD-4 SLR and Data Link system.
- o Complete support equipment and logistic planning for UPD-4 SLR.
- o Complete development of VMS components for baseline electro-optic system.
- o Initiate production of 'MS components for baseline electro-optic system.
- o initiste development of operationsi procedures for employment of baseline EO and SLR systems.
  - o Conduct unique T&E of advanced electro-optic sensors (EMI-EMV, supportability, etc.).

### e. (II) Program to Completion:

- o Conduct test and evalustion of baseline electro-optic system and a real-time capability using data link from UPD-4 system and ADM ground station.
- electro-optic system. Add development models of advanced EO sensors to baseline systems and conduct T&E o Initiste instructor training and complete support equipment and logistic planning for baseline of unique U.S.N requirements.

644

Program Element: 63261h

Title: Tactical Air Reconnaissance

- o Conduct OPEVAI of sdvanced EO sensors.
- o Initiate development of support equipment and logistic plans for advanced EO sensors. Initiate development of modifications to P-14/TARPS (Tactical Air Reconnaissance Pod System) to accept baseline and advanced electro-optic sensors.
- o Complete development of support equipment and logistics for advanced EO sensors. Complete modifications to TARPS and conduct operational T&E.
- o Introduce a real-time reconnaissance capability into U.S. Marine Corps and U.S. Navy squadrons.
- o This is a continuing program.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not Applicable.
- I. (U) TEST AND EVALUATION DATA: Not Applicable.

Program Element: 6326.2N DoD Mission Area: 235 - Naval Warfsre Support

Title: Afroraft Survivability and Vulnerability
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTINC): (Dollars in Thousands)

							Total
Pro lect		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	13,162	11,925	15,342	18,569	Continuing	Continuing Continuing
W0591	Aircraft Survivability and						
	Vulnerability	4,082	6,437	990,9	8,244	Continuing	Continuing Continuing
W0592	Aircraft and Ordnance Safety	3,305	3,833	3,839	3,823	Continuing	Continuing Continuing
W1088	Joint Technical Cocrdinating						
	Group on Afreraft						
	Survivability(JTCG/AS)*	2,378	ř	í		•	•
W1277	Nuclear Survivability Aircraft	1,507	844	3,492	4,362	Continuing	Continuing Continuing
\$1819	CV Aircraft Fire Suppression	1,890	811	1,945	2,140	Continuing	Continuing
	System						

\* Project W1088 is combined with Project W0591 in FY 1987.

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1987. In a war of attritton against numerically superior forces, U.S. Navy aircraft must be capable of engaging the target, returning to base and making repeated sorties until the enemy is destroyed or neutralized. This program addresses both the reduction in aircraft susceptibility to enemy threats and the reduction in aircraft systems vulnerabilities to the threat. In addition, current aircraft weapon systems are vulnerable in varying degrees to nuclear, biological, radiological, laser and microwave threats. The willingness of prospective enemy forces to use chemical warfare has been demonstrated. Soviet low-power laser cspability is actual and threatens optical (eye) and electro-optical sensors onboard Naval aircraft. Development of high-power lasers is continuing and is a major threat of the 1990's. The RDT&E projecta under this program element are an integral part of the overall Naval Air Combat Survivability program which includes specific weapon system survivability programs. This program element expands the survivability technology base and develops prototype hardware which is required to improve the survivability of these aircraft, develops Engineering Change Proposals, and ensures survivability R. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED:

Program Flement: 63262N

Title: Aircraft Survivability and Vulnerability

is a dealgn consideration during the design of new aircraft. There is a requirement to decrease the sensitivity of munitions to fire, shock and EMP. This program transitions "generic" insensitive munitions technology into air-launched munitions.

Project 31819: This Project was scheduled for completion in FY 1988, however funding of 1,945 was added in FY 1988 as well as in the outyears because of the CV Flag-Level Steering Committee's requirement to continue research and development for improved CV execution; in FY 1987, the decrease of 5,273 is the result of Congressional action and adjustments and Department program/budget the 4.39 increase was due to additional funding required during execution. Project W1088: the decrease of 982 was due to (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) Project W1277: in FY 1986, a decrease of 466 due to CRH and Department program/budget adjustment; in FY 1987, a decrease of 1755 is the result of Congressional action and adjustments as well as Department program/budget adjustments; in FY 1988 a decrease of 4,138 was due to Department program adjustments. in FY 1986, the increase of 724 was due to additional funding required during adjustments; in F1 1988, a decrease of 4,617 is the result of Department NIF rate and program/budget adjustments. Project W0592: Aircraft Fire Suppression Systems, Project W0591: Department program adjustments.

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

							Total
Project		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	19,609	13,622	19,054	22,287	Continuing	Continuing
W0591	Afreraft Survivability and	3,890	3,358	11,710	10,683	Continuing	Continuing
	Vulnerability						
W0592	Alreraft and Ordnance Safety	2,740	2,866	3,833	3,974	Continuing	Continuing
W1088	Joint Technical Coordinating	3,623	3,360	*	*	Continuing	Continuing
	Croup on Aircraft						
	Survivability						
W1277	Nuclear Survivability Aircraft	967,4	1,973	2,599	7,630	Continuing	Continuing
81818	CV Africaft Fire Suppression	4,860	2,065	912	‡	c	8,963
	System						

<sup>\*</sup> Project W1088 is combined with Project W0591 in FY 1987.

<sup>\*\*</sup>Project S1819 was transferred from PE 63514N (Shipboard Damage Control) in FY 1985 and is scheduled for completion in FY 1988.

Program Element: 63262N

Title: Aircraft Survivability and Vulnerability

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.

E. (U) RELATED ACTIVITIES: Aircraft Non-nuclear Survivability, Program Element 63244F, United States Air Force share of the Joint Technical Coordinating Group on Aircraft Survivability (JTCC/AS) Program; Joint Survivability Investigation, Program Element In addition, Projects WO591 and WO592 represent a well coordinated effort between the project office and all aircraft and ordnance development program offices, all advanced development aircraft and Related efforts for Project W1277 are Program Element 11402N, Project X0793-01, TACAMO IVR ELEC-MAGN PULSE and Program Element 63514N, Project S1607, ordnance offices, and the Naval Air Systems Command/Naval Sea Systems Command fire fighting communities. EMPRESS II. Roth of these projects are developing in-house Navy EMP test and analysis capabilities. 63215A, United States Army share of the JTCG/AS Program.

Project W0591: Naval Weapons Center, China Lake, CA (leed lab); Naval Air Development Center, Warminster, PA; Naval Surface Weapons Center, Sliver Spring, MD and Dahlgren, VA; Naval Research Laboratory, Washington, DC; Naval Weapons Support Center, Crane, IN; Naval Weapons Evaluation Facility, Albuquerque NM; Naval Postgraduate School, Monterey, CA; Naval Air Test Center, Patuxent River, MD; Army, Air Force and NASA laboratories; Grumman Aerospace Corporation, Rethpage, NY., McDonnell Afreraft Company, St. Louis, Mo. F. (U) WORK PERFORMED RY:

Project W0592: Naval Weapons Center, China Lake, CA; Naval Air Development Center, Warminster, PA; Naval Surface Weapons Center Dalhgren, VA and Indian Head, MD; Naval Weapons Support Center, Crane, IN; Naval Air Engineering Center, Lakehurst, NJ. Project W1277: Naval Air Development Center, Warmin:ter, PA (lead lab); Naval Surface Weapons Center, White Oak, MD; Naval Air Test Center, Patuxent River, MD; Naval Research Laboratory, Washington, DC. Project S1918: Naval Surface Weapons Center, White Oak, MD; Naval Research Lab, Washington, DC; Naval Weapons Center, China Lake, CA.

- . (U) PROJECTS LESS THAN SIO MILLION IN FY 1988/89:
- (U) Project W0592 Aircraft and Ordinance Safety:
- 1. (U) Description: Investigations of past flight deck fires aboard USS FORRESTAL (1967), USS ENTERPRISE (1969), and more recently, USS NIMITZ (1981) revealed that the major compounding factors were ordnance and afroraft response to the fire environment (fast cook-off). Additionally, CNO has directed all munitions carried aboard Navy ships also be insensitive to slow cook-off, bullet and fragment impact, EMP, and sympathetic detonation. This project identifies these hazards and applies technologies and techniques to reduce the hazards to required levels.
- 2. (U) Program Accomplishments and Future Efforts:

Program Element: 63262N

Title: Aircraft Survivability and Vulnerability

- a. (U) FY 1986 Program:
- o Initiated development of Insensitive Munitions (IM) Master Plan.
- Obemonstrated cook-off protection for HARM rocket motor.
- ° Completed 8000-psi hydraulic system lithium battery characterization and fire fighting techniques.
- ° Completed hazard analysis of the integral rocket ramjet.
- Continued development of metal fire extinguishment and ordnance cooling characterization.
- b. (U) FY 1987 Program:
- º Completion of ordnance cook-off improvement for land and sea mines, TOM missle and MK-46 torpedoes.
- o Initiate HARM as the NAVAIR Insensitive Munition (1M) candidate weapon.
- Complete NAVAIR portion IM Master Plan.
- o Initiate IM bomb fuze.
- ° Initiate development in advanced design concepts for future ordnance.
- Initiate a joint service/industry IM information center.
- o Initiate a quantitative IM threat assessment.
- Initiate technology transition to reduce the probability of sympathetic explosions caused by fast cock-off.
- o Initiate rocket improvement to preclude fast cook-off.
- . (U) FY 1988 Planned Program:
- ° Complete HARM IM work.

Program Element: 63262N

Title: Aircraft Survivability and Vulnerability

Complete ordnance cook-off improvement of Rockeye and Walleye.

° Complete Romb fuxe 1M improvement.

• Initiate fast took-off protection development of aircraft, guns and fire bombs.

° Initiate IM container development.

Continue advanced design concepts for future ordnance.

betermine synergistic effects of IM technologies.

° Continue flight deck fire characterization.

° Continue 1M technology demonstration/transition.

e Complete threat assessment.

Complete hazard characterization involving smoldering combustion and metals.

° Complete characterization involving ordnance disposal and cooling.

d. (U) FY 1989 Planned Program:

on Initiate 1M technology transition for air-to-air missiles.

Ontinue Aircraft fire hazard work involving subsystems (flares, ejection seats, etc.).

o Initiate IM technology transition for submunitions.

° Complete ADC for internal shear vent technology for conventional rocket motors.

Continue ADC for violence reduction techniques involving conventional rocket motors.

° Test fast cook-off protection development for rockets, fire bombs, and aircraft guns.

650

Program Element: 63262N

Title: Aircraft Survivability and Vulnerability

- Continue transitioning technologies for other IM stimuli.
- e. (U) Program to Completion: This is a continuing program.
- (U) Project Wi088, Joint Technical Coordinating Group on Aircraft Survivability (JTCG/AS):
- 1. (U) Description: This project coordinates individual service programs to increase the survivability of aeronautical systems in a non-nuclear threat environment, implements efforts to complement the services' survivability programs, and maintains close liaison with service levels to ensure that all survivability research and development data and systems criteria are made available to the developers of aircraft.
- 2. (U) Program Accomplishments and Future Efforts:
- . (U) FY 1986 Program:
- Demonstrated new tool steels to be too brittle for armor applications.
- Istablished the potential use of low silicon 4340 steel for armor.
- Developed engine front face RCS reduction concepts.
- Measured pr. re loss across absorber shrouds.
- ° Uncovered a low tolerance to engine fuel ingestion for small engines
- c Demonstrated the ability of micro-electronics to adjust engine controls for a "get home" mode of operation applied to J79 turbojet engine.
- Devaloped F-404 dynamic damaged-engine computer model for use in Survivability Biased Engine Control (SUPEC) algorithms.
- on Developed a braided insulator for flight control wire bundles which extends cable survivability in fuel fires
- Discovered how to extend survival time of fiber optic control lines in a fuel fire to 30 plus minutes.

5.5

Program Element: 63262N

Title: Aircraft Survivabilit, and Vulnerability

Developed design guide input to MIL-HDRK-336-2 on hi-pressure hydraulic and split surface micro processor driven flight control system incorporating armored compartments for major hydraulic components.

o infitiated development of a pyrotechnically pummed laser jammer.

Established vulnerability of composite compression loaded structure to multiple fragment impacts.

Est.blished vulnerability of damaged surface composite structure to further airflow damage

° Demonstrated feasibility of detecting ballistic (7.62mm) hits with a thin film transducer attached to full scale helicopter components.

° Enhanced the awareness among the Services of the threat potential of high-powered microwaves.

 Demonstrated that MIL-E-22285 specification was inadequate for HALON agent quantities for low pressure (high altitude) although adequate for high pressure (low altitude) ° Demonstrated that short pulses of Halon are more effective in extinguishing fuel fires than the current system,

° Completed updates to the Enhanced Surface-to-Air Missile Simulation (ESAMS) model with improved seeker, multipath, clutter and radar routines.

Made major progress on development of Naval SAM models.

° Established a working agreement and mutual funding agreement for Naval threat simulation development with the

o Installed the laser threat model at Wright-Patterson AFB, OH.

Acquired and checked the FSTC Cun Model for modification to replace the currently outdated gun model (POOI).

' heveloped a compatability model for MIA missile simulations.

° Completed a test series on penetration of multiple plate armor.

Expanded the capability to analytically predict the near-field RF signature as seen by the fuze.

Program Element: 63262N

Title: Aircraft Survivability and Vulnerability

Identified our current capabilities and major shortfalls in analyzing afreraft survivability.

° Completed draft of a fuel System Design Guide, a Structures Design Guide and a Structures MiL-SPEC all of which are to be published in FY87.

b. (U) FY 1987 Programs:

2 Compiled with Project W0591.

r. (U) FY 1988 Pisnned Program: Not Applicable.

1. (U) FY 1989 Planned Program: Not Applicable.

e. (U) Program to Completion: Not Applicable.

(U) Project W1277, Nuclear Survivability Aircraft (FAANTAEL):

require mission critical systems to be hardened to Electromagnetic Pulse (EMP) threat leveis. The project improves fleet aircraft mustainability and force levels by conducting EMP assessments and develops EMP protection techniques. Specific deficiencies being addressed include aircraft susceptibility to EMP because of composite structures, digital fly-by-wire circuits, and integrated 1. (U) Description: This project is needed in order to comply with DoD Directive 4245.4 and OPNAVINST 3461.3 which semi-conductor components. This project provides inputs to major improvement programs for current fleet aircraft (F-14, A-6, S-3) and production of new aircraft (F/A-18, V-22).

2. (U) Program Accomplishments and Future Efforts:

a. (U) FY 1986 Program

Completed E-2B aircraft.

Developed technology for fiber optic current sensors.

beveloped and procured upgraded EMP instrumentation for the NATC EMP simulator.

b. (U) FY 1987 Program:

Program Element: 63262N

Title: "Ircraft Survivability and Vulnerability

- Free field EMP Evaluation and Direct Drive of E-2C aircraft.
- \* Initiate VH-60, SH-60 and P-3C pretest analysis.
- Configure NATC instrumentation.
- e Participate in F-14/AIM-54/AIM-7/AIM-9 EMP evaulation.
- ° Develop upgrade of EMP simulator.
- (U) FY 1988 Planned Program: j
- \* Test SM-60, VM-60 and initiate P-3C Test.
- o Initiate F-14D and A-6F pretest analysis.
- (U) FY 1989 Planned Program: Ġ.
- Complete P-3C test.
- Test the F-14D.

\* Initiate A-6F, EA-6E and CH-53 pretest anlysis.

- e. (!!) Program to Completion: Conduct full system electromagnetic pulse assessments of A-6F, EA-6F and CH-53; then continue :ith other Navy aircraft.
- (U) Project S1819, CV Aircraft Fire Suppression System:
- 1. (11) Description: This project develops improved fire fighting systems for aircraft carriers.
- 2. (U) Program Accomplishments and Future Efforts:
- а. (П) FY 1986 Program:
- Conducted fire fruck mission analysis.

Program Flement: 63262N

Title: Aircraft Survivability and Vulnerability

- Continued development of the Remote Control Firefighting Platform.
- Continued AFFF Delivery System improvements.
- ° Completed JP-4/JP-5 mixture fire hazard analysis and testing.
- b. (U) FY 1987 Program
- \* Complete Fire Truck Mission Analysis.
- \* Puil Scale Engineering Development of the Remote Control Firefighting Platform.
  - \* Continue AFFF Delivery System Improvements.
- c. (U) FY 1986 Planned Program:
- \* Final DT and OTSE of the Remote Control Firefighting Platform.
- · Conduct new extinguishing agents and application techniques analysis.
- . Conduct improved ordnance cooling analysis.
- d. (U) FY 1989 Planned Program:
- Fevelop training techniques for the Remote Control Firefighting Piatform.
- Conduct ordnance cooiing testing.
- Conduct new agents and application technique testing.
- e. (U) Program to Completion:
- . Continue testing of new techniques.

# (U) Project W0591, Aircraft Survivability and Vuinerability:

The first, Aircraft Survivability and Vuincrability, is the only Navy advanced development effort specifically oriented towards aircraft combat survivability. The second is the Navy portion of the Joint Technical Coordinating Group on Aircraft Survivability (U) Imaginition: This project contains two principal survivability efforts for the Navy Combat Survivability Program.

Program Element: 63262N

Title: Aircraft Survivability and Vulnerability

Engineering Change Proposals, other modification programs, and during the design of new aircraft in order to enhance the survivability of aircraft in a combat environment. In FY 1988 and subsequent years the JTCC portion of PE63262N, PE63244F Naval and Marine Corps aircraft and to evaluate aurvivability specifications of new acquisition aircraft such as the V-22 and the next generation Navy tactical aircraft. The JTCG/AS portion of this project eliminates duplication of effort between the Services and is performed with additional funding from PE 63244F and PE 63215A. The Navy Combat Survivability portion of this project (JTCC/AS) which has been deleted from aeparate Project status and incorporated within this project beginning in FY-87. The Navy depends heavily on the methodology development efforts of the JTCC/AS which are used to determine survivability trade-offs of develops prototype hardware for incorporation on Navy/Marine Corps aircraft through Operational Safety Improvement Programs, and PE63215A were combined into a joint DOD JTCC project (PE 65132D).

missiles, were developed and are currently being used on most Navy and Marine corps aircraft. An unboard nitrogen inerting system Puture efforts include development of survivability technology to counter chemical, biological and radiological (CBR), nuclear and laser threats. A major effort will be undertaken to protect electro-optical sensors from low and moderate power lasers. Efforts (U) Program Accomplishments and Puture Efforts: Tactical paint schemes were developed for the F-14, F/A-18, F-4, RF-8, A-4, EA-6, A-7, SH-60, SH-2P and S-3 aircraft. These schemes, which reduce the visual detectability of the aircraft, are currently being used on the above aircraft. Low-IR reflective coatings, which reduce aircraft susceptibility to certain IR was developed to prevent fire and explosion on the fuel system. This system is currently being incorporated on the CH-53E. will continue in the area of signature reduction of aircraft. Navy support to the JTCC/AS will emphasize survivability methodology development for use in prioritizing and determining the survivability requirements for future aircraft such as the ATA and next generation Navy tactical aircraft.

### a. (U) FY 1986 rogram:

- Expanded development work on OUTLAW PHANTOM to correct deficiencies identified during filght testing.
- Used OUTLAW PHANTOM technology to initiate design modification for another aircraft.
- Continued development of the all-composite jam resistant actuator and engine exhaust plume IR suppressor.
- Initiated OUTLAW AQUARIUM Program.

### b. (U) FY 1987 Program:

- ° Complete development of the all-composite jam resistant actuator.
- This program is designated OUTLAW KNIGHT. o Initiate design of an aircraft with OUTLAW PHANTOM technology.

Program Element: 63262N

Title: Aircraft Survivability and Vulnerability

o Initiate major efforts in the development of survivability technology to reduce the vulnerability of electro-optical sensors to laser radiation.

o Initiate prototype development of a laser hardened sensor.

Continue modification developments under the OUTLAW AQUARIUM Program.

° Flight test OUTLAW PHANTOM Aircraft.

° Pursue development of an On-Roard Inerting Gas Generating Systems (ORIGGS) for tactical aircraft with the Air

° Expand the testing of composite structures for survivability evaluations.

Continue development of engine damage control routines for Survivability Blased Engine Controls (SUREC).

° Continue to improve thermal response times for flight control wire bundles.

° Continue to characterize non-US warhead fragments.

° Continue development of survivability trade-off methodologies.

° Initiate an advanced IR technology project (Navy/Air force effort).

c. (U) FY 1988 Planned Program:

 Initiate studies to incoroporate OUTLAW PHANTOM technology on other Navy aircraft.

° Flight test jam resistant actuator on F/A-18 aircraft.

° Continue to prototype laser hardened E-O sensors.

Program Element: 63262N

Title: Aircraft Survivability and Vulnerability

d. (U) FY 1989 Planned Program:

° Continue to prototype laser hardened E-O sensors.

° Continue program to investigate OUTLAW PHANTOM technology on other aircraft.

e. (U) Program to Completion: This is a continuing program.

f. (U) Major Milestones: Not Applicable.

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89 : Not Applicable.

I. (U) TEST AND EVALUATION DATA: Not Applicable.

### FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Title: Advanced A/L Air-to-Surface Missile System DoD Mission Area: 232 - Amphibious, Strike, and Antisurface Warfare Budget Activity: 4- Tactical Program Program Element: 63306N

(Dollars in Thousands) A. (U) FY 1988/89 RESOURCES (PROJECT LISTING):

							Total
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	<u>T(t)</u> ?	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROCRAM ELEMENT	9,433	29,656	37,446	26,724	55,093	158,352
W1893	Advanced Interdiction Weapon						
	System (AIWS)	9,433	970	2,762	8,524	55,093	76,782
W1958	Standoff Land Attack Missile (SLAM)	0	18,984	32,584	17,000	0	68,568
W2004	New Skipper Upgrades	0	9,702	2,100	1,200	0	13,002

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

land and naval air defense capability. Numerous in both quantity and variety, it provides air defense coverage over an extensive area and must be considered a formidable threat to U.S. Naval air operations for most potential naval warfare scenarios. The Navy development of affordable conventional weapons of high terminal lethality as replacements for existing systems for use in high The Soviet Union has produced a highly significant and increasingly lethal This effort will emphasize This program element provides for the development of improved air-tomust continue to improve the capabilities of its air warfare weaponry to cope with this threat. B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: surface missile systems, bombs and practice ordnance. threat environments.

C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The significant changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: Project W1893, AIWS: Skipper funding in FY 1986 was carried in this project. Congressional action provided 10,000 in FY 1987 to Upgrades. FY 1987 was reduced 3,939 by Congressional action and adjustments. FY 1988 was reduced 4,807 by Department budget and continue these efforts but the project has been differentiated from the FY 1987 AIWS initiation by establishing W2004, New Skipper program adjustments.

Congressional action and adjustments. FY 1988 was increased 17,584 by Department budget and program adjustments to allow timely The FY 1986 reprogramming request to Congress for 11,700 was denied. FY 1987 was reduced 18,516 by and viable development of SLAM. Project W1958, SLAM:

629

UNCLASSIFIED

100

بنكر

4

Program Element: 63306N

Title: Advanced A/L Air-to-Surface Missile System

Project W2004, New Skipper Upgrades: The 9,702 in FY 1987 reflects the establishment of this project with Congressional action and adjustments. The 2,100 in FY 1988 was established by a Department program/budget adjustment as the Laser Guided Training Round effort was shifted from W1893 where it was originally funded.

(U) FUNDING AS REFLECTED IN THE 1Y 1987 DESCRIPTIVE SUMMARY:

Prolect		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Total Estimated
No. Title		Actual	Estimate	Estimate	Estimate	to Completion	Cost
TOTAL FOR PROGRAM ELEMENT W1893 AIWS STAM		000	21,692 9,992	42,409	7,569	47,330	134,000 69,800
D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:							
Weapon Pr⊙curement, Navy:	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate		Additional to Completion	Total Estimated Cost
(Harpoon SLAM Variant) Punds (42EH) * Quantity *	271,715	128,387 96	156,406	188,440 166		199,200	944,148 951
* Amounts are total HARPOON WPN Budget; SLAM amounts are not separately identified Other Procurement Navy.	SLAM amoun	ts are not	separately	identified.			
TOTAL FOR PROCRAM ELEMENT (Skipper)	66,180	44,841	85,303	87,472		128,547	i
Funds (43QL) Quantity	30,220 895	38,497 1226	77,077 3302	76,143 3666		91,000	349,937
(Laser Guided Bomb Kits) Funds (43QS) Quantity	25,960	6,344	8,226	11,329		37,547	i \$

099

Program Element: 63306N

Title: Advanced A/L Air-to-Surface Nis:11e System

PE 63313, Maverick Production, program provides IIR MAVERICK seekers; PE 25645, Walleye Data Link Production, program provides Bomb Fuze Improvement, is developing proximity fuzing for cluster munitions and a low cost, GPS initiated, inertial guidance unit. E. (U) RELATED ACTIVITIES: PE 63320N, Low Cost Anti-Radiation Seeker, is providing technology for the AIWS effort. data link components; PE 64778N, NAVSTAR, provides user navigation equipment. F. (U) WORK PERFORMED BY: CONTRACTOR: McDonnell Douglas Astronautics Co., St Louis, MO; Hughes Aircraft Co., Tucson, AZ; and IN-WOUSE: Naval Wespons Center, China Lake, CA; Pacific Missile Test Center, Point Mugu, CA; Naval Avionics Center, Indianapolis, IN. others to be determined.

# G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

# (U) Project W1893, Advanced Interdiction Weapon System (AIWS):

1. (0) Description: This project will provide a weapon to be employed by aircraft to attack targets during day, night and adverse weather conditions. AIWS will have a launch and leave capability and provide several targe: kills per aircraft Pre-planned product (myrovement (P31) is a feature of the AIWS program. However, improvements will be incorporated within the \$50,000 unit cost threshold. AIWS will provide a significant increase in strike warfare capability, including strike warfare candidates will utilize low cost, off-the-shelf or other service/industry developed hardware as feasible. The weayon will be produced at recurring hardware unit costs (exclusive of the government furnished warhead) not to exceed \$50,000 (FY 1985 dollars). This urgently needed capability will be achieved by taking advantage of recent advances in guidance and control technologies; low weapon effectiveness, reduced aircraft vulnerability, and affordability to permit training expenditures to maintain combat crew cost, kinematically efficient air vehicles incorporating composite construction; and prior initiatives in signature management. Design of AIWS will capitalize on aircraft sensor capabilities and minimize sophistication of the weapon. efficiency and s strong inventory. Initial Operational Capability (IOC) is planned for

(U) Program Accomplishments and Future Efforts: FY 1986 funds were used for various efforts related to possible upgrades of Skipper or development of AIWS and were carried as W1893. Skipper Upgrade funds are carried as W2004 in FY 1987 and aubsequent years and are discussed in the New Skipper Upgrades portion of this section.

#### a. (U) FY 1986 Program:

- Initiated evaluation of submunitions for possible use in a cluster AIWS or upgrade to Skipper, and joined with the Air Force in development and demonstration of dispensing techniques.
- \* Developed and analyzed adaptation of low cost antiradiation seeker technology for possible AIWS or Skipper applications, including tactical employment concept development.

Program Element: 63306N

Title: Advanced A/L Air-to-Surface Missile System

- ° Supported development efforts for low cost terminal guidance uncooled focal plane array infrared seeker with a view towards adaptability to AIWS or Skipper.
- o Joined with the Air Force in development and demonstration of inertially guided munitions technology.
- o Initiated a program to develop and procure a generic flight evaluation test vehicle ("Truck") to provide a recoverable/reusable means for inflight evaluation of seeker, guidance and control, navigation, data link and/or warhead proposals.
- Initiated development of a laser guided practice round.
- ° Continued development of the AIWS Operational Requirement in conjunction with guidance provided in the Navy Strike/ASUW Master Plan.
- b. (U) FY 1987 Program
- ° Secretary of the Navy decision providing AIWS Milestone I.
- . Obtain approval of AIWS Operational Requirement.
- \* Issue AIWS Request for Proposal (RFP) to Industry.
- Award AIWS Demonstration/Validation contracts.
- c. (U) FY 1988 Planned Program:
- ° Continue AIWS Demonstration/Validation.
- ° Conduct first AIWS developmental tests.
- d. (U) FY 1989 Planned Program
- Continue AIWS Demonstration/Validation.
- Conduct AIWS developmental and operational tests.

Program Element: 63306N

Title: Advanced A/L Air-to-Surface Missile System

- e. (U) Program to Completion:
- \* Milestone II decision.
- Commence Full Scale Engineering Development.
- Conduct developmental and operational testing.
- " Milestone III decision.
- ° Commence Production.
- Pleet introduction and Initial Operational Capability (IOC).

## (U) Project W2004, New Skipper Upgrades:

- 1. (U) Description: This project is a result of an FY 1986 Congressional faitlative to provide the Raval Strike Forces a near term, air-to-surface fighting capability with specific direction to develop a low cost, laser guided training bomb; in-house development of a cluster warhead; and the adaptation of a low cost antiradiation seeker to the AGM-123 Skipper weapon. The funds were carried as Project W1893, AIWS in FY 1986.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program: See Project W1893.
- b. (U) FY 1987 Program:
- Continue Full Scale Engineering Development (FSED) of the Laser Guided Training Round (LGTR).
- Continue evaluation of submunitions and dispensing techniques in conjunction with the Air Force.
- · Continue development of a low cost radio frequency seeker.
- Continue development of low cost imaging terminal guidance technology uncooled focal plane array.
- \* Continue procurement and support of the generic flight test vehicle ("Truck"), and commence testing of guidance and control and seeker proposals; etc. using this vehicle.

Program Element: 63306N

Title: Advanced A/L Air-to-Surface Missile System

c. (U) FY 1988 Planned Program:

. Complete FSED of the LGTR.

Continue procurement and utilization of "Truck".

° Complete evaluation of submunitions and dispensing techniques.

° Complete development of the uncooled focal plane array.

d. (U) FY 1989 Planned Program:

° Complete development and testing of LGTR.

H. (U) PROJECTS OVER S10 MILLION IN FY 1988/89:

(U) Project W1958, Standoff Land Attack Missile (SLAM):

1. (W) Description:

Program Element: 63306N

Title: Advanced A/L Air-to-Surface Missile System

- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- ° Operational Requirement approved.
- Vehicle and integration contractor selected.
- ° Secretary of the Navy decision directed program to proceed (SECNAV Memo dtd 20 May 1986).
- b. (U) FY 1987 Program:
- o Initiate ILS program.
- Begin subsystem integration and verification testing to include developmental captive flight testing.
- · Prepare program management documents (TEMP, NDCP).
- \* Begin limited production of engineering development models and pilot production missiles.
- c. (U) FY 1988 Planned Program:
- ° Complete captive flight testing.
- ° Conduct developmental free flight testing.
- . Begin operational testing.
- ۰
- " Begin second limited production lot.
- d. (U) FY 1989 Planned Program:
- ° Complete operational testing (1Q FY 1989).
- Conduct program review leading to approval for full production (AFP) decision (1Q CY 1989).

Program Element: 63306N

e. (U) Program to Completion: Not Applicable

f. (V) Milestones:

1. Milestone IIIA (ALP)
2. DT-IIA
3. Milestone IIIB
4. DT-IIB/OT-IIA
5. OT-IIB
6. Milestone II:C
7. IOC
7. IOC
8. Production Deliveries

Title: Advanced A/L Air-to-Surface Missile System

3Q FY 1986 1Q FY 1987 - 4Q FY 1988 4Q FY 1987 2Q FY 1988 - 1Q FY 1989 2Q FY 1989 20 FY 1989

FY 1989 - FY 1992

(U) TEST AND EVALUATION DATA: Not Applicable.

FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63313N

Title: IRK Maverick

DoD Mission Area: 223 - Close Air Support and Interdiction

Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimste	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
W0302	TOTAL FOR PROGRAM ELEMENT IIR	777,1 777,1	00	482	0 0	0 0	14,225

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated.

- Infrared and Angle Rate Bombing acquisition systems thus improving aircraft survivability in the high threat terminal defense Marine Corps with precision-guided short range, line-of-sight, day-night missiles for close air support, interdiction and strike missions sgainst land and sea targets. These missiles capitalize on the standoff targeting offered by aircraft Forward Looking The Imaging Infrared Maverick and Laser Maverick provide the Navy and B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: environment.
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary are as follows: The increase in FY 1986 (1,777) is the result of Department budget adjustments; and the decrease in FY 1987 of (245) is the result of Congressional action. The Department intends to reprogram minimum funds in FY87 to complete IOLAE for s limited production decision.

# (U) FUNDING AS REPLECTED IN THE PY 1987 DESCRIPTIVE SUMMARY:

Project	ry 1985	FY 1986	FY 1987	FY 1988	Addicional	Estimated
No. Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
TOTAL POR PROCRAM ELEMENT W0302 Imaging Infrared Maverick W0874 Lager Maverick	2,380 418 1,962	000	245 245 0	492 492 0	0 0 0	25,001 10,703 14,298

Program Element: 63313N

Title: IRR MAVERICK

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

Total	Additional Estimated	to Completion Cost	0 Continuing	0 631,617	V/N 0	Continuing Continuing	
	FY 1989	Estimate	62,751	0	0	62,751	(731)
	FY 1988	Estimate	192,050	132,323	(1291)	59,727	(899)
	FY 1987	Estimate	196,615	162.165	(1800)	34,451	(419)
	FY 1986	Actual	176,555	151,629	(1500)	74,926	(195)
			TOTAL FOR PROCRAM ELEMENT	Laser Maverick WPN ACCT# 26138M	(Quantity)	IIR Maverick WPN ACCT# 24162N	(Quantity)
				7180M		W0302	

E. (U) RELATED ACTIVITIES: USAF Imaging Infrared Maverick, ACM-65D. The Air Force has been dealgnated executive service for all Maverick missiles. Navy and Marine Corps are participating services. IN HOUSE: Naval Weapons Center, China Lake, CA; CONTRACTOR: Hughes Aircraft Co., Canoga Park, CA. (U) WORK PERFORMED BY: ۲.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

(U) Project W0302, Imaging Infrared Maverick:

1. (U) Description: The IIR Maverick (AGM-65F) air-to-ground missile will provide the Navy and Marine Corps with the day/night capability to attack land and sea targets from more survivable positions below or outside close-in enemy defense systems. The ACM-65F utilizes the USAF ACM-65D guidance section modified for optimum performance against ship targets and the 300 pound alternate warhead and out-of-line ignition used on Laser Maverick (AGM-65E).

2. (U) Program Accomplishments and Future Efforts:

а. (U) FY 1986 Program:

o Initiated 10T&E (OT-IIA).

b. (II) FY 1987 Program:

o Complete 10T&E (OT-11A).

o Obtain approval for limited production.

### UNCLASSIFIED Program Element: 63313N

Title: IRR MAVERICK

o Correct discrepancies discovered in OT-IIA.

o Initiate OPEVAL (OT-IIE) with initial production missiles.

c. (U) FY 1988 Planned Program:

o Complete OT-IIB.

o Obtain approval for full production.

d. (U) FY 1989 Planned Program: Not Applicable.

e. (U) Program to Completion: Not Applicable.

H. (U) PROJECT OVER \$10 MILLION IN PY 1988/89: Not Applicable.

### FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 63318N DoD Mission Area: 231 - Anti-Air Warfare

Title: Advanced Air-to-Air/Surface-to-Air Missile Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project.		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	26,962	33,312	76,131	102,183	213,239	451,789
\$1912	SAM Risk Closure (1)	19,962	0	0	0	0	23,262
X1632	ASAM Concept Formulation	4,523	0	0	0	0	8,513
\$1632	AEGIS ER	0	28,461	76,131	102,183	213,239	420,014
LL 91M	AAAM (2)	2,477	4,851				

- (1) Project S1912, provided FY 1985/1986 funds to pursue critical engineering tasks prior to Department decision to proceed with AEGIS ER.
- (2) Project W1671 moves to PE 63721N in FY 1988.

The above funding included out-year escalation and encompassess all work and development phases now planned or anticipated through

B. (W) BRIEF DESCRIPTION OF EIEMENT AND MISSION NEED: The STANDARD Missile family of area defense missiles is the primary anti-air missile employed in the AEGIS, TERRIER and TARIAR weapon systems. This program element funds improvements to STANDARD Missile for use with AEGIS ships employing the Vertical Launching System. Included within this element are propulsion, guidance and control improvements which will extend STANDARD Missile engagement capability

The resulting extension of the STANDARD Missile engagement capability.

envelope will permit utilization of

Project W1671 has been transferred in FY 1988 to Program Element 63321N (ADVANCED AIR-TO-AIR MISSILE). The differences between C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) Project X1632 was redesignated S1632 and renamed AEGIS ER for FY 1987 and out-years. Funds programmed in project X1913 were reapportioned between project S1632 and project W1671.

the FY 1987 Descriptive Summary, and that shown in this Description Summary reflect total program restructuring.

670

### UNCI ASSIFIED

Program Element: 63318N

Title: Advanced Air-to-Air/Surface-to-Air Missile

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUPMARY:

							Total
Project		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL BOR PROCESS ELEMENT	7.290	25.000	79,778	126.804	Continuing	Continuing Continuing
	TOTAL LOW INCOME PERSON	25.50	200677	07.67		9	9
X1632	ASAM Concep. Tormulation	3,990	4,300	0	0	0	32,773
\$1912	SAM Risk Closure	3,300	18,000	0	0	0	21,300
W1671	AAAM Concept Formulation	0	2,700	0	0	0	2,700
X19*3	Advanced AAW System	0	0	79,728	126,804	Continuing	Continuing

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: None.

(U) RELATED ACTIVITIES: Program Element 64366N, (STANDARD Missile Improvements); Program Element 64303N, (AEGIS Air Defense); Program Element 64353N, (Vertical launch System); Program Element 64372N, (New Threat Upgrade).

Ocean Systems Center, San Diego, CA; Naval Air Development Center, Warminster, PA; Naval Air Test Center, Patuxent River, MD; Pacific Missile Test Center, Point Mugu, CA. OTHERS: John Hopkins University, Applied Physics Laboratory, Laurel, MD. PRIAE CONTRACTORS: Prime Contractors for AAAM/ASAM concept definition were selected competitively in May 1985 (Grumman Aerospace Louis, MO; Raytheon Co., Bedford, MA; General Dynamics (Pomona, CA). Some SAM Risk Closure items were directed to General Pomona, CA and Raytheon Co., Bedford, MA for GC&A. United Technologies Corp., Chemical Systems Division, San Jose, CA and Morton Thiokol Inc., Huntsville, AL as leader/follower for booster motor. Motorola, Government Systems Division, Scottsdale, AZ Corp., Bethpage, NY; Hughes Aircraft Co., Canoga Park, CA; Martin Marietta, Orlando, FL; McDonnell Douglas Astronautics, St. F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Surface Weapons Center, Dahlgren, VA; Naval Weapons Center, China Lake, CA; Naval Dynamics Corporation, Pomona Division, Pomona, CA. FY 1987 PRIME CONTRACTORS FOR AEGIS ER: General Dynamics, Pomona Division, and a competitive follower to be determined for target detecting device.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: None.

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

Program Element: 63318N

Title: Advanced Air-to-Air/Surface-to-Air Missile

### (U) Project S1632 AEGIS ER

AECIS, TERRIER and TAPIAR weapon systems. This program element funds improvements to SIANDARD Missile for use with AECIS ships employing the Vertical Launching System. Included within this element are propulsion, guidance and control improvements which (W) Description: The STANDARD Missile family of area defense missiles is the primary anti-air missile employed in the will extend STANDARD Missile engagement capability

The resulting extension of the STANDARD Missile engagement envelope will permit utilization capability.

jo

## 2. (U) Program Accomplishments and Future Efforts:

- . (U) FY 1986 Program: (Under PE 63318N ASAM/AAAM)
- Concept Definition addressed commonality, performance, risk, and cost.
- ° Conducted risk reduction experiments, provided data on radio frequency/electro-optical/infrared sensors, airborne passive ranging, and jam strobe resolution.
- A Development Options Paper was completed.
- A Navy Program Decision meeting was conducted for the ASAM/AAAM program which resulted in selection of AEGIS ER.
- \* The SAM Risk Closure project performed risk reduction efforts for a boosted variant of STANDARD Missile 2 (AEGIS ER) including initiation of preliminary booster design and development, model design and wind tunnel test and VLS/Booster compatibility test planning.

### b. (U) FY 1987 Program:

- ° A competitive contract action will be initiated for AEGIS ER guidance, control and airframe design and development. FY 1987 contract award is planned.
- Booster development will continue with initial motor static ground tests scheduled for 3rd quarter FY 1987.
- Vertical Launch System/Booster compatibility tests will be completed.
- Missile canister design will be initiated.
- AEGIS system computer program modifications will be 1.itlated.

Program Element: 63318N

Title: Advanced Air-to-Air/Surface-to-Air Missile

- · AEGIS ER preliminary wind tunnel tests will be conducted at Arnold Engineering Development Center to study missile booster separation and to obtain configuration trade-off data.
- Program documentation to support Milestone II go-head for AEGIS ER will be prepared.
- c. (U) FY 1988 Planned Program:
- Booster Motor qualification ground tests will be started.
- Ouldance, control and airframe design and development will proceed in preparation for FY 1989 Critical Design Review.
- O Vertical Launch and AECIS system modification efforts will continue.
- d. (U) FY 1989 Planned Program:
- \* Booster qualification tests will be completed for lead contractor. Booster qualification test for follower contractor will be started.
- Round level preliminary design review will be completed.
- AEGIS and Vertical Launch System preliminary design review will be completed.
- o Guldance, control and airframe contractors (leader and follower) continue development of the baseline design to support flight test round design release.
- ° Critical Design Reviews for the AEGIS ER Missile including AEGIS/Vertical Launch System modifications will be completed. Flight test round design will be released for fabrication.
- e. (W) Program to Completion:
- Technical and Operational Evaluation testing is scheduled
- Approval for limited production (Milestone IIIA) is anticipated testing.

UNCLASSIFIED

following initial development

Program Element: 63318N

Title: Advanced Air-to-Air/Surface-to-Air Missile

° Initial Operational Capability (IOC) is expected

### f. (V) Major Milestones:

E	Miestone	Date
1.	1. Navy Program Decision Meeting	4th Qtr FY 86
2.	Milestone 11A	1st Qtr FY 87
'n	Milestone IIB	2nd Qtr FY 87
4.	Full scale engineering development contract award	3rd Qtr FY 87
5.	Preliminary Design Review	lst Qtr FY 88
.9	6. Critical Design Review	2nd Qtr FY 89
7.	Development Tests (WSMR)	
8.	Milestone IIIA (Approval for limited production)	
.6	Technical Evaluation Tests	
10.	Operational Evaluation Tests	
11.	Milestone IIIB (Approval for full production)	
12.	12. Initial Operational Capability	

1. (U) TEST AND EVALUATION DATA: Not Applicable.

### Y 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 63319N
DoD Mission Area: 231 - Anti-Air Warfare

Title: NATO AAW Systems
Budget Activity: 4 - Tactical Systems

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total Estimated Cost	Continuing Continuing
Additional to Completion	Continuing Continuing
FY 1989 Estimate	8,216 8,216
FY 1988 Estimate	10,199
FY 1987 Estimate	(18,500)* (18,500)*
FY 1986 Actual	* *
Title	TOTAL FOR PROCRAM ELEMENT NATO AAN SYS
Project No.	\$1973

The above funding profile includes out year escalation and encompasses all work and development phases now planned or anticipated

- \* Nunn Amendment funding under PE 63790N.
- B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: New generation threat missiles are becoming increasingly difficult to detect and engage. These never missiles, whether submarine launched at close range or those escaping destruction at midranges or amphibious, and auxiliary ships by the year 2000. These threat missiles include much smaller, faster, and more maneuverable ASM's operating at very low altitudes which exceed the design capabilities of existing systems. This weapon system will provide the surveillance, control, and weapon support functions tailored to the threat, and also be re-configurable for integration with or implementation into the more capable AAW cruisers and destroyers. This program is planned to be a NATO co-operative project and in the outer air battle, will overcome or seriously stress the self defense systems of non-AAW escort, aircraft carrier, will support the Secretary of the Navy's goal to transfer appropriate AEGIS technology to NATO navies.
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: Not applicable.
- D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.
- Inch Rolling Airframe Missile (RAM)); Program Element 64508N, (SPS Improvement Program); Program Element 64608N, (I/R Search and Frogram Element 63609N, (Conventional Fuze/Warhead Package); Program Element 64354N, (AIM/RIM-7M Product Improvement Program); Program Element 64351N, (NATO SEASPARROW); Program Element 64361N, (NATO SEASPARROW); Program Element 64369N, (5 E. (U) RELATED ACTIVITIES: The following activities are closely coordinated to prevent unnecessary duplication of efforts.

Program Element: 63319N

Title: NATO AAW Systems

Navsl Ses Systems Command is the responsible development Competitive awards not yet commenced. F. (U) WORK PERFORMED BY: organization.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable

Each of the aress of interest within this program element sre described as (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: follows:

(U) Weapons System Engineering and Integration:

for and selection of test facilities (contractor, laboratory, and/or government sites), support of critical experiments leading to initial system design criteria, and provides Naval Sea Systems Command with technical direction agent and laboratory support. (U) Description: This project includes the preparation of weapon system level requirements/specifications definition

2. (U) Program Accomplishments and Future Efforts:

(U) FY 1986 Program:

. TOR promulgated.

Commenced preparation of NAVSEA technical development plan.

Commenced threat validation and assessment.

\* Prepared Statement of Intent for NATO member consideration.

Justification for Major System New Start (JMSNS) promulgated.

b. (U) FY 1987 Program:

\* Enter into Statement of Intent (SOI) and Memorandum of Understanding (MOU) for initial (Phase I) efforts with one or more NATO countries.

\* Prepare Development Options Paper (DOP), Systems Concept Paper (SCP), and Test and Evaluation Master Plat (TEMP)

Program Element: 63319N

Title: NATO AAW Systems

· Provide U.S. and NATO industry briefings on Request for Proposal (RFP) and AEGIS technology approach.

Prepare preliminary system level requirements and specifications.

\* Issue draft RFP for industry comment.

o Prepare draft version of Acquisition Plan.

· Commence cost and feasibility studies.

· Complete threat assessment and technical development plan.

\* Establish Interim Land Based Test Site (LBTS).

Conduct selected critical experiments.

Commence NATO co-operative development efforts.

. Issue final RFP.

Award contract for concept formulation studies with three industry teams.

Continue assessment of vertical launched short range missile concepts started under Program Element 64361N, (NATO SEASPARROW).

c. (U) FY 1988 Planned Program:

. Milestone 1 in 1st Quarter.

· Enter into Phase II Memorandum of Agreement (MOA) with one or more NATO partners.

· Complete system and subsystem detailed specifications.

\* Commence design of local AAW test sites.

Program Element: 63319

Title: NATO AAW Systems

° Plan for multi-band (EW, IR, EO) critical experiments demonstrating integration of dissimilar target detection devices in FY 1989.

\* Continue critical experiments to evaluate risk areas (ILBTS).

\* Evaluate information received from industry: determine functional allocation, system performance requirements, and operational techniques.

Participate in NATO radar, missile definition projects that are system options.

° Continue NATO co-operative development efforts supporting NATO Staff Target.

Continue cost and feasibility studies.

d. (U) FY 1989 Planned Program:

 Prepare Decision Coordinating Paper, NATO decision paper and update TEMP, Acquisition Plan, and Technical Development Plan for MILESTONE 11 in first quarter FY 1990.

° Finalize test site design.

Support selected critical experiments.

Update system specifications for delivery in FY 1990.

Prepare subsystem prime item development specifications.

Prepare and assemble material for competitive prototype development request for proposals.

Continue NATO cooperative development efforts.

Award contract for full-scale engineering development.

Complete cost and feasibility studies.

IINCI ASSIFIFM

Program Element: 63319N

Title: NATO AAW Systems

- (U) Program to Completion: This is a continuing program.
- Complete test site design efforts in FY 1990, and place alte in operation second quarter FY 1993.
- Continue/complete joint NATO project.
- Complete detailed system and subsystem specifications in FY 1990.
- Complete critical design reviews of contractors by fourth quarter FY 1992.
- Perform test site technical and operational evaluation in FY 1994 and shipboard evaluation in FY 1995/6.
- Attain Milestone IIIA (Approval for Limited Froduction) first quarter FY 1996.

## (V) Senaor Subsystem Development

- 1. (U) <u>Description</u>: This project includes the development of an integrated sensor suite comprised of radar(s), electronic support messures (ESM), infrared, and electro-optics that will detect, process, and track the smaller, faster, and lower altitude ASM threats of the year 2000 with the data rate and accuracy to allow intercepts at longer ranges, in greater numbers, and at lower altitudes.
- 2. (U) Program Accomplishmenta and Future Efforts:
- (U) FY 1986 Program:
- Conducted comparative analysis of U.S. vs NATO requirements.
- Conducted survey of industry for technology status of antennas, transmitters, and receivers.
- Initiated laboratory involvement in appraisal of engineering tradeoffs and alternatives.
- (U) FY 1987 Program:
- Provide technical material for incorporation into DOP, SCP, and TEMP.
- · Continue U.S. and NATO industry survey and laboratory involvement.
- \* Define equipment, or parts of equipments, for critical experimenta leading to design decisions. UNCLASSIFIED

## UNCLASSIFIED Program Element: 63319N

Title: NATO AAW Systems

Support preparations for Milestone I in first quarter FY 1988.

Support preparation of system level and interface requirements.

Obtain agreement among NATO members as to common and differing requirements.

· Establish NATO working group.

c. (U) FY 1988 Planned Program:

. Attain Milestone I in 1st Quarter.

Prepare detailed (preliminary) subsystem specification.

Support preparation of preliminary weapon system specification.

Perform and/or support performance of critical experiments involving threat detection/tracking.

Pvaluate information received from industry under system study contracts.

Provide requirements for test site engineering.

Perform ship class preliminary cost and feasibility studies.

Cortinue industry survey and laboratory involvement.

(U) FY 1989 Planned Program:

Support attaining Milestone II in FY 1991.

Prepare for selection of contractors through open competition.

Prepare prime item development specification.

Support proparation of final weapon system specification.

UNCLASSIFIED

980

Program Element: 63319N

Title: NATO AAW Systems

- · Perform critical experiment on threat detection devices.
- e. (U) Program to Completion: This is a continuing program:
- Selection of engineering development model contractors through open competition in FY 1991.
- Commence full scale engineering development (Milestone II) in FY 1991.
- Deliver subsystem elements to test site in FY 1994.
- Integrate sensor to weapon system at test site in FY 1994.
- \* Perform at-sea Technical and Operational Evaluations (TECHEVAL and OPEVAL) in FY 1995/6.
- Attain Milestone IIIA (Approval for Limited Production) first quarter FY 1996.
- (U) Weapon Control Subsystem Development:
- 1. (U) Description: This project includes the development and integration of a weapon control system integrated into the weapon system to enable minimum reaction time, automatic scheduling of response assets against threats, mid-course missile guidance commands, doctrine and use of man/machine responses, and effective decision methods in the real time threat environment. The effort includes development of high order language programs and associated documentation in accordance with DoD-SID-2167. This project is planned to be a NATO vice U.S. Navy directed project, under an equal share cooperative venture.
- 2. (U) Program Accomplishments and Puture Efforts:
- A. (U) FY 1986 Program:
- . Commenced top level system concept studies.
- b. (U) FY 1987 Program:
- · Preliminary system concept discussions with NATO members.
- Draft U.S. Navy top level system requirements (preliminary).

Program Element: 63319N

Title: NATO AAW Systems

Survey Navy standard and commertically available processors and peripherals.

Negotiate, draft and sign NATO Memorandum of Understanding.

c. (U) FY 1988 Planned Program:

\* Define system concept.

\* Attain Milestone I in first quarter.

Prepare detailed (preliminary) subsystem specification.

Evaluate and select processor and peripherals.

Provide requirements for test site engineering.

Support preparation of (preliminary) weapon system specification.

d. (U) FY 1989 Planned Program:

Support attaining Milestone II in first quarter FY 1991.

Support preparation of system definition and software requirements (New Start).

\* Prepare for selection of contractors through open competition.

Support preparation of prime item development specification.

° Support preparation of final weapon system specification.

e. (!!) Program to Completion: This is a continuing program:

Selection of engineering development model contractors through open competition in FY 1991.

Commence full scale engineering development (Milestone II) in FY 1991.

Title: NATO AAW Systems

Prepare required software design details in FY 1991.

· Deliver software, processor, and peripherals to test site in FY 1994.

· Perform at-sem Technical and Operational Evaluations (TECHEVAL and OPEVAL) in FY 1995/6.

Attain Milestone IIIA (Approved for Limited Production) first quarter FY 1996.

## (U) Engagement Subsystem Development:

(U) Description: This project includes the possible development and definition, in conjunction with NATO partners, of a guided missile wrapon system, including a short range missile, capable of illuminating threats, uplinking mid-course guidance commands, controlling multi-missile cells for independent delivery, and increased fire power against the small and lower altitude threat. This includes requisite software in accordance with DOD-STD-2167. Actual development plan will be subject to agreement with NATO partners; development may then be a NATO directed program.

# 2. (U) Program Accomplishments and Future Efforts:

- a. (U) FY 1986 Program:
- · Prepared plan for vertical launch compatibility demonstration.
- Commenced top level system concept studies.
- o. (U) FY 1987 Program:
- Support and evaluate vertical launch compatibility demonstration.
- Negotiate, draft and sign Nemorandum of Understanding with NATO members.
- · Continue system concept studies with appropriate NATO inputs.
- Support preparation of preliminary top level system documentation.
- ° Survey industry for applicable missiles and missile technology.

- c. (U) FY 1988 Planned Program:
- . System concept defined.
- Attain Milestone I in first quarter.
- o Prepare detailed (preliminary) subsystem specification.
- ° Complete missile and missile technology survey.
- ° Provide requirements for test site engineering.
- Commence missile round development specification.
- Commence system definition and software requirements.
- d. (U) FY 1989 Planned Frogram:
- \* Prepare prime item development specification.
- Prepare for selection of contractors through open competition.
- Support preparation of final weapon system specification.
- Support attaining Milestone II in first quarter FY 1991.
- e. (U) Program to Completion: This is a continuing program:
- ° Selection of engineering development model contractors through open competition in FY 1991.
- O Commence full scale engineering development (Milestone II) in FY 1991.
- o Prepare requisite software design details in FY 1991.
- c Deliver equipment and flight test rounds to test sites in FY 1994.

### UNCLASSIFIED Program Element: 63319N

Title: NATO AAW Systems

\* Perform at-sea TECHEVAL and OPEVAL in FY 1995/6.

\* Attain Milestone IIIA (Approval for Limited Production) first quarter FY 1996.

#### f. (U) MAJOR MILESTONES:

<u>Date</u> 1Q/FY 1988	1Q/FY 1991	FY 1995/6	FY 1996
Milestone 1. Milestone I	2. Milestone II	3. TECHEVAL/OPEVAL	4. Milestone IIIA '

I. (U) TEST AND EVALUATION DATA: Not applicable.

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

DoD Mission Area: 232 - Amphibious, Strike, and Anti-surface Warfare Budget Activity: 4 - Tactical Programs Title: Low Cost Anti-Radiction Seeker Program Element: 63320N

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
W1807 W1934	TOTAL FOR PROGRAM ELEMENT Low Cost Seeker * Dual Role ARM	16,571 16,571 0	38,522 38,522 0	14,642 14,642 0	16,870 9,385 7,485	18D 18D 18D	78D 78D 78D

The above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

- \* Assumed 50/50 share with Air Force PE 63320F for FY 1986 through FY 1990.
- an alternate reduced-cost higher-reliability guidance section which meets or exceeds the operational requirements of the existing B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: The Low Cost Seeker (LCS) Program supports the design and development of AGM-88B High Speed Anti-Radiation Missile (HARM) guidance section.
- When applied to the design of ARM antenna and receiver subassemblies (seekers), such technology has the potential for substantially reducing parts count, reducing the number of electrical connections, reducing the design sensitivities to parts variations and assembly procedures; and allowing for more stringent packaging requirements. Resulting ARM missile guidance radio-frequency (RF) guidance technologies to evolving Navy and Air Force requirements for anti-radiation guided missiles (ARM's). (U) The LCS Program adapts technology derived from the Anti-Radiation Projectile (ARP) Program and other advanced passive, sections will, therefore, exhibit greater reliability and enhanced producibility at reduced cost.
- (U) The Dual Role ARM (DRARM) is a technology spin-off of the LCS Program. The program will incorporate ARP technology into a new guidance section with a gimballed anti-radiation seeker for passive homing on airborne or surface target electromagnetic radiation. The new guidance section will be designed for use with the SPARROW or AMRAAM airframe. The resultant new medium-range missile, when integrated with avionics that allow rapid detection, identification, evaluation and hand-off, will provide Navy and Marine aircraft an all-weather weapon system for defense against enemy airborne and surface air defense systems.
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The significant changes between the funding profiles shown in the FY 1987 Descriptive Summary and those shown in this Descriptive Summary are:

Program Element: 63320N

Title: Low Cost Anti-Radiation Seeker

part of this transition and in an effort to bring this project into consonance with current contracting directives which require FY 1987 had a net increase of 23,818 as a result of Congressional action and adjustments. FY 1988 was decreased 2,251 by a NIF adjustment and Department budget and program adjustments. As directed by Congress the overall program management of this project has been recently shifted from the Naval Weapons Center to the Naval Air Systems Command. As the use of fixed-price contracts, the total program cost is in the process of revision. Project W1807, Low Cost Seeker.

Project W1934, Dual Role ARM. The reduction in FY 1988 of 9,873 was the result of Department budget and program adjustments.

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

							10191
Project		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
				j			
	TOTAL FOR PROCRAM ELEMENT	76,989	17,452	14,704	76,766	106,663	716,24/
W1807	Low Cost Seeker *	26,989	17,452	14,704	16,893	76,404	126,115
W1934	Dual Role Arm	0	0	0	9,873	80,259	90,132

<sup>\*</sup> Assumed 50/50 share with Air Force PE 63320F FY 1986 through FY 1990.

#### F. (U) WORK PERFORMED BY:

W1807, Low Cost Seeker:

CONTRACTOR: Ford Aerospace and Communications Corporation, Newport Beach, CA and Raytheon Company, Lowell, MA.

<sup>. (</sup>U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.

<sup>(</sup>U) RELATED ACTIVITIES: Project W1807 is a joint Navy/Air Force funded project. High Speed Anti-Radiation Missile (HARM), ACM-88B, has been in production since FY 1981. Early technology investigations for gimballed seeker applications were accomplished under the ERASE project, Program Element 63303N and Naval Weapons Center, China Lake discretionary funding. Role ARM technology development was initiated under ERASE project funding, in FY 1986.

Program Element: 63320N

Ittle: Low Cost Anti-Radiation Seeker

Deputy program management will be provided by Eglin IN-HOUSE: The Naval Weapons Center, China Lake, CA will be the lead development laboratory and the Naval Air Systems Command will provide overall program management as directed by Congress during the FY 1987 Appropriation process. The Naval Avionics Center, Indianapolis, IN will provide packaging and producibility support. Air Force Base, FL.

W1934 Dual Role ARM: TBD

C. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89.

(U) W1934 DUAL ROLE ARM:

The Dual Role ARM (DRARM) is a spin-off of the LCS project incorporating a gimballed seeker in a Brassboard seeker options will be developed and assessed under the ERASE advanced development program, leading to the preparation of a DRARM specification for a competitive full scale development solicitation. The seeker will be integrated into an existing airframe, either SPARROW or Integration will require development of a new Target Detector/Puze and an Inertial System for the selected missile. smaller diameter airframe and adding a dual role, air-to-air/air-to-ground capability. (U) Description.

2. (U) Program Accomplishments and Future Efforts:

a. (U) FY 1986 Program: (Performed under ERASE Program funding):

o Initial planning and investigation begun.

o Tentative Operational Requirement approved.

o Preliminary design and proof of concept testing begun.

b. (U) FY 1987 Program: (Performed under ERASE Program funding):

o Continue minimum planning with emphasis on risk reduction.

o Complete Development Options Paper analysis for preparation of Operational Requirement.

o Approve Operational Requirement.

o Initiate fabrication and testing of brassboard models for validation as funding permits.

Program Element: 63320

Title: Low Cost Anti-Radiation Seeker

c. (U) FY 1988 Planned Program: (Performed under ERASE Program funding):

o Complete testing of brassboard models.

o Prepare documentation for competitive Full Scale Development (FSD) solicitation.

d. (U) FY 1989 Planned Program:

o Award FSD contract.

o Initiate final design and fabrication of engineering development models.

e. (U) Program to Completion:

o Complete design and fabrication of engineering development models for testing.

o Integration of Dual Role ARM seeker into selected missile airframe.

o Completion of Technical and Operational Evaluation and Fabrication of Low-Rate-Initial Production units.

o Qualification of second, "follower", contractor prior to competitive solicitation for full production.

H. (U) PROJECTS OVER SIO MILLION IN FY 1988/89:

(U) W1807, LOW COST SEEKER:

for substantially reducing hardware and software complexity. The resulting seeker will, therefore, exhibit greater reliability and enterested for accelerated development of LCS was expressed in the FY and enhanced producibility at substantially reduced cost. The need for accelerated development of LCS was expressed in the FY technologies. When applied to the design of ARM antenna and receiver subassemblies (seekers) such technology has the potential This is a joint Navy/Air Force program to develop a low cost seeker for the HARM missile. The LCS Program adapts technology derived from the Anti-Radiation Projectile (ARP) program and other advanced passive RF guidance 1984 Appropriations Bill and subsequently supported by memoranda of the Under Secretary of Defense. 1. (U) Description.

Utilizing the NAVWPNCEN design, the development support contractors will develop independent packaging and producibility concepts and submit engineering models to the government for the initial evaluation. A single design approach will be selected The Naval Weapons Center (NAVWEPCEN), China Lake, California will develop the electrical and functional design for for qualification testing and operational evaluation.

Program Element: 63320N

Title: Low Cost Anti-Radiation Seeker

2. (U) Program Accomplishments and Future Efforts:

#### a. (U) FY 1986 Program:

- o Conducted Critical Design review of packaging and producibility concepts based on NAVWPNCEN provided design,
- o Initiated fabrication of Engineering Development Models.
- o Initiated development of Level 3 Technical Documentation Package (drawings and specifications).
- o initiated design, procurement and fabrication of contractor special tooling and test equipment.
- o Com; eted functional baseline testing, DT-XIA.

#### (U) FY 1987 Program:

- o Complete fabrication of EDMs.
- o Initiate technical evaluation (DT-IIB/C).
- o Select best design approach and competitively select lead contractor for full scale development.
- o Conduct Milestone II review previously described as Critical Design Review II, and obtain approval to enter full scale development.
- o Initiate validation of Level 3 Documentation.
- o Conduct flight testing of brassboard models.
- o Conduct environmental qualification test.

## c. (U) FY 1988 Planned Program:

- o Conduct Technical Evaluat on (DT-IIB/C) of Engineering Development Models.
- o Validate Level 3 Documentation.

Program Element: 63320N

Title: Low Cost Anti-Radiation Seeker

o Conduct Physical Configuration Audits (PCA).

o Conduct environmental and reliability tests.

o Procure/Fabricate Telemetry Sections for Operational Evaluation Tests.

o Initiate long lead procurement and fabrication of pre-production prototype models.

## d. (U) FY 1989 Planned Program:

o Complete DT and OT captive-carry, flight and ground tests.

o Complete logistics support tasks, technical manuals, provisioning lists, maintenance plans, training plans and equipment.

o Air-launch 24 prototype models against simulated surface radar targets.

o Prepare engineering change proposal to incorporate LCS into the AGM-88A (HARM) missile.

o Conduct Milestone IIIA review and obtain release for Low Rate Initial Production (LRIP).

## e. (U) Program to Completion:

o Complete joint Navy/Air Force Operational Test and Evaluation.

o Conduct Kilestone IIIB review and obtain Approval for Full Production (AFP).

#### f. (U) Milestones:

Critical Design Review #1
Critical Design Review #2 (Milestone II) Aug 1987
LRIP (Milestone IIIA)
AFP (Final ECP Approval)(Milestone IIIB) Jan 1990

. (U) Test and Evaluation Data. Not Appliable.

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63321N DoD Mission Area: 231 - Anti-Air Warfare

Title: Advanced Air-to-Air Missile (AAAM)
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total	Estimated	Cost	Continuing Continuing
	Additional	to Completion	Continuing Continuing
	FY 1989	Estimate	87,592 87,592
	FY 1988	Estimate	34,619 34,619
	FY 1987	Estimate	(33,312)* (4,851)²
	FY 1986	Actual	(26,962)* (2,477)²
		Title	IOTAL FOR PROGRAM ELEMENT LAAM
	Project	No. II	TOTA) W1671 AAAM

Concept definition of AAAM completed under PE 63318N. Total reflects all projects under PE 63318N in FY 1986/87.

FY 1986/87 funding for Project W1671 under PE 63318N, comparison paragraph (C) reflects project deltas only for FY 1986/87.

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989. B. (V) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This element supports the development of an sdvanced air-to-air missile as s follow-on replacement for the (AIM-54) PHOENIX. The advanced air-to-air missile will meet the Outer Air Battle threat of the mid to late 1990's and beyond.

In order to defeat this threat a balanced improvement in both "area and outer air battle" weapona is required. An improvement in a single region will not effectively counter the threat.

with the (F-14, F/A-18, A-6F, ATA/ATF, and F-15) and will be lighter in weight, both of which will greatly increase fire power in The advanced sir-to-air missile will be compatible

Program Element: 63321N

Title: Advanced Air-to-Air Missile (AAAM)

2 outer sir battle.

The program element will initiate a Demonstration and Validation (D&V)

phase.

FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: In FY 1986, decrease of 223 is the result of Department Budget adjustment. In FY 1987, increase of 5,000 is the result of Congressional action and a decrease of 149 is for FY 1988/89 funding reflects approval of "Major System New Start" and restructure of program for C. (U) COMPARISON WITH PY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the Demonstration and Validation phase of development. Congressional adjustment.

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project		FY 1985	FY 1986	FY 1987	FY 1988	Additionsl	Total Estimated
	2777	180110	200000000000000000000000000000000000000	7071100	200000000000000000000000000000000000000	in the terminal of	COST.
	TOTAL FOR PROGRAM ELEMENT	7,290	25,000	79,728	126,804	Continuing	Continuing
X1632	ASAM Concept Formulation	3,990	4,300	0	0	0	32,773
S1912	SAM Risk Closure	3,300	18,000	0	0	0	21,300
X1671	AAAM Concept Formulation	0	2,700	0	0	0	2,700
X1913	Advanced AAW System	0	0	79,728	126,804	Continuing	Continuing

Note: This funding profile reflected under PE 63318N in the FY 1987 submit.

- D. (U) OTHER PY 1983/89 APPROPRIATION FUNDS: Not Applicable.
- F-14 Upgrade, Program Element 25667N; Early Warning Aircraft Squadrons (E-2C), Program Element (U) RELATED ACTIVITIES: E. (U) 24152N.
- F. (U) WORK PERPORMED BY: IN-HOUSE: Naval Air Development Center, Warminster, PA; Naval Weapons Center, China Lake, CA; Pacific Missile Test Center, Point Mugu, CA. PRIME CONTRACTORS: TBD.
- G. (U) PROJECTS LESS THAN S10 MILLION IN FY 1988/89: Not Applicable.

Program Element: 63321N

Title: Advanced Air-to-Air Missile (AAAM)

H. (V) PROJECTS OVER \$10 MILLION IN FY 1988/89:

#### (U) Project W1671 AAAM:

1. ('') Description: This project will implement the AAAM options selected to counter the Outer Air Battle threat of the mid-1990's and beyond.

Program plan provides for demonstrating and validating the performance to two or more technology options to ensure the most effective solution is available for development.

# 2. (U) Program Accomplishments and Puture Efforts:

#### 8. (U) FY 1986 Program:

- Concept Definition ((7)) addressed commonality, performance, effectiveness, risk, and cost.
- Risk reduction experiments provided data on radio frequency/electro-optical/infrared sensors, airborne passive ranging, and jam strobe resolution.
- o A Development Options Paper (DOP) was completed.
- o Milestone 0 and Major System New Start Approval.
- o Prepared for the Demonstration and Validation phase.

#### b. (U) FY 1987 Program:

- o Complete AAAM concept exploration phase.
- o Prepare for JRMB Milestone I decision.
- Prepare for Demonstration and Validation phase, which will encompasa risk reduction efforts in guidance, control and propulsion. 0
- o Solicitation, evaluation and source selection for D&V phase.



Program Element: 63321N

Title: Advanced Air-to-Air Missile (AAAM)

## c. (U) FY 1988 Planned Program:

- Initiate AAAM D&V on wespon system, guidance, airframe, propulsion, and ordnance designs.
- Pabricate guidance units and initiate testing.
- o Demonstrate dual spectrum terminal guidance in field tests.
- o Start fabrication of separation and control test vehicles.
- o Perform preliminary platform integration.
- d. (U) FY 1989 Planned Program:
- o Continue guidance and propulsion tests.
- o Demonstrate hybrid bank-to-turn/skid-to-turn missile control techniques.
- o Validate dual spectrum guidance designs in free flight.
- o Conduct fuze encounter and warhead arena tests.
- o Prepare for Milestone II and FSED.
- e. (U) Program to Completion:
- o Initiate Pull Scale Engineering Development (FSED).
- o FSED completion in 1995.
- f. (U) Major Milestones:

Milestone

1. DOP

Date

March 1986

695

Program Element: 63321N

Milestone O Milestone I Avard D&V contracts Milestone II 7 6 5 4 7 7

Milestone IIIB

I. (U) TEST AND EVALUATION DATA: Not applicable.

Title: Advanced Air-to-Air Missile (AAAM)

December 1986 September 1987 October 1987 3rd Qtr FY 1995 3rd Qtr FY 1995

FY 1988/89 RDTLE, N DESCRIPTIVE SUMMARY

Program Element: 63382N DoD Mission Area: 231 - Anti-Air Warfare

Title: Battle Group Anti-Air Warfare Coordination Budget Activity: 4 - Tactical Program

A. (U) FY 1988/89 RESOURCES (PROJECT 1.1STING): (Dollars in Thousands)

Total  Il Eatimated  tion Coat	38,465 100,748 38,465 100,748
Additional to Completion	38
FY 1989 Estimate	11,665
FY 1988 Estimate	11,476
FY 1987 Estimate	6,663
FY 1986 Actual	7,299
Title	TOTAL FOR PROGRAM ELEMENT Battle Group Anti-Air Warfare Coordination
Project No.	50324

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

- density air attacks against Battle Groups in ever-increasing hoatile electromagnetic environments demands more effective coordination of Battle Group sensors and weapons. Navy Battle Groups are presently limited in their combat response by the timeliness, accuracy, completeness, and control of available targeting information which results in potentially ineffective Some targets are not engaged at all, while other targets are engaged with multiple weapons, which leads to B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: The Soviet Union's demonstrated ability to conduct a variety of high over-commitment of some units and under utilization of others. This program capitalizes on the superior radar aurveillance, detection, and tracking along with display and decision aystem capabilities of the AEGIS Combat System which provide Battle Group fire control data and coordination to other ship and aircraft weapon aystema. Near and long term objectives will be achieved in phases to produce higher degrees of battle coordination. wespons delivery.
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUPPLARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary are as follows: in FY 1987, a decrease of 7,083 (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the Congressional actions and adjustments, in I/ 1988 a decrease of 6,435 Department program/budget adjustments.

Program Element: 63387N

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	Title	FY 1985 Actual	FY 1986 Eatimate	FY 1987 Estimate	FY 1988 Eatimate	Additional to Completion	fotal Eatimated Cost
50324	TOTAL FOR PROGRAM ELEMENT Battle Group Anti-Air	7,674	7,674 7,720 13,746	13,746	17,911	Continuing	Continuing
	Warfare Coordination	7,674	7,720	13,746	11,911	Continuing	Continuing

(U) OTHER FT 1988/89 APPROPRIATION FUNDS: Not Applicable.

(U) RELATED ACTIVITIES: Program Element 64303N (AECIS Area Air Defense), provides for the development of modifications to the AECIS Weapon System; Program Element 64307N (AECIS Combat System Engineering), relates to engineering development of AECIS Combat Systems for the CC-47 class cruiser with and the DDG-51 destroyer combat system; Program Element 63318N (AEGIS ER) relates to outer air battle development. Program Element 63519N (Tactical Data Systema), provides for common baseline computer programs for non-AECIS systems; and Program Elemon 63717N (Command and Control Systems (Advanced)) provides for development of communication links; Program Element 647710 (10) actical Information Data Systems) and Program Element 24152N (E-2C Development Upgrade). F. (U) WORK PERFORMED BY: PRIM: JANGACTORS: Applied Physics Laboratory, Johns Hopkins University, Laurel MD, is the principal contractor. OTHERS: LOGICON, San Diego, CA; RCA, Mooreatown, NJ; ECI, St. Petersburg, FL; General Physica, Ariington, VA. IN HOUSE: Fleet Analysis Center, Corona, CA.

C. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable

H. (U) PROJECT OVER \$10 MILLION IN FY 1988/89:

(U) Project, S0324, Battle Group Anti- Air Warfare Coordination:

Croup Anti-Warfare Coordination through effective dissemination of AEGIS capabilities. These objectives ale being met in phases, Phase I provides for dissemination of AECIS data to achieve a coherent battle group air picture for all battle group units. This phase is nearly complete and has resulted in other Battle Croup unit improvements in detection capabilities as well as completion of several advanced development models. The Detection Data Converter fo: the AN/SPS-48 series radars on non-AEGIS shipa has been tested and deployed in fleet ships. The Surface Gridlock System is the result of development and testing of the Gridlock Demonatration Systems. This is now astalled in TICONDEROCA class cruisers and has solved a twenty year old Battle Group Gridlock 1. (U) Description: This project was established t provide, and has already delivered, major improvementa in Battle

Program Element: 63382N

Titie: Battle Group Anti-Air Warfare Coordination

Development and at-sea testing of the Airborne Gridlock System in the E-2C is well underway and has been tested in correlation with the shipboard Gridlock System at-sea.

Specifically, this phase will enhance the Surface and Airborne Gridlock Systems by taking advantage of the Global Positioning coordinstion. Additionally, this phase includes AEGIS Display System improvements to support the Battle Group Anti-Air Warfare Commander, definition of specifications for Force identification functions, and development of Force threat evaluation and weapon Phase II will concentrate on Force Control Items for Battle Group coordination of placing weapons on target. System to establish accurate and reliable Geodetic Gridlock of the Battle Group, the next important step to achieve force weapons assignment architecture and algorithms.

This technique has been test demonstrated between AEGIS and TERRIER equipped ships. The next phase will culminate with an experiment to use the AEGIS Combat System to remotely fire and guide a STANDARD Missile 2 Block II Missile from another Vertical Launching Phase III encompasses an initial Cooperative Engagement capability that will allow the Combat Systems to exchange Fire Control Quality sensor data and the firing data required for remote launch of STANDARD Missile 2 series missiles. System equipped ship to intercept a target.

## 2. (U) Program Accomplishments and Future Efforts:

#### a. (U) FY 1986 Program:

- . Conducted at-sea evaluation of the Airborne Gridlock Demonstration System with USS VINSON Battle Group.
- Transferred design and technology developed in the automatic gridlock systems into the AEGIS Combat System and to the Advanced Combat Direction System for non-AEGIS ships.
- Ocommenced experiments with Tactical Flag Command Center in Command Conferencing of Tactical Planning
- Continued transition of the Battle Group Anti-Air Warfare Display Group developments into specifications for AEGIS Display System Baseline 4 development. .
- ° Commenced definition of algorithms and system development of the Cooperstive Engagement System, antennae snd Data Distribution System.
- Identified Advanced Technologies that may be useful in support of Anti-Air Wa fare Coordination.

669

UNCLASSIFIED

\*\*

Program Element: 6338

Title: Battle Group Anti-Air Warfare Coordination

- Commenced development of simple Battle Group Threat Evaluation and Weapon Assignment models.
- O Delivered gridlock algorithms for inclusion into non-AEGIS Anti-Air Warfare units.

#### b. (U) FY 1987 Program:

- Conduct follow-up model lab test of multisensor integration for force automatic identification using target dynamics, Electronic Support Measures data and Identification Friend or Foe.
- ° Test geodetic gridlock algorithms at-sea.
- ° Evaluate different advance display technologies to declutter the Battle Group picture as seen by the Anti-Air Warfare Commander and improve command decision capability.
- Conduct lab test with Tactical Flag Command Center lab models on transfer of command plans.
- Oconduct feasibility study of using existing data links to conduct Standard Missile 2 remote launch
- O Develop initial algorithms for Battle Group Threat Evaluation and Weapons Assignment lab tests.

## c. (U) FY 1988 Planned Program:

- Investigate feasibility of integrating passive sensor capability into Automatic Gridlock System.
- \* Define all changes required for STANDARD Missile 2 remote launch experiment for 1990/1.991 execution and subsequent fleet introduction.
- o Integrate NAVSTAR Global Positioning System to achieve a geodetic (latitude/longitude reference) capability for integration of battle force and shore supplied threat data,
- Obeliver computer program changes or interface requirements needed to conduct Force Identification using threat dynamics and Identification Friend or Foe.
- ° Conduct Argiuttering experiments at Combat System Engineering Development Sites or AEGIS Combat System Center, Wallops Island, VA.

00,

UNCLASSIFIF

Program Element: 63382N

Title: Battle Group Anti-Air Warfare Coordination

- ° Conduct experiments using the force Trial Engagement Logics at Combat System Engineering Development Sites or AEGIS Combat System Center with fleet units or other labs emulating fleet units.
- \* Refine and test Battle Group Threat Evaluation Weapon System algorithms at-sea and lab test Force Doctrine Statements.
- d. (U) FY 1989 Planned Program:
- Test Force Anti-Air Warfare doctrine statements at Combat System Engineering Development Sites or AEGIS Combat System Center.
- Demonstrate AEGIS to Tactical Flag Command Center command conferencing capability at-sea.
- · Commence transition of command conferencing capability to production systems.
- Develop required interface designs and hardware to conduct a Remote Launch Engagement experiment.
- Transition manual trial engagement logic to decision identifications for personal computers currently used in the fleet for battle planning.
- (U) Program to Completion: This is a continuing program which transitions designs and technology to engineering and production programs. e.
- f. (U) Major Milestones:

Ŧ	Milestones	Date
	1. Evaluate Automatic Gridlock Demonstration System with USS VINSON Battle Group at-sea	Aug 1986
	2. Conduct Lab Test with Tactical Flag Command Center lab models	Jul 1987
	3. Complete Cooperative Engagement Experiment Study	Oct 1987
	4. Conduct display decluttering experiments at Combat System Engineering Development	
	Sites or AEGIS Combat System Center, Wallops Island	Oct 1988
	Transition force Identification computer program changes to AEGIS/Advanced Combat	
	Direction System program	Nov 1988

## UNCLASSIFIED Program Element: 63382N

Title: Battle Group Anti-Air Warfare Coordination

. Вешоп	Development Site or AEGIS Combat System Center, Wallops Island Demonstrate AEGIS to Tactical Flag Command Center Command Conferencing capability at-sea Apr 1989	Dec 1988 Apr 1989
. Trans	Transition force Identification Electronic Support Measure integration computer program	
chang	changes to AEGIS/Advanced Combat Direction System programs	Nov 1989
. Trans	Transition advanced graphics specification to engineering development or production	Jun 1989
10. Condu	Conduct remote launch engagement lab test	Jul 1989
11. Deliv	Deliver force Doctrine statements to AEGIS/Advanced Combat Direction System programs	Jan 1990

7. (U) TEST AND EVALUATION DATA: Not applicable.

FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63502N DoD Mission Area: 234 - Mine Warfare

Title: Surface Mine Countermeasures
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/1989 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion (	Total Estimated Cost
	TOTAL 1 DR PROGRAM ELEMENT	20,548	15,495	15,339	11,876	Continuing	Continuing
S0260	Minehunt	14,999	11,299	10,278	8,096	Continuing	Continuing
S1233	Mine Countermeasures Improvements	4,168	3,245	2,466	1,177	Continuing	Continuing
21404	Neutralization	743	951	2,595	2,603	Continuing	Continuing
21597	Surface Ship Magnetic Silencing	638	0	O	0	0	2,628

This is a continuing program. The above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

surface ships and submarines to operate with relative safety in navigable waters believed or known to be mined. Equipment is Development of surface mine countermeasures systems which will enable being developed for the combat systems of the MCM 1 and MHC Class ships to give them the capability to counter all mines? B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED:

Project S0260, Minehunting: Develops

MCM-1 class ships; and a mine countermeasures Tactical Environmental Data System to enhance the safety and effectiveness of MCM the safety and effectiveness of mine countermeasures operations; (2) a modular mechanical Single Ship Deep Sweep (SSDS) for moored mires; (3) a modular magnetic/acoustic influence sweep for use by mine countermeasure ships; (4) a Tactical Display System for Project S1233, Mine Countermeasures Improvement: Develops (1) AN/SSN-2 Precise Integrated Navigation System (PINS) to improve operations.

Frogram Flement: 63502N

Title: Surface Mine Countermeasures

Project S1404, Neutralization: Develops (1) equipment which will enable the MCM/MHC ship platforms to cut the cables of moored mines or place destructive charges on bottom mines

C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: The significant changes between the funding shown in the FY 1987 Descriptive Summary are as follows: The decrease -1,867 in FY 1986 reflects the GRH and Department program/budget adjustments. The -7,183 reduction in FY 87 was caused by Congressional actions and a Congressional adjustment and Department budget/program adjustment. The reduction in FY 1988 -13,167 resulted from the cancellation of project S1597 and Department program/budget and NIF rate adjustments which postponed development of improvements to the AN/SQQ-32 sonar.

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Total Estimated Cost	Continuing Continuing Continuing Continuing
Additional to Completion	Continuing Continuing Continuing Continuing
FY 1988 Estimate	28,506 12,793 9,208 4,159 2,346
FY 1987 Estimate	22,678 11,718 6,863 2,861 1,236
FY 1986 Estimate	22,415 10,739 7,082 3,896 698
FY 1985 Actual	29,519 19,280 8,635 204 1,400
ct Title	TOTAL FOR PROCKAM ELEMENT Minehunt Mine Countermeasures Improvements Neutralization Surisce Ship Magnetic Silencing
Project No.	50260 \$1233 \$1404 \$1597

704

Program Element: 63502N

Title: Surface Mine Countermeasures

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

						Total
	FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
	Actual .	Estimate	Estimate	Estimate	to Completion	Cost
S0260 Minehunt						
AN/S00-52 SCN	35,708	•	33,798	1	•	905,69
)	(2)	•	(7)**		1	(9)*
NdO	•	•	1	1	TBD	TBD
Qty	,	1	•	•	(6)	(6)
*Does not include MHC class ships						
##Includes refurbishment of Engineering Development Model for Trainer	lopment Model	for Trainer				
S1233 MCM Improvements						
AN/SSN-2 SCN	9,188	•	13,464	•	1	71,900
Oty	(2)	•	(3)	•	•	*(15)
Ndo	561	200	300	684	TBD	TBD
Qty	0	C	0	0	0	0
*Includes one trainer and nine systems from prior years.	prior years.					
S1464 Neutralization						
AN/SIQ-48	410 C2/	c	*25 186	•	•	136,400
SCN	+7C 6 GT ~	>	001677			44 /4449 5
Qty	(2)	(O)	(3)	•	ι	CTxxx/xx

	•	t	TBD	
	ı	•	10,400	(1)
	*25,186	(3)	6,200	
	0	(0)	5,200	
	*19,524	(2)	3,845	
S1404 Neutralization AN/S1,0-48	S	Oty	*****ODD	Qty

TBD (1)

Includes spare vehicle for each MCM ship
 Does not include MHC class ships
 Includes ten systems from prior years/does not reflect spare vehicle
 Includes vehicle procurements for depot overhaul replacements

Program Element: 63502N

Title: Surface Mine Countermeasures

- developed for general U.S. Navy use. Program Element 63260N, Airborne Mine Countermeasures, is developing the Controlled Depth E. (U) RELATED ACTIVITIES: Sonar technologies developed under Program Element 62711N, Undersea Target Surveillance Technology, are being used in the development of the AN/SQQ-32 Minchunting Sonar. AN/SSN-? and AN/SQQ-32 will use the AN/UYK-44 computer Moored sweep which will be adapted for surface ship use as the Single Ship Deep Sweep. The Modular Influence Minesweeping System may use the accustic sweeping device being developed under program element 63760N, Airborne Mine Countermeasures. U.S. Marine Corps line charge development experiences may be used in the development of the Rapid Shallow Water Mine Clearance System.
- F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Coastal Systems Center, Panama City, FL and Naval Ocean Systems Center, San Diego, CA (lead laboratories); Naval Surface Weapons Center, White Oak, MD and Dahlgren, VA., Naval Weapons Support Center, Crane, CONTRACTORS: R.M. Vredenburg & Co., McLean, VA; Applied Research Laboratories, University of Texas, Austin, TX; Magnavox, Torrance, CA; Raytheon Co., Portsmouth, RI; Sperry Corp., Reston, VA; TAI, Alexandria, VA; Dynatrend, Boston, MA; Westinghouse Electric Corporation, Baltimore, MD; General Electric Co., Syracuse, NY; Honeywell Marine Systems, Seattle, Unidynamics Laborstory, St. Louis; Thomson Sintra, Brest, France; Standard Telephone Cable, UK.
- 3. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:
- (U) Project S1233, Mine Countermeasures Improvements:
- target data from the minehunting sonar, position data from the mine neutralization system, and other geographical/track dats into Single Ship Deep Sweep; (3) develop a modularized magnetic/acoustic influence minesweep system for use in MHC Class ships; Environmental Data System (MTEDS) to maximize the effectiveness and safety of mine countermeasures operations through use of 1. (U) Description: The effort under this project will improve the capability of the countermessures systems on mine countermeasures ships as follows: (1) Integrate the navigational data from commercially available navigational sensors, mine the AN/SSN-7 Precise Integrated Navigational System to be installed in the new MCM 1 Class ships for control of mine countermeasure' operations; (?) adapt the airborne Controlled Depth Moored Sweep for modular use in MHC AND MCM 1 Class ships as the (4) Develop an automated Tactical Display System for MCM-1 class ships; and (5) Develop a mine countermeasures Tactical environmental factors.
- 7. (U) Program Accomplishments and Future Efforts.
- i. (U) In FY 1986:
- Received Initiated transition effort to AN/UYK-44 configured system. ° AN/SSN-?: completed initial operational test and evaluation (OT-11A) of U1600 configured system. production approval for U1600 configuration.
  - Modular Influence Minesweeping System: Assessed parameters required for system performance.

Program Element: 63502N

Title: Surface Mine Countermeasures

#### b. (U) FY 1987 program:

- ° AN/SSN-2: Complete DT-IIB and OT-IIB for AN/UYK-44 configured system. Initiate development of deferred software capability. Establish phase III configuration. Commence incorporation of GPS into system design.
  - \* Achieve IOC with the delivery of MCM-1 using a refurbished EDM.

## c. (U) FY 1988 Planned Program:

- AN/SSN-2: Continue development of phase III system.
- ° Single Ship Deep Sweep: Prepare for procurement of four Engineering Development Models.
- \* Modular Influence Minesweeping System: Prepare for procurement of three Engineering Development Models.

## d. (U) FY 1989 Planned Program:

- AN/SSN-2: Start DT IIIC.
- Single Ship Deep Sweep: Award contract for procurement of four Engineering Development Models.
- Modular Influence Minesweeping System: Award contract for procurement of three Engineering Development models.
- \* Tactical Display System: Prepare for developmental and operational testing and develop technical data package for competitive procurement.

## e. (V) Program to Completion:

o This is a continuing program which includes the following:

	MS II	OPEVAL	MS 111/A	20	MS IIIB	MS III C
AN/SSN-2	FY81/10	FY86/10	FY87/30		FY88/10	FY 90/30
SSDS	FY89/20	FY90/20	FY91/2Q		FY 95/20	
MIMS	FY89/1Q	FY92/3Q	FY93/10			
Tactical Display	FY89/20	FY90/2Q	FY91/20			
MTEDS	FY90/2Q	FY94/1Q	FY94/4Q			

707

Program Flement: 63502N

Title: Surface Mine Countermeasures

- (U) Project S1404, Neutralization:
- 1. (W) Description: Develops equipment to neutralize moored and bottom mines. Consists of the AN/SLQ-48 Mine Neutralization System, a tethered, remotely-operated, TV and sonar equipped submersible which neutralizes mines previously located by the ship's minehunting sonar, by cutting the cable of moored mines or by placing an explosive charge alongside bottom mines; and the Rapid Shallow Water Mine Clearance System (RSWMCS) for clearing mines
- (II) Program Accomplishments and Future Efforts:
- . (U) FY 1986 Program:
- ° AN/SIQ-48: Received extension of ALP for vehicles, electronic control consoles and umbilical cable. Separated handling systems from basic contract and awarded to Unidynamics St. Louis. Completed acoustic signature tests of vehicle.
- b. (U) FY 1987 Program:
- $^{\circ}$  AN/SIQ-48: Analyze the vehicle acoustic signature requirement versus the threat.
- c. (U) FY 1988 Planned Program:
- \* AN/SLQ-48: Conduct a system shock test aboard MCM 3.
- Onduct operational testing of non-magnetic launch and recovery system in MCM-2.
  - " Conduct operational testing of engineering development model system in MCM-1.
- d. (U) FY 1989 Planned Program:
- O Commence development of electronmagnetic interference (EMI)-Hardened Umbilical cable to reduce system EMI vulnerability.
  - \* AN/SLQ-48: Receive Approval for Full Production (AFP).
- ° Commence EMI-Hardening of Deck TV and control cousoies.
- Rapid Shallow Water Mine Clearance System: Award contract for Engineering Development Models.

Program Element: 63502N

Title: Surface Mine Countermeasures

e. (V) Program to Completion: This is a continuing program which includes the following:

MS IIIB	FY88/40	7
100		
MS III/A	FY83/40	FY95/1Q
OPEVAL.	FY82/40	FY94/4Q
MS 11	FY78/3Q	FY89/1Q
	System	Mine
	Neutralization	tapid Shallow Water
	11 ne	apid

Clearance System
H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

(U) Project S0260, Minehunt:

and at standoff ranges which Develops a surface ship advanced minehunting sonar set which will enable surface mine counterprovide minimum threat to the ship. Currently available surface ship minehunting sonara measure ships to detect and classify the modern moored and bottom minea to case depths 1. (0) Description:

Advanced Minehunting Sonar Set will be capable of high search/classification speeds and is expected to have a significantly greater area coverage rate than its predecessor, the AN/SQQ-30. The AN/SQQ-32 is dealgned for installation in MCM/MHC class ships, and will be more reliable, more easily maintained, and have an increased depth capability.

display and a dedicated tracking syatem, until the sonar and underwater television located in the Mine Neutralization Vehicle When a mine has been detected, the ship will hover, hold the mine in the aonar beam, launch the Mine Neutralization Vehicle, and direct it toward the mine uaing output from the AN/SQQ-32 acquire the mine for finsi localization and neutralization. Alao included in this project are a system to

- 2. (U) Program Accomplishments and Puture Efforts
- a. (U) FY 1986 Program:
- $^{\circ}$  Completed factory assembly and test of the AN/SQQ-32 Engineering Development Model (EDM).
  - O Began in-water test at Lake Travis, Texas test facility.
- ° Collected in-water data and performed data analyses for technical/operational evaluation sites.

Program Flement: 63502N

Title: Surface Mine Countermeasures

#### (U) FY 1987 Program: р.

- ° Complete in-water tests of AN/SQQ-37 Engineering Development Model (EDM) at Lake Travis.
  - Install EDM in USS FIDFLITY for test and evaluation,
    - ° Complete in-water engineering tests of basis AN/SQC-32.
      - Complete Technical Evaluation of AN/SQQ-32 system.

#### (U) FY 1988 Planned Program: .

- " Conduct Operational Evaluation of AN/SQQ-32 system,
  - Complete third Engineering Development Model.
- Conduct environmental and shock tests on AN/SQC-32.
- ° Award contract to refurbish and modify one Engineering Development Model AN/SQQ-32 aonar for inatallation in Complete Level III drawings, provisioning documentation, and training material.
  - ° (Atain Approval for Limited Production and award production contract for AN/SQQ-32.
    - Regin correction of OPEVAL deficiencies.

#### (U) FY 1989 Planned Program: Ġ.

- ° Complete correction of OPEVAL deficiencies on AN/SQQ-32.
  - ° (Bitain Approval for Full Production of AN/SQQ-32,
- (V) Program to Completion: This is a continuing program which includes the following major milestones: ç.

50,	3		
MCT11 A	FY 88/20	FY 96/40	FY 97/40
OPFVAI	Q FY 88/10	FY 96/7Q	FY 97/20
MSII	FY 87/40	FY 90/20	FY 90/20
		Rurled Mine Detection System	

1. (II) TEST AND EVALUATION DATA: Not applicable.

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 6.504N DoD Mission Area: 233 - Anti Submarine Warfare

Title: Submaring ASW Developments (Advanced)
Budget Activity: 4 - Tactical Programa

FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands) A. (U)

<u>IIC1e</u> IOTAL POR PROGRAM ELEMEN	FY ACE:	ry 1986 Letual 6,384	FY 1987 Estimate 8,710	Fy 1988 Estimate 8,298	Fy 1989 Eatimate 14,775	Additional to Completion (Continuing C
Sub Sonar Improvem	ts (ADV)	6,384	8,710	8,298	14,775	3

The above funding includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

to present and future integrated sonar, signal processing, and combat control systems in order to maintain clear acoustic and B. (4) BRIEF DESCRIPTION OF ELFMENT AND MISSION NEED: This program supports the advanced development and testing of improvements operational supericrity over the high performance aubmarine and surface threat circa 1995-2020. This program element provides for demonatrating the systems application of technologies demonstration, improvements are transitioned to full-scale development in other programs with minimal and identifiable risk. to improve acoustic detection, target classification and localization, operability, and reliability.

FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: The FY 1986 decrease -4,626 is due to a GRH adjustment and Department budget adjustments. The FY 1987 decrease -2,399 is due to Congressional adjustments and Department (U) COMPARISON WITH PY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the program/budget adjustments. The FY 1988 decrease -7,404 is due to Department program/budget adjustments.

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

							Total
Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Eatimate	FY 1988 Eatimate	Additional to Completion	Eatimated Cost
\$0273	TUTAL FOR PROGRAM ELEMENT Submarine Sonar Improvements (Advanced)	13,946	11,010	11,109	10,702	Continuing Continuing	Continuing Continuing
		7	-			UNC	UNCLASSIFIED

Program Element: 63504N

Title: Submarine ASW Developments (Advanced)

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable

under this project. Program Element 62314N, ASW Technology, provides technologies of sonar transducers and arrays which are needed for the towed array efforta under this Program Element. PE 62314N also provides signal processing technologies, including engineering development projects. Program Element 63562N, Project S1739, Submarine Arctic Warfare Development ia a companion E. (U) RELATED ACTIVITIES: Program Element 62314N, ASW Technology, provides technology for Combat Control System Improvements automatic detection and classification, which are needed for the Transfent Acoustic Processor, Multipath Ranging, and Multitarget Processing efforts under this program. This program, in turn, provides demonstrated concepts and improvements to several Advanced Development project with emphasis on Arctic efforts. Based on successful completion of advanced development under this program, the Submarine Active Detection Sonar and the Mine Detection and Avoidance Sonar (Program Element 24281N, Project S0239) was transferred to the AN/BSY-1 Combat System (Program Element 64524N, Project S1347). Demonstrated towed array improvements will transition to Program Element 34503N Project S0219, Submarine Sonar Improvementa (Engineering), for full scale development.

CT, and Newport, RI; and Naval Research Laboratory, Washington, DC and Orlando, FL. Naval Underwater Systems Center is lead laboratory for all subprejects except Submarine Transducer Improvementa (Naval Research Laboratory, Orlando, FL). There is no General Electric Co., Syracuse, NY; International Buaineaa Machines, Manassas, VA; Analysis and Technology, North Stonington, CT; Ryan Computer Systema, Alexandria, VA; Applied Research Laboratory, F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Ocean Systems Center, San Diego, CA; Naval Underwater Systems Center, New London, University of Texas, Austin, TX; Scientific Atlanta, San Diego, CA; DDL-OMNI Engineering, McLeun, VA; C&M, Inc., Old Saybrook, CT; EDO Corp., Salt Lake City, UT; Hewlett-Packard, Andover, MA; and SPS, INC., Waltham, MA. lead laboratory for the overall project. CONTRACTORS:

G. (U) PROCECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable.

H. (U) PROJECTS MORE THAN \$10 MILLION IN FY 1988/89:

(U) Project S0223, Submarine ASW Improvements:

localization of extremely quiet threat submarines. Also, improved information processing and combat control techniques are effective anti-submarine warfare against increasingly quiet and capable Soviet submarinea of the future. Specifically, improved passive sonar arrays and advanced signal proceasing techniques are needed to allow long range detection, classification, and Included in the project: Submarine 1. (U) Project Description: This project is the vehicle by which exploratory development efforts in submarine combat system technology are provided systems application and transitioned of full-acale development with minimal and identifiable riak. Improvements in sonar sensors, signal processing, and combat system techniques are required for U.S. attack submarinea to conduct required to provide contact management and targeting during multi-contact engagements.

Program Element: 63504N

Title: Submarine ASW Developments (Advanced)

Transducer Improvements, Towed Array Improvement Program, Transfent Acoustic Processor, Under-Ice Sonar, Multipath Processing, Target Motion Analysis Improvement Program, and others.

- 2. (U) Program Accomplishments and Future Efforts:
- a. (0) FY 1986 Program: Continued advanced development in the following areas:
- o Transducer Improvements.
- . Completed the design specification for IR-317R transducers.
- o Towed Array Improvements.
- Continued concept definition of the next generation towed array.
- o Transfent Acoustic Processing (TAP).
- Participated in Arctic Sea Test JCEX 1-86 in 2nd quarter.
  - Target Motion Analysis Improvement Program (TMAIP). - Continued development of TMAIP techniques.

    - · RANGEX Program.
- Analyzed date from RANGEX 1-85.
- (W) FY 1987 Program: Continue advanced development in the following areas: ۵.
- o Transducer Improvements.
- Continue FY-86 effort and verify design specification for TR-317R transducer.
  - Start competitive procurement procedures for TR-317R.
    - Begin development of
- Hull Array Improvements.

Program Element: 63504N

Title: Submarine ASW Developments (Advanced)

- Continue testing SSN-to-SSN communications.
- a Towed Array Improvements.
- Continue concept definition of next generation towed array.
- Continue development of critical items.
- towed array concept. Investigate
  - ° Transfent Acoustic Processing (TAP).
- Concinue development of Advanced Development Model for TAP II Auto-Detect capability to demonstrate that
- Complete fabrication of portable TAP I system.
- o Multipath Processing.
- Conduct sea testing of multipath ranging algorithms suitable for very short range scenarios.
- Regin development of multipath ranging algorithms for convergence zones and shallow water, and development of automation techniques to determine target range and depth.
- Initiate development of other promising techniques, such as narrowband interference patterns, to do multipath ranging.
- o Under Ice Sonar.
- Start development of advanced under ice sonsr to provide ice remote ahead and across track profiling, vsrisble beam D/F fade ranging.
- ° RANCEX Program.
- Pian and conduct RANCEX 1-87, and analyze data in consultation with operating forces to validate the tactical effectiveness of emerging developments and improvements.
- · Plsn RANGEX 1-88.
- ( ) FY 1988 Planned Program: ů.
- ° Transducers.
- Continue development of

facility and design specifications for AN/WLR-9.

- Complete WQC-2 design specification.
- ° Towed Array.
- Complete definition of technical requirements and developments.
- towed array. - Continue development of

  - Develop Advanced Development Model Specs.

Program Element: 63504N

Title: Submarine ASW Developments (Advanced)

- o Under Ice Sonar.
- Continue system analysis and design.
- Conduct sea test of experimental model
- Complete fabrication of experimental model.
  - o Transfent Acoustic Processor.
- Complete development of TAP II Advanced Development Model.
- Start development of
  - . Multipath Processing.
- capability.
- Continue analysis of short range multipath test results. - Conduct sea test of processing equipment in RANGEX 1-88.
  - Target Motion Analysis Improvement Program.

- Conduct sea test ar 1 analyze results.

- · RANGEX Program.
- Conduct analysis of data obtained in RANCEX 1-87.
  - Conduct RANGEX 1-88.
- (9) FY 1989 Planned Program: <del>р</del>
- · Transducers.
- Continue development of design specification and begin accelerated life testing of WLR-9.
- o Towed Array.
- Continue development of
- Begin design of next generation Advanced Development Model.

towed array.

- o Under Ice Sonar.
- Analyze results of FY 1988 sea test.
- Develop specifications for Advanced Development Model.
- o Transient acoustic processor.
- Continue development of
- Incorporate in Advanced Development Model.

Capability.

- Multipath Processing.
- Complete analysis of FY 1988 sea test.
- Resume development of shallow water, long range, and narrowband algorithms.

Program Element: 63504N

Title: Submarine ASW Developments (Advanced)

- Resume to development of computer-aided multipath
  - " Target Motion Analysis Improvement Program.
- · Continue analysis of data from FY 88 sea test.
- Begin integration of multiple sensor algorithms incorporating zig detection, constraint, and solution quality.
  - RANGEX Program,
- Continue to analyze data from RANGEX 1-88.
- Plan RANCEX 1-90 to assess tactical effectiveness of systems in development.
- o Initiate development of concepts to present information to decision makers in ways that will increase effectiveness.
  - ° Virtual Aperture Array.
- e. (U) Program to Completion: This is a continuing program.
- f. (1) Major Milestones:

Milestone	Date
1. Towed Array Improvement	
<ul> <li>begin fabrication of Advanced Development Model</li> </ul>	1st Qtr FY-91
2. Under-ice Sonar	
- sea test of experimental model	4th Qtr FY-88
3. Virtual Aperture Array	
	3rd Qtr FY-94
4. Transfent Acoustic Processor	
- begin transition to host system	1st Qtr FY-90

I. (U) TEST AND EVALUATION DATA: Not Applicable

FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 63506N DoD Mission Area: 233 - Anti-Submarine Warfare

Title: Surface Ship Torpedo Defense Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	<u>Title</u>	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Total Additional Fstimated to Completion Cost	Total Fstimated
80225	TOTAL FOR PROGRAM ELEMENT Surface Ship Torpedo Defense (SSTD)	31,362 31,362	17,585	27,339 27,339	36,518 36,518	208,940 208,940	368,349 368,349

The above funding profile includes out-year estalation and encompasses all work and development phases now planned or anticipated.

- provides a Surface Ship Torpedo Defense capable of detecting and countering anti-surface ship torpedoes in order to improve ship B. (a) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: The capability of Soviet submarines and ships to employ anti-ship torpedoes presents a formidable threat to U.S. Navy surface ships. This threat includes a survivability.
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes be "een the funding profile shown in this Pescriptive Summary are as follows: In FY 1986, a decrease of -4,845 was due to GRH and Department program/budget adjustment; in FY 1987, a decrease of -19,323 from Department Budget adjustment and Congressional adjustment and actions; in FY 1988, a decrease of +5,964 due to Department progam/budget adjustment.

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

1	Estimated	1	323,904	23,904
Total	Est 1	Cost		•
	Additional	to Completion	172,759	172,759
	FY 1988	Estimate	33,303	33,303
	FY 1987	Estimate	36,908	36,908
	FY 1986	Estimate	36,207	36,207
	FY 1985	Actual .	26,957	26,957
	ct	Title	TOTAL FOR PROGRAM ELEMENT	Surface Ship Torpedo Defense
	Project	No.		S0225

Program Element: 63506N

Surface Ship Torpedo Defense Title:

D. (U) OTHER FY 1988 APPROPRIATION FUNDS:

	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
OPN (BA 2) (332213) Phase I Qty Phase II Qty AN/SLQ-25 (NIXIE) Qty Fngineering Change Kits	(77) 006'6	8,300 (26) 7,443 (34)	3,953 (12) 7,717 (153)	9,045	76,492	12,253 (38) 76,492 (38) 17,343 (78) 16,762 (310)
Total	006,6	15,743	11,670	6,045	76,492	122,850

E. (V) RELATED ACTIVITIES: Program Element 62734N is performing the exploratory development technical base effort in torpedo countermeasures and influence countermeasures. Program Element 62734N was initiated to conduct exploratory development leading to foregoing related activities are capable of enhancing the overall SSTD system's effectiveness and/or its applicability to a wider However, these related activities do not constitute, individually or collectively, development of system which will destroy torpedoes approaching a ship in that area. replaceable or substitutable components of the SSTD. a demonstration of a limited, range of ship classes.

Naval Underwater Systems Center, New London, CT; Naval Sea Combat System Engineering Station, Norfolk, VA; Naval Surface Weapons Center, White Cak, MD; Naval Undersea Warfare Engineering Station, Keyport, WA; Applied Thysics Labortory, Seattle, WA; Applied F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Coastal Systems Center, Panama City, FL; Naval Ocean Systems Center, San Diego, CA; Pesearch Laboratory, State College, PA. CONTRACTORS: General Electric Company, Syracuse, NY and others to be determined.

C. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

(U) Project S0275, Surface Ship Jorpedo Defense:

heavily from previous anti-surface ship torpedo defense projects and submarine torpedo countermeasure programs. The program is 1. (V) Description: The objective of this program is to provide torpedo defense to surface ships. The program draws

Program Element: 63506N

structured in phases to provide early

Title: Surface Ship Torpedo Defense

2. (U) Program Accomplishments and Future Efforts:

(V) FY 1986 Program: 8

\* Continued in-water testing of countermeasure components.

Successfully completed!

Awarded a development contract for the acoustic detection/reaction subsystem for early study efforts.

(U) FY 1987 Planned Program: Ď.

concepts. · Conduct studies on

Begin hardware design efforts for the towed sensor subsystem.

\* Begin component test of the

. Begin model testing of the \* Begin development work on

at NSRDC.

, subsystem.

\* Begin hardware design efforts on the MK 46 Mod 5 torpedo modifications.

° Conduct in-water testing of the prototype Conduct in-water testing of the modified

to evaluate concept.

(u) FY 1988 Planned Program: c.

(v) FY 1989 Planned Frogram: Ď.

(V) Program to Completion: This is a continuing program? Planned efforts include: e.

Program Element: 62506N

Title: Surface Ship Torpedo Defense

f. (4) Major Milestones:

Milestane

Date

Phase 1 Contract Award (ECP)

Phase II

Milestone II (ALP)

Phase III

Milestone I Milestone II (FSD) Milestone III (ALP)

I. (U) TEST AND EVALUATION DATA: Not Applicable

### FY 1983/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63509N

DoD Mission Area: 238 - Other Naval Warfare

Title: Shipboard Information Transfer System Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dellars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
\$1858	TOTAL FOR PROGRAM ELEMENT Voice Multiplex System	0 0	00	00	4,017	29,279 29,279	33,296 33,296

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated.

- This element provides for the development of shipboard information (voice and data) transfer techniques and systems to improve ship design and construction in terms of reducing schedule and cost, plus Development will start on a fiber optics local area network-based digital Voice Multiplex System (VMS) to provide an integrated interior voice communications capability aboard ship. Benefits include reduced cost, increased information transfer speed and capacity, improved interior communications system survivability, increased reliability and increased design and installation flexibility. B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: increasing flexibility and survivability
- (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) Not applicable.
- (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY: Not applicable.
- D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.
- Exploratory Development work in Program Element 62721N (Command and Control Technology), is addressing the technology base related to advanced multiplexing systems. Work being porformed under Program Element 65111D There is no unnecessary duplication of (Foreign Weapons Evaluation - Ship Interior Voice C3 System) supports this new start. effort within the Navy or the Department of Defense. E. (U) RELATED ACTIVITIES:
- F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Sea Systems Command, Washington, D.C.; Naval Ocean Systems Center, San Diego, CA., (Lead Laboratory). CONTRACTORS: To be determined by competition.

Program Element: 63509N

Title: Shipboard Information Transfer System

G. (U) PROJECTS LESS THAN SIO MILLION IN FY 1988/89:

(U) Project S1858, Voice Hultiplex System:

ships. A modular, fiber optic local area network-based digital voice multiplex system will provide mission essential capabilities 1. (U) Description: Development of an integrated Interior Voice Communication System for all classes of Navy combatant for rapid, accurate, reliable, and survivable voice communications between the required ships stations.

2. (U) Program Accomplishments and Future Efforts:

a. (U) FY 1986 Program: Not applicable.

b. (U) FY 1987 Program: Not applicable.

c. (U) FY 1988 Planned Program: Not applicable.

d. (U) FY 1989 Planned Program:

\* Award competitive contract for design and fabrication of full-scale development model(s) to support test and evaluation.

e. (U) Program to Completion:

Deliver full-scale development model(s)

\* Install and checkout aboard test ship

° Conduct TECHEVAL

° Conduct OPEVAL

° Obtain Production Decision

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not Applicable

I. (U) TEST AND EVALUATION DATA: Not Applicable

### FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 63512N DoD Mission Area: 225 - Air Warfare Support

Title: Catapults
Budget Activity: 4 - Tactical Program

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total	1 Estimated	tion Cost	Continuing Continuing	Continuing Continuing	Continuing Continuing	0 1,644
	Additional	to Comple	Contin	Contin	Contin	
	FY 1989	Estimate	11,809	668,4	5,266	1,644
	FY 1988	Estimate	7,357	3,459	3,898	0
	FY 1987	Estimate	0	0	0	0
	FY 1986	Actual	0	0	0	0
		Title	TOTAL FOR PROGRAM ELEMENT	CV Weapons Elevator Improvement	CV Launch and Recovery System	EAF Matting
	Project	No.		W1722	W1723	W1875

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

supportable weapons elevator components, a Landing Signal Officer (LSO) Head-Up Display (HUD) for AV-8 operations on LHA/LHD/LPH class ships, application of closed loop control systems to the steam catapult and arresting gear, development of modernized command/communication/control systems for the steam catapult and arresting gear, development of an electromagnetic aircraft This program includes development of standardized, reliable, logistically launcher, and development of new matting for V/STOL aircraft operations ashore. Payoffs include increased safety, reduced pilot workload, enhanced boarding rates, increased aircraft service life, force modernization, and reduced manning. B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED:

C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: Not Applicable.

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

[otal	Estimated	st	ntinuing	Continuing	ntinuing
J		to Completion Co		Continuing Co	
	FY 1988	Estimate	7,568	3,542	4,026
	FY 1987	Estimate	0	0	0
	FY 1986	Estimate	0	0	0
	FY 1985	Actual	0	0	0
	•	Title	TOTAL FOR PROGRAM ELEMENT	CV Weapon Elevator Improvement	CV Launch and Recovery System
	Project	No.		W1722	W1723

Program Element: 63512N

Title: Catapults

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.

E. (U) RELATED ACTIVITIES: PE 62122N, PE 62241N and Project W1723 of PE 63512N are exploratory and advanced development efforts, respectively, for upgrading and improving Navy launch and recovery systems technology.

#### F. (U) WORK PERFORMED BY:

TBD. IN-HOUSE: Naval Ship Systems Engineering Station, Philadelphia, PA. CONTRACTOR: W1722

W1723 CONTRACTOR: TBD. IN-HOUSE: Naval Air Engineering Center, Lakehurst, NJ.

75 CONTRACTOR: TBD. IN-HOUSE: Naval Air Engineering Center, Lakehurst, NJ.

# G. (U) PROJECTS LESS THAN SIO MILLION IN FY 1988/89:

## (U) Project W1722, CV Weapons Elevator Improvement:

For aircraft carriers, emphasis will be placed on the improvement of elevator trunks, doors and hatches to upgrade (U) Description: This project provides for the development, test, evaluation and documentation of standardized elevator components such as control systems, hydraulic power units, doors and hatches, safety devices, platform and hoist watertight integrity, corrosion control, and development of lighter weight structures.

# 2. (U) Program Accomplishments and Future Efforts:

a. (U) FY 1986 Program: Not Applicable.

b. (U) FY 1987 Program: Not Applicable.

c. (U) FY 1988 Planned Program:

o Advanced Development Model (ADM) design and fabrication of lightweight structures and power systems.

### d. (U) FY 1989 Planned Program:

o Design acceptance testing of ADM.

Program Element: 63512N

Title: Catapults

e. (U) Program to Completion;

o Installation and testing of ADM under carrier operating conditions.

## (U) Project 41723, CV Launch and Recovery Systems:

still in operational use and through a series of improvements, possesses sufficient capacity to launch all foreseeable Fleet The existing Mark 7 (U) Description: The steam catapult, developed in the early 1950s for launching jet aircraft from carriers, is The control system, which regulates all the operational aspects of the launch process, has not been modernized, is Arresting Gear Control stations have not been improved for many years, and as a result possess significant potential for human error which has resulted in aircraft and filght crew losses. The present day system employs sound powered phone transmissions, retraction after arrestment and cross-checking of the arresting engines is very manpower intensive and the potential for human error is great. The proposed closed loop control systems for the catapult and arresting gear will greatly improve their operation The LHA/LHD/LPH AV-8 LSO HUD will enable the LSO to more consistently evaluate the approach hand signals and hand held cards to convey aircraft type and weight data and arresting gear status. Aircraft weight setting, The stand-alone electromagnetic launcher will provide a mechanism for the launching of fixed wing aircraft with one-third the weight and volume of present steam c, apults. The launcher will be capable of launching all present and foreseeable Navy aircraft characteristics of the aircraft, detect potentially dangerous situations, and take effective action to prevent a landing accident. under all aircraft launch scenarios and possess inherent survivability through redundant communications and controls, offer lower manpower intensive, operates in an open loop manner and has (infrequently) contributed to aircraft loss. maintenance and reduced manning requirements, and be affordable. as well as their effectiveness.

# 2. (U) Program Accomplishments and Puture Efforts:

- 3. (U) FY 1986 Program: Not Applicable.
- b. (U) FY 1987 Program: Not Applicable.
- c. (U) FY 1988 Planned Program:
- o Advanced Development Model (ADM) design for Catapult Control System.
- o ADM design for Arresting Gear Control System.
- o Concept definition of LHA/LHD/LPH AV-8 LSO HUD and PRI-FLY workstation.

Program Element: 63512N

Title: Catapults

### d. (U) FY 1989 Planned Program:

- o Fabrication of Catapult Control System ADM.
- o Fabrication of Arresting Gear Control System ADM.
- o ADM design for LHA/LHD/LPH AV-8 LSO HUD.
- o ADM design of one half scale model of stand-alone electromagnetic launcher.
- e. (U) Program to Completion:
- o Fabrication of LHA/LHD/LPH AV-8 LSO HUD ADM.
- o Fabrication of stand-alone electromagnetic launcher ADM.
- o Installation, test, and evaluation of ADMs.

### (U) Project W1875, EAF Matting:

- heavy and cumbersome. Lightweight (1/2 the weight of AM-2) and less voluminous (1/3 the volume of AM-2) matting will be developed for use with AV-8, V-22, and helicopters at V/STOL airfields ashore. Candidates under consideration include reinforced fiberglass 1. (U) Description: The EAF matting presently available (AM-2) was developed for F-4 aircraft operations and is polyvinyl used for runway bomb damage repair and prefabricated surfacing aluminum used by the United Kingdom for Harrier operations.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program: Not Applicable.
- b. (U) FY 1987 Program: Not Applicable.
- c. (U) FY 1988 Planned Program. Not Applicable.
- d. (U) FY 1989 Planned Program:
- o Procure sufficient matting of both types to construct a V/STOL landing site.

#### UNCLASSIFIED Program Element: 63512N

Title: Catapults

o Evaluate both types of matting under operational conditions.

e. (U) Pro ram to completion: Not Applicable.

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not Applicable.

I. (U) TEST AND EVALUATION DATA: Not Applicable.

### FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Flement: 63513N DoD Mission Area: 238 - Other Naval Warfare

Title: Shipboard Systems Component Development Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
	TOTAL FOR PROGRAM ELEMENT	14.438	9.553	•	16.802		Continuine Continuine
50382	Shipboard Auxiliary Systems						0
	Development	11,109	6,208	10,484	11,260	Continuing	Continuing Continuing
\$1712	Hull, Mechanical and Electrical						
	Improvement	3,329	3,345	3,482	5,542	Continuing	Continuing Continuing

As this is a continuing program, the above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989. (U) RRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program develops machinery subsystems and component improvements for new ship construction and in some instances for backfit into the present fleet. Shipboard system component developments are aimed at providing the fleet with standardized/modularized systems possessing improved effectiveness, reliability, maintainability, and significant life cycle cost, size and weight savings. The program includes shipboard auxiliary systems, shipboard corrosion control, fiber optic engineering standards and specifications development, hull, mechanical and electrical equipment improvements efficiency potable water production systems, single screw rotary oil-free air compressors, advanced concept pumps, propulsion electrical auxiliaries, improved electric distribution components, machinery control and monitoring systems. This program develops through improved corrosion and wear characteristics and improvements to reduce fleet maintenance in shipboard preservation. The processes for inspection of coating systems, a Naval Shipyard corrosion control design/production handbook, and thermal spray coating information. This program also develops Navy Standard Underway Replenishment Equipment including: fueling at sea Program is concerned with the development of improved equipments which are small but critical components of Hull, Mechanical and Auxiliary machinery developments include high auxiliaries, advanced piping system components, hull and deck machinery systems, air conditioning systems, air processing systems, Shipboard corrosion control developments are concerned with production processes to improve life cycle costs of ships' components systems; dry cargo replenishment at sea systems; and intra-ship handling systems. The Hull, Mechanical and Electrical Improvement engineering standards and specifications for all fiber optic hardware and equipment necessary for critical shipboard systems. program includes development and service testing of corrosion/wear/erosion/coating systems, nondestruction examination equipment/ Electrical systems. The emphasis is on short-term developments for immediate fleet application. and shipboard salvage techniques/equipment for ships, weapons and aircraft.

Program Element: 63513N

Title: Shipboard Systems Component Development

C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary are as follows: For Project S0382, s decrease of 5,261 in FY 1987 is due to Department program and budget adjustments and a Congressional adjustment; a decrease of 4,793 in FY 1988 is due to Department program and budget adjustments and NIF rate adjustment. In Project S1712, the decrease of 412 in FY 1986 is due to Department program/budget adjustments and a GRH adjustment,

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Totsl Estimated Cost	Continuing	Continuing	Continuing
Additional to Completion	Continuing	Continuing	Continuing
FY 1988 Estimate	18,959	15,277	3,682
FY 1987 Estimate	14,917	11,469	3,448
FY 1986 Estimate	15,145	11,404	3,741
FY 1985 Actual	13,192	10,637	2,555
rt Title	TOTAL FOR PROGRAM ELEMENT Shipboard Auxiliary Systems	Development Rull, Mechanical and Electrical	Improvement
Project No.	\$0382	\$1712	

(U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.

Program Element 64567N (Ship Development (Engineering)), Program Element 63573N (Electric Drive), Program Element 62121N (Surface Ship Technology). (U) RELATED ACTIVITIES:

Puget Sound Naval Shipyard, WA: Pearl Harbor Naval Shipyard, HI; Mare Island Naval Shipyard, CA; Ships Intermediate Maintenance Hueneme, CA; Naval Oceanographic Research and Development Laboratory, Bay St. Louis, MS; Norfolk Naval Shipboard, Portsmouth, VA; Activity, San Diego, CA; Ships Intermediate Maintenance Activity, Portsmouth, VA; Naval Research Laboratory, Washington, DC., Harilton Standard Division of United Technologies, Windsor Locks, CT; MECO Corporation, New Orleans, LA; Aqua Chea, Milwaukee, WI; David W. Taylor Naval Ship Research and Development Center, Bethesda, MD; Naval Ship Naval Ocean Systems Center, San Diego, Calif; Naval Surface Weapons Center, Dahlgren, VA; Metrology Engineering Center, Pomona, CONTRACTORS: Worthington Division of Dresser Industries, Buffalo, NY; York Engineering, York, PA; Westinghouse, Marine Technical Division, Pittsburgh, PA; Battelle Memorial Institute, Columbus, OH; Systems Engineering Station, Philadelphia, PA; Naval Weapons Support Center, Crane, IN; Naval Civil Engineering Laboratory, Tracor Marine, Ft. Lauderdale, FL; and nineteen (19) others. CA; and The National Bureau of Standards, Boulder, CO. IN-HOUSE: F. (U) WORK PERFORMED BY:

# G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

<sup>(</sup>U) Project S1712, Hull, Mechanical and Electrical Improvement:

Program Element: 63513N

Title: Shipboard Systems Component Development

(U) Description: This project develops improved equipment which are small but critical components of shipboard hull, mechanical and electrical (HM&E) systems. The emphasis is on short-term developments for immediate fleet application. The and maintainability improvements identified in fleet readiness and H&ME conferences. Principal systems for which improved component developments are critical to HMAE systems availability and are typically responsive to needs for component reliability components will be developed include fluid systems, hull and deck machinery, and electrical equipment.

- 2. (U) Program Accomplishments and Future Efforts:
- . (U) FY 1986 Program:
- o Initiated anti-flood air conditioning improvements on 25 ton system.
- ° Completed development of air conditioning oil migration trap.
- ° Continued development of air conditioning compressor unloading mechanism.
- Completed Brominator Improvement Program.
- Initiated laboratory evaluations of standardized non-asbestos propulsion shaft packing.
- o Initiated standardized dehydrator development program.
- o Installed improved development model cargo elevator door for shipboard evaluation.
- o Initiated helicopter hangar door improvement program.
- <sup>3</sup> Initiated non-asbestos brake liner development program for underway replenishment winches.
- c Continued 400 Hertz power continuity improvement program.
- " Continued laboratory evaluations of improved cooling systems for electrical equipment.
- ° Continued electric cable improvement studies.
- o Initiated in-line voltage regulator improvements.
- ° Continued solid state frequency changer electromagnetic compatibility (EMC) improvement program

Program Element: 63513N

Title: Shipboard Systems Component Development

- Continued 60 Hertz power continuity improvement program.
- o Initiated development of improved navigation lights.
- b. (U) FY 1987 Program:
- Complete development of anti-flood air conditioning improvement for 25 ton system.
- · Initiate laboratory evaluation and design studies of ventilation duct weather intake screens and baffles.
- Complete development of standardized non-asbestos propulsion shaft packing.
- Initiate evaluations of standardized dehydrator design.
- . Complete shipboard evaluation of engineering development model cargo elevator door.
- Develop helicupter hangar door improvements for fleet evaluation.
- o Initiate boat davit improvement program.
- ° Continue 400 Hertz power continuity improvement program.
- Continue laboratory evaluations of improved cooling systems for electrical equipment.
- ° Continue electric cable improvement studies.
- o Initiate circuit breaker improvement program.
- o Initiate development of maintenance free hatteries.
- Continue 60 Hertz power continuity program.
- Continue development of improved navigation lights.
- . (U) IY 1988 Planned Program:
- Continue development of standardized dehydrator design.

Program Element: 63513N

Title: Shipboard Systems Component Development

o Initiate development of improved purifier/filter systems for diesel lube oil.

° Complete helicopter hangar door improvement program.

' Initiste shock analyses of deck hold down systems.

° Continue boat davit imprevement program.

° Initiate development of welded anchor chain fittings and non-magnetic welded anchor chain.

Complete laboratory evaluations of improved cooling systems for electrical equipment.

° Completa electric cable improvement studies.

° Complete in-line voltage regulator improvement investigations.

° Continue circuit breaker improvement program.

° Continue 60 Hertz power continuity program.

d. (U) FY 1989 Planned Program:

o Initiate development of seawater cooling coils for machinery spaces.

° Initiate development of gravity cooling coils for weapons/ordnance spaces.

° Complete development of standardized dehydrator design.

° Continue development of improved purifier/filter systems for diesel lube oil.

o initiate development of improved pressure seal rings for high temperature and high pressure steam valves.

o Initiate forced draft blower control valve improvement program

o Compiete shock analyses and evaluation of deck hold down systems.

o Initiate shock analyses of lifeboat and windlass deck systems.

Program Element: 63513N

Title: Shipboard Systems Component Development

- ° Complete boat davit improvement program.
- Continue development of welded and non-magnetic anchor chain and fittings.
- o Continue circuit breaker improvements.
- Complete maintenance free battery program.
- ° Complete 400 Hertz power continuity improvement program.
- Complete development of improved navigation lights.
- \* Continue 60 Hertz power continuity program
- e. : (1) Program to completion: This is a continuing program.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:
- (U) Project S0382, Shipboard Auxiliary System Development
- 1. (U) Description: This project develops shipboard auxiliary components and systems including compressed air and fresh auxiliaries, hull and deck machinery, and other advanced equipment. Emphasis is on developing auxiliary machinery which will not only improve performance reliability and maintainability, but will also result in size, weight and/or life cycle cost savings. In FY 1985, Project S1417, Shipboard Corrosion Control, was integrated into this project. This program's objective is to reduce life cycle costs of ships' components through improved corrosion/wear characteristics, and significantly reduce ships' force and systems; coatings nondestruction examination equipment/processes; Naval Shipyard corrosion control design/production handbook; and 63705N was added to this project. This project provides for the advanced development of specialized equipment required to In FY 1986, a program was added to expedite the development of fiber optics engineering standards and specifications for fiber optics hardware and equipment necessary to make up crtical shipboard systems. Standardized fiber optic equipment/systems will provide significant weight than a conventional distilling plant and can produce twice as much fresh water; a highly reliable low pressure, water production systems, advanced pumps, air conditioning and air processing systems, hydraulic systems, propulsion and electric maintenance personnel manhours due to corrosion and includes development and service testing of corrosion/wear/erosion/coating Representative of the type of auxillary equipment items under development in Project SO382 are a reverse osmosis desalinator which is significantly smaller in size and waterflooded, screw type, air compressor which is less than one half of the volume and weight of the conventional piston type compressor now used aboard ships and which requires less than one half the number of parts for logistic support. This project thermal spray coating information. In FY 1986, work previously accomplished under Project S0398, Underway Replenishment from P.E. replenish surface ships at sea with fuel, ammunition, food and supplies vital to maintaining the Fleet at ses. weight and space savings, improved reliability, maintsinability and survivability.

.

Program Element: 63513N

Title: Shipboard Systems Component Development

inadequacies of such obsolescence under conditions of increasing aalvage problems posed by the increased size and aophistication include power generation, conditioning, distribution and protection components and improved electrical auxiliaries instrumentation and controls. Principal electrical system development thrusts are greater component survivability snd maintainability, improved develops advanced electrical components for improvements in ship service power systems. The scope of equipment developments continuity of power to vital loads, and better inherent power-quality compatibility between generation/distribution systems and user equipments. Navy salvage techniques and equipment are relatively unchanged from those developed during World War II. The of combatants and support ships requires development of new shipboard sslvage systems and equipment. In sddition, Navy is now includes development of electric auxiliaries for correcting design and logistic support costs in future ahipboard machinery required to salvage iost afrcraft and weaponry. Salvage equipment developments include buoyancy generation, salvage work systems, and for correcting problems associated with waste heat supplied steam systems in DD 963 Class ships. dewstering, and lifting systems.

## 2. (U) Program Accomplishments And Future Efforts:

#### s. (U) FY 1986 Program:

- ° Completed laboratory evsluation and shipboard installation (USS STUMP) of MIL SPEC 12,000 gallon per day reverae osmosis desalinator.
- ° Completed Technical Evaluation (TECHEVAL) and commenced Operational Evaluation (OPEVAL) (USS SCOTT) of low pressure single screw sir compressor.
- ° Continued design of rotary 3,000 psf MIL-SPEC prototype air compressor.
- ° Completed design and fabrication of prototype nitrogen generator.
- · Completed fabrication and initiated laboratory evaluation of prototype single-screw fuel pump
- ° Completed at sea teating of pre-prototype fuel purifier for hydrofoil patrol boats (PHM) and issued RFP for design and fabrication of MIL-SPEC prototype.
- <sup>o</sup> Completed composite material brine pump specification and fabrication, developed requirements for a atandard family design contract, and continued shipboard evaluation.
- ° Completed design and fabrication of advanced Navy standard MIJ.-SPEC, variable capacity fire pump.
- " Completed evaluation of state-of-art disinfection system.

734

Program Element: 63513N

Title: Shipboard Systems Component Development

- Continued OPEVAL of vertical package conveyor and obtained Approval for Limited Production.
- and Initiated development of prototype fiber optic ayatems used in eatablishing hardware standards specifications.
- ° Completed fiber optic prototype systems performance design.
- Initiated fiber optic system engineering dealgn.
- Developed an extensive data base on current and proposed fiber optic standarda/specifications and off-the-shelf hardware.
- ° Completed initial operational evaluation of standard winches, aliding blocks, and tenaioners, received Approval for Limited Production.
- o Initiated standard helicopter hangar door program.
- Continued laboratory evaluation of experimental 100 kw scale model, variable speed, constant-frequency ship service generator.
- Completed detail design and fabrication of components for experimental-model Navy atandard steering system and commenced laboratory evaluation.
- Completed specifications for variable speed controller for auxiliary equipment electric motors.
- Completed successful shock teating of thermal aprayed components in main feed pump.
- Awarded contract for prototype current limiting protector for 60 Hertz bus-tie circuits.
- Fastener coatings under MIL S-81751 successfully passed laboratory ahock and vibration testing.
- Completed specifications for advanced prototype circuit breaker.
- o Initiated development of salvage lift systems.
- o Initiated development of salvage work systems.
- b. (U) FY 1987 Program:

Program Element: 6351

Title: Shi board Systems Component Development

- o Initiate TECHEVAL of 12,000 gallon per day reverse osmosis desalinator.
- o Initiate evaluation of non-cryogenic nitrogen generator.
- o lasue RFP for pre-production single-screw type fuel/oil pump.
- Complete laboratory evaluation of prototype variable capacity fire pump.
- Issue RPP for design and fabrication of standard family composite centrifugal pumps.
- Award contract and initiate design for MIL-SPEC prototype circuit breakers incorporating solid atate sensing
- o Initiate construction of demonstration model for prototype integrated rapid response electrical system controls.
- ° Complete design and begin fabrication and laboratory evaluation of prototype current limiting protector for 60 Hz bus-tie circuits.
- o initiate repair/restoration of babbitt bearings with thermal spray coatings.
- ° Complete specifications for solid state ramp motor starter for auxiliary equipment electrical motora.
- ° Complete construction and laboratory evaluation of advanced development model Navy standard steering ayatem.
- ° Complete OPEVAL of vertical package conveyor.
- . Complete OPEVAL of standard family of underway replenishment equipment.
- Design, fabricate and start laboratory evaluation of standard helicopter hangar door.
- o Continue development of salvage lift systems.
- Continue development of salvage work systems.
- ° lasue upgraded MIL STD 1687 for repair/refurbishment of thermal spray machinery castings.
- c. (U) FY 1986 Planned Program:

Program Element: 63513N

Title: Shipboard Systems Component Development

- \* Initiate development of high power no-break power supply to ensure uninterrupted power to major vital 60 Hz electrical loads during generator/bus transfers.
- · Obtain Approval for full Production of 12,000 GPD reverse office desalinator.
- · Complete design for 3000 psi MIL-SPEC prototype rotary air compressor.
- Issue RFP for MIL-SPEC non-cryogenic nitrogen generator.
- Award contract for pre-production single-screw type fuel/oil pump.
- o Initiate shipboard evaluation of variable capacity fire pump.
- Complete design and fabrication of standard family composite centrifugal pumps.
- o Initiate development of advanced high efficiency air conditioning plant.
- olsage procurement specifications for infrared non-destructive evaluation (NDE) equipment for thermal spray machinery coatings
- o Initiate laboratory evaluation of prototype MIL-SPEC circuit breakers incorporating solid state sensing elements.
- ° Complete laboratory evaluation of 100 KW scale model variable speed, constant frequency ship service generator and complete full scale design of prototype 2500 KW machine.
- ° Continue ship monitoring of dynamic hull potential cell.
- Initiate laboratory evaluation of prototype current limiting protector for 60 Hz bus-tie circuits.
- " Award contract for design of prototype ship service power switchboard incorporating improved shock resistance, improved bus bar convections, and forced draft cooling.
- o Initiate development of components for direct distribution of DC power to major electronic loads.
- " Iransition Navy standard steering system to DIM:-51 shipbuilding program.
- o initiate investigation of underwater repair compounds for air conditioning systems.

Program Element: 63513N

Title: Shipboard Systems Component Development

- Receive Approval for Full Production for vertical package conveyor.
- Complete shock testing and receive Approval for Full Production for standard family of underway replentsiment
- Start TECHEVAL of standard helicopter hangar door.
- o Initiate lightweight cargo elevator door program
- o Continue development of salvage lift systems.
- Contimue development of salvage work systems.
- d. (U) FY .989 Planned Program:
- Complete fabrication of 3000 psi MIL-SPEC prototype rotary air compressor.
- Award contract for MIL-SPEC non-cryogenic nitrogen generator.
- Design and fabricate MIL-SPEC single-screw type fuel/oil pump.
- o Initiate TECHEVAL of variable capacity fire pump.
- Conduct Laboratory Evaluation (LABEVAL) of standard family composite centrifugal pumps.
- ° Continue development of Advanced high efficiency airconditioning plant.
- " initiate OPEVAL of MIL-SPEC circuit breakers incorporating solid state sensing elements.
- o issue upgraded powder coating specifications for corrosion control applications.
- o Image upgraded specification for replacement of F-111 equipment enamel.
- ° initiate design and fabrication of prototype high power no-break power supply to ensure uninterrupted power to major vital 60 Hz electrical loads during generator/bus transfers.
- " Award contract and initiate fabrication of pre-production prototype 2500 KW variable speed, constant frequency ship service power system.

Program Element: 63513N

Title: Shipboard Systems Component Development

\* Initiate OPEVAL of 60 Hz bus-tie current limiting protector.

Complete fabrication and initiate laboratory evaluation of fast acting bus transfer switch.

Complete design of prototype improved ship service power switchboard incorporating improved shock resistance, improved bus bar connections, and forced draft cooling.

\* Complete system design for direct distribution of DC power to major electronic losds.

· Conduct OPEVAL of standard helicopter hangar door.

. Design and fabricate protoytpe lightweight cargo elevator door.

° Continue development of salvage lift systems.

° Continue development of salvage work systems.

Initiate high capacity (1,000 lb) underway replenishment system development.

o Initiate evaluation of composites for corrosion control applications.

e. (II) Program to Completion: This is a continuing program.

f. (U) Major Milestones: Not Applicable

I. (U) TEST AND EVALUATION DATA: Not Applicable

### FY 1988/89 RITTGE DESCRIPTIVE SUIMMARY

Program Element: 63514N DoD Mission Area: 238 - Other Naval Warfare

Title: Ship Combat Survivability
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total Estimated	Cost	Continuing	Continuing	Continuing	Continuing	40,129
Additional	to Completion		Continuing			
FY 1989	Estimate	36,298	16,461	5,181	6,003	5,533
FY 1988	Estimate	29,426	13,109	768, 7	5,782	2,641
FY 1987	Estimate	26,630	11,755	2,882	6,476	5,517
FY 1986	Actual	21,437	7,712	3,670	4,524	6,031
	Title	TOTAL FOR PROGRAM ELEMENT	Ship Survivability (Adv)	Personnel Protection	Ship Damage Control	EMPRESS 11
Project	No.		S0384	\$1121	\$1565	21607

As this is a continuing program, the above funding profile includes outyear escalation and encompasses all work or development phases now planned or anticipated through 7Y 1989.

- conventional, nuclear, chemical or biological weapon effects and enable the ship to continue performing assigned combat missions at This program also covers the development of systems, equipment and engineering data to protect embarked R. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program covers the advanced development of equipment, systems, and engineering data and full scale weapons effects simulation that will provide protection of ships and their embarked personnel from personnel from effects of fire, smoke, and lethal ervironments created by peacetime accidents and the development of fire protection and damage control capabilities necessary to limit, control and correct wartime and peacetime casualty situations. an effective level.
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 President's Budget and that shown in this Descriptive Summary are as follows:
- (U) Project S0384, Ship Survivability: Funds were reduced 4,067 in FY 1986 due to Department program/budget adjustments and a CRH adjustment. A reduction of 12,724 in FY 1987 is the result of Congressional action and adjustments and Department program/budget adjustments. Reduction of 19,977 in FY 1988 is the result of Department program and budget adjustments.
- (U) Project S1121, Personnel Protection: Funds were reduced 1,209 in FY 1986 due to Department budget program adjustments and a CRH adjustment. A reduction of 744 in FY 1987 is the result of Congressional action and adjustment.

Program Element: 63514N

Title: Ship Combat Survivability

Project S1607, EMPRESS II: Increases of 2,750 in FY 1986 and 3,638 in FY 1988 are the result of Department program and budget adjustments and a GRH adjustment for FY 1986. The total estimated cost listed above reflects only PE 63514, Project S1607 funding.

Project S1565, Ship Damage Control: Funds were increased 563 in FY 1986 due to Department program/budget adjustments and a GRH adjustment. A reduction of 1,484 in FY 1987 is the result of Congressional action and adjustments.

# (U' FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
S0384 S1121 S1565 S1607	TOTAL FOR PROGRAM ELEMENT Ship Survivability (Adv) Personnel Protection Ship Damage Control EMPRESS 11	18,662 6,481 2,593 3,977 5,611	23,400 11,279 4,879 3,961 3,281	41,861 24,479 3,626 7,960 5,796	46,306 33,086 5,124 6,093 2,003	Continuing Continuing Continuing Continuing	Continuing Continuing Continuing Continuing 43,129

### D. (U) OTHER FY 1988/89 APPROFRIATION FUNDS:

					Total	
	FY 1986		FY 1988	FY 1989	Additional	Estimated
	Actual	Estimate	Estimate	Estimate	to Completion	Cost
Procurement (OPN)	10,501	12,501	4,300	5,520	30,720	93,905
S1565 Various Items						

Program Element 62233N (Mission Support) provides Chemical, Biological and Radiological (CBR) Defense technology input to this program program; Program Progra E. (U) RELATED ACTIVITIES: Program Element (62121N Surface Ship Technology) provides technology input to various tasks under this program. Program Element 64516N (Ship Survivability Engineering) covers survivability related equipment engineering development; Element 64506N (BR/CW Countermeasures) is the engineering development program for CBR tasks under this program. F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Research Laboratory, Washington, DC; David W. Taylor Naval Ship Research and Development Center, Bethesda, MD; Naval Surface Weapons Center, White Oak Laboratory, Bethesda, MD; Naval Surface Weapons Center,

Program Element: 63514N

Title: Ship Combat Survivability

CA; Naval Clothing and Textile Research Facility, Natick, MA; Naval Air Engineering Center, Lakehurst, NJ; Chemical Research and SRI International, Menlo Park, CA; Maxwell Laboratories, Inc., San Diego, CA; Jaycor, Inc., Woodland Hills, CA; ARL, Arlington, VA; EG&G, Rockville, MD; PRC, Mclean, VA; Rockwell International Corporation, Anahelm, CA; Hughes Associates, Inc., Wheaton, MD; Planning Research Corporation, McLean, VA; Sterling Systems, Inc., McLean, VA; Advanced Technology, Inc., Vienna, VA; Pacer Systems, Inc., Billerica, MA; Sachs-Freeman, Landover, MD; ECO, Inc., Annapolis, MD. CONTRACTORS: Development Center, Edgewood, MD.

G. (U) PROJECTS LESS THAN SIO MILLION IN FY 1988/89:

(U) Project S1121, Personnel Protection:

This project provides for design and development of shipboard personnel protective clothing and equipment to protect ship's complement from effects of hostile actions and peacetime accidents. (U) Deacription:

2. (U) Program Accomplishments and Future Efforts:

(U) FY 1986 Program:

· Continued development of fire fighting equipment (fire fighter suit, gloves, helmet).

° Continued development of fire retardant anti-flash clothing.

° Continued development of flight deck and hangar deck clothing.

° Commenced development of new firefighter breathing apparatus.

° Completed Operational Evaluation (OPEVAL) of naval battle helmet, auto-inflatable utility life preserver, and

° Continued development of cold weather ensemble.

° Continued development of ballistic face shield.

° Continued development of anti-exposure suit.

Program Element: 63514N

Title: Ship Combat Survivability

b. (U) FY 1987 Program:

Dransition fire fighting equipment to production (suit & gloves).

Transition anti-flash clothing to production.

\* Transition naval battle helmet, auto-inflatable utility life preserver, and naval flak vest to production.

" Transition firefighting clothing to production.

° Commence development of Explosive Ordnance Disposal (EOD) protective clothing.

\* Continue development of cold weather ensemble,

. Continue development of anti-exposure suit.

c. (U) FY 1988 Planned Program:

\* Continue development of anti-exposure suit.

° Continue development of cold weather ensemble.

° Continue development of firefighter breathing apparatus.

" Continue development of flight deck and hangar deck clothing.

° Continue development of Explosive Ordnance Disposal (EOD) protective clothing.

o initial Operational Capability (IOC) of fire fighting equipment (suit and gloves).

° 10C of ballistic face sheild.

. IOC of anti-flash clothing.

d. (U) FY 1969 Planned Program:

o Transition fire fighting equipment (helmet) to production.

Program Element: 63514N

Title: Ship Combat Survivability

- ° Continue development of firefighter breathing apparatus.
- . IOC of anti-exposure suit.
- . IOC of cold weather ensemble.
- Transition development items to In-Service Engineering Agent (ISEA).
- (U) Program to Completion: This is a continuing program.

### (U) Project S1565, Ship Damage Control:

- 1. (U) Description: This project develops damage control systems and equipment including fire detection and suppression systems and provides systems and equipment for reconfiguration of vitai ship systems for casualty control. The project improves fleet readiness and combat survivability by providing for more rapid detection and control of damage and restoration of vital functions.
- 2. (U) Program Accomplishments and Future Efforts
- a. (U) FY 1956 Program
- Completed testing and initiated procurement of interim Navy Firefighters Thermal Imager (NFTI).
- Completed testing of improved time delay device for machinery space Halon fire extinguishing system
- Conducted tests on new fire protection system for electronic equipment
- Ocmpleted initial planning for full scale fire test facility (Ex-SHADWELL) and towed ship to Mobile, AL for refurbishment. Project transferred to PE 64516N.
- ° Completed MILSPEC for fire resistant blankets and linens.
- ° Completed first revision of MILSTD 1623 to reduce hazards of fire for shipboard outfittings and furnishings.
- ° Completed NSTM revision regarding the aliowable number of recoats for Navy paints to reduce fire hazard.

Program Element: 63514N

Title: Ship Combat Survivability

- o Initiated fire toxicity testing of gas turbine lube oils.
- Published toxicity protocol National Academy of Science.
- ° Initiated shipboard tests of prototype acoustic hardware using the hull for damage control communications (DC HULLCOM).
- ° Formulated concept design for damage control information system.
- Prepared specification for an upgraded, boom-like version of the H-200/U Sound-Powered Headset.
- b. (U) FY 1987 Program:
- ° 10C of floodlight and interim helmet-mounted light.
- \* Complete tests on DC equipment improvements such as smoke curtains, smoke generator and pipe patch kit.
- o Initiate procurement of ADM for portable power and pumping system.
- \* Initiate development of proportioner for low concentration AFFF.
- Devalop design criteria for fire protection system for electronic equipment.
- Complete procurement of instrumentation for the small scale test facility for evaluating flammability and smoke generation characteristics of candidate shipboard outfitting and habitability waterials.
- ° 10C of fire resistant blankets and linens.
- Update MILSTD 1623 to include results of fire tests on shipboard outfirtings and faggishings.
- o initiate assessment of effect of low levels of fire toxicity products on human performance under controlled laboratory conditions.
- o Initiate assessment of fire toxicity of gas turbine jube oils.
- \* Initiate development of wire-free damage control communications system for CV/CVN, LHA, LSD & LHD Class ships.

Program Element: 63514N

Title: Ship Combat Survivability

- Complete transducer development and validation of design parameters for acoustic hardware for DC HULLCOM
- Complete shipboard evaluations of two commercially available UC information systems, SNIPE and BALLAST.
- 10C of H-200/U Sound Powered Headset.
- \* Levelop MILSPEC for an improved Oxygen Breathing Apparatus (OBA) voice amplifier.

### c. (U) FY 1988 Planned Program:

- ° Complete testing of helmet light, standard rechargeable power pack and recharge system.
- Develop procurement spec for thermal arc cutting device.
- Conduct evaluation of high expansion foam for machinery space application.
- o initiate testing of anti-corrosion additives for Halon.
- and initiate testing of ALM for portable power and pumping system.
- \* Develop MILSPEC for fire protection system for electronics cabinet.

Uconduct flammability tests on shipboard outfittings and furnishings at small scale test facility.

- ° Complete assessment of fire toxicity of gas turbine lube oils.
- Initiate bio-assay studies of effect of low levels of fire toxicity products on human performance.
- ° Initiate developmental testing of ADM of a wire-free damage control communication system for CV/CVN, LMA, LSD, and LHD class ships.
- ° Complete evaluation of ALM of hull communications system (HULLCOM), prepare EDM specification and transfer to PE
- " nevelop design guidance and specification for DC management system for DDG 51 class.

Program Element: 63514N

Title: Ship Combat Survivability

° Complete TECHEVAL OBA Voice Amplifier.

### d. (U) FY 1589 Planned Program:

- Continue bio-assay studies of effect of fire toxicity products on human performance under controlled laboratory conditions.
- Update MILSTD 1623 to include results from testing of shipboard outfittings and furnishings at small scale test facility.
- " 10C of OBA Voice Amplifier.
- Complete evaluations of solid AFFF cartridge for 1½" hose and of static spark ignition of shipboard fuels.
- Complete testing of ADM for portable power and pumping system and transition to PE 64516N.
- e. (U) Program to Completion: This is a continuing program.
- (U) Project S1607, EMPRESS II (Electromagnetic Pulse Radiation Environment Simulator for Ships).
- 1. (U) Description: This program will develop the EMPRESS II full threat level Electro Magnetic Pulse (EMP) simulator for assessing, validating, and maintaining EMP hardness of surface ships. This capability does not currently exist and, because of the complex characteristics of EMP/system interaction, cannot be mathematically modeled.

# 2. (U) Program Accomplishments and Future Efforts:

- 1. (U) FY 1986 Program:
- Continued support system equipment installation.
- Continued development of antenna resistor assembly.
- Completed critical design review of data processing system.
- Commenced pulser systems integration.

747

Program Element: 63514N

Title: Ship Combat Survivability

- Commenced command and control systems integration.
- Commenced antenna support structure fabrication.
- Commenced fabrication of Data Acquisition and Processing System (DAAPS #1).
- b. (U) FY 1987 Program:
- · Complete vessel support aystem equipment installation.
- Complete antenna resistor assembly.
- \* Complete antenna support structure fabrication.
- ° Complete antenna installation.
- ° Continue fabrication of Data Acquisition and Processing System (DAAPS #1).
- ° Complete pulser system integration.
- ° Commence command and control systems integration.
- c. (U) FY 1988 Planned Program:
- ° Continue fabrication of Data Acquisition and Processing System (DAAPS #1).
- ° Complete conducting of Pulser Transmitter Developmental Tests; Complete (Phase I) evaluations.
- Complete receiver systems Developmental Test and Evaluation (Phase I).
- ° Commence Operational Test and Evaluation Irials (Phase I).
- d. (H) FY 1989 Planned Program:
- Complete fabrication of Data Acquisition and Processing System (DAAPS #1).
- Commence fabrication of DAAPS #2 and #3.

Program Element: 63514N

Title: Ship Combat Survivability

Complete Operational Test and Evaluation Irials (Phase I).

DAAPS #2 and #3, completing the acceptance testing of the EMPRESS II facility, achieving initial operational capability, and the The completion of the EMPRESS II Project consists of completing the fabrication of testing of first ship with the EMPRESS II facility. (U) Program to Completion:

- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89
- (U) Project S0384, 19 Survivability (Adv)
- toxicity as well as secondary effects, i.e., fire, flooding and smoke. The fabrication of developmental hardware and full scale by developing technology to minimize exposure to weapon effects by controlling non-acoustic signatures, providing early detection Approaches include redunds:cy/separation, armoring, arrangement/compartmentation, miniaturization, damage tolerant system signatures to make ships less observable or less unique. This project responds to HR10, USC 7281 of OCT 1981, DODINST 4245.4 of 1. (U) Description: This project develops technology that reduces the vulnerability and susceptibility of ship mission systems to threat weapon effects. The intent is that successive ship classes will have a greater inherent survivability to threat weapons than previous classes. The preliminary focus is on new construction; however, priority is given to affordable technology that can improve the survivability of ships now in commission to threat weapon inventories. Project S0384 improves survivability of weapon effects, intrinsic insensitivity to weapon effects, providing for useful levels of mission capability in damaged states, Weapon effects include fragmentation, blast, heat, radiation, shock, and demonstrations provide the engineering base for subsequent application to specific equipment, systems and ship structures. architecture of equipment/aystems, early detection of effects, repairability/decontamination, environmental isolation control of SEP 1983 (Acquisition of Nuclear Survivable Systems), the Naval Electronics Warfare Advisory Group Five Year R&D Plan (FEB 1982), and the Joint Service Agreement on CM/B Defense Research, Development & Acquisition (JUL 1984). and quick equipment recovery from battle damage.

5

- . (U) FY 1976 Program
- . (U) Nuclear Weapon Effects Protection
- Prepared hardening guidance recommendations for ships with large apertures
- Developed test methods for Electro Magnetic Pulse (EMP) protection of ship topside power cables.
- Developed portable teat equipment for evaluation/maintenance of EMP hardness in critical systems.
- Initiated development of ordnance EMP protection techniques and devices; continued limited ordnance EMP testing; continued development of EMP certification for ordnan.

Program Element: 63514N

Title: Ship Combat Survivability

- · Completed draft specification modifications for silicon controlled rectifiers for shipboard use in high power electronics.
- Initiated evaluation of 20 ton underwater shock simulator.
- · Initiated design of a 5 ton airblast induced shock (ABIS) simulator.
- . (v) Non-acoustic Signature Control
- This project is of a higher classification. Project efforts are included in
- \* (4) Conventional Weapon Effects Protection
- Initiated contact and internal detonation testing of ship hull structural hardening concepts.
- " (U) Passive Fire Protection, Electricsi Cable Initiatives
- Initiated development of fire hardened multiple cable bulkhead penetration specifications.
  - Conducted evaluation of selected fire barrier materials.
- Completed development of fire hazard criteria for improved shipboard electrical cables.
- \* (U) Chemical/Biological/Radiological (CBR)
- Initiated advanced development of Chemical/Biological/Radiological (CBR) protective materials and decontaminant
  - Continued assessment of advanced air capable ship and land based aircraft ground crew Chemical/Biological/Radiological (CBR) protective clothing and decontamination equipment.
    - Continued evaluation of advanced Collective Protection System (CPS) filtration system technologies.
- \* (U) Cold Westher/Arctic Operations
- Initiate cold weather ships program; conducted technical symposium on cold weather operations.
  - Utilized Coast Guard icebreaker to establish cold weather limitations of surfer's ships.
- Ď.
- \* (U) Nuclear Weapon Effects Protection
- Initiate development of sircraft-to-ship umbilical cable and topside power outlet terminal protection.
- Investigate ahips with apertures resembling wave guides.
- Continue EMP texting of selected ordnance Items; continue development of EMP certification criteria and procedures.

750

#### 63514N Program Element:

Ship Combat Survivability Title:

- Initiate development of ordnance design guidance manual for EMP hardening.
- explosives of EMP assessment of new development ordnance; complete Complete ordnance engineering
- Initiate certification equipment procurement and integration for ordnance EMP hardening.
- Initiate planning and analysis for ship trial at the electromagnetic pulse radiation environment simulator for ships (EMPRESS II).
- \* (u) Conventional Weapon Effects Protection
- Conduct blast testing of candidate hardened bulkhead and shell structure connections.
- Initiate hardened composite superstructure development; initiate structural and material performance payoff
- Initiate development of hardened combat system electrical power control and distribution systems.
- Initiate development of auxiliary module for the HMAE/combat systems architecture interface assessment model.
- \* (U) Passive Fire Protection, Electrical Cable Initiatives
- Initiate development of improved fire hardened cable prototypes.
- Continue development of fire hardened cable coating (barrier) systems.
- Complete quantitative measurements of cable fire hazards (flammability, toxicity, corrosivity, and smoke generation); initiate modification of fire test measuring devices.
- Complete development of multiple cable penetration specification; revise specification for fire hardened cable sealant components.
- \* (U) Chemical/Biological/Radiological (CBR) Fifects Protection
- Continue decentamination requirement definition for ships, mircraft and shore bases.
  - · Initiate assessment of inherent shipboard contaminants.
- · Initiate evaluation of air/ship interface.
- Initiate assessment of automatic liquid agent detector for shipboard application,
- Continue joint (with Army) development of pressure swing absorption for shipboard application.
- Initiate advanced development of integration of detection and warning systems.
- Continue joint service advanced development of impermeable suit with cooling.
- " (U) Cold Weather/Arctic Operations
- Investigate ship systems operability in cold weather environment.
- Plan ship icing experiment.

Program Element: 63514N

Title: Ship Combat Survivability

## c. (U) fy 1988 Planued frachm

## o (U) Nuclear Weapon Effects Protection

- Develop EMP hardened afroraft umbilical cables and design development of EMP hardened power mullets and
- Develop EMP hardening recommendations for ships with large aperture vulnerability.
- Complete development of ordnance SMP test techniques and equipment.
- Continue EMP vulnerability assessments and testing of selected ordnance and explosive devices.
- . Continue acquisition and integration of EMP ordnance certification equipment.
- Complete development of ordnance design guidance manual for EMP hardening.
- Begin laboratory and field testing of terminal protection devices for EMP hardening of electronic equipment and
- Prepare ship for first EMPRESS II trial.

## ° (V) Conventional Weapon Effects Protection

- Continue preliminary testing, design development and trade-off studies for composite topside structures incorporative various survivability characteristics (i.e., armor, signature, structure, fire resistance).
- Complete internal explosion damage resistance tests and assessments of baseline and hardened compartment structures and connectors.
- Continue development of hardened electrical control and power distributive systems for combat systems and equipment.
- Initiate development of control systems module for the HM&E/Combat Systems Architecture Interface Assessment
- Initiate development of a Damage Control Process Model (DCPM) to include effects of flooding, smoke and damage restoration.
- ° (U) Passive Fire Protection, Electrical Cable Initiatives
- Continue development of improved cables; initiate improved cable fire testing.
- Complete development of installation specification for fire hardened cable bulkhead penetrator and sealants and non-water tight packing.
- Conduct whole cable fire tests to establish quantitative fire hazard criteria for use in upgrading current electrical cable specifications.
  - Complete modifications to cable fire test measuring devices.
- Conduct full scale testing of fire hardened cable coating systems.

UNCLASSIF; TO

Program Element: 63514N

Title: Ship Combat Survivability

- (U) Chem! al/Biological/Radiological (CBR)
- Continue evaluation of air/ship interface requirements.
- Continue asseasment of inherent shipboard contaminants.
- Continue joint service advanced development of impermeable suit with cooling.
- Continue advanced development of improved decontaminants, materials and procedures.
- Continue advanced development of automatic liquid agent detector to full scale engineering development.
- Complete joint (with Army) advanced development of pressure swing absorption for shipboard application.
  - Continue advanced development of integration of detection and warning systems.
- . (U) Cold Weather/Arctic Operations
- Conduct combatant ship operations.
- Establish personnel training aids.
- Initiate development of ship system and weather protection/operation recommendations.

### 1. (4) FY 1987 Planues Problem

- o (U) Nuclear Weapon Effects Protection
- Demonstrate EMP hardened design of topside power outlets.
- Continue development of certification procedures and verification equipment acquisition for hardening of ordnance to EMP effects.
- Complete EMP testing of ordnance items and explosive devices.
- Conduct first ship trial at EMPRESS II.
- ° (V) Conventional Weapon Effects Protection
- Construct and evaluate integrated topside composite structural panels and modules.
- Complete analysis and develop design documentation for hardening of ship's hull structure, compartments and
  - Complete development of computer assessment code and associated documentation to incorporate survivability enhancement factors into the ship design process (electrical, auxiliary and ship control systems).
    - Continue development of hardened combat system electrical power control and distributive systems.
- Validate components of the Damage Control Process Model (DCPM); expand model to include effects of flooding, smoke, and damage restoration.

Program Element: 63514N

Title: Ship Combat Survivability

- ° (U) Passive Fire Protection, Electrical Cable Initiatives
- Complete development of specifications for fire resistant backfit protective cable coatings.
- Complete whole cable fire tests and develop criteria for fire hazard parameters to be incorporated into electrical cable MIL-SPECs.
  - Complete evaluation and development of improved fire hardened cables and revisions to associated MIL-SPEC's.
- Complete MIL-SPEC modifications for cable sealant and bulkhead cable packing materials.
- ° (U) Chemical/Biological/Radiological (CBR)
- Initia. assessment of methodologies for remote detection and identification of toxic chemicals and biological
- Initiate advanced development of advanced permeable suit.
- Complete advanced development of pressure swing absorption for shipboard application.
- Initiate advanced development of internal monitoring of chemical agent vapors and aerosols.
- Complete advanced development of shipboard chemical liquid agent detector and make transition to engineering development.
- o (U) Cold Weather/Arctic Operations
- afroraft support systems under foing/arctic weather conditions, develop operational guidelines for new and Complete development of recommendations for operational systems and techniques to improve ship service power and future construction ships.
- e. (U) Program to Completion: This is a continuing program.
- f. (4) Major Milestones: Project S0384

Milestone	וב	Date
1. (U) Nuclear Weapon Effects Protection		
- Determine Electro Magnetic Pulse (EMP) vulnerability of propellant and	Ţ	FY 1987
explosives in shipboard ordnance.		
- Demonstrate the shielded grounding adaptor (SGA) tester	Ē	FY 1987
<ul> <li>Evaluate technologies that thow promise for hardening radars and electromagnetic</li> </ul>	Ē	FY 1990
sensors against nuclear and conventional weapon effects.		
- Publish design guidance for EMP hardened ordnance.	Ŧ	FY 1987
- Conduct first ship trial at EMPRESS 11	Ŧ	FY 1989
- Complete validation testing of EMP hardening for existing ordnance.	Ŧ	FY 1989
- Demonstrate technology for closing off apertures to EMP threat.	F	FY 1991

754

Program Element: 63514N

Title: Ship Combat Survivahility

1

## 2. (V) Conventional Weapon Effects Protection

. Validate an electrical system module for the hull, mechanical and electrical (HMKE) combat system architecture interface assessment model.	Ŧ	FY 1987
Demonstrate technology for hardened and reconfigurable optical surveillance systems and command and control systems.	Ŧ	FY 1992/1993
Demonstrate the electrical systems module of the HMAE /combat systems architecture	Ŧ	FY 1987
interface assessment model,		
· Identify significant payoff survivability improvement in propulsion and HME systems		FY 1990
and equipment using high density technology.		
· Begin preparation of technical data base on damage mechanisms due to effects of	FY	FY 1990
advanced weapons.		
. Validate ${\sf HMLE}/{\sf combat}$ system architecture interface assessment model modules	Ŧ	FY 1989
(electrical, auxiliary and control systems).		
· Complete validation of hull structural design concepts to resist internal blast.	Ŧ	FY 1989
. Evaluate coatings to protect electrical components from airborne conductive	F	FY 1990
materials.		
Promulgate hull structural design guidelines and practices.	Ŧ	FY 1990
· Conduct full scale demonstration of survivable design deckhouse.	፫	FY 1990
· Complete test and evaluation of Advanced Development Models (ADMs) for high density		FY 1995
propulsion and auxiliary equipment.		
· Validate a modified version of the ship vulnerability model (SVM) incorporating	FY	FY 1989
codes for spread of secondary damage due to fire, smoke, flooding and Chemical/		
Biological/Radiological (CBR) weapon effects.		
. Demonstrate technology for automated reconfigurable combat system electrical	Ŧ	FY 1990
power management and control.		

Program Element: 63514N

Title: Ship Combat Survivability

· Complete test and evaluation of commercially available fire protection cable	Ĕ	1987
<ul> <li>coatings.</li> <li>Define technical characteristics of fire tolerant multiple cable bulkhead sealant compounds.</li> </ul>	Ē	1987
- Complete fire hazard evaluations of existing shipboard electrical cables.	£	1987
- Develop test methods and criteria (flammability, smoke generation, toxicity and	ጀ	1990
coffosive combustion produces) for whole cable testing.	Ē	000
- Complete Navy acceptance tests of fire hardened cable coating systems.	7. 2.	
4. (U) Chemical/Biological/Radiological (CBR)		
- Complete advanced development of impermeable protective suit with cooling.	£	1989
- Complete advanced development of soft shelter for NBG/NCF.	F	1989
- Complete advanced development of pressure swing adsorption.	፫	1989
- Complete advanced development of hardened permeable protective suit.	E	1989
- Complete advanced development of detection and warning integration.	Ŧ	1990
- Complete advanced development of aircraft decontamination equipment for use by	፫	1989
air capable ship and land based ground crews.		
- Complete advanced development of stabilized peroxide decontaminant.	Y	1988
- Complete advanced development of automatic liquid agent detector.	E	1989
- Complete advanced development of internal CB monitoring network.	Ŧ	1992
5. (U) Cold Weather/Arctic Operations		
- Conduct ship icing experiment	£	1988
- Update fleet cold weather documents	£	1989
- Report-ship operation limitations in cold weather	£	1989
- Report-near-term ship system improvements	£	1991
	È	

I. (U) TEST AND EVALUATION DATA: Not Applicable.

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63522N DoD Mission Area: 323 - Tisra For Naval Warfare

Title: Submarine Arctic Warfare Support Equipment Program Budget Activity: 4 - Tactical Programs

A. (U) PY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousanda)

Continuing Continuing Continuing Continuing Estimated Cost to Completion Additional 3,474 Eatimate 3,474 FY 1989 2,008 2,008 Zstimate FY 1988 2,804 2,804 Estimate FY 1987 6,336 1,575 7,911 Actual FY 1986 \* Project S1739 transferred to PE 63562N in FY 1987. Submarine Arctic Warfare Development Advanced Submarine Surveillance TOTAL FOR PROGRAM ELEMENT Support Program Title Project S1739 S0770 No.

The above funding profile includes out-year eacalation and encompasses all work and development phases now planned or anticipated through PY 1989.

- submarines to effectively operate in the increasingly dense and sophisticated electronic warfare environment. These efforts include improved threat warming, increased organic support for over-the-horizon targeting (OTHT) of submarine launched cruise B. (U) BRIEF DESCRIPTION OF CLEMENT AND MISSION NEED: Investigate new techniquea, technologiea, and clgorithma for application to improve submarine Electronic Support Measurea (ESM) equipment and procedurea. The increased ESM capability is needed to allow missiles, and expanded tactical reconnaiasance capability.
- C. (U) COMPARISON WITH PY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The differences between the FY 1987 Descriptive Summary and this Descriptive Summary are as follows: The decrease of -1,534 in FY 1986 is due to a GRH adjustment and Department program/budget adjustments. The decrease of -1,134 in PY 1988 is due to delay in start of AN/WLQ-( ) ESM ayatem development to FY 1989. This change reflects Department program/budget adjustment.

Program Element: 63522N

Title: Submarine Arctic Warfare Support Equipment Program

(U) FUNDING AS REPLECTED IN THE FY 1987 PRESIDENT'S BUDGET:

Project No.	Title	FY 1985 Accuel	FY 1986 Estimate	FY 1987 Estimate	Fy 1988 Estimate	Additional to Completion	Total Estimated Cost
X0770 S1739	TOTAL FOR PROGRAM ELEMENT Advanced Submarine Surveillance Support Program Submarine Arctic Warfare Development	9,672 2,159 7,513	9,445 1,873 7,567	2,946 2,946	3,142 3,142	Continuing Continuing	Continuing Continuing

\* Project S1739 tranfers to PE 63562N in FY 1987.

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: None.

Support Program. Close monitoring of other defense and federal agencies is conducted by the Chief of Naval Operations, Assistant Secretary of the Navy (Research, Engineering and Systems), and Under Secretary of Defense for Research and Engineering to take This program dovetails with the developments in Program Element 64515N, Submarine Surveillance advantage of all available technology and to prevent unnecessary duplication of effort within the Navy or Department of Defense. E. (U) RELATED ACTIVITIES:

F. (U) WORK PERPORMED BY: IN-HOUSE: Naval Underwater Systems Center, New London, CT, and Newport, RI; Naval Research Jaboratory, Washington, D.C.

G (U) PROJECTS LESS THAN \$10 MITLION IN FY 1988/89:

(U) Project S0770, Advanced Surveillance Support Program:

improve existing and future submarine Electronic Support Measurns (ESM) equipment and procedures. The increased ESM capability is needed to allow submarines to effectively operate in an increasingly dense and sophisticated electronic environment. These improvements include better threat warning, improved organic support for over-the-horizon targeting of submarine launched cruise 1. (U) Description: Continuing program to investigate new techniques, technologies, and algorithms for application to missiles, and expanded tactical reconnaissance capability.

Program Element: 63522N

Title: Submarine Arctic Warfare Support Buipment Program

## 2. (U) Program Accomplishments and Future Efforts:

#### . (U) FY 1986 Program:

- Continued work on improved radar cross-section reduction material to reduce submarine detectability.
  - Continued work on an advanced receiver for extended frequency coverage.
- Initiated definition of requirements for an advanced multi-sensor antenna with extended frequency coverage.
- Initiated development of detection and recognition algorithms for extended frequencies using advanced modulation
- " Initiated development of very high speed data transfer techniques for RF and digital data distribution.

#### b. (U) FY 1987 Program:

- ° Continue/complete efforts of 1986 program.
- ° Begin studies/wodeling efforts in the following areas in preparation for WLQ-() development:
  - Dense receiver packaging techniques.
- Advanced signal detection and processing hardware.
- RF digitizing of data transfer hardware to support extended frequency coverage.
- Digitsl data distribution hardware necessary to support extended frequency coverage.
- Radar cross-section reduction techniques to include mast shaping and mast fabrication materials which do not require coatings.
- Algorithms and techniques to correlate ESM system data with off-board information for OTHT.

## c. (U) FY 1988 Planned Program:

- O Develop and build ESM algorithms and techniques for millimeter wave signals, missile targeting, and tactical
- o Develop a design for a reduced radar cross-section antenna.
- . Continue radar cross-section reduction techniques.

Program Element: 63522N

Title: Submarine Arctic Warfare Support Equipment Program

## d. (U) FY 1989 Planned Program:

- O Test and validate ESM algorithms and techniques for millimeter wave signals, missile targeting, and tactical support.
- \* Build a reduced radar cross-section antenna.
- ° Develop and build ESM algorithms and techniques for apread-spectrum signals.
- e. (II) Pro ram to Completion: This is a continuing program.
- ° Complete ESM algorithms and techniques for millimeter wave signals, missile targeting, and tactical support.
  - o Test and validate a reduced radar cross-section antenna.
- ° Test and validate ESM algorithms and techniques for spread-spectrum signals.
- o Define requirements for future complex, exotic signals in a dense signal environment.
  - ° Complete reduced radar cross-section antenna.
- ° Complete ESM algorithms and techniques for spread-spectrum signals.
  - ° Develop techniques for processing future complex, exotic signals.
- Putild algorithms and techniques for processing and displaying future complex, exotic signals.
- . (II) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not Applicable.
- I. (U) TEST AND EVALUATION DATA: Not Applicable.

FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 635.25N DoD Mission Ares: 235 - Naval Warfare Support

Title: Pilot Fish Budget Activity: " - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PPOJECT LISTING): (Dollars in Thousands)

Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Tots1 Estim	Total Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost	
T0428	TOTAL FOR PROGRAM ELEMENT Pilot Pish	91,836 91,836	71,841	74,459	59,851 59,851	N/A N/A	<b>4 4</b>	N/A N/A
B. (U)	B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION access.	NEED: De	tails of t	his program	are of s	TENT AND MISSION NEED: Details of this program are of s higher classification and of limited	and of	limited

## FY 1998/89 RDIGE DESCRIPTIVE SUPPLARY

Program Element: 63527N DoD Minsion Area: 235 - Naval Warfare Support

Title: Retract Larch
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/R9 RFSONRCES (PROJECT LISTING): (Pollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
R1965	TOTAL FOR PPOCRAM ELFHENT Retract Larch	00	0 0	92,886 92,886	228,905 228,905	N/N N/N	N/A N/A
B. (II)	B. (11) BRIEF DESCRIPTION OF FLEMENT AND MISSION NEED: ACCERS.		etails of t	his progra	n are of a	Details of this program are of a higher classification and of limited	d of limited

## FY 1988/89 RDT&F DESCRIPTIVE SUMMARY

Program Element: 63528N DoD Mission Area: 233 - Anti-Submarine Warfare

Title: Non-Acoustic Anti-Submarine Warfare Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESCURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimare	FY 1989 Estimate	Additional to Completion	lotal Estimated Cost
X0967	TOTAL FOR PROCERAM ELEMENT Non-Acoustic Anti-Submarine	20,324	20,255	20,397	20,818	Continuing Continuing	Continuing
	Warfare	20,324	20,255	20,397	20,818	Continuing	Continuing Continuing

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Continuing advances in Soviet submarine technology and

purpose of this program is to ensure that Non-Acoustic Anti-Submarine Warfare concepts sre properly evaluated and exploited. This related to Non-Acoustic Anti-Submarine Warfare can potentially augment the Anti-Submarine Warfare capabilities of U.S. forces. The reduce the effectiveness of U.S. Anti-Submarine Warfare forces. Current ASW forces rely primarily on acoustic technology in the detection and tracking of submarines. Developments in the Lechnologies program monitors (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The differences between the funding profile shown in the FY 1987 Descriptive Summary and this Descriptive Summary are as follows: The decrease of -1,280 in FY 1986 is the result of the FY 1987 Descriptive Summary and this descriptive Summary are as follows: GRH and Department program adjustments. The decrease of -5,884 in FY 1987 is the result of Congressional action and adjustments The decrease of -3,819 in FY 1988 is the result of a Department program/budget and Department program/budget adjustments.

Program Flement: 63528N

Title: Non-Acoustic Anti-Submarine Warfare

(U) FUNDING AS REFLECTED IN THE PY 1987 DESCRIPTIVE SUPPARY:

Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
7960X	TOTAL FOR PROCERAM ELFMFNT Non-Acoustic Anti-Submarine	22,204	21,604	26,139	24,216	Continuing	Continuing
	Warfare	22,204	21,604	26,139	24,216	Continuing	Continuing Continuing

- D. (II) CTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.
- E. (V) RELATED ACTIVILIES: This program draws heavily on the non-acoustic work already accomplished and continuing

top level management of all related non-acoustic unti-cubmarine wariare activities and reviews all efforts in the field of reseconstics to ensure that promising efforts are pursued and redundant efforts are avoided. consists of

Division, General Dynamics Corp., Groton, CT; Interstate Electronics Corp., Anaheim, CA; KLD Associates, Huntington, NY; ORI, Inc., Rockville, MD; Pacific Sierra Research Corp., Santa Monica, CA; MITRE Corp., McLean, VA; Sonalysts, Inc., Waterford, Ct; F. (U) WORK PERFORMED BY: IN-HOUSE: Kaval Undervater Systems Center, Powport, RI (Lead Lab); Naval Air Development Center, Warminster, PA; Naval Research Laboratory, Washington, DC; U.S. Army Cold Regions Research and Engineering Laboratory, Hanover, CONTRACTURS: Applied Physics Laboratory/Johns Hopkins University, Laurel, MD; TRW Space Systems, Redondo Beach, CA; Arete Associates, Sherman Caks, CA; Dynamics Technology, Inc., Torrance, CA; General Physics Corp., Columbia, MD; Electric Boat D.H. Wagner Associates, Paoli, PA.

- G. (U) PROJECTS LESS THAN SIG MILLION IN FY 1988/89: Not Applicable.
- H. (II) PROJECTS OVER \$10 HILLION IN PY 1988/89.
- (1) Project Sous, Non-Acoustic Anti-Submarine Warfare
- 1. (V) tescription: Non-acoustic technology provides a potential adjunct for ASW forces to counter the strategic and

Program Element: 63528N

Title: Non-Acoustic Anti-Submarine Warfare

general purpose submarine forces of an adversary. The occurrence of non-acoustic phenomera may be classified into categories based on the underlying physics which describe the generation of the observalle phenomena. The understanding of these phenomena and their detection lies in the forefront of science and technology and is developed within the areas of

asseas technical progress and capability. Furthermore, those techniques with sufficient maturity and merit must be evaluated in the context of an advanced development program in order to determine their military utility. The intent of this program is to Because of the emerging and dynamic nature of non-acoustics, it is essential to continuously monitor and exploit non-accustic technology as a potential solution to the current and future ASW requirements of the Navy.

- 2. (U) Program Accomplishments And Future Efforts:
- . (u) FY 1986 Program:

b. (v) FY 1987 Program:

765

Program Element: 63528N

Title: Non-Acoustic Anti-Submarine Warfare

c. (u) FY 1988 Planned Program:

d. (u) FY 1989 Planned Program:

e. (U) Program to Completion: This is a continuing program.

f. (U) Major Milestones: Not Applicable

1. (U) TEST AND EVALUATION DATA: Not Applicable

UNCLASSIFIED

991

## FY 1988/1989 RDT&E DESCRIPTIVE SUMMARY

DoD Mission Area: 233 - Anti-Submarine Warfare 63529N Program Element:

Title: Advanced Anti-Submarine Warfare Target Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/1989 RESOURCES (PROJECT LISTING): (Pollars in Thousands)

Total Estimated	159,939	99,009 *10,812 50,118
Additional Esto Completion Co	90,502	66,062
FY 1989 Estimate	11,529	967 0 10,562
FY 1988 Estimate	13,670	3,861 0 9,809
FY 1987 Estimate	10,263	6,705 1,058 2,500
FY 1986 Actual	8,199	1,468 3,924 2,807
Title	TOTAL FOR PROGRAM ELEMENT Advanced Anti-Submarine	Warfare Target Expendable Mobile ASW Training Target Fast/Deep Prototype Target
Project No.	89608	S1017 S1955

\* Includes 4,220 funded under Project 1017 in P.E. 5703N prior to FY 1984. Transferred to this P.E. per Congressional direction.

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated.

fleet ASW Training Target MK-30 Mod 1. The Advanced ASW Target and its associated support equipment will realistically simulate the submarine threat postulated for the 1990s. The Advanced ASW Target will be an underwater vehicle capable of duplicating acoustic and the dynamic characteristics of current and future threat submarinea. Such a mobile target does not currently exist, The primary mission of the target is the training of fleet personnel, with a secondary mission of follow-on test and evaluation of advanced weapons subsequent to their delivery to the fleet. Targets MK-30 Mod 1 and MK-27 Mod 0 are presently in the Navy's inventory, but they cannot provide the degree of threat realism required nor are their design characteristics compatible with new B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: The Advanced ASW Target Program is an upgrade development to the current but is required to provide the needed degree of threat realism for fleet training, including operational readiness evaluations.

Program Element: 63529N

Title: Advanced Anti-Submarine Warfare Target

The Upgrade MK 30 Mod 1 is intended for use on the Navy's instrumented 3-D This program will develop modifications on an incremental basis to the Target MK-30 Mod 1 which will be recoverable, reusable, designed for high reliability, and easily maintainable in order to support a 2400 per year underwater tracking ranges. Project S1017 of this PE develops the MK 39 Expendable Mobile ASW Training Target (EMATT). EMATT is a less capable, open ocean (anytime, snywhere) expendable training tsrget. The MK 39 will provide an air anti-submarine warfare (ASN) training capability and enhanced capability for aurface ASW forces currently using the MK 38, the only expendable training The Fast/Deep Prototype Target, being developed in Project S1955, will provide a single vehicle with for MK 48 Advanced Capability Torpedo and MK 50 Advanced The HK 39 Expendable Mobile ASW Training Target provides increased control of speed, course, and depth, as well as magnetic and saly atimulation, increased endurance, and expanded acoustic capability. It can be deployed from air and Lightweight Torpedo demonstration and evaluation. No present Navy test facility can provide this type of in situ testing. in-water run rate on a cost effective basis. advanced sensor and weapon systems. capability for threst simulation target in inventory aurface platforms.

The prototype target will use existing electro-acoustical hardware, MK 48 shells and structures, and a state of the art technology Advanced Stored Chemical Energy Propulaion System (ADSCEPS) engine to provide a high speed, deep depth The prototype target will be evaluated at-sea in FY 1988 for further development with a modular approach which This concept is intended to provide a very capable test and evaluation target possessing a high degree of commonality with the Advanced ASW target. This project (S1955) will also provide for an improvement of simulation capabilities designed to counter the combines the field supportable electro-acoustic hardware of the Advanced ASW target with the propulsion system of the prototype. fast/deep threat. C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile ahown in the FY 1987 Deacriptive Summary and that above in this Descriptive Summary are as follows: In FY 86, a decrease of -943 due to GRH and Department budget adjustments; in FY 88 the decrease of -3,534 is due to a Department program/budget adjustment.

# (U) FUNDING AS REFLECTED IN THE PY 1987 DESCRIPTIVE SUMMARY:

Total Estimated Cost	147,578	137,354	10,224
Additional to Completion	76,067	76,067	0
FY 1988 Estimate	17,204	17,204	o
FY 1987 Estimate	10,282	9,190	1,092
FY 1986 Estimate	9,142	6,788	2,354
FY 1985 Actual	12,925	10,110	2,815
If the	TOTAL FOR PROGRAM ELEMENT Advanced Anti-Submarine Warfare	Target Expendable Mobile ASW Training	Target
Project No.	89608	51017	

768

Program Element: 63579N

Title: Advanced Anti-Submarine Warfare Target

- D. (U) OTHER PY 1988/1989 APPROPRIATION FUNDS: None
- performance characteristics which will counter the predicted submarine threat and Program Element 64675N, MK-48 Advanced Capability Torpedo, which is developing upgrades to the MK-48 heavyweight torpedo for the same reason. For S0968, numerous air, For S1955: Program Element 646;7N, MK-50 Torpedo, which is developing a lightweight torpedo with surface and subsurface ASW Sonar/sensor programs and inservice MK 48 and MK 46 Torpedo programs. For S1017 the inservice MK-46 torpedo, Active and Passive Sonobuoys and ASW surface ship sonars. (U) RELATED ACTIVITIES:
- Akron, Ohio; Principal Subcontractors: Raytheon Corp., Portsmouth, RI; Bendix Corp., Teterboro, NJ; Sundstrand, Redmond, WA; For For Project S0968, S1017, and S1955 Naval Sea Systems Command, Washington, DC; Naval Prime Contractor: Goodyear Aerospace Corp., S1955: Prime Contractor: Applied Physics Laboratory, Pennsylvania State College, State College, PA. For S1017: Prime Contractor: CONTRACTOR: For S0968: Underwater Systems Center, Newport, RI (lead laboratory). IN-HOUSE: Sippican Ocean Systems Inc., Marion, MA. F. (U) WORK PERFORMED BY:
- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:
- (U) Project S1017, Expendable Mobile ASW Training Target:
- The Expendable Mobile ASW Training Target will also provide increased dynamic capability, programmed run capability, accustic compatibility with all Fleet surface ship and air platform sonars/sonobuoys, and Magnetic Anomaly Detector 1. (U) Description: The MK 39 is being developed to meet a fleet requirement for an expendable, open ocean, mobile target system for use by all surface and airborne ASW platforms. The air deployment capability does not exist in the current MK-38 target inventory.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (II) FY 1986 Program
- o Battery safety certified.
- o Active acoustic response/passive signature demonstrated.
- Hydrodynamic prototype vehicles completed 52 in-water runs demonstrating heading and depth control and MAD wire release and tow capability.
- b. (U) FY 1987 Program:
- ° Complete TECHEVAL.
- ° Conduct critical design review.

Program Element: 63529N

Title: Advanced Anti-Submarine Warfare Target

- Prepare to transition to production with proven technology.
- o ldentify preplanned product improvements.
- ° Complete program.
- .. (U) FY 1988 Planned Program: Not applicable.
- d. (U) FY 1989 Planned Program: Not applicable.
- e. (U) Program to Completion: Not applicable.

# (U) Project S0968, Advanced Anti-Submarine Warfare Target:

1. (V) Description: The present submarine threat is simulated by the Mobile Targets MK-27 Mod 0 and MK-30 Mod 1 for ASW fleet training and sensor and weapons follow-on evaluations. Future submarine threats are characterized as being faster, deeper and quieter. To counter this threat new ASW weapons such as the MK 48 Advanced Capability torpedo and MK 50 Advanced Lightweight torpedo are now in development. Concurrently, development of an Advanced ASW Target is necessary to provide a training target compatible with these advanced weapons. This program will incrementally develop modifications to the Target MK-30 Mod 1 which increment (Block 1) modifications are an upgraded acoustic signal processor, power amplifier, and towed array which introduce new will be accustically and functionally capable of exercising and evaluating new acoustic weapons and sensors. Included in first target capabilities

electro-acoustic modifications will be developed in the Fast/Deep Prototype target project (S1955) and backfitted into the subsystem for increased dynamic maneuvers, a new recording subsystem for increased data recording, and new test equipment for target maintenance. The targets produced during development are required to support technical and operational evaluation prior to Advanced ASW target. Included in the second increment (Block 2) development are modifications to the guidance and control a production decision.

# (U) Program Accomplishments and Future Efforts:

#### s. (U) Fy 1986 Program:

- ° Completed Systems Design Review (Jan 86) to validate system specifications and prime contractor's conceptual
- Redirected program slowdown (Mar 86) due to Congressional direction to initiate Fast/Deep Prototype Target
- Conducted Preliminary Design Review (Sep 86) to validate subsystem design and initiate bread/brassboard fabrication.

70

Program Element: 63529N

Title: Advanced Anti-Submarine Warfare Target

#### b. (II) FY 1987 Program:

- ° Fabricate and test breadboard/brassboard hardware for Advanced ASW Target.
- Complete software and hardware design/conduct Critical Design Review to validate that the detailed design satisfies performance requirements for the Advanced ASW Target.
  - Integrate target and perform total target land-based system tests for Advanced ASW Target.

### c. (U) FY 1988 Planned Program:

 Initiate fabrication of workshop test and handling equipment for electro-acoustic subsystem development models being developed under project S1955.

## d. (U) FY 1989 Planned Program:

 Initiate environmental, reliability and maintainability testing of electro-acoustic subsystem development models being developed under project S1955.

### e. (U) Program to Completion:

- Conduct systems integration and assembly factory testing.
- Conduct vehicle factory acceptance tests.
- Conduct contractor in-water prototype vehicle contractor testing.
  - ° Conduct Navy Technical and Operational Evaluation.
- Conduct Milestone III review for approval to initiate production (FY 92).
- \* Assess need and feasibility for second increment of advanced target upgrade.

Program Element: 63529N

Title: Advanced Anti-Submarine Warfare Target

H. (U) PROJECT OVER S10 MILLION IN FY 1988/89:

## (U) Project S1955, Fast/Deep Target:

(v) Description: This project accelerates the development of an Advanced Stored Chemical Energy Propulsion System (ADSCEPS) for the Fast/Deep Prototype Target and completes the electro-acoustics subsystem development required for both the Block I upgrade of the Advanced ASW target and any follow-on test and evaluation target to the prototype.

Target S0968 for test and evaluation as well as training. This project will also provide for an improvement to the Navy's financed with \$3.0M taken from project S0968. It is a rapid development project, which is to complete in 1987, making maximum use of existing target components. The Past/Deep Prototype Target will be required to support the MK-50 Advanced Lightweight Torpedo and the MK-48 Advanced Capability torpedo testing. Upon completion of the Fast/Deep Prototype Target, providing satisfactory proof of concepts, this Fast/Deep propulsion capability can be incorporated into a variant of the Advanced ASW This program was created by Congressional direction in FY 1986 and simulation capabilities which will assist in countering the Fast/Deep threat.

## 2. (U) Program Accomplishments and Puture Efforts:

#### . (U) FY 1986 Program:

- o Initiated Fast/Deep Prototype Target program.
- Initiated Fast/Deep Prototype Target payload design, interface apecifications development and overall target
- ' initiated Fast/Deep Prototype Target power plant and propulsor design.

#### b. (U) FY 1987 Program:

- Conduct in-water testing of Fast/Deep Prototype target.
  - ° Evaluate Fast/Deep Prototype Target testing.
- Complete Fast/Deep Prototype Target development.

#### c. (U) FY 1988 Program:

- \* Following completion of Fast/Deep Prototype target at-sea evaluation, assess need and feasibility of providing modular Fast/Deep propulsion system to training/test and evaluation targets.
  - o Initiate fabrication of components for three advanced electro-acoustic target subsystem development models.

Program Element: 63529N

Title: Advanced Anti-Submarine Warfare Target

- Conduct software coding and checkout of electro-acoustic developmental models.
  - \* Initiate simulator upgrade program designed to counter Fast/Deep threat.
- d. (U) FY 1989 Program:
- Continue fabrication of advanced electro-acoustic subsystem developmental models.
- . Conduct software module testing and integration.
- Assuming satisfactory proof of content and continued demonstration of need for follow-on target, commence development of modularized Fast Deep training/test and evaluation target.
  - ° Continue simulator upgrade program designed to counter Fast/Deep threat.
- e. (U) Program to Completion:
- ° Complete fabrication of advanced electro-acoustic subsystem development models.
- Complete development of modularized follow-on trainfing/test and evaluation target with IOC planned for FY 1994.
  - ° Complete simulator upgrade program designed to counter Fast/Deep threat with IOC planned for FY 1994.
- f. (U) Major Milestones: Not applicable.
- I. (U) IEST AND EVALUATION DATA: Not applicable.

## FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 63536N DoD Mission Area: 735 - Naval Warfare Support

Title: Retract Juniper Budget Activity: 4 - Tactical Programs

A. (U) F; 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total Estimated Cost	N/N N/A	of limited
Additional Education Completion Co	N/N N/A	Details of this program are of a higher classification and of ilmited
FY 1989 Estimate	38,322 38,322	are of a higher
FY 1988 Estimate	30,672	is program
FY 1987 Estimate	23,125 23,125	tails of th
FY 1986 Actual	15,636	
<u>Title</u>	TOTAL FOR PROCRAM ELFMENT Retract Juniper	B. (!!) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Access.
Project No.	R1861	B. (U) B

Program Element: 63542N DoD Mission Area: 235 - Naval Warfare Support

Title: Radiological Control
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	<u>Títle</u>	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
\$1825 \$1830	TOTAL FOR PROGRAM ELEMENT Radiological Controls Radiac Development	2,002 176 1,826	1,261 97 1,164	2,925 176 2,749	3,341 179 3,162	Continuing Continuing Continuing	Continuing Continuing Continuing

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

- neutron levels necessitate the development of modernized instrumentation. The new RADIAC instruments, using microprocessor technology, will reduce operational costs by more than 50% (saving more than \$4.5 million per year starting in FY 91) and produce technology and incurs expensive calibration and maintenance costs. New requirements for the measurement of lower tritium and a savings-to-investment ratio of at least five to one. This program has resulted in the successful development of an improved continuous radioactive air particle detector (the 1M-239/WDQ), now in full production, and providing vitally needed advances in tion safety initiatives within DoD and has been coordinated with Army, Air Force, and Defense Nuclear Agency personnel to achieve the maximum cross-service applicability. This program also provides required improvements in nuclear weapon intrinsic (gamma and neutron) shielding determinations, in mixed-field (gamma and neutron) dosimetry and in neutron measurement to ensure safety and (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Present RADIAC Instrumentation is based largely on obsolete electronic performance reliability and maintainability required for nuclear powered ships. The program is critical to joint-service radia-
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: The changes between the FY 1987 Descriptive Summary and this Descriptive Summary are as follows: Project 51830: The decrease of -1,259 in FY 87 is the result of Congressional action and adjustments. Project \$1875: The decrease of -72 in FY 87 is the result of Congressional action and adjustments.

Program Element: 63542N

Project No. Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
TOTAL FOR PROCRAM FLEMENT	1,659		2,592	3,005	Continuing	Continuing
Radiological Controls	188	190	169	181	Continuing	Continuing Continuing
Radiac Development	1,471	1,950	2,423	2,824	Continuing	Continuing

(U) OTHER FY 1988/89 APPROPRIATION FUNDS:

	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Iotal Estimated Cost	
Redinlogical Controls OPN (110987) Rediac Procurement OPN (312920)	1,440	7,931	344	455 6,313	Continuing Continuing	Continuing Continuing	

Program Element 62764N, (Chemical, Biological, and Radiological Defense Technology) conducts exploratory development of detectors and technology to be used by Project S1830. E. (U) RELATED ACTIVITIES:

Naval Research Laboratory, Washington, DC. Project S1830: IN-HOUSE: Naval Surface Weapons Center, Dahlgren, VA; White Oak Laboratory, Silver Spring, MD; Department of Energy, Oak Ridge National Laboratory, Oak Ridge, IN; Department of Energy, Los Alamos National Laboratory, Los Alamos, NM. CONTRACTORS: Science Applications Inc., La Jolla, CA; and Maryland University, Project S1825: IN-MOUSE: Naval Surface Weapons Center, White Oak Laboratory, Silver Spring, MD; F. (U) WORK PERFORMED BY: College Park MD.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

(U) Project S1875, Radiological Controls:

UNCLASSIFIED 1. (1) Description: The Nuclear Meapons Radiological Controls Program was established to reduce the ionizing radiation radiation levels from new weapons systems, and obtain better knowledge of shielding parameters to be incorporated into new construction (including new candidate shielding materials). Also, improved personnel dosimetry devices for the measurement of low levels of radiation exposure in mixed gamma and neutron fields are required in order to keep exposures as low as reasonably the program must obtain better knowledge of the mixed radiation fields present, devise better calculation methodologies to predict dose to personnel from nuclear weapons handling, stowage and maintenance. To achieve this result without impairing operations, achievable and to document personnel exposures more accurately in Navy ships and activities.

Program Element: 63542N

Title: Radiological Control

## 2. (U) Program Accomplishments and Future Efforts:

#### a. (U) FY 1986 Program:

- Continued neutron spectral measurement improvements.
- Continued development of improved calculational methodologies for shielding and new weapons systems evaluations.
- Completed computer code improvement for calculation of mixed gamma and neutron dose from weapons intrinsic radiation suitable for application to the shipboard environment.
- Continued development of an accurate, locally-readable (field) dosimetry system for use in mixed gamma and neutron fields.
- Continued re-evaluation of existing and planned integral ship shielding based on neutron quality factor change.

#### b. (U) FY 1987 Program

- Continue shielding developments for carriers and evaluation of new technologies for possible incorporation into dosimeter development.
- Personnel dosimetry and neutron measurement will receive major emphasis as a result of changes in Federal regulations which increase the quality factor for calculation of neutron exposure and reduces overall exposure

## c. (U) FY 1988 Planned Program:

- Continue review and development of existing and planned ship shielding based on neutron quality factor change.
- including new efforts specifically oriented toward proper measurement of the deep dose equivalent value Continue review and development of state of the art personnel dosimetry and neutron measurement instrumentation, atipulated in proposed federal radiation protection standards.

## d. (U) FY 1989 Planned Program:

- Continue review and development of existing and planned ship shielding, considering new weapons system evaluations and neutron quality factor changes.
- Continue review and development of state-of-the-art personnel dosimetry and neutron measurement instrumentation with emphasis on the measurement of deep dose equivalent.
- e. (U) Program to Completion: This is a continuing program.

177

Program Element: 63542N

Title: Radiological Control

## (U) Project S1830, Radiac Development:

- Present radiation safety instrumentation (RADIAC) is largely based on obsolete electronic electronics has made it possible to solve many of these problems. When fully implemented, microprocessor technology will result in a RADIAC procurement cost savings of not less than 20% and a calibration and maintenance cost advantage of over 50% (\$4.5 million per year) compared to current costs for portable RADIAC instruments while simultaneously providing large improvements in Because of this, a very large variety of single-purpose RADIAC instruments requiring coatly manual repair and Also, new instruments are needed to ensure that Navy operations continue to comply with radiation The very powerful capabilities of microprocessor sensitivity, reliability and utility. The Radiological Controls program takes advantage of this technology to: safety standards established by national and international authorities. calibration are now in service. 1. (U) Description: technology.
  - 2. (U)Program Accomplishments and Future Efforts:
     Permit a many-fold reduction in the variety of instruments (RADIAC) which are largely based on obsolete electronic technology.
    - Produce instruments that can be calibrated automatically in minutes instead of manually in houra.
- \* Produce instruments possessing the best possible sensitivity, accuracy, reliability and cross-service applicability.

#### a. (U) FY 1986 Program:

- \* began advanced design of the Multifunction RADIAC instrument for use in nuclear weapons accident situations, emergency response and battlefield survey applications.
- Developed breadboard model of the Wide-Range RADIAC instrument for precise measurement of radiation in nuclear proplusion and industrial applications to replace over twenty different instruments presently used in this service.
- Began conceptual design of an underwater RADIAC instrument for use by divera for which there is no existing suitable
- \* Continued design of an automated RADIAC calibration and diagnostics system (ARCADES) to permit rapid, cost effective calibration and repair of the Multifunction, Wide-Range and other new gomeration RADIAC instruments.

#### b. (U) FY 1987 Program:

- \* Develop ARCADES prototype.
- Build 5 Wide-Range Radiac prototypes.
- ° Continue advanced design of Multifunction Radiac.
- \* Initiate conceptual design of Neutron Dosimeter/Laser Heated TLD radiation dosimetry system to meet current needs by more stringent international neutron personnel radiation exposure standards. This task is coordinated with for a modern, single, all-Navy dosimetry system and to meet need for an accurate neutron dosimeter required efforts in Project S1825 (Radiological Controls).

Program Element: 63542N

Title: Radiological Control

## c. (U) FY 1988 Planned Program:

- Begin breadboard design for Underwater Radiac.
  - Begin Advanced Development of ARCADES.
- Negin Advanced Development of Wide-Range RADIAC (simultaneous development by two contractors).
- \* Complete Advanced Development of Multifunction RADIAC.
- · begin conceptual design of alpha and neutron probes for Wide-Range Radiac.
- \* Degin initial deviopment of a small alarming dosimeter for use by Explosives Ordnance Disposal (EOD) personnel to alert them to the presence of radiation.
  - Begin advanced development of Neutron Dosimeter/Laser Heated TLD.

#### (U) FY 1989 Planned Program: Ď.

- Continue Advanced Development of ARCADES and Wide-Range RADIAC.
- Begin Full Scale Engineering Development of Multifunction RADIAC.
- Continue design of alpha and neutron probes for Wide-Range RADIAC.

  - Regin advanced development model of EOD dosimeter.
- Greater sensitivity is needed to ensure continued compliance with the most recent safety standards established for Begin conceptual design of a new tritium monitor having a ten-fold greater sensitivity than existing instruments. this radionuclide
  - . Continue advanced development of Neutron Postmeter/Laser Heated TLD.
- e. (U) Program to Completion: This is a continuing program.
- (II) PROJECTS OVER \$10 MILLION IN FY 1988/89; Not Applicable Ŧ.
- 1. (U) TEST AND EVALUATION DATA: Not Applicable

## FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 63550N DoD Mission Area: 235 - Naval Warfsre Support

Title: Link Dogwood Budget Activity: 4 - Tactical Programs

A. (U) FY 1983/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total Estimated Cost	N/A N/A	f 11mited
To Additional Es to Completion Co	N/A N/A	classification and o
FY 1989 Estimate	0 0	are of a higher
FY 1988 Estimate	0 0	his program
FY 1987 Estimate	2,000	Details of t
FY 1986	т 23,815 23,815	ENT AND MISSION NEED:
7116	TOTAL FOR PROGRAM ELEMENT Link Dogwood	B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Details of this program are of a higher classification and of limited access.
Project No.	R1817	B. (U)

## FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Progrem Element: 63553N DoD Mission Ares: 233 - Anti-Submarine Warfare

Title: Surface Anti-Submarine Warfare Budget Activity: 4 - Tactical Programs

(U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands) Α.

Total Estimated Cost	Continuing Continuing Continuing
Additional to Completion	Continuing Continuing Continuing
FY 1989 Estimate	31,100 5,976 25,124
FY 1988 Estimate	21,073 5,105 15,968
FY 1987 Estimate	19,336 4,283 15,053
FY 1986 Actual	15,156 2,031 13,125
: 	TCTAL FOR PROGRAM ELEMENT Surface Ship Silencing ASW Advanced Development
Project No.	\$0229 \$1704

As this is a continuing program, the above funding includes out-year escalation and encompssses all work or development phases now planned or anticipated through FY 1989.

particularly st higher operating speeds. The program also provides for the advanced development of technology for ongoing surface ship ASW system improvement programs, and supports developments for the CNO's Urgent ASW R&D ships with sn ASW mission and silancing improvements for all surface ships. Ongoing efforts focus on the development of cost to enable optimum use of present and future sonar systems, and development of This program develops anti-submarine warfare improvements for surface B. (L) BRIEF DESCRIPTION OF ELEMENT AND MISSION NED: Program in active sonar classification. effective mesns for reducing the

C. (U) COMPARISON WITH FY 1967 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are a follows: Project S1704: In FY 1986, a reduction of -1,414 for GRH adjustments and Department program/budget adjustments; in FY 1987, a reduction of 3,011 for Congressional adjustment/action and in FY 1988, -4,247 reduction due to Department program/budget adjustment. Project S0229: reduction of 5,919 due to Department budget/program adjustments.

Program Element: 63553N

Title: Surface Anti-Submarine Warfare

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	Title		FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
S0279 S1704	TOTAL FOR PROGRAM ELEMENT Surface Ship Silencing ASW Advanced Development		17,252 2,729 14,523	16,728 2,189 14,539	23,168 5,104 18,064	31,239 11,024 20,215	Continuing Continuing Continuing	Continuing Continuing Continuing
D. (U)	D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:							
		FY 1986	FY 1987	FY 1988	FY 1989		Additional	Total Estimated
Other Pr	Other Procurement	Actual	Estimate	Estimate	Estimate		to Completion	Coat
BA-1/PE,	BA-1/PE/Line Item							

E. (U) RELATED ACTIVITIES: Program Element 62121N and 62323N, Ship and Submarine Technology - Development of acoustic silencing technology and Program Element 25634N, Submarine Silencing - Development of noise reduction technology for submarines.

Continuing Continuing

13,945

11,531

6,925

1,379

242250 330943

F. (U) WORK PERFORMED BY: IN-HOUSE: Project S0229: David Taylor Naval Ship Research and Development Center, Carderock, MD; Naval Underwater Systems Center, New London, CT; Pennsylvania State University Applied Research Lab, State College, PA; Epoch Engineering, Gaithersburg, MD. Project S1704: Naval Ocean Systems Center, San Diego CA; Naval Underwater Systema Center, New London, CT; Naval Oceanographic Research and Development Activity, Bay St. Louis, MS; Naval Research Laboratory, Orlando, FL; Applied Physics Labotratory, Johns Hopkins University, Laurel, MD; Applied Research Laboratory, University of Texas, Austin, TX.

Program Element: 63553N

Title: Surface Anti-Submarine Warfare

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1968/89:

(U) Project S0279, Surface Ship Silencing:

(U) Description: This project improves surface ship anti-submarine warfare performance and survivability, Adaptation of technology developed in the Submarine Silencing Program (Program Element 25634N) and commonality across ship classes particularly at higher operating speeds, by developing cost effective means of reducing sonar self-noise and radiated noise. 1:

2. (U) Program Accomplishments and Future Efforts:

1. (U) FY 1986 Program:

° Completed initial DD 963/993 class quieting design studies and initiated at-sea evaluations of quieting

° Continued development of hull decoupling systems for ASW ships.

° Continued development of low noise propulsor.

° Completed analysis of FFG 39 (DOYLE) diagnostic evaluation and initiated FFG-7 specific quieting improvements.

o Initiated hull decoupling efforts for non-ASW ships.

b. (U) FY 1987 Program:

\* Develop diagnostic evaluation plan for CG-47 class.

° Continue specific DD-963/993 and FFG 7 quieting design studies and at-sea evaluations.

Initiate hull decoupling, low noise propulsor and AN/SQS-53C baffle follow-on development efforts.

o Initiate compound air masker system (CAMS) engineering development to support full-scale operational evaluation.

o Initiate airborne quieting offorts.

c. (U) FY 1988 Planned Program

° Continue FFG 7 and DD 963 class quieting improvements.

O Conduct CG 47 class diagnostic trial and initiate class specific acoustic developments.

quiet propulsor and O Continue developments for compound air masker system (CAMS), airborne quieting.

783

Program Element: 63553N

Title: Surface Anti-Submarine Warfare

## (4) FY 1989 Planned Program

Continue CG 47 class sonar self-noise and radiated noise quieting and sonar tangential baffle development.

° Complete acoustic diagnostic evaluation and analysis of CC 47 and DDG 51 class ships.

Start quiet propulsor development feasibility investigations.

° Start full-scale

° Start compound air masker system (CAMS) detailed design for CC/CGN Class.

° Start air system improvement design studies and evaluations

° Continue investigations to support identification and prioritization of airborne requirements.

#### (V) Program to Completion: e.

o This is a continuing program.

° Complete detail planning for outyear efforts emphasizing CG 47 quieting, application of combined air masker system (CAMS) on CGN 38 class ships, acoustic quieting of battle group high value units (1.e., CV/CVNs, BBs, and AOR/AFS/AOEs), and the acoustic quieting of MCM/MHC ships.

° Complete at-sea demonstration of compound air masker systems (CAMS) on CC/CGN combatant.

Obevelop, install and evaluate compound air masker system (CAMS) installation on a MLSF or Amphibious

Ocomplete at-sea demonatration and analysis of alternative hull decoupling systems, low noise propulsor systems, and array quieting in consort with projects such as the surface ship torpedo defense (SSID) project and the surface ship ASW Advanced Development aonar project.

o Initiate developments for compound air masker system (CAMS) applications, with emphasis on quieting Non-ASW Combatants, MLSF ships, Amphibious ships, and specialized ships.

° Continue acoustic quieting developmenta for new construction ships.

## H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

## (U) Project S1704, ASW Advanced Development:

upgrades to counter the new, quieter, Soviet submarine threat. The primary focus of technology transition will be the AN/SQQ-89 1. (V) Deaciption: Project provides for the advanced development of technology to aupport surface ship ASW system which will be an array of Improvement Program. The technologies to be investigated include a

Program Element: 63553N

Title: Surface Anti-Submarine Warfare

transducers mounted in the bow of the ship to,

Improved signal and contact data processing techniques will be developed to ensure that the resultant high gains can be utilized by system operators.

## 2. (U) Program Accomplishments and Future Efforts:

#### a. (C) FY 1986 Program:

- o Integrated Processing Demonstration System (IPDS), upon which processing functions will be evaluated was installed and brought on line at the Naval Underwater Systems Center.
  - completed; data to be used in the evaluation of o Evaluations of four new
- ° Critical messurements of
- reverberation and submarine target strengths processed and analyzed.
- tow body tests at David Taylor Naval Ship Research and Development Center model basin.
- dynamic line motion for ° Conducted measurements at Atlantic Underwater Test and Evaluation Center of element location system development. future

#### b. (C) FY 1987 Programs:

- Conduct element location and self noise tests.
- \* Award contract for a reconfigurable evaluation system.
- ° Complete final design for reconfigurable evaluation system.
- ° Complete software tests of Single Targer Classifier (STC) algorithm for active classification improvements and install st IPDS for lab evaluation.
  - onduct cavitation and hull absorption tests.
- Conduct volumetric srray tests and habitability investigation.
- Conduct st-ses testing of towed
   vertical array.
  - o Award contracts for partial arrays.

Program Element: 63553N

Title: Surface Anti-Submarine Warfare

### . (U) FY 1988 Planned Program:

Complete factory acceptance tests for reconfigurable evaluation system.

evaluation system in a Navy ship and conduct sea acceptance tests. o Install reconfigurable

Complete Sabrication of an partial array.

° Complete design and fabrication of a test fixture for

° Complete design and fabrication of a cavitation test fixture for

<sup>o</sup> Commence lake test of test flature.

° Complete STC evaluation for active sonar classification.

### d. (V) FY 1989 Planned Program:

Oconduct sea tests and evaluation of reconfigurable evaluation system.

" Initiate AN/SQQ-891/BGMS receiver development.

o Conduct lake test of cavitation test fixture for

° Initiate AN/SQQ-891/BGMS transmitter development.

o Integrate and evaluate clues developed for classification.

Develop extended range clues for classification.

### e. (U) Program to Completion:

o This is a continuing program.

f. (U) Major Milestones: Not Applicable.

I. (U) TEST AND EVALUATION DATA: Not Applicable.

# FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63560N

Title: Submarine Dof Mission Area: 233 - Anti-Submarine Warfare Budget Activity:

Title: Submarine Hull Ar ay Development (Advanced)
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

165,211 14,222 4,851 184,284 Estimated Total Cost 0 0 0 0 to Completion Additional 0 0 0 0 Estimate FY 1990 ပ Estimate 0 FY 1989 0 0 0 0 Estimate FY 1988 8,615 3,764 Estimate 4,851 FY 1987 4,718 7,783 3,065 0 FY 1986 Actual Submarine Hull Array Develop-Advanced Conformal Submarine Advanced Conformal Submarine TOTAL FOR PROCKAM FLEMENT Acoustic Sensor\*\* ment (Advanced)\* Acoustic Sensor Title Project \$1305 R1305 50222 No.

\* Transitioned to PE 64524N, Project S1941 in FY 1988.

\*\* Project 51305 transitions to R1305 in FY 1987.

Soviet submarines, both those currently deployed and those expected in the future. The Submarine Hull Array Development program includes the Wide Aperture Array (WAA) advanced development model which will validate the external array technology currently planned for use in the engineering development of the WAA. This array will provide long range passive detection and rapid passive S1941 (FY 89 Submarine Combat System). The Advanced Conformal Submarine Acoustic Sensor (ACSAS) will utilize advancements in B. ( ) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program is for advanced development of hull-mounted sonar arrays for The WAA (advanced) development is complete in FY 1987. Engineering development of the WAA will continue under PE 64524N, Project external array terhnology and greater size to provide long range active and passive detection and localization of attack submarines. Improved passive and active arrays are needed to allow sonar detection and localization of ranging of current and future Soviet threat submarines and is planned for installation

64524N, Project S1941 (FY 89 Submarine Combat System). Project S1305: The ACSAS program has been cancelled in FY 1988 and beyond C. (U) EXPLANATION OF CANCELLATION OR DEFERRAL: Project S0222: Engineering Development of WAA continued under Program Element due to Navy program decisions.

threat submarines

711VE SUMMARY FY 1988/89 RDT&E

> DoD Mission Area: 233 - Anti-Submarine Warfare Program Element: 63562N

Title: Submarine Tactical Warfare Systems (Advanced) Budget Activity: 4 - Tactical Programs

¥

							Total
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Eatimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	n Coat
		į			•		•
	TOTAL FOR PROGRAM ELEMENT	70,356	9,759		9,410	Continuing	Continuing
\$1739	Submarine Arctic Warfar, Development	**(6,336)	9,759	9,035	9,410	Continuing	Continuing Continuing
S0221	Target Strength Reduction	11,110	*		*	*	*
S0320	Submarine Weapons Stowage/Launch	972.6	*	*	*	*	*

\* Transferred to PF 64561N

\*\* Transferred from PE 63522N in FY 1987. FY 1986 funding shown for information only and is not included in the total.

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989. B. (4) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program provides the development to advance the capability of submarines to conduct warfare in the Arctic, including ASW, tactical aurveillance, and other submarine support missions. This program responda Improved systems are needed

C. (v) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollara in Thousanda) The changea between the funding profile shown in the FY 1987 Descriptive Summary are as follows: Project S1739: The FY 1986 reduction -1,231 is the result of a GRH adjustment and Department program/budget adjuatments. Project S0271: The FY 1986 reduction of -2,207 is the result of a GRH adjustment and Department program/budget adjustmenta.

788

Program Element: 63562N

Title: Submarine Tactical Warfare Systems (Advanced)

Total

(11) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	Title	FY 1985 Actual	FY 1986 Eatimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Estimated
\$1739	TOTAL FOR PKOCKAM ELEMENT Submarine Arctic Warfare Development	17,555	17,555 23,118 **(7,513) **(7,567)	10,689	9,344	Continuing Continuing	Continuing Continuing
S0221 S0320	Target Strength Reduction Submarine Weapona Stowage/Launch	12,515	13,312 9,806	* *	* *	* *	* *

\* Transferred to PE 64561N

\*\* Transferred from PE 635/2N in FY 1987. FY 1985 and FY 1986 funding shown for information only and is not included in the total.

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable

Program Element 62711N, Arctic Sonar Project; Program Element 62759N, Polar Ocean Acoustic and support from these three exploratory development areas are needed for the Arctic advanced development efforta in this project Support/Arctic Undersea Warfare Environmental Support Project; Program Element 62543N, Vehicle Structurea Project; E. (V) RELATED ACTIVITIES:

(Advanced) is a companion advanced development project with emphasia on non-Arctic efforts. Program Element 64503N, Project S0219 Submarine Sonar Improvements (Engineering), and Program Element 24281N, Project S0239 Mine Detection and Avoidance Sonar are Program Element 63504N, Project S0223 Submarine ASW Improvementa engineering development projects

Element 63569N, Advanced Submarine Development, will incorporate inputs on this project for the F. (U) WORK PERFORMED BY: IN-HOUSE: Arctic Submarine Laboratory, Naval Ocean Systems Center, San Diego, Ca; Naval Postgraduate School, Monterey, Ca; Naval Reaearch Laboratory, Washington, DC; Naval Surface Weapona Center, White Oak Laboratory, Silver Spring, MD; Naval Underwater Systems Center, Newport, RI; David Taylor Naval Ship Reaearch and Development Center, Carderock, MD; Polar Research Laboratory, Santa Barbara, CA; Applied Physics Laboratory, University of W. Mington, Seattle, WA; Integrated CONTRACTORS Systems Analysts, Inc., Arlington, VA; Analysis and Technology Inc., North Stonington, C"; IDC Corporation, Palo Alto, CA; Applied Research Laboratory, University of Texas, Austin, TX; Casde Corporation, Alexandria, VA; and others. . Naval Ocean Research and Development Activity, Bay St. Louis, MS; Naval Coastal Systems Center, Panama City, FL.

6

Program Element: 63562N

Title: Submarine Tactical Warfele Systems (Advanced)

- G. (II) PROJECTS LESS THAN \$10 MILLION IN FY 1986/89:
- (U) Project S1739, Submarine Arctic Warfare Development:

management of many different efforts in the advanced development of submarine systems essential to Arctic warfare. It will assess actual warfare, to conduct combat missions under the ice. This program provides for the consolidation of resources, services, and submarine combat systems capabilities and effectiveness, including sensors, combat control and countermeasures. It will conduct (v) Pescription: This program

It will establish a land-based Arctic simulator for testing the ice-penetrating ability of submarine structures. It will provide the design inputs for new and existing submarine hulls and the structural inputs to operational guidelines for routine and emergency breakthroughs from under the ice,

- 7. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:

Provided coordination, planning and technical support for

b. (v) FY 1987 Program:

Title: Submarine Tactical Warfare Systems (Advanced)

c. (U) FY 1988 Planned Program:

d. (u) FY 1989 Planned Program

e. (U) Program to Completion: This is a continuing program.

(V) Major Milestones: This is a Non-Acquisition program. f.

Milestones

Date

1.

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not Applicable.

1. (U) TEST AND EVALUATION DATA: Not Applicable

# FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Title: Ship Development

Program Element: 63564N DoD Mission Aren: 238 - Other Naval Warfare

Budget Activity: 4 - Tactical Programs

A. (II) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
SO408 X1896 S1379	TOTAL FOR PROCRAM ELEMENT Ship Development (Advanced) FMSEDE Ship Sys Eng Stand*	15,157 12,229 2,928 1,353*	16,219 10,219 0	10,379 10,379 0	11,266 11,266 0	Continuing Continuing 0	Continuing 7,810

As this is a continuing program, the above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

\* Project S1379 was funded in Program Element 635/2N in FY 1986 and prior years.

designed at reduced cost, manning and increased producibility and a greater degree of capability to utilize the latest technology. Feasibility, and Preliminary Design) for new ships in the Navy's Shipbuilding Program. Develops the data required by government unconventional bull form concepts suitable for future acquisition progress. The goal of this project is to allow ships to be naval architects and marine engineers for the design of ships in the Navy's Shipbuilding Program. Develops and evaluates Performs first three phases of design (Advanced Concepts Studies, B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED:

C. (11) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the 1987 President's Rudget and that shown in the Descriptive Summary are as follows: A decrease of 4,512 in FY 1987 is due to Congressional action and adjustments. A decrease of 8,172 in FY 1988 is due to Department program and budget adjustments and NIF rate adjustment. Project SO408:

An incresse of 1,946 in FY 1986 is due to a Department budget adjustment and GRH adjustment. A decrease of 4,881 in FY 1987 is the result of Congressional action. A decrease of 13,874 in FY 1988 is the result of a Department program adjustment. Project X1896:

Program Element: 63564N

Title: Ship Development

A decrease of 1,994 in PY 1987 is the result of Congressional action. A decrease of 2,000 in FY 1988 is the A decrease of 1,347 in FY 1986 is result of Department program and budget adjustments and a GRH adjustment. result of a Department program adjustment. Project \$1379:

# (11) FUNDING AS REPLECTED IN THE FY 1987 DESCRIPTIVE SUPPLARY:

Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
	TOTAL FOR PROCRAM ELEMENT	13,989	13,562	21,606	34,425	Continuing	Continuing
80408	Ship Development (Advanced)	13,929	12,580	14,731	18,551	Continuing	Continuing
X1896	FINSEDE	0	982	4,881	13,874	Continuing	Continuing
S1379	Ship Sys Eng Stand*	4,080*	2,700*	1,944	2,000	Continuing	Continuing
\$1705	Alt Hull Forms	09	0	0	0	•	4

\* Project S1379 was funded in Program Element 63532N in FY 1986 and prior years.

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.

Program Element 63561N (Advanced Submarine Systems Development); Program Element 64567N (Ship Development (Engineering)); Program Element 63569N (Attack Submarine Development). E. (U) RELATED ACTIVITIES:

CA; Naval Surface Weapons Center, White Oak, Silver Spring, MD; David W. Taylor Naval Ship Research and Development Center, P. (U) WORK PERPORMED BY: IN-HOUSE: Naval Coastal System Center, Panama City, FL; Naval Ocean Engineering Center, San Diego, CONTRACTORS: Rockwell International, Arlington, VA; Designers and Planners, Arlington, VA; Softech, Waltham, MA; Martin-Marietta, Baltimore, PD; FMC Corp., Minneapolis, MN; and others. Betheada, MD; and others.

G. (U) PROJECTS LESS THAN SIO MILLION IN FY 1988/89:

(U) PROJECT S1379, SHIP SYSTEM ENGINEERING STANDARDS (SSES):

(VLS) aboard the DDG-51. The progrem provides improvements over the conventional shipbuilding method in the following areas: The standard platform allows economy of scale and permits improved logistics support; shippard producibility and productivity is enhanced because of the ability to pretest the modules prior to installation aboard ships; atility to pre-outfit the zone compartments (e.g. painting, piping, cabiling) without interference of equipment installations. Although Project S1379 is terminated in and swiation support) with standard platform interfaces. The first application of the program is the A and B-size weapon modules 1. (U) Description: The SES Program's concept is based on the use of interchangeable modules (e.g., weapons, electionics, FY 1987, modularity developments will continue concurrent with specific ship designs developed under Project 50408.

Program Element: 63564N

Title: Ship Development

- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program: Perf m under Program Element 63532N, Project S1379 in FY 1986. Accomplishments included:
- Developed an "A" size Aviation Support Facility mock-up.
- ે heveloped a draft generic sonar system standard.
- Performed engineering, test, and validation tasks leading to the implementation of Ship Systems Engineering Standards to support the DDG 51 Class.
- o. (U) FY 1987 Program:
- No work planned in this project in FY 1987. Modularity developments will continue within specific ship designs developed under Project S0408.
- c. (U) FY 1989 Planned Program: Not applicable.
- d. (U) FY 1989 Planned Program: Not applicable.
- e. (U) Program to Complesies: Not applicable.
- H. (U) PROJECT OVER \$10 MILL. 35 988/89 :
- (U) Project SC458, Ship Development (Advanced)
- face ship designs for the Navy's Shipbuilding Program. During the first phase, Advanced Concepts Studies, requirements for future ship types are determined early so that related development of components, subsystems, and platforms will be compatible with these requirements. The second phase, Feasibility, commences at least three years prior to the award of the contract for construction of the lead ship. During this phase, a technical effort is undertaken, in response to stated military requirements, to correct shortfalls in the capabilities of current ships, to establish alternative ship types which will provide a range of performance capabilities and to establish principal characteristics such as length, displacement, speed, propulsion type, major weapons systems, sensors, etc., and comparative acquisition costs. The third phase, Preliminary Design, commences at least two years prior to the award of lead ship centract. During this phase the alternatives chosen from the Feasibility Design Phase are devoloped and further refined to establish top level requirements and specifications which uniquely define performance characteristics, including payload, and which provide the basis for budget quality estimates of ship acquisition costs. This program also develops data and tools needed by government naval architects and marine engineers to design ships in the Navy's (U) Description: The purpose of this project is to accomplish the first three phases in the development of new sur-

Program Element: 63564N

Title: Ship Development

Surface Ship Continuing Concept Formulation (CONFORM) develops whole ship concepts to meet future requirements and identifies technology needs for their development. Its major emphasis is the identification of feasible ship Results are used to identify candidate ships to meet the requirements of the Extended Planning Annex (EPA) period and beyond and to recommend the R&D programs and priorities which are needed to support these requirements. Commencing in FY 1988, the scope of this project will expand to include development of methods to evaluate and improve ship structure designs through the integration of mission requirements and technology developments early in the whole ship planning and reliability and filmess-for-service, leading to lighter more affordable and more maintenance free structures. Computer supported design transitions to OGMN in FY 1988. Shipbuilding Program. acquisttion process.

2. (U) Program Accomplishments and Future Efforts:

a. (U) FY 1986 Program:

\* Accelerated U.S. review of NATO Frigate Feasibility Study which is similar to a U.S. Preliminary Design.

" The Surface Ship Continuing Concept Formulation (CONFORM) task area developed seven exploratory level ship landing ship combat support, high speed salvage rescue tug, NATO anti-submarine corvettes (Surface Effect Ship continuing baseline cruiser, variable mission air platform, gunfire support ship, (SES) and hydrofoil configurations). design studies as follows:

system with a single, common integrated data base; ship hull arrangements programs; upgrade of ship synthesis models; machinery design programs; combat system performance analysis models; and a revision of ship weight Computer Supported Design projects included initial integration of computer programs to form a ship design estimating methods.

Continued analytical tool development (other than computer supported design).

" Initiated exploratory studies of a Future Frigate (FFX) with an advanced ASW suite. Both a monohull and a Small Waterplane Area, Twin Hull (SWATH) configuration were developed.

Commenced Patrol Combatant Multi-Mission (PXM) tensibility studies.

<sup>a</sup> The Reverse Technology Transfer (RTT) Program conducted a comparative design analyses of Soviet and free world (including U.S.) mine countermeasure ships; made surveys of existing and near-future foreign ship subsystems and technologies for FY 1987 analysis.

795

Program Element: 63564N

Title: Ship Development

- ° Identified, categorized and analyzed performance shortfalls for ASW Helicopter Operation, Missile Underway Replenishment (UNREP) and other combat capaulities in the northern latitudes.
- S Commensed program to investigate advanced Surface Effect Ship (SES) ride control.

## b. (U) FY 1987 Program:

- Ocontinue Surface Combatant, sonar support investigation, integrated ship machinery system definition studies, and exploratory ship designs.
- ° Conduct NATU feasibility and various trade-off studies.
- The Surface Ship Continuing Concept Formulation (CONFORM) task area will complete five advanced ship design Studies will include alternatives for fleet requirements in the years beyond the Five Year Defense Plan. combatant, amphibious, logistics, and special mission whole ship designs.
- ° Computer Supported Design (CSD) will expand the design of the integrated data base started in FY 1984 to include synthesis models will start to be standardized, several machinery design programs will be completed; and the ships' equipment information; Version 11 of the integrated CSD ship design system will become operational; ship combat system topside model will be completed. CSD design tools will be actively used on DDG-51 and SSN-21 design projects.
- Evaluate near-term, emerging new concepts to reduce cost, manning, weight and volume.
- o Initiate effort to improve basic technical foundation supporting ship design capability through improvements to design standards documentation, analysis of existing design data, and creation of both hard copy and electronic
- technologies for FY 1988 analysis; and assess several promising foreign systems and technologies from the FY 1986 surveys. The Wing in Ground Effect analysis will be completed along with the frigate comparative analysis ° The Reverse Technology Transfer (RTT) Program will undertake a comparative design analysis of Soviet and free-world (including U.S.) destroyers; make surveys of existing and near future foreign ship subsystems and initiated in FY 1985.
- \* Identify potential system improvements and assess relative performance improvements for ASW helicopter operations, missile UNREP and other combat capabilities in the northern latitudes. Begin model testing as

Program Element: 63564N

Title: Ship Development

4 Analyze Arctic operations employing hovercraft.

° Improve structural design capabilities for SWATH ships.

## c. (U) FY 1988 Flanned Program:

- The Surface Ship Continuing Concept Formulation (CONFORM) task area will again complete four to five advanced ship design alternatives for fleet requirements in the years beyond the Five Year Defense Plan. Studies will monohull and advanced hull forms will be developed, where appropriate, to provide a comparative basis for include combatant, amphibious, rapid deployment force, logistics, and mine warfare whole ship designs. funding decisions relative to new ship concepts and technologies.
- Define, develop, and demonstrate key subsystem technologies for SWATH ships and other alternative hull forms such as hydrofoils and hovercraft, including both air cushion and surface effect ship types.
- Evaluate near term emerging new concepts for cost, manning and weight reduction.
- free-world (including U.S.) aircraft carriers and make surveys of existing and near future foreign ship The Reverse Technology Transfer (RTT) Program will conduct a comparative design analysis of Soviet and subsystems and technologies for FY 1989 analysis. Assessments of promising foreign subsystems and technologies, identified in FY 1987, will also be conducted.
- ° Complete performance assessment of lightweight structure concepts for new ship designs. Complete assessment of ship structures containing defects and finalize testing program to correct those deficiencies.
- ° Develop and model test improvement concepts; design and fabricate test sets of improvement concepts for ASW helicopter operations and missile UNREP in the northern latitudes.

## d. (U) FY 1989 Planned Program:

- The Surface Ship Continuing Concept Formulation (CONFORM) task area will complete four to five advanced ship design alternatives for fleet requirements in the years beyond the Five Year Defense Plan. Studies will include combarant, amphibious, logistics, mine warfare and special whole ship designs. Both monohull and advanced hull forms will be developed where appropriate.
- ° The Reverse Technology Transfer (RTT) Program will conduct a comparative design analysis of Soviet and free-world (including U.S.) amphibious ships and make surveys of existing and near future foreign ship

Program Element: 63564N

Title: Ship Development

Assessments of promising foreign subsystems and technologies, subsystems and technologies for FY 1990 analysis. identified in FY 1988, will also be conducted.

- Complete validated structural inspection and repair criteria for existing structures with defects. to tural component fabrication and testing for lightweight structural concepts.
- ° Continue model tests and perform testing of improved concepts for ASW helicopter operations and missile UNREP in the northern latitudes.
- \* Develop ; lan for full scale demonstration of Arctic hovercraft.
- ° Report on method to integrate a digital autopilot for PMM Hydrofoil Collision Avoidance and Tracking System.
- O Confine definition, development, and demonstration of key subsystem technologies for SWATH ships and other aiterrative hull forms.
- Evaluate near term emerging new concepts for cost, manning and weight reduction.
- e. (U) Program to Completion: This is a continuing program.
- f. (U) Major Milestones: Not Applicable
- I. (U) TEST AND EVALUATION DATA: Not Applicable.

# FY 1988/89 RDINE DISCERPTUE SUMMARY

ition System		Total Estimated Cost	1,869
Title: Surface Ship Navigation System Budget Activity: 4 Tactical Program		Additional to Completion	0 0
Title: Budget		FY 1989 Estimate	0 0
	~	FY 1988 Fstinate	၁င
	in Thousands	FY 1987 Estimate	940
	(Duillars	F) 1980 Actual	676 676
Program Element: 625656 DOP Mission Arc., 1st - Other Naval Warfare	A. (U) FY 1985/6. MERCURCE: (PROJECT LISTING). (Dollars in Thousands)	સ	TOTAL FOR PROCRAM FIFNIFT Pich lightial Navigation System
Program Element: DOP Mission Arac.	A. (U) FY 19	Project No. 11tle	TOTA S1833 Puch

B. (c) HALLE INSCRIPTION OF FLENENT AND MISSION NEED: This progress navigation system development aimed at providing improved shipboard soil contribed world-wide inertial navigation capability. This capability will meet the requirements of long range sea laurched ristile systems, battle group operations, over-the-horizon tergeting and other tactical missions.

C. (U) EXPLANATION CF CARCELLATION: Department program/sudget adjustment. Navy will use FV 1987 resources to explore alternatives to meet the immediate rend to find a replacement for antiquated inertial navigation systems or extended range missile firing platfource. The alternative selected will incorporate ring laser gyro technology.

# FY 1988/89 RDI&E DESCRIPTIVE SUMMARY

DoD Mission Area: 233 - Anti-Submarine Warfare Frogram Element: 63569N

Title: Attack Submarine Development Budget Activity: 4 - Tactical Programs

A. (11) FY 1988/89 RESCURCES (PROJECT LISTING): (Doliars in Thousands)

Total	Estimated	Cost	Continuing	Continuing	*	*
	Additional	to Completion Cost	Continuing Continuing	Continuing Continuing	*	**
	FY 1989	Estimate	24,028	24,028	*	*
	FY 1988	Estimate	12,899	12,899	*	*
		Estimate	0	C	*	0
	FY 1986	Actual	34,302	0	28,966	5,336
		Title	TOTAL FOR PROGRAM ELEMENT	Advanced Submarine Technology	Advanced Submarine Technology	SSN 688 Class Development
	Project	No.		21974	\$1255	\$1570

\* Transferred to PF 64561N, Project S1946 in FY 1987.

\*\* Transfers to Project S1974 in FY 1988.

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989. B. (w) BRIEF DESCRIPTION OF ELFMENT AND MISSION NEFD: The principal challenge to the U.S. Mavy is the extensive and continually improving Soviet submarine and surface force. This program will provide the advanced submarine technology required to counter, in the future, this ever increasing threat. It will transition technology developed under the 6.2 R&D Submarine future submarine classes forward fit with the benefit of backfit capability. These developments will directly support the attack Technology block programs. The program will develop the

submarine mission to

Because of the tranisitive state of Projects S1255 and S1570, and the fact that Project S1974 was created subsequent to the FY 1987 Descriptive Summary submission, no direct comparison can be made on the by a GRH adjustment. The decrease of -3,931 in FY 1987 is the result of Congressional action. The increase of +8,963 in FY 1988 (Dollars in Thousands) The differences between the FY 1987 Descriptive project level. The overall increase of +2,800 in FY 1986 is the result of Department program/budget adjustments partially offset is the result of Department program/budget adjustments. Summary and this Descriptive Summary are as follows: C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY:

800

Program Element: 63569N

Title: Attack Submarine Development

(II) FUNDING AS REFLECTED IN THE BY 1987 DESCRIPTIVE SUMMARY:

							Jota1
Project		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
No.	<u>Title</u>	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	ICTAL FOR PROCRAM ELEMENT	21,100	31,502	3,931	3,936	Continuing Continuing	Continuing
\$1255	Advanced Submarine Technology	17,990	31,502	*	*		
81570	SSN 688 Class Development	3,110	0	3,931	3,936		Continuing Continuing

Transferred to PE 64561N, Project S1946 in FY 1987.

D. (U) OTHER FY 1988/R9 APPROPRIATION FUNDS: Not applicable.

E. (U) RELATED ACTIVITIES: Most submarine-related RDT&E programs will provide inputs into Program Element 63569N in the form of new technologies, systems and components that can be used in future Attack Submarine classes. The most important of the related Program Elements is 64561N (SSN 21 Development). Program Elements 64524N (Submarine Combat System Development), 64502N (Submarine Communications), 63570N (Advanced Nuclear Reactor), and 64567N (Ship Sub System Development/LBTS) are also related to this Program Element. The 6.2 R&D programs in the Submarine Technology block program will transition into this element.

Mare Island Naval Shipyard, Vallejo, CA; and Naval Oct n Systems Center, San Diego, CA. CONTRACTORS: General Dynamics, Electric Boat Division, Groton, CT; Newport News Shipbuilding, Newport News, VA; Pena State University, Applied Physics Laboratory, F. (U) WARK PERFORMED BY: IN-HOUSE: Naval Ship Research and Development Center, Bethesda and Annapolis, MD; Naval Underwater Systems Center, Newport, RI; Naval Research Laborato, Washington, DC; Naval Ship Systems Engineering Station, Philadelphia, PA; University Park, PA.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not applicable.

Title: Attack Submarine Development

Program Flement: 6.3569N H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: (U) Project S1974, Advanced Submarine Technology:

Project S1974, Advanced Submarine Technology, will develop the technological advancements (v) Description required to

This project will involve the development of a wide range of subsystems and improvements, including

- 2. (11) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program: Not applicable.
- b. (U) FY 1987 Program: Not applicable.
- c. W. PY 1988 Flanned Program:

Program Element: 63565N d. (9) FY 1989 Plained Program:

Title: Attack Submarine Development

e. (U) Program to Completion: This is a continuing program.

f. (U) Major Wilestones: Not applicable.

1. (U) TEST AND FVALUATION DATA: Not applicable.

# FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 63570N DOD Mission Area: 238 - Other Naval Warfare

Title: Advanced Nuclear Reactor Components and Systems Development Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	<u>  11   1   1   1   1   1   1   1   1   </u>	Actual	Eatimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROCRAM ELEMENT	113,616	93,175	91,360	87,617	Continuing	Continuing
\$1258	Reactor Components and Systems	25,600	34,054	40,386	42,377	Continuing	Continuing Continuing
	Development						
81914	S6W Nuclear Propulsion Plant	88,016	59,171	50,974	45,240	Continuing	Continuing Continuing

The above funding profile includes out-year excalation and encompasses all work and development phases now planned or anticipated through FY 1989.

intent of the research and development effort is to develop safe, reliable, high performance, long life, nuclear propulsion plants and components. This element is directed toward the advanced design, development, and testing of new and improved components and fluid transfer equipment, chamistry, instrumentation and control, and radiation shielding. This element also includes work to The Naval Nuclear Propulsion Program is an integrated research and their related systems for use in new and existing naval nuclear propulsion plants. The work is in the areas of reactor equipment, development program which encompasses both Department of the Navy and Department of Energy research and development funds. develop a nuclear propulsion plant for the new SEAWOLF class attack submarine. B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED:

decrease of -4,984 in FY 86 is the result of a CRH adjustment and Department program/budget adjustments. The decrease of -1,817 in C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown on the FY 1987 Descriptive Summary and this Descriptive Summary are as follows: Project S1758: decrease of -1,575 in FY 86 is the result of a GRH adjustment and Department program/budget adjustments. The decrease of -1,045 in FY 87 is the result of Congressional adjustments. The increase of +2,351 in FY 88 is a results of reductions from Department program/budget adjustments and increase from transfer of efforts and funds from PE 11228N, TRIDENT and PE 63578N, A4W/A1G Nuclear Propulsion Plant. Project S1914: The FY 87 is the result of Congressional adjustments.

Program Element: 63570N

Title: Advanced Nuclear Reactor Components and Systems Development

(II) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

							18101
Project		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	JUTAL FOR PROGRAM ELEMENT	70,803	120,175	96,037	89,157	Continuing	Continuing
S1258	Reactor Components and Systems	70,803	27,175	35,099	38,035	Continuing	Continuing Continuing
	Development						
71618	S6W Nuclear Propulation Plant	1	93,000	60,938	51,122	Continuing	Continuing Continuing

The SSN 23 Class Selected Acquisition Report identifies other appropriation funding provided in support of the SSN 71 Class nuclear powered attack submarine. (II) WHER PY 1988/89 APPROPRIATION FUNDS:

(ii) WELATED ACTIVITIES: Work conducted under this program element is closely coordinated with other mayal nuclear propulsion research and development program elements (PE 67324N, Muclear Propulsion Technology and PE 25675N, Operational Reactor Development) and with research and development work on nuclear reactor plants conducted by the Department of Energy. F. (U) WORK PERKYKWEN RY: CONTRACTORS: Westinghouse Electric Corporation, Bettis Atomic Power Laboratory and Plant Apparatus Division, Pittsburgh, PA, and General Flectric Company, Knolls Atomic Power Laboratory and Machinery Apparatus Operation, Schenectady, NY.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable.

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

(II) Project S1758, Reactor Components and Systems Development

Much of the work is common to several types of reactor plant components and systems. In FY 1988, work is being transferred into performance, long life, nuclear propulsion plants and components. This project provides for the design, development, and testing Work under this project principally involves efforts in the pump, valve, instrumentation and control, heat transfer, chemistry and shielding areas. propulation component work in TRIDENT and all work under A4W/AlG has become generic enough in nature to be properly funded under Reactor Components and Systems Development. Accordingly, PE 11778N will be reduced by the value of the transferred nuclear The objective of this research and development effort is to develop safe, reliable, high the Reactor Components and Systems Development project from program elements 11228N (TRIDENT) and 63578N (A4W/AlG). The nuclear of new and improved reactur components and systems for use in all types of naval nuclear propulsion plants. 1. (U) Description:

Program Element: 63570N

Title: Advanced Nuclear Reactor Components and Systems Development

propulsion component work and PE 63578N will be eliminated. Also, nuclear refueling and servicing equipment development will be transferred to PE 25675N (Operational Reactor Development) in FY 1988 to better categorize that development work.

# 2. (U) Program Accomplishments and Future Efforts:

### . (\*) FY 1986 Program:

The goal Work continued on improving plant components with particular emphasis on heat transfer components. is to increase reliability and performance. Work included:

problems.

- ° Solving various
- Initiating development of
- 4to reduce steam generator
- " Developing and testing analytical models to predict and evaluate steam generator
  - ° Using shock test data to develop steam generator design improvements.
- ° Continuing steam generator thermal and hydraulic performance tests.
- Continued evaluation of chemical and radiochemical effects on component material to deternine ways to prevent corrosion. Work included:
- oxygen scavenger for possible use in a high performance steam ° Conducting tests to evaluate a generator,
  - Developing a ship's force cleaning program to ensure continued steam generator performance.
- Commencing a test of a new corrosion control additive which, if successful, will reduce the need for expensive steam generator chemical cleanings.
- Conducting model boiler tests of simplified, less costly steam generator cleaning methods.
- ° Developing new ways to reduce radiation buildup in reactor plant equipment.
- Conducting accelerated life tests of steam generator tubing material to evaluate the effects of various thermal, hydraulic and chemical conditions on material performance.
- Testing new secondary water chemistry control methods to minimize steam generator tube degradation.
  - ? Improving methods for predicting corrosion product deposits on reactor plant equipment.
- Continued design and development of fluid transfer and control equipment including pumps, valves and auxiliary components. Conducted various tests to evaluate and improve performance and reliability, and to Work included: ensure satisfactory operation of these components.
  - \* Examining instrumented test

mechanisms, and to qualify

test results to determine prediction methods.

to improve valve designs.

- Continuing flow tests and inspections
   Poveloping means to reduce noise sources in
- Preliminary screening tests to find an alternate for material currently in use in

Program Element: 63570N

Title: Advanced Muclear Reactor Components and Systems Development

- · Continued development of shielding designs to further reduce personnel radiation exposure. Focus is directed Work included: toward reducing radiation levels, easing shielding installation, and weight minimization.
- ° Continuing evaluation of long term shielding materials performance.
- · Anslyzing new and modified shielding designs as part of the effort to ensure adequate radiological
- Continuing development of new shield material, with emphasis on better manufacturing methods. performance evaluation of new material under operating plant conditions.
- Continued work on reactor servicing equipment and methods, including shipping containers for irradiated structural components to ensure continued safe servicing operations. Work included:
- cores in existing submarines and surface ships, including technical requirements for CGN refueling equipment. o Develoning the refueling equipment required to install new,
- Finalizing new shipping container design to ensure safe transport of fuel, spent fuel, and large irradiated

#### (v) FY 1967 Program ò.

- Continue design and development of new and improved heat transfer equipment to: advance reliability and Work includes: performance, improve understanding of component material degradation mechanisms,
- in steam generator designs. Developing and implementing solution:
- Continuing to design:
- Continuing evaluation of steam generator shock test dsts and establishing design changes to improve shock to reduce steam generator resistance.
- ° Continuing steam generator thermal and hydraulic performance tests.
- Evaluate reactor plant material and coolant behavior, both chemical and radiochemical, to develop ways to minimize corrosion. Improve steam generator water chemistry control. Work includes:
  - ° Continuing qualification testing of alternate steam generator oxygen scavengers.
- ° Continuing tests of nev
- additives.
- cest data to operating data to qualify predictive models and initiating additional tests to resolve uncertainties. Comparing
  - tests to determine thermal, hydraulic and chemical Continuing test program to determine optimum secondary water chemistry control methods to reduce steam generator tube degradation.

prediction methods.

- ° Continuing accelerated steam generator The data will lead to better
- Developing better ways to reduce radiation buildup.
- prediction techniques to assess plant performance.

Program Element: 63570N

Title: Advanced Nuclear Reactor Components and Systems Development

and improve steam generator "Continuing to develop ship's force cleaning requirements to Design, develop and test fluid transfer and control equipment. This equipment includes pumps, valves, and In addition to enhancing performance, particular emphasis is given to applying new features. Work includes: auxiliary components.

° Continuing 11fe flow testing and evaluations to confirm wear predictiona and check valve design performance.

improve reliability. Continuing design and tests of potential main coolant pump modifications to

Drafting a design manual for use in applying

bearings to determine new material suitability. ° Fabricating and testing

" Working on second generation control equipment.

o Initiating development of a steam plant valve

Conducting tests in prototypic environments to evaluate performance and reliability of various components.

Develop shielding designs for reactor for refueling equipment, and shipping containers to further reduce radiation exposure levels. Work includes:

° Continuing evaluation of long term shielding material performance.

" Analyzing new and modified shielding designs as part of the effort to ensure adequate radiological precautions.

Continuing design and development of reactor aervicing equipment.

#### (J) FY 1988 Planned Program: ٠,

- Continue design and development of advanced heat transfer equipment to improve reliability and performance. Work

O Continuing evaluation of ahock rest data to determine how to improve ateam generator shock reaistance.

Continuing to develop and test

"Initiating design of large scale engineering test unit to apply advanced heat exchanger concepta that will to reduce ateam generator improve heat transfer capability

° Continuing development of new heat transfer concepts to provide improved capability and better reliability with a reduction in plant weight, volume and corroaion.

° Continuing steam generator thermal and hydraulic tests to obtain performance data.

tests to develop improved ° Continuing steam generator component

solutions.

" Developing a manufacturing proceas for an advanced steam generator.

- Evaluating the effects of chemical and radiochemical coolant behavior on reactor plant components and materiala. Work will include:

° Continuing to test and evaluate chemical corrosion inhibitors for possible plant applications.

° Continuing accelerated testing to determine optimum steam generator chemistry control methods.

Program Element: 63570N

Advanced Muclear Reactor Components and Systems Development Title:

o Evaluating various thermal, hydraulic and chemical parameters to determine

effects on steam generator

Design efforts will Design, develop and test plant components, including pumps, valves, and auxiliary equipment. , Work will include: emphasize reductions in component

o Continuing to evaluate main coolant pumps and valves

and wear conditions. ° Continuing tests and evaluations in prototypic environments to determine component reliability and performance.

o Conducting tests of advarced pump concepts.

design manual for main coolant pumps.

° Continuing tests of alternate

o Continuing drafting of a

bearing material.

° Continuing development of a steam plant valve

Design, develop and test instrumentation equif...ent to improve ease of operations and incorporate state-of-the-art advances being made in electronic technology. Work will include:

\* Developing advanced design pressure and temperature monitoring systems to increase operator ability to recognize and respond to plant casualties and abnormal situations.

Developing reactor plant fluid level indication and control equipment using current microprocessor and sensor technology to obtain better reliability and improved operation.

Testing new instrumentation and control equipment.

Qualifying

systems to improve overall system performance during

adverse ship operating conditions.

Developing reactor control power supplies, which utilize state-of-the-art semiconductors devised to improve overall plant reliability

- Developing and testing of shielding designs and materials to minimize radiation effects.

#### (v) FY 1989 Planned Program: ö

- Continue to design, develop and test new and improved heat transfer equipment to improve reliability and performance and meet new requirements. Work will include: o Continuing efforts to design and develop an engineering test unit that will utilize advanced concepts to improve heat transfer capability. reduce plant weight

" rvaluation of tests on new design steam generators.

- Continuing to evaluate the chemical and radiochemical behavior of reactor plant system coolant to determine causes of and ways to prevent corrosion in the system.

- Continuing to design, develop and test fluid transfer equipment, including pumps, valves and auxillary equipment, and incorporate the latest technical advances

Program Element: 63570N

Title: Advanced Muclear Reactor Componenta and Systema Development

- · Continuing to develop and test new instrumentation and control equipment, incorporating the latest in electronic Work will include:
  - o Testing will evaluate pressure and temperature monitoring systems.
- ° Continuing efforts to develop reactor plant fluid level indication and control equipment.
  - ° Continuing efforts to develop reactor power aupplies.
    - o Testing of reactor plant/steam plant control systems.
- Continuing the design and development efforts in shielding to improve personnel protection and minimize radiation output levels.
- e. (U) Program to Completion: This is s continuing program.
- f. (U) Major Milestones: Not applicable.

# (U) Project S1914, S6W Nuclear Propulsion Plant

- Efforts are directed toward design, development, and testing in the areas of pumps, instrumentation and control equipment, valves, heat transfer equipment, ahlelding, and component arrangements. A key objective is to meet stringent noise goals so the new attack Also, the propulsion This project is developing the nuclear propulsion plant for a new attack submarine (SEAWOLF). to achieve the overail displacement goal. This requires the application of new, submarine will have an acoustic advantage over Soviet submarines well into the next century. To accomplish this requires applying new quieting features throughout the plant plant weight will be reduced
- 2. (U) Program Accomplishments and Future Efforts:

high strength material to major components, piping, and foundations.

## a. (U) FY 1986 Program:

- Development of new hest transfer components continued as a major effort. New, stronger materials are being used to reduce component and foundation weight while still meeting all performance and shock requirements for the new plant. Work included:
  - steam wment of a equipment and other features o Initiating detailed design and continuing development of incorporating new design
    - ° Continuing development of a primary plant pressurizer.
- ° Refining development of a new material for pressurizers and steam generators to reduce component and foundation weight and enhance fracture toughness.

Program Element: 63570N

Title: Advanced Nuclear Reactor Components and Systems Development

- ° Continuing to develop purification system components to reduce weight, shielding requirements, and hydraulic
- Continuing development of a fresh water/sea water heat exchanger using higher strength materials to reduce component weight and corrosion concerns.
- Improvements in fluid transfer and control equipment, including pumps, valves, and auxiliary components, to Work included: enhance plant performance.
  - Outinuing the manufacture of main coolant pump test units for engineering and shock tests to prove the design
    - ° Continuing the design and development of main steam valves made of a higher strength material.
- valves · Continuing development of new swing check valves and state-of-the-art equipment.

to provide

- ° Developing methods for prototypic testing of
- for various fluid systems to provide improved flow monitoring. o Continuing to design and develop
- Continued work on new instrumentation equipment with emphasis on upgrading reliability and performance.
- · Developing advanced design plant instrumentation, monitoring, and protection equipment.
- Continuing development of reactor plant control systems and equipment to meet new plant requirements.
  - o Initiating the design and development of new concept primary nuclear instrumentation equipment.
- Continuing development of shielding to minimize weight and ensure personnel radiation exposure will be within established limitations. Work included:
- ° Developing conceptual shield design for the new propulsion plant.
- ° Continuing investigation into the use of advanced shielding material.
- Continuing design of propulsion plant systems and arrangements to minimize noise and weight, and continuing Work included: fabricating prototypic plant mock ups and components.
  - ° Continuing propulsion plant mock up fabrication to confirm the design adequacy of component and system arrangements prior to ship construction.
- Developing and performing dynamic shock analyses of plant components and foundations to verify adequacy for
- Ontinuing to evaluate and refine plant design features, prospective operating conditions, component foundations, and weight reduction features to establish optimum foundation designs and component/system design features that minimize overall machinery weights and reduce component shock loadings.
- Evaluating and testing system and component design features to minimize noise generating mechanisms within new plant components and noise transmission through structures.
  - Developing plant fluid and mechanical systems schematics depicting components, valves, tanks, pipe sizes, and instrumentation, and analyze expected systems performance under operating and transient conditions.

Jane C

Program Element: 63570N

Title: Advanced Nuclear Reactor Components and Systems Development

- Establishing fluid system component size and design data for fabrication of mock-up components component fabrication.
- steam, feed, condensate, main and auxiliary sea water, propulsion plant fresh water, and other primary and Establishing functional requirements and preparing preliminary system descriptions for main and auxiliary secondsry propulsion plant systems.
  - ° Continuing to confirm that plant features are compstible with radiated noise objectives.
- Maintaining an adequste weight control program including monitoring the status of weight and margin and any growth trends; evaluating increases in component weights and considering alternative designs and arrangements to reduce reactor plant weight.
  - Continuing design of various plant components, such as a main condenser, main feed pump, auxiliary sea water pump, main condensate pump, and propulsion plant fresh water pump.
- ° Carrying out analysis and design work for lead ship reactor arrangement.
- ° Continuing finite element model development, analysis, and optimization for reasonance avoidance in propulsion plant structures and piping.
- engine room and reactor compartment hull and major structures, components, and piping to support propulsion plant acoustic design for resonance Continuing design and construction of a avoidance.
  - Developing a reactor servicing plan and identifying those pieces of servicing equipment that will need to be designed to support refueling and servicing the new design attack submarine.

## b. (U) FY 1987 Program:

- Continue development of new heat transfer components using stronger materials to reduce component weight. Work
- higher performance steam generator which is lighter in ° Continuing the design and development of a new weight and higher in performance.
- Performing full-scale testing in a steam and water environment of the initial steam generator steam drum
  - ° Carrying out the detailed design of the pressurizer and purification system heat exchanger.
- ° Continuing to develop advanced materials to improve strength and confirm fracture toughness considerations for S6W steam generator components and pressurizers.
- Fluid transfer and control equipment development will continue in order to provide for higher performance. Work includes:
- ° Continuing development of an improved main coolant pump design, and manufacture of test units.
  - Performing engineering tests of main coolant pumps to provide shock qualification.

Program Element: 63570N

Title: Advanced Nuclear Resctor Components and Systems Development

Continuing development of new swing check valves and

valves to ensure they meet

to support prototypic loop testing. · Manufacturing

° Continuing the design of propulsion plant monitoring, control, indication and protection equipment. capability through the use of the latest developments in electronic technology. Work includes:

New instrumentation equipment will provide greater equipment performance and reliability and oversil plant

° Continuing the design and beginning fabrication of primary nuclear instrumentation equipment.

o Initiating design of rod control equipment.

Continuing development of the shield design and adapting new materials shown to be technically acceptable.

Continuing design efforts for new propulsion plant systems and arrangements as well as refining requirements for various systems and components. Work includes:

° Completing construction of the propulsion plant mockup to establish arrangement constraints and confirm \* Evaluating and refining propulsion plant design feature requirements, tentative operating conditions, and Continue construction of the propulsion plant mockup to establish arrangement details. component designs.

Determining the reactor plant arrangement layout.

weight reduction objectives.

Continuing the design of the reactor plant fluid systems.

o Continuing the design of fluid svstem long-lead time components.

and initiating tests to evaluate reactor plant test results with design and confirm compliance with ship noise goals. Comparing analytical results to develop modifications as necessary. Completing construction

Developing new reactor servicing equipment and methods to support the new design attack submarine.

#### (V) FY 1988 Planned Program ن.

Develop and test heat transfer components. Work will include:

steam generator. Continuing detailed design and development of a

environments.

to evaluate performance under simulated shipboard

° Completing fracture toughness testing of advanced materials to confirm structural integrity of pressurizer and steam generator.

Development of fluid transfer and concrol equipment. Work will include:

Ocutinuing development and conducting engineering tests of main coolant pumps to assure the units meet all specifications and functional requirements.

° Continuing to perform shock testing of main coolant pumps.

Program Element: 63570N

Title: Advanced Nuclear Reactor Components and Systems Development

Ochducting engineering tests of new swing check valves and test of swing check valves.

valves. Perform

- Continue development of instrumentation equipment. Work will include:
- ° Completing design and conducting fabrication of rod control equipment.
- · Continuing development and conducting tests of plant monitoring, control, indication and protection equipment.
  - ° Completing fabrication and conducting tests of primary nuclear instrumentation equipment.
- Continue design and development of reactor plant shielding to provide a detailed primary and secondary shielding design for ship construction.
  - Continue to refine propulsion plant detailed design to determine optimum component and system arrangement requirements. Work will include:
    - ° Continuing construction of the propulsion plant mockup to establish arrangement details.
      - ° Continuing the design of the reactor plant fluid systems and components.
        - ° Developing detailed design of reactor plant.
          - ° Completing evaluation of
- studies. ° Developing reactor and power plant servicing equipment.

testing to confirm accuracy of foundation design

° Continuing development of reactor operating procedures.

## d. (,) FY 1989 Planned Program:

- Continue the designing and testing of heat exchanger components including steam generator, purification system heat exchanger, and pressurizer.
- Continue testing of fluid transfer and control equipment. Test, inspect and analyze main coolant pumps, check valves to determine the effects of full flow testing valves and
- Conduct testing of advanced instrumentation equipment. Work will include:
- ° Conducting tests of plant indication, protection, monitoring and control equipment.
- ° Continuing tests of primary nuclear instrumentation equipment.
- Continue reactor and propulsion plant acoustic design efforts to support final Refine reactor plant detailed design features, and operating procedures. Develop reactor plant test procedures foundation design decisions. Work will include: and perform test analyses.
  - ° Continuing to perform the detailed design for the reactor plant arrangement.
- · Monitoring acoustic testing of component designs to ensure they meet ship noise goals
- ° Continuing development of test procedures.
- \* Monitoring fabrication and testing of fluid system components.

Program Element: 63570N

Title: Advanced Nuclear Reactor Components and S stems Development

° Developing reactor servicing equipment to support the new design attack submarine, - Continue design and development of reactor plant shielding.

(11) Program to Completion: This is a continuing program. e.

f. (IJ) Major Milestones: Not applicable.

(U) TEST AND EVALUATION DATA: Not applicable.

815

# FY 1988/89 RDI&E DESCRIPTIVE SUMMARY

Program Element: 63571N DoD Mission Area: 205 - Physical Security Systems

Title: Physical Security

Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TCTAL FOR PROGRAM ELEMENT	3,433	5,507	8,699	6,479	37,760	102,006
S0812	Nuclear Weapons Security	3,433	2,507	8,699	6,479	37,760	102,006

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated.

B. (4) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Current intelligence estimates show an ever-increasing terrorist threat to nuclear and high value Navy facilities. Existing shipboard security depends, in part, upon guards (response forces) and upon barrier or intrusion-detection technology. These aging devices require continually increased maintenance and provide

development from the Air Force to the Navy. This project will develop Waterside Security Systems to provide security around program element includes all measures, technical and procedural, for the improvement of shipboard nuclear weapons and general Protected Voice Portable Communication System. The next improvement, Level 2, adds mooring line sensors, video monitoring and In May 1985, the Secretary of Defense transferred responsibility for waterside security research and waterside perimeters, pier facilities and moored ships. Also included is the development of improved locks and barriers for This element develops a physical security system capable of detecting, classifying Interests. The shipboard system will be compatible with and integrated into the ship's total physical security system. This control systems. The Level 3 system includes swimmer detection, personnel tracking, panoramic motion and other detectors. These shipboard systems permit detection of both on- and off-board intruders. The Waterside Security System addresses harbors and enhanced security at shore installations. This work provides for security throughout the logistical movement sequence of valuable and providing a response to threats targeting Navy assets in order to deny its use in combat or cause political damage to U.S. security. The first Shipboard Nuclear Weapon Security system, Level 1, includes the MK 1 Magazine Security System and the MK 4 assets such as munitions. shoreline security.

Program Element: 63571N

Title: Physical Security

C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: The changes between the funding profile shown in the FY 1987 President's Budget and that shown in this Descriptive Summary is a FY 1987 decrease of 2,179 due to Congressional action adjustments.

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Estimated Cost	85,878 85,878
Additional to Completion	30,882 30,882
FY 1988 Estimate	8,533 8,533
FY 1987 Estimate	7,686
FY 1986 Estimate	3,690
FY 1985 Actual	5,093
Title	TOTAL FOR PROGRAM ELEMENT Nuclear Weapons Security
Project No.	S0812

# D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

						Total
	FY 1986	FY 1987	FY 1988	FY 1989	Additional	1 Estimated
	Actual	Estimate	Estimate	Estimate	to Completion	Cost
OTHER PROCUREMENT, NAVY						
Physical Security Equip. (OPN BA-7 P-1 Line 1tem No. 312) 338128	. 312) 338	128				
Shipboard Nuclear Weapon Security	1,986	2,000	20,763	19,997	412,341	458,662
Quantities (mag alarm/ra.io)	0/19	0/20	0/204	30/113	130/56	
Waterside Security	0	0	0	8,768	82,300	101,000
Quantities (security systems)	0	0	0	2	35	

sponsored under Program Element 64563N, Physical Security (Engineering). The first shipboard components (detectors, alarms and Production. To support the early introduction of equipment to the fleet, PE 78017N, Maintenance and Support Activities, will controls) are being designed, fabricated and readied for Technical Evaluation, Operational Evaluation and Approval for Full improve the shipboard internal security force communications and alarm control panel with secure voice radios and more secure Secure voice radio installation costs are FMP funded. In September 1985, demonstration tests of upgrades for The engineering development phase of this program is waterside security were initiated at Submarine Base Bangor. Results from these tests have provided direction for the development E. (U) RELATED ACTIVITIES: Project SO812, Nuclear Weapons Security: panel doors.

Program Element: 63571N

Title: Physical Security

plans for new work. To avoid duplication, this tri-service effort is coordinated with Physical Security Equipment Action Group in the Office of the Under Secretary of Defense for Research and Engineering, Air Force Physical Security Systems Directorate, Army Program for Physical Security Equipment, Defense Nuclear Agency and the Chief of Naval Operations.

- F. (U) WORK PERFORMED BY: Project SOB12, Nuclear Weapons Security: IN-HOUSE: Naval Surface Weapons Center, White Oak Laboratory, Silver Spring, MD; Naval Ocean Systems Center, San Diego, CA; Naval Civil Engineering Lab, Port Hueneme, CA. OTHERS: Navy Personnel Research and Development Center, San Diego, CA; Naval Coastal Systems Center, Panama City, FL; Naval Weapons Support Center, Crane, IN and Naval Ocean Systems Center, San Diego, CA. CONTRACTORS: RCA Corporation, Somerville, NJ and Camden, NJ; Westinghouse, Madison, PA; Vitro, Silver Spring, MD; ISA, Arlington, VA; MILCOM, Norfolk, VA.
- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable.
- (U) Project SO812, Nuclear Weapons Security:
- 1. (v) Description: This program counters world-wide terrorist threats against ships and nuclear weapons. Existing security depends upon guards, simple electrical circuits, locks, and hasps. These devices,

gone into development of more sophisticated physical security devices for land-based applications. None of this earlier DoD/USAF A substantial and successful effort has effort tested the technology in the shipboard environment, and only recently applied it to waterside security.

- (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program
- 2 MK 4 Shipboard Portable Communication System.
  - Moved into full scale development.
- " MK 1 Magazine Security System.
- Moved into full scale development.
- ° Shipboard Nuclear Weapons Security Level II System.
- Completed system requirements specification.
- Completed work breakdown structure and task statements to carry Level II to approval for production.
- Wrote statements of work and contract for detailed design and fabrication of advanced development models.

Program Element: 63571N

Title: Physical Security

Shipboard Nuclear Weapons Security Level III System.

- Completed Submarine Security Concept

- Designed, built and tested advanced intrustion sensors.

o Other FY 1986 Accomplishments.

- Completed Waterside Security System demonstration.

- Initiated Waterside Security System development.

- Revised Test and Evaluation Master Plan and Navy Training Plan.

b. (U) FY 1987 Program:

° Shipboard Nuclear Weapons Security Level II System.

- Complete Level II risk management program.

- Complete Level 11 advanced development model design.

- Complete Level Il system software.

Start Level II advanced development model fabrication.

Shipboard Nuclear Weapons Security Level III System.

- Maintain Navy Training Plan.

· Waterside Security System

· Initiate command and control software development.

- Commence automatic sonar detection and alert capability development.

(U) FY 1988 Planned Program:

° Shipboard Nuclear Weapons Security Level II System.

- Complete fabrication of advanced development models.

- Complete laboratory and shipboard tests of advanced development models.

Start design of engineering development models.

Shipboard Nuclear Weapon Security Level III System.

- Complete testing of prototype Submarine Security System.

- Test Level II System with Level III sensors.

- Complete vertical launch system (VLS) and armored box launch (ABL) security system prototypes.

Program Element: 63571N

Title: Physical Security

- \* Waterside Security System
- Continue command and control software development.
- · Continue automatic sonar detection and alert capability development.
- d. (U) FY 1989 Planned Program:
- ° Shiphnard Nuclear Weapon Security Level II System.
  - Move into full scale development.
- ° Shipboard Nuclear Weapon Security Level III System.
- · Move Submarine Security System into full scale development.
- Move all Level III System sensors into full scale development.
- Integrate VLS and ABL security suites with the Level II System.
- " Waterside Security System
- Continue command and control software and automatic sonar detection capability developments.
- . (U) Programs to Completion:
- ° Transition secure structure advanced development models (tarriers and locks) to engineering development in FY
- o This is a continuing program.
- f. (U) Major Milestones:

#### MILESTONES

DATE

FY88/1Q FY88/4Q FY89/4Q

- Award control console advanced development model contract for Waterside Security System.
  - Complete Shipboard Nuclear Weapon Security Level II advanced development model phase.
- Complete Shipboard Nuclear Weapon Security Level III Advanced development model phase.
- i. (U) TEST AND EVALUATION DATA: Not Applicable.

# FY 1988/89 RDT&F DESCRIPTIVE SUMMARY

Title: Chalk Eagle Budget Artivity: 4 - Tactical Programs Program Element: 63576N DoD Mission Area: 237 - Naval Warfare Surveillance & Reconnaissance

A. (II) FY 1988/89 RESOUNCES (PROJECT LISTING): (Dollars in Thousands)

Ð	×	W/W	ted
Total Estimated Cost		Z	1 fm1
Total Estim Cost			of
fon	N/A	V/N	and
Additional to Completion			ication
Adc			classif
			B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Details of this program are of a higher classification and of limited access.
es Fe	31	31	æ
FY 1989 Estimate	99,631	99,631	are o
88 ate	89.451	89,451	ogram
FY 1988 Estimate	89.	89,	ts pr
87 Bte	628	628	of th
FY 1987 Eatimate	75,628	75,628	8 1 1 s
	1 70	70	Det
FY 1986 Acrual	406,99	706,99	NEED:
	•		STON
			O MIS
	•		A TN
	TOTAL FOR PROGRAM ELEMENT		ELEM
	Z #3		R OF
	PROG	e m	TAIL
	FOR	Eag	DESC
Title	TOTAL	Chaik Eagle	BRIEF
Project No.			B. (U) E
Pro.		R1578	B. ■CC

# FY 1988/89 RDI&E DESCRIPTIVE SUMMARY

Title: Shipboard Laser Weaponry
Budget Activity: 4 - Tactical Programs Program Element: 63577N DoD Mission Area: 232 Amphibious, Strike And Anti-Surface Warfare

A. (U) FY 1988/89 RESOLFCES (FROJECT LISTING): (Dollars in Thousands)

Total Estimated	Cost	Continuing	Continuing
Additional	to Completion Cost	Continuing	Continuing
FY 1989	Estimate	2,874	2,874
FY 1988	Estimate	1,432	1,432
IY 1987	Estimate	0	0
FY 1986	Actual	0	С
	Iftle	TOTAL FOR PROGRAM ELEMENT	MEDUSA Technology Demo
Project	No.		02618

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

B. (U) BRIEF DESCRIPTION OF FLEMENT AND MISSION NEED:

<sup>(</sup>II) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) Not applicable. ٠.

<sup>(</sup>U) OTHER FY 1988/89 APPROPRIATION FUNDS: None. D.

<sup>(</sup>U) RELATED ACTIVITIES: None. <u>.</u> ندا

F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Surface Weapons Center, Dahlgren, VA; Naval Vir Development Center, Warminster, PA; Naval Pesearch Laboratory, Washington, D.C. CONTRACTORS: To be determined.

Program Element: 63577N

Title: Shipboard Laser Weaponry

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

(U) Project X1920, MEDUSA Feasibility Demonstration:

1. (U) Description:

2. (U) Program Accomplishments and Future Efforts:

1. (U) FY 1986 Program: Not applicable.

b. (U) FY 1987 Program: Not applicable.

c. (U) FY 1988 Pianned Program:

Results will provide a foundation for subsequent engineering design. • A feasibility demonstration program will be established to assess performance and safety of

Complete design of an advanced technologies demonstration system.

Pabricate the advanced technologies demonstration system for use in system performance and safety tests.

d. (U) FY 1989 Planned Program:

° Conduct tests to investigate

o Investigate methods for establishing accurate target acquisition and tracking.

o Investigate methods to reduce system susceptibility to countermeasures.

° Investigate

° Complete test reports and initiate system design specifications.

Program Element: 63577N

Title: Shipboard Laser Weaponry

e. (U) Program to Completion:

<sup>o</sup> This Technology Demonstration concludes in FY 1990. If the feasibility demonstration is successful, plans are to proceed to full-scale engineering development starting in FY 1990.

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not Applicable.

1. (U) TEST AND EVALUATION DATA: Not Applicable.

## FY 1988/89 RD1&E DESCRIPTIVE SUMMARY

Program Element: 63578N DoD Mission Area: 238 - Other Naval Warfare

Title: A4W/Aig Nuclear Propulsion Plant Budget Activity 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total Estimated Cost	196,600	196,600
To Completion GC	0	0
FY 1989 Estimate	1	1
FY 1988 Estimate	ı	1
FY 1987 Estimate	3,308	3,308
FY 1986 Actual	3,145	3,145
<u>Title</u>	TOTAL FOR PROCRAM ELEMENT  87 A4W/AlG Aircraft Carrier Type  Dual Reactor Nuclear Propulsion	Plant
Project No.	50387	

b. (U) BRIEF DESCRIPTION OF FIRMENT AND MISSION NEED: This program element is an integral part of a joint Navy/Department of Energy effort directed towards testing, improving, and evaluating a two-reactor plant for use in NIMITZ Class aircraft carriers. Advances in the reliability and performance of these plants are vital to the accomplishment of the Navy's mission, C. (U) EXPLANATION OF CANCELLATION ON DEFERRAL: The A4W/AlG development effort has reached the point where the work is becoming generic in nature and therefore applicable to both A4W and other types of nuclear propulsion plants. Consequently, this vital work beginning in FY 1988 will be funded under the existing program element Advanced Nuclear Reactor Components and Systems Development, P.E. 63570N, Project S1258.

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Flement: 63582N DOD Mission Area: 239 - Naval Unassigned

Title: Combat System Integration Budget Activity: 4 - Tactical Programs

Tote1

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	<u>Title</u>	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	Fy 1989 Estimate	Additional to Completion	Estimated
79108	TOTAL FOR PROGRAM ELEMENT Combat Systems Integration	19,978 19,978	14,362 14,362	10,109	10,467	Continuing Continuing	Continuing Continuing

The above funding includes out-year escalation and encompasses all work and devolopment phases now planned or anticipated through

weapons and sensors to ensure the program is fully operational when delivered to the ship. Past experience has proven this is a wital stop in guaranteeing the reliability of a ships combat capability. Included in this engineering process is the coordination land based test site before installation on a combat ship. This allows complete testing of the soldware with actual or simulated modifications to in-service surface ship system computer programs required to effectively employ the warfighting systems of new This program assembles and tests Combat Direction System software in a and configuration control of computer program development and testing. This project provides for the integration and testing of BRIEF DESCRIFTION OF ELEMENT AND MISSION LETT: and upgraded verpons and sensors.

to GRH and Department program/budget adjustments. In FY 1987, a decrease of 9,689 is due to a Gengressional action and adjustments C. (II) COMPARISON WITH THE FY 1987 DESCRIPTIVE SUMMAPY: (Dollars in Thousands) The changes between the funding profile shown in and Department program/budget adjustments. In FY 1988, a decrease of 15,751 was due to a Department program/budget adjustment the PY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: In FY 1986, a decrease of 1,984 is due which transferred part of the effort to PE 64518H, and a NIF rate adjustment.

(1) FUNDIEG AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Total

Preject No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Estimated
20164	TOTAL FOR FROCKAM HILLENT Combat System Integration	20,436	21,962 21,962	24,051	25,860 25,860	Continuing Continuing	Continuing Continuing

Program Element: 63582N

Title: Combat System Integration

- D. (U) CTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.
- applied to ship combat system modernization and upgrade. Related activities are: PE 24221N, Light Airborne Multi-Purpose System 146. 11 for FFG and CG 47; and FL 64361N, NATO SEA SPARROW. Computer programs for which interfaces are developed and teated at the (U) EELALD ACTIVITIES: This program performs technical integration and engineering evaluation of combat systems and combat Integrated Combat System Test Facility are produced under the fullowing programs: PE 64372N, New Threat Upgrade; PE 64508N, Radar Surveillance Equipment; PE 25620N, ASW Comtat System Integration; PE 64367N, TCMAMAUK Missile System; and PE 24221N, Light Airborne Multi-Purpose System MY 111. In addition, Novy Tactical Data System computer program changes are developed under PE 64518N, system design concepts in order that integration concepts developed under multiple efforts can be efficiently and effectively Combat Information Center Conversion; Fe 64369N, 5" Rolling Airframe Missile; PE 64231N, Tactical Command Centers.
- Project SO164, IN-HOUSE: Naval Surface Weapons Certer, Dahlgren, VA; Floot Comhat Direction System Support Activity, Dam Neck, VA and San Diego, CA; Integrated Combat System Test Facility, San Diego, CA; Naval Surface Weapon CONTRACTORS: Automation Industries, Incorporated, Vitro Sperry UNIVAC, Saint Paul, MN; Raytheon Electronics Systems Division, Golera, CA; Advanced Technology Systems Engineering Station, Port Hueneme, CA; Naval Ocean Systems Center, San Diego, CA; Naval Air Development Center, Warmin Incorporated. Peston, VA; and The Johns Hopkins University, Applied Physics Laboratory, Laurel, MD. ster, PA; and NAVSEA Combat Systems Engineering Station, Norfolk, VA. (U) WORK PERFORMED BY: Let, Silver Spring, MD;
- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable.
- H. (U) PROJECTS CVER SIG MILLICH IN FY 1988/89:
- (U) Project S0164, Combat System Integration
- Interfaces with the new systems and interfacing combat system computer programs are assembled at the Integrated Combat System for in-service ship class combat system computer programs are developed and tested. Combat system level configuration control is tively employ now and upgraded weapon and senson systems. Navy Tactical Data System programs modified to implement the digital Integrated Test Facility for integration testing prior to initial Fleet introduction. Overall Combat System Operability Tests continued by updates of the Surfee Ship Combat System Master Plan which authorizes the current and future taxelines for each ship 1. (U) Description: Efforts under this project test responsive combat system computer program interfaces to effec-

Frogram Element: 63582h

Title: Combat System Integration

- 2. (U) Program Accomplishments and Future Efforts:
- 1. (U) FY 1956 Program:
- Compl. 1 development and testing of AN/SLQ-32(V)3 Electronic Warfare System computer program.
- completed development and initiated Integrated Combat System Test Facility testing of new Navel Inctional These interfaces include: New Threat Upgrade systems and AA/SIQ-32(V)3 Electronic Wariare System in CG 16/26 Class; and Anti-Sulmarine Warfare Control System, Light Airborne Multi-purpose System NY in and integrated Target Acquisitier/Improved Point Defense in DD 963 Class. Data System computer program digital interfaces.
- faces. Improvements include plans for New Threat Upgrade systems, HARPOON 10 Surface Missile System and AN/SLQ-32(V)? Electronic Warfare System and MARPOON: 1C Surface Missile System integration in DDG 993 Class (FY AN/SLQ-32(V)3 Fleetronic Warfare System integration in CGN 38 Class (FY 1989); New Threat Upgrade Systems, 1987-88); and Anti-Submarine Module, TPX-42, and NATO Sea Spargow Missile Systems programs in CV/CVN Classes. ° Continued development of new capabilities in Baval Tactical Data System computer programs for digital inter-
- o Initiated development of new capabilities in Naval Tactical Data System computer programs with digital interfaces. These Interfaces include: Shipboard Gridlock System/Autometic Correlation and HARPYON IC Surface Fissile System integration in CG 16/26 Class (FY 1988); Electronic Warfale Control System, Navigation Similar Scutte Integration System and Ship Certial Identification, Friend or Foe System Integration in DD 963 and CV/CVN Classes (FY 1991-1992).
- ° Continued modification of the Integrated Combat System Test Facility test bed tor FY 1987-1989 testing of DD 963, DDG 993 and CC 38 Class combat system upgrades.
- o Updated the Surface Ship Combat System Master Flam.
- b. (U) FY 1987 Program:
- ° Complete testing of new dayel Tactical Data System computer program digital inverfaces including: New Threat Control System, Light Airborne Multi-Purpose System Mark III and Integrated Target Acquisition System/Improved Upgrade systems and AM/SLQ-32(V)3 Electronic Warfarc System in CG 16/26 Class; and Anti-Submarine Warfare Point Defense Missile System in LD 963 Class.

Propram Element: 63582N

Title: Combat System Integration

- System computer program digital interfaces New Threat Upgrade Systems, AR/SLO-32(V)2 Electronic Warfare System and MAEMKAN NC Surface Missile System in DLX 993 Class; and Anti-Submarine Module, TPX-42 and NATO Sea Sparrow s complete development and initiate Integrated Combat System Test Facility testing of new Naval Tactical Data Missile Systems programs in CV/CVN Classes.
- development of new Overall Combat Systems Operability West procedures for upgraded CG 16/26, CCN 38, CV/CVN, DD 963 and DDC 993 Class Combat Systems.
- 'Initiate development of new capabilities in Naval Tactical Data System, computer programs with digital interfaces with Harpoon 10 Surface Missile System, OUTBOARD II and Combat DF in DD 963 Class (FY 1990); and Light Airborne Multi-Purpose System Mk lii in DLC 993 Class.
- capab: lities in Naval Tactical Duta System computer programs for digital interfaces with systems in CCN 38, CG 16/26, and DDG 993 Classes. \* Continue all other PY 1986 developmental efforts for new
- ° Continue modification of the Integrated Combat System Test Facility test bed for 1988-1990 testing CG 16/26, CGN 38, CV/CVN, DD 963 and DLG 993 Class combat system upgrades.
- " Update the Surface Ship Combat System Master Plan,

### . (U) FY 1988 Planned Program:

- Complete testing of new Navel Tactical Data System computer program digital interfaces with New Threat Upgrade Systems, AN/SLQ-32(V)2 Electronic Walfare System and HARPOON IC Surface Missile System in DDG 993 Class; and Shipboard Gridlock System with Auto Correlation in CC 16/26 Class.
- \* Commence development of test procedures and modifications to Integrated Combat System Test Facility in Officer in Tactical Command Information Exchange System and Ships Signals Exploitation Space and with existing faces with new systems including Command and Control Processor, Afloat Correlation System, Outboard II, preparation for FY 1990-1991 integration testing for Advanced Combat Direction System, Block 1 digital intershipboard systems in CG 16/36, CGN 38 and CV/CVM Classes.
- ° Continue development of new Overall Combat System Operability Test procedures for upgraded CC 16/26, CGN CV/CVN and DD 993 Class Combat Systems.
- " Continue test preparation and modification of Integrated Combat System Test Facility test bed for 17 1989-1991 testing of CGN 36, CCN 38, CV/CVN, DD 963, DDG 993 and LHD 1 combat systems upgrades.
- ' Update the Surface Ship Combat System Master Plan.

Program Llement: 63582N

Title: Combet System Integration

### d. (U) FY 1989 Plannec Fregram:

Class; Light Airborne Multi-Purpose System MK III in DDG 993 Class; and SYS-2 Integrated Automatic Detection ° Complete testing of new Naval Tactical Data System computer program digital interfaces with New Threat Upgrade systems, AN/SLQ-327(V)3 Electronic Warfare System and HARPOON 16 Surface Missile System in CGN 38 and Tracking System with Target Acquisition System in CV/CVN Classes. ' Continue development of test procedures and modifications to Integrated Combat System Test Facility in Dieparation for FY 1990-1991 integration testing for Advanced Combat Direction System, Block 1 digital frterfaces.

. Continue development of new Overall Combat System Operability Test procedures for upgraded CGN 38 and DD 993 Class Combat System, Infilate development of procedures for CCN 36 and LHA 1 Classes. \* Continue test preparation and modification of integrated Combat System Test Facility test bed for FY 1990-1993 testing of CGN 36, CV/CVN, DD 963, DDG 993 and LHD I combat systems upgrades.

' Update the Surface Ship Combat System Master Plan.

(.) Program to Completion: This is a continuing program,

f. (U) Major Milestones: Not Applicable.

1. (II) TEST AND EVALUATION DATA: Not Applicable.

FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63591N DoD Mission Area: 113 - Airborne Strike

Title: Joint Advanced Systems Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousanda)

Project	FY 1986		FY 1988	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
No. Title	Actual	<u>د ا</u>			*/ Z	A/N
		0 128,499	231,550	236,620 236,620	N/N	N/A
R1859 Joint Advanced Systems			the property	are of a higher	and of limited	1 of limited
R. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED:		Details of	tills program			
*8@@QQ#						

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63601N DoD Mission Area: 234 - Mine Warfare

Title: Mine Development
Budget Activity: 4 - Tactical Program

A. (U) FY 1968/89 RESCURCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	4,272	12,808	17,382	29,523	Continuing	Continuing
S1556	New Generation Mines	4,222	4,887	12,696	19,771	Continuing	Continuing
51917	RECO	0	3,240	7,686	9,752	Continuing	Continuing
\$1932	CHARGER COLD	0	4,681	0	0	N/N	N/A

The above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through

- This program element provides for the development of new mines, mine systems, and major improvements to existing mine systems necessary to meet the Navy's requirement for mine warfare against B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: evolving targets into the 21st century.
- by Congressional and Department program/budget adjustments, -3,419 in FY 1988 by Department program/budget adjustments in anticipation of savings to be caused by the collaborative U.S./U.K. effort on this project, and a Department NIF rate adjustment. Descrittive Summary and that shown in this Descriptive Summary are as follows: New Generation Mines was reduced -1,687 in FY 87 C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: The significant changes between the funding profile shown in the FY 1987 PECO was reduced -726 in FY 88 by 9 Department budget/program adjustment and NIF rate adjustment. CHARGER GOLD, a program of higher classification, will be terminated after FY 1987.

Program Element: 63661M

Title: Nine Development

(U) FUNDING AS REFLECTION IN THE FY 1987 DESCRIPTIVE SUMMARY:

							Total
Project		FY 1985	FY 1936	FY 1987	FY 1988	Additional	Estimated
No.	Title	Actual	Estimate	Stimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	999	91,7,4	14,836	26,450	TBD	TBD
\$1556	New Generation Mines	.99	4,435	6,574	16,115	160,659	197,000
21917	RECO	0	0	3,343	5,412	48,935	978,09
\$1932	CHARGER GOLD	0	0	4,919	4,923	TBD	TBD

D. (IJ) OTHER FY 1968/89 APPROPRIATION FUNDS: None.

mine warfare support and include the Mine, Electrochemistry (power sources), and Explosives Block programs at NAVSWC, White Oak. The Surface Minelaying project, not yet assigned to a program element, will complement the New Generation Mines delivery analysis. Mine Development (Engineering) under PE 64601N includes several mine component and minefield planning and analysis tasks that will also complement the data base resulting from the New Generation Mines study. New Generation Mines will use insensitive munitions E. (U) RELATED ACTIVITIES: Exploratory development projects under PE 62315N involve a number of efforts with mine components and developed under FE 63609N. F. (U) WORK PERFORMED BY: IN HOUSE: Naval Surface Weapons Center, White Cak Laboratory, Silver Spring, MD; Naval Coastal Systems Center, Panama City, FL; CONTRACTORS: British Aerospace, Felton, England; Marconi Underwater Systems Ltd, Hampshire, England; Goodyear Aerospace Corp., Akron, OH; Honeywell Inc., Hopkins, MM.

G. (U) PROJECTS LESS THAN SIG MILLION IN FY 1988/89:

(W) Project S1917, RECO:

1. (0) Description: Develops equipment

Program Element: 63601N

Title: Mine Development

- 2. (U) Program Accomplishments and Future Efforts:
- . (U) FY 1986 Program: Not Applicable.
- b. (U) FY 1987 Program: Segin Advanced Development; identify development contractors.
- (1) FY 1988 Planned Program: Continue Advanced Development and complete development specifications for receivers; begin Full-Scale Development for receivers. ÷
- d. (U) FY 1989 Planned Program:
- Complete development specifications for transmitters and mine interfaces.
  - ' Begin Full-Scale Development for transmitters and mine interfaces.
    - ° Conduct Advanced Development Model tests of receivers.
- (A) Program to Completion: This is a continuing program which includes the following events:

MS 111	92/30
OPEVAL	92/10
MS 11	07/68

10C 95/10

- H. (H) PROJECTS OVER \$10 MILLION IN FY 1988/89:
- (V) Project S1556, New Generation Mines:
- 1. [w] Description: Develops a new offensive mine
- a. (U) FY 1986 Program:
- ° UK awarded contracts to two contractors for extended feasibility studies.
- " Initiated Data Base Expansion program. Data Base Expansion contracts were awarded to two U.S. contractors to help define early performance/interface issues and reduce development risks.

Program Element: 63601N

Title: Mine Development

"Improved data base by test analysis and cost/risk reduction tasks.

o Implemented plans for joint development.

° U.S./U.K. memorandum of Understanding (MOU) was signed 25 September 1986.

(U) FY 1987 Program ۵.

° Continue Data Base Expansion program.

° Design, build and test acoustic arrays.

 Evaluate extended feasibility study and make cost/performance tradeoffs. · Evaluate a method for tactically deploying the Advanced Sea Mine by air.

(V) FY 1988 Planned Program: ς.

Achleve Milestone I.

and analyze data. Test subsystems

Conduct System Requirements Review during project definition phase.

o Jointly test contractor's acoustic arrays in water.

Develop performance tests for Full-Scale Engineering Development.

Joint Project Office will award contracts to two companies for Project Definition.

(U) FY 1989 Planned Program: þ.

. Complete data base expansion program.

° Continue to monitor U.K. development and conduct system/subsystem tests.

° Continue project definition advanced development phase.

Conduct national testing/evaluation required to support project definition.

Continue joint U.S./U.K. project management of the program.

(U) Program to Completion: Monitor U.K. Full-Scale Engineering Development and conduct required acceptance tests for Advanced Sea Mine with 10C in the mid 1990s.

f. (U) Major Milestones: This program is a cooperative development between the U.S. and the U.K. Projected major milestones: are Milestone I in FY 88, Milestone II in FY 91, Milestone III

1. (U) TEST AND EVALUATION DATA: Not Applicable.

## FY 1988/89 RDTGE DESCRIPTIVE SUMMARY

Propram Element: 63602N DoD Mission Area: 237 - Naval Warfare Surveillance & Reconnaissance Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total Estimated Cost	N/A	of limited
Additional to Completion	N/A N/A	classification and
FY 1989 Estimate	273,744 273,744	program are of a higher classification and of limited
FY 1988 Estimate	189,495	this program
FY 1987 Estimate	42,408	Details of this p
	TOTAL FOR PROCRAM ELEMENT 0 Chalk Pine 0	BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED.
Project No.	P1950	B. (U)

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63609N

Title: Conventional Munitions

Budget Activity: 4 - Tactical Programs DoD Mission Area: 232 - Amphibious, Strike and Anti-surface Warfare

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

						Total	Total
Project		FY 1986		FY 1988	FY 1989	Additional	l Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	Cost	Cost
	TOTAL FOR PROGRAM ELEMENT	19,393	29,697	34,014	36,902	Continuing	Continuing
S0363	Insensitive Munitions						
	Advanced Development	12,731	18,983	24,710	26,919	Continuing Continuing	Continuing
S1821	Conventional Fuze/Warhead						
	Package	6,662	10,714	9,304	9,983	Continuing Continuing	Continuing

As this is a continuing program, the above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

stimuli with no reduction in combat performance and meet the CNO goal, as expressed in OPNAVINST 8010.13A, of transitioning to explosives/warheads/fuzes, and pyrotechnics to reduce the severity of cookoff and bullet/fragment impact reactions, minimizing probability for sympathetic detonation both in normal storage and in use, increasing ship survivability and satisfying performance and readiness requirements. Each technology area is divided into sub tasks addressing specific munition/munition munitions systems. The program is being close y coordinated with all other services to eliminate redundant efforts and maximize coordinated with NATO and other allied countries to assure interoperability and maximize logistic and cost advantages in exposed to unplanned stimuli such as fire, shock and bullet impact, thus presenting a great hazard to ships, aircraft, and This program will provide, validate and transition technology to enable production of munitions insensitive to these class IM deficiencies. Energetic materials producibility is demonstrated to assure national capability to produce and load efficiency. A joint Service IM requirement has been developed. Insensitive munitions developments and requirements are waterials development. Fifty three munitions/munitions classes: Harpoon, Tomahawk, RAM, Maverick, Phoenix, HARM, Sidewinder, B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Insensitive Munitions (IM): Most Navy munitions react violently when insensitive munitions by 1995. The IM Advanced Development program is the Navy's focused effort on propellants/propulsion units, Penguin, 76mm, Hellfire, AMDAAM, SPARROW, etc. depend on this program to render them insensitive. The changes between the funding profile shown in C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 beacriptive Summary are as follows: in Project S0363 in FY 1987 a

Program Element: 63609N

Title: Conventional Munitions

funding by warfare aponsors. In Project S1821 in FY 1986 a decrease of 3,349 GRH and Department program/budget adjustments, in FY 1987 a decrease of 6,469 Congressional action and adjustments, and in FY 1988 a decrease of 7,617 Department program/budget and NIF rate adjuctments. These increases are the result of significant Department increases in insensitive munitions transition decrease of 4,716 Congressional action and adjustments, and in FY 1988 an increase of 2,346 is due to Department program/budget adjustments.

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Total	Estimated	Cost	Continuing Continuing		Continuing Continuing		Continuing Continuing
	Additional	to Completion	Continuing		Continuing		Continuing
	FY 1988	Estimate	39,285		22,364		16,921
	FY 1987	Estimate	40,882		23,699		17,183
	FY 1986	Estimate	21,924		11,913		10,011
	FY 1985	Actual	12,233		5,720		6,513
		Title	TOTAL FOR PROGRAM ELEMENT	Insensitive Munitions	Advanced Development	Conventional Fuze/Warhead	Package
	Project	No.		50363		S1821	

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.

62111N (AAW/ASUW Technology) (insensitive propellants)), and (warhead vulnerability and insensitive fuze designs)), and PE 62315N (Mine and Special Warfare) (explosives development and safety)). PE 63262N (Aircraft Ordnance and Safety), develops cookoff Program). Development program technology has been provided to the other services with Navy as the lead service, for insensitive PE 61153N (Defense Research Sciences (energetic materials research)), PE improvement technology for air weapons. Advanced development programs are: PE 64602N (Naval Gunnery Improvement LOVA - 76mm and 5"/54 (insensitive gun propellant)), PE 64603N (Unguided Conventional Aircraft Weapons (bomb qualification with PBX explosive)), and PE 64609N (Bomb/Fuze Improvement (bomb improvement with PBX booster and main charge)). Cooperative technology transfer efforts with all weapons project offices are in progress. Close liaison is maintained with PE 63514N (Shipboard Damage Control Activities relating to the Conventional Fuze Warhead Package are: Previously identified 6.2 efforts (Undersea Warfare Weaponry Technology), PE 64603N (Bomb improvement Program), PE 64602N (Gun Ammunition Improvement Program), PE 63609N (Conventional Munitions/Insensitive Munitions Advanced Development), PE 64369N (ROLLING AIRFRAME Missile), and PE 64354N (SPARROW Missile). Examples of cooperative actions currently ongoing are Air Force bomb and Army propellant projects. Related programs are: E. (U) RELATED ACTIVITIES: munition development.

F. (U) WORK PERFORMED BY: For Insensitive Munitions: Work is performed in-house with major participation by Naval Surface Weapons Center, Dahlgren, VA; Naval Weapons Center, China Lake, CA; Naval Weapons Station, Yorktown, VA; Naval Ordnance Station, Indian Head, MD; Naval Weapons Support Center, Crane, 1N; Naval Weapons Station Earle, Colts Neck, NJ.

Program Element: 63609N

Title: Conventional Munitions

General Dynamics, Pomona, CA; Raytheon, New Bedford, MA; Santa Barbara Research, Santa Barbara, CA, and For Conventional Puze Warhead Package: In House: Naval Surface Weapons Center, Dahlgren, VA; and Naval Weapons Center, China Motorola, Scotsdale, AZ. Lake, CA. CONTRACTORS:

- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not applicable.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:
- (U) Pro ect S0363 Insensitive Muntions Advanced Development
- project provides for advanced development of insensitive high performance explosives, propellants, and pyrotechnics that burn In transportation or shipboard storage configurations, the detonation will usually be transfered to nearby munitions, resulting in mass detonation of a storage area, ship magazine, or This sequence of events leads to loss of ship/combat capability and lives. This project addresses that critical problem by providing validated technology to weapon developers for design and fabrication of munition systems that are insensitive to unplanned stimuli with no reduction in system performance. It addresses a CNO policy for complete transition to Energetic materials and design concepts for propulsion, fuzes, warheads, and pyrotechaics are available from exploratory development programs. Although preliminary testing indicates a marked improvement in insensitivity (U) Description: Many Navy munitions react violently (detonate) when exposed to unplanned stimuli such as fire, Rocket motor, case, warhead, and fuze hardware design are optimized to further reduce reaction violence. and performance over existing systems, advanced development is required before technology is useful to weapon designers. fragment and bullet impact, shaped charge impact, and shock. insensitive munitions by 1995. rather than detonate.
- 2. (U) Frogram Accomplishments and Future Efforts:
- a. (U) FY 1986 Program
- incveloped Data Base for Navy munitions per Navy Technical Requirements.
- Deveiuped plans to expand the program into an insensitive munitions technology program. Published plans for expanded program.
- Completed large-scale safety/vulnerability and performance testing of underwater explosives for torpedoes, mines, and destructors.
- ° Completed large-scale safety testing of a more producible explosive for SIDEWINDER and a deformable explosive for a selectively aimable warhead for STANDARD Missile.

Program Element: 63609N

Title: Conventional Munitions

° Completed advanced development on PBXM-7 cook-off resistant booster.

Conducted ballistic tests against armor materials for various warheads.

Started design of Thermal Active Intervention Systems.

° Initiated advanced development of insensitive warhead and rocket motor for PENGUIN.

° Completed first phase of large scale safety/vulnerability testing of Low Vulnerability propellant.

\* Selected three test bed rocket motor cases and five propellant formulations for advanced development studies.

Demonstrated thermal battery cook-off to initiate mitigating devices requiring an electrical signal.

Conducted assessment of pyrotechnics for insensitive munitions compliance.

### b. (U) FY 1987 Program:

° Complete list of Navy priorities for munition fixes.

Continue validation and short-fall analysis of POAGMs submitted by program offices.

Conduct safety and vulnerability tests on high performance explosives PBXW-9 and PBXC-126.

Complete advanced development of rBXM-115, PBXM-103 and PBXC-121 explosives.

Select final compositions for very insensitive explosives for large warheads and GP-bombs.

o Identify an insensitive explosive for Zuni, Hellfire and Advanced Cluster Munitions.

Evaluate feasibility of binary and non-aqueous slurry explosives for IM applications.

Recommend reactive case warhead designs.

Recommend composite materials for warhead designs.

UNCLASSIFIED

840

Program Element: 63609N

Title: Conventional Munitions

- . Select candidate armor materials for warhead designs.
- o initiate methods to predict the following: warhead behavior to stimuli; materials characterization; effects case concepts to minimize sympathetic detoration; effects of advanced initiation between stimuli and warhead/fuze systems and between booster and technology to reduce the sensitivity of generic warhead
- Complete advanced development of insensitive rocket motor and warhead for PENGUIN.
- ° Complete large scale testing of LOVA gun propellants.
- Initiate large scale safety/vulnerability testing of generic rocket motor designs.
- Evaluate mitigation devices to reduce munitions reaction violence during cook-off.
- o Initiate methods to predict motor reaction violence to stimuli.
- o investigate mechanical energy input threat reduction with work on cases and liners combined with use of Protection from thermal input threats will be developed using both passive (e.g. strip laminate cases) and active concepts. insensitive explosives.
- boad and test-fire conventional propellants in generic motor cases.
- o Start fabrication of mitigation devices and hybrid motor cases.
- Start advanced propellant scale-up work.
- Vulnerability assessment of pyrotechnics and cartridge and propellant actuated device.
- . Test improved decoy and colored flares.
- Plans in the various technology areas are as follows: (U) FY 1988 Planned Program:
- All of the warhead/fuze work in FY 1986 will be continued through FY 1987 and FY 1988 with major technology output expected to be available to weapon developers in FY 1988 and FY 1989.

Program Element: 63609N

Title: Conventional Munitions

- Continue validation and short-fall analysis of POA&MS and update munitions data base.
- Start advanced development of high energy PBXW-119.
- Assist in the qualification of new explosive for Wide Area Missile.
- Complete large-scale/performance testing of PBXW-9/C-126 and PBXC-13/203.
- Limited large scale performance testing of nonaluminized AFX-108 explosive for large volume fragmenting warheads.
- bombs. G Pilot plant scale-up and safety testing of insensitive melt-cast PBX's for large warheads and
- documentation, new explosives processing techniques, continuous processing and injection molding pilot plant scale-up of high-energy PBX's, and underwater explosives testing Continue development of predictive methods, and analysis.
- Test full-scale reactive case warheads and recommend advanced reactive case warhead design.
- Complete development of Thermal Active Intervention Systems technology.
- o initiate vuinerability tests of mitigation designs for slow cookoff, fragment and schok impact, etc.
- Continue development of hazard testing of test bed rocket motor, high performance, insensitive propellant scale-up, propellant vulnerability characterization, insensitive propulsion predictive methods, and improved (Much of the first generation technology for insensitive propulsion will be completed in FY gun propellants.
- Develop venting/pressure relief devices and insensitive fuzing for high-priority pyrotechnics munitions.
- cartridge and propellant actuated pyrotechnics and for of technology improvements testing • Verification
- Develop packaging alternatives for additional weapons as required by assessment.
- Plans in the various technology areas are as follows: (U) FY 1989 Planned Program: Ġ.

842

Program Element: 63609N

Title: Conventional Munitions

- Continue validation and short-fall analysis of POA6Ms and update munitions data base.
- Complete large scale safety testing of insensitive melt-cast PBXs for large warheads and GP-bombs.
- Complete demonstration of reactive case design and transition to munitions developer.
- Demonstrate advanced initiation systems for warheads.
- ° Complete large scale vulnerability testing of advanced Navy propellants.
- Perform preliminary vulnerability tests on advanced propulsion concepts.
- Continue verification testing of technology improvements for pyrotechnics and cartridge and propellant actuated devices.
- e. (U) Program to Completion: This is a continuing program.
- (U) Major Milestones: Complete development and testing of the following insensitive munition efforts for transition to engineering development:

	Milestone	Date	e t		
;	Improved undervater explosive	£	1987	(fourth	FY 1987 (fourth quarter)
2.	Deformable explosive for directional warheads	Ŧ	1987	(fourth	FY 1987 (fourth quarter)
3.	Insensitive rocket motor and warhead for PENGUIN FY 1987 (fourth quarter)	ጟ	1987	(fourth	quarter)
4	High output insensitive axial boosters for missile	e			
	warheads	7	1988	(fourth	FY 1988 (fourth quarter)
د	LOVA Gun Propellant	ጟ	1988	(fourth	FY 1988 (fourth quarter)
9	Explosiv, ith improved producibility		1989	(fourth	FY 1989 (fourth quarter)
7.	Composite and armored warheads	፫	1989	(second	FY 1989 (second quarter)
œ	High performance explosive for shaped charge				
	Warheads	ጟ	1989	(fourth	FY 1989 (fourth quarter)
9.	Non-aluminized PBX for missile warheads	F	1989	(fourth	FY 1989 (fourth quarter)
10.	Explosive with improved air-blast characteristics FY 1990 (fourth quarter)	፫	1990	(fourth	quarter)
11.	High energy explosives for shaped charge				

Conventional Munitions FY 1989 (fourth quarter)
FY 1989 (fourth quarter)
FY 1990 (fourth quarter)
FY 1990 (second quarter)
FY 1990 (fourth quarter) FY 1989 (fourth quarter) FY 1990 (fourth quarter) Large scale testing of advanced propellants High output insensitive radial boosters for Melt cast insensitive explosives for large Insensitive rocket motor concept Slow Cookoff mitigating device missile warheads and GP-bombs New fuzing/detonator concept Reactive case warhead missile warheads applications Program Element: 636-9N 16. 13. 15. 17.

Title:

# (U) Project S1821 Conventional Fuze/Warhead Package:

extremely low altitudes; product improve SPARROW missile fuzing; develop the EX-412 mid-range IR fuze for ROLLING AIRFRAME The Navy requires improved lethality for air and surface launched ordname to defeat advanced Curren: specific requirements and initiatives to address them include: defeat anti-ship missiles attacking at Missile (RAM) to defeat existing and near-term low-altitude threats; demonstrate fuzing solutions to defeat advanced low-altitude threats in the lear 2000 and beyond; develop and demonstrate advanced missile fuzing systems to defeat low-observable targets of the year 2000 and beyond; demonstrate the performance and insensitivity improvements of reactive case warheads over conventional while reducing loginties costs. This project will, in future years, also provide the vehicle to address new requirements by transitioning matured potential fuze and warhead technology from conceptual developments into engineering development with warheads; develop and demonstrate a single multi-function projectile fuze to optimize performance and operational flexibility minimum technical and financial risk. (U) Description: threats.

# (U) Program Accompilishments and Future Efforts:

#### (U) FY 1986 Program:

- ° ixsigned fabricated and successfully tested SPARROW fuze brassboard at the encounter simulation laboratory and in captive carry tests.
- o Imsigned and fabricated SPARROW fuze test set.
- Developed and evaluated SPARROW guidance algorithms.

Program Element: 63609N

Title: Conventional Munitions

- Completed SPARROW low altitude Product Improvement Program (PIP) Documentation.
- RAM EX-412 Fuze Development group initiated design of critical signal processing schemes and awarded contracts brassboard design. In addition, two parallel contracts have been awarded for industry brassboard designs. for detectors, filters and coolers for inclusion in the i.-house Naval Weapons Center, China Lake,
- Generic low ittude fuze RF target data measurements and sea clutter measurements were conducted.
- Signatures measurements and analysis program were continued for the low observable fuze.
- Breadboard advanced development contract was completed by Motorola and in-house advanced development was continued for the multi-function projectile fuze.
- Laboratory reactive case warhead material output tests were conducted and initial penetration configurations were designed.

### b. (U) FY 1987 Program:

- The SPARROW low altitude fuzing PIP Full Scale Engineering Development (FSED) contract will be awarded in the The contractor will conduct producibility engineering of the government furnished design disclosure package and fabricate 28 low altitude capuble guidance sections for test and evaluation. third quarter.
- RAM EX-412 mid-range IR fuze design and evaluation will continue at Naval Weapons Center and component contractors.
- In-house design efforts of a far-term solution to defeat advanced low altitude threats of the year 2000 and beyond will complete target/clutter discrimination measurements and algorithms and initiate hardware design of s multimode RF/IR fuze.
- Development of analytical models using ray tracing techniques will continue in the low observable fuzing Tests of fuzing performance against low observable models will be conducted at the encounter simulation laboratory, Naval Weapons Center.
- Multi-function projectile fuze advanced development will evaluate the Phase I brassboards at Naval Surface Weapons Center and fabricate Phase II brassboards at Motorola.

Program Element: 63609N

Tlile: Conventional Munitions

" The reactive case warhead project will complete evaluation of candidate materials for optimum lethality and functioning as an insensitive munition.

### c. (U) FY 1988 Planned Program:

- \* Technical Evaluation (TECHEVAL) will be conducted on the SPATION low-altitude fusing PIP.
- \* The RAM low-altitude EX-412 fuze project will award two advanced development contracts to design and initiate fabrication of advanced development brassboards.
- \* The generic low-altitude fuze project will develop hardware for the multimode RF/IR fuze.
- Development of advanced fuze concepts will continue for low-observable fuzing.
- \* The multi-function projectile fuze advanced development project will evaluate Phase II brassboards at Naval Surface Weapons Center and fabricate Phase III brassboards at Motorola,
- \* The reactive case warhead project will design and fabricate demonstration hardware.

### d. (U) FY 1989 Planned Program:

- \* Operational Evaluation (OPEVAL) will be conducted for the SPARROW Low Altitude Fuzing PIP.
- The KAM Low Altitude EX-412 Fuze will complete advanced development.
- The Generic Low Altitude Fuze project will fabricate fuze prototypes.
- The low Observables Fuze project will fabricate prototypes.
- ° The Multi-Function Fuze project will complete Advanced Development and prepare for transition to FSED.
- " The Reactive Case Warhead project will complete fabrication of demonstration hardware.
- "Iransition multi-function projectile fuze to FSED.
- e. (U) Program to Completion:

Program Element: 63609N

Title: Conventional Munitions

- Complete SPAPROW 1c. altitude PIP through IOC in FY 1990.
- \* Demonstrate reactive case warhead hardware effectiveness in FY 1990.
- \* Complete RAM EX-412 fuze development through IOC in FY 1992.
- \* Demonstrate generic low-altitude fuze hardware in FY 1991.
- \* Demonstrate low-observable fuze hardware in FY 1992.
- Initiate new advanced development and demonstration ordnance tasks as required.

### f. (U) Major Milestones:

	Milestone II	Milestone IIIA	Milestone IIIA Milestone IIIB	100
SPARROW Low Altitude Fuze PIP	FY 86/4Q	FY 89/4Q	FY 90/4Q	FY 90/3Q
RAM EX-412 Fuze	FY 89/4Q	FY 91/3Q	FY 92/4Q	FY 92/4Q

I. (U) TEST AND EVALUATION DATA: Not Applicable.

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63610N DoD Mission Arra: 233 Anti-Submarine Warfare

Title: Advanced Warhead Development Budget Activity: 4-Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1983 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
\$1873	TOTAL FOR PLOCKAM ELEMENT Advanced Karhead Development	1 1		1 (	7,686	Continuing Continuing	Continuing Continuing

R. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program is designed to examine possible future improvements to the MK 50 Torpedo warhead

C. (U) COMPARISON WITH FY 1987 DESCRITTIVE SUPEMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary are as follows: In FY 87, a decrease of 7,434 due to Congressional action; in FY 88 a decrease of 11,749 due to Department program and budget adjustments.

# (11) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
51873	TOTAL FOR PROCPAM ELEMENT MK 50 Torpedo	3,140 3,140	1 1	7,434	11,749	Continuing Continuing	Continuing Continuing

848

UNCLASSIFIED

Program Element: 63610N

Title: Advanced Warhead Development

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: None.

E. (U) RELATED ACTIVITIES: Program Element 64610N, Torpedo MK 50 - Provides for full-scale development of the Torpedo MK 59. Program Element 62633N, Technology Development - provides for investigation, using diagnostic and analytical methods and equip-Program Element 64610N, Torpedo MK 50 - Provides for full-scale development of the Torpedo MK 50. ments, of new underwater warhead concepts.

CONTRACTORS: Naval Surface Weapons Center, White Oak, Silver Spring, MD. IN-HOUSE: F. (U) WORK PERFORMED BY: determined.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable

(U) Project S1873, Advanced Warhead Development:

(1) Project Description: Project S1873, Advanced Warhead Development was a new start in FY 85. This project provides for research into possible future improvements

The effort will explore existing as well as emerging technologies to conceptually develop improvements to the MK 50 Torpedo warhead during its life span.

2. (U) Program Accomplishments and Future Efforts:

a. (U) FY 1986 Program:

Program delayed due to Congressional action.

b. (U) FY 1987 Program:

Program delayed due to pending Congressional action.

c. (4) FY 1988 Planned Program:

Program delayed due to Navy priority shift.

d. (.) FY 1989 Flanned Program:

° Continue ° Begin lay out of "Weaponizable"

design trade-off studies.

and Follow Through (FT) designs,

849

Program Element: 63610N

Title: Advanced Warhead Development

- ° Continue fabrication of deformation targets.
- ° Continue development of analytic capability in the areas of damage assessment (i.e., warhead-target coupling)
  - Make preliminary analytic deformation/rupture and other target and warhead coupling predictions.
    - e. (U) Program to Completion:
- Decision to proceed, FY 1990, for further warhead development.
  - f. (U) Major Milestones: Not Applicable.
- R. (U) Explanation of Milestone Changes: Not Applicable.
  - H. (11) PROJECTS OVER \$10 MILLION IN FY 1988/89:
- 1. (U) TEST AND EVALUATION DATA: Not Applicable

UNCLASSIFIED

850

## FY 1988/89 HOTZE DESCRIPTIVE SUMMERY

Program Element: 63611M DoD Mission Area: 211 - Direct Fire Combat

Title: Marine Corps Assault Vehicles. (Advanced) Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESURCES (PRIMET LISTING): (Dollars in Trousands)

Continuing Estimated Oest to Completion Continuing Continuing Additional FY 1989 Estimate 13,497 FY 1988 Estimate 12,206 12,206 FY 1987 Estimate 8,535 8,535 ਰ ਨ ਨ ਨ ਰ FY 1986 Actual Stratified Charge Rotary Engine TOTAL FOR PROGRAM ELEMENT Project C1293 Ş.

As this is a continuing program the above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

- B. (U) HRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program element provides advanced development funds to design, demonstrate, and validate selected whoseled and tracked vehicles and engines which will meet the firepower and mobility requirements for amphibious operations and subsequent operations ashore in the 1990's.
- the FY 1987 Descriptive Surmary and that shown in this descriptive surmary are as follows: Stratified Charge Rotary Engine: The FY 1986 decrease of 6,203 resulted from FY 1985 program initiation delays which precluded execution of all appropriated FY 1986 funds. The FY 1987 decrease of 2,470 was due to Congressional undistributed reductions. The FY 1988 decrease of 1,115 is due to delays in hiring engineers for the John Deere facility in Woodridge, NJ. COMPARISON WITH FY 1987 DESCRIPTIVE SIMMRY: (Dollars in Thousands) The changes between the funding profile shown in

Program Element: 63611M

Title. Marine Corps Assault Vehicles, (Advanced)

2. (U) FUNDING AS HEPLECIED IN THE FY 1987 DESCRIPTIVE SUMMRY:

Total Estimated Oost	Continuing	Continuing
Additional to Completion	Continuing	Continuing
FY 1988 Estimate	13,321	13,321
FY 1987 Estimate	11,005	11,005
FY 1986 Estimate		
FY 1985 Actual	12,499 10,983	2,683 1,493
Title	TOTAL FOR FROM BLANDY Montie Frotected Our System Tanting Medical Committee (April 2)	Stratified Orange Ritary Engine
Project.	30036	C1293

The above furthing profile includes out—year excelation and encompasses all work and development phases now planned or anticipated through FY 1985 only for Project COO16 and Project COO20.

D. (U) OTHER FY 1988/89 APPHIPHIATIONS FINIS: Not applicable.

E. (U) RELATED ACTIVITIES: Module Protected On System: This effort was integrated into the Light Amored Vehicle program in Amphibias Vehicle Tracked (Experimental): This terminated program was related to the Marine Corps Assault read statement (Allow-on replacement alternative. Stratified Charge Rotary Brgine: This program is related to tracked and wheeled vehicle developments and product inprovements initiated in the 1990's when a lightweight, high-horsepower, multified

CONTRACTORS: John Deere Technologies International, Inc., Wood-F. (U) WORK PERCORNED BY: Stratified Charge Fotory Brighe: Ridge, NJ; INHOUSE: Naval Sea Systems Command, Washington, DC.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not applicable.

1. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

(1) Project C1293, Stratified Charge Rotary Angine:

1. (U) Description: This project is a Congressional initiative to develop a stratified charge rotary engine for Specific application in future military systems. Previous program prototypes will be modified and new engines developed. Specific advantages available with this engine family are a wide variety of DoD applications, increased power density, improved power/respones, wider first tolerance, improved reliability, availability, maintainability, durability and reduced life cycle

UNCLASS

Program Element: 63611M

Title: Marine Corps Assault Vehicles, (Advanced)

oosts. The engine will satisfy specific DoD multi-service needs in such applications as shipboard gererator sets, amphiblous/land tracked vehicles and fighting/tactical vehicles.

2. (U) Program Accomplishments and Puture Efforts:

а. (U) FY 1986 Program:

Jdn Dere Technologies, International unter the demonstration and validation contract, began design efforts. 0

Modified and tested previous program prototypes.

b. (U) FY 1987 Program:

Design, fabricate and evaluate the development design, two-rotor, 350 oubic inch stratified charge rotary engine. 0

o Continue to test previous program prototypes.

Prepare development design unit drawings for a two-rotor, turbodranged engine, (350 oubic inches per rotor), 750 hors-power, 3,600 revolutions per minute rated output. 0

c. (U) FY 1988 Planned Program:

Develop two rotor, 350 oubic inch, turbodranged 750 horsopower rotary engines and continue demonstration and validation. 0

o Develop reliability, availability, maintainability and durability data.

o Complete integrated logistic support plan.

o Deliver two engines for Covernment developmental testing.

d. (U) FY 1989 Planned Program:

o Commerce full scale engineering development phase.

Program Element: 63511M

Title: Marine Corps Assault Vehicles, (Advanced)

- Identify cardidate end item applications for argine integration.
- o Arsue engine component modularity to achieve a family of engines.
- o Commerce end item application integration efforts.
- e. (U) Program to Completion: Initiate reliability engineering (growth), durability, performence and environmental testing of the rotary engine. Combuct a 100 hour NATO cyclic endurance test.

### f. (U) Major Milestones:

DATE	FY 1988 FY 1988 FY 1991 Dependent upon test vehicle platform, i.e., Advanced Amphibious Assault Vehicle, motor transportation trucks, or shipboard/ground generators, or current Amphibious Vehicle.
Milestone	1. Milestore I 2. Milestore II 3. Milestore III 4. Initial Operational Capability

I. (U) TEST AND EVALUATION DATA: Not applicable.

## FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 63634N 100D Mission Area: 189 - Theater Wide Nuclear Warfare

Title: Tactical Nuclear Weapons Development Bouget Activity: 4 - Tactical Program Total

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	<u> Title</u>	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Estimated
S0342	TOTAL FOR PROGRAM ELEMENT Tactical Muclear Development	7,155 7,155	7,676	11,499	19,375 19,375	Continuing Continuing	Continuing Continuing

As this is a continuing program, the above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

- phase efforts to support modernization of Navy and Marine Corps tactical nuclear weapons. These nuclear weapon acquisition phases nuclear weapon acquisition phases will support the Chief of Naval Operations and Joint Chiefs of Staff directed modernization Additionally, research and development efforts to establish and maintain the tactical nuclear warfare technical base are for assessing, validating, and maintaining Electromagnetic Pulse hardness of surface ships. In addition, the Navy-Defense Nuclear B. (II) BRIEF DESCRIPTION OF FIENCENT AND MISSION NEED: This element provides the required Phase 1 (Weapon Conception), Phase 2 (Technical Feasibility), Phase 2A (Design Definition and Cost Study), Phase 3 (Engineering Development), and other development supported. The ship assessment program will continue the development of the EMPRESS II Electromagnetic Pulse freefield simulator Agency Technical Advisory Group (TAG-1) will continue the evaluation and assessment of current Electromagnetic Pulse hardening are, by joint Department of Energy - Department of Defense agreement, mandatory to nuclear weapon engineering development. practice with respect to criteria, engineering practices, and methodology for hardening.
- PY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: In FY 1986, a decrease of -605 is a C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the Department budget program adjustment, s NIF rate adjustment; in FY 1987, a decrease of -7,475 is the result of Congressional actions and adjustments; in FY 1988, decrease of -10,715 is a result of Department program and budget adjustments.

Program Element: 63634N

Title: Tactical Nuclear Weapons Development

(II) FINDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUPPLARY:

Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Estimated
50347	TOTAL FOR PROGRAM ELEMENT Tactical Nuclear Development	7,012	7,760	15,151 15,151	22,214	Continuing Continuing	Continuing Continuing

. (1) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable

Interface) support the planning preparations and production engineering phase for new tactical weapona. Program Element 63514N E. (U) RELATED ACTIVITIES: Program Element 63367N (SEA LANCE) and Program Element 64603N (Project W1844-Bomb Dummy Unit and A/C (Project Si607-Shipboard Damage Control) funds the hardware development and production of EMPRESS II, and (Project SO384-Ship Survivatility (Advanced)) supports EMP platform hardening as well as EMPRESS II tests of selected ships.

Sea Systems Command; Defense Nuclear Agency, Washington, DC. CONTRACTOR: Maxwell Laboratories, Inc., San Diego, CA; EG&G, Rockville, MD, Los Alamos Technical Associates, Inc, Los Alamos, NM; University of Maryland (Center for Environmental and Estuarine F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Surface Weapons Center, White Oak, Silver Spring, MD; Naval Underwater Systems Center, Newport, RI.; Naval Weapons Evaluation Facility, Albuquerque, NM; Atlantic Division, Naval Facilities Engineering Command; Naval Studies) Horn Point, MD.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable.

H. (U) PROJECTS OVER SIG MILLION IN FY 1988/89:

(II) Project SO342, Tactical Muclear Development:

1. (U) Jescription: This project provides the necessary work effort to support the Joint Chiefs of Staff and the Chief of involve weapon conception, feasibility determination, and cost analyses for tactical weapon developmenta. Tasks also include Naval Operations directed modernization of Navy-Marine Corps theater nuclear force weapons. These efforts are required by joint related to weapons effectiveness, weapon/platform/facility surivivability, and weapons support and employment. Department of Energy - Department of Defense agreement and are prerequisites to nuclear weapona engineering development. efforts

Program Plement: 63634N

Title: Tactical Muclear Weapons Development

# 2. (U) Program Accomplishments and Future Efforts:

#### (U) FY 1986 Program:

- . SEA LANCE Muclear Depth Bomb (NDB)
- Completed the Phase 2A Design Definition and Cost Study,
  - · Continued water-entry teating.
- · Completed Design and Validation (D&V) and BXX/NDB Phase 2A Integrated Logistics Support Plan (ILSP).
  - Initiated Pull Scale Development Phase (FSD) and BXX/NDB Phase 3 ILSP.
- \* Air-Delivered Muclear Depth/Strike Bomb (NDSD):
- Began Phase 2A Dealgn Definition and Cost Study.
  - Continued conceptual ILSP development.
- Navy/USMC XM785/W82 Projectile
- Completed conceptual 1LSP.
- Completed Phase 3 ILSP.

- Initiated Phase 4.

- EMPRESS 17 Electromagnetic Pulse Simulator
- Continued construction of 7.0 MV EMP Pulser.
- Completed acute marine biota experiments. Commenced sub-lethal marine biota experiments.
- Continue environmental lumpact statement proceas.
- Nuclear Survivability and Vulnerability
- Validated aurface ship translational velocity computer codes.
- Continued to develop submarine translational velocity computer codes.
- · Continued to develop vulnerability assessments and design improvement guidelines for hardened guidance computers and target detection devices.
- Continued development of the Navy-Marine Corps master list of Mission Critical Systems or Mission Essential Equipment for all platforms and systems.
  - Continued development of standards and specifications for hardening all combat platforms to nuclear environments.
    - Initiated assessment of the CC-47 class ship for RMP vulnerability.
- Continued development of nucluar survivability criteria for ships, submarines, aircraft, shore facilities, FMF material, missiles, and communications.

857

Program Element: 63634N

Titie. Tactical Nuclear Weapons Development

- Initiated Hardness Assurance, Maintenance and Surve, Ilance (HAMS) planning guidelines for aircraft.
  - Initiated EMP test planning.
- \* Miscellaneous
- Continued to develop and model Muclear AAW battle management simulations.
  - Continued to develop target-oriented tactical decision aids.
- Deferred
- SEA LANCE NDR Phase 3 Engineering Development.
- Development of Navy Unauthorized Launch Analysis (ULA) guideline instruction/handbook.
- Development of MIL-Standard Software Muclear Simulations (SNSA) and procedural instruction for software
- ° Terminated
- Naval Muclear Warfare Simulation support.
- SM-2(N) development.
- b. (U) FY 1987 Program:
- Air-Delivered Muclear Depth/Strike Bomb (NDSB)
- Complete Phase 2A Design Definition and Cost Study.
  - Complete conceptual ILSP development.
- Initiate Phase 3 Engineering Pevelopment.
- Initiate Phase 3 Navy/HSMC ILSP development.
- \* Navy/USMC XM785/W82 Projectile
- Continue Phase 4 ILSP development.
- Continue Phase 4 production engineering.
- \* B61 Bomb Stockpile Improvement Program (SIP).
- · Develop Hilitary Characteristics and Stockpile-to-Target sequence.
  - Initiate Phase 3 engineering development.
    - Initiate Phase 3 ILSP development.

Program Element: 63634N

Title: Tactical Nuclear Weapons Development

- . EMPRESS II Electromagnetic Pulse Simulator
- Complete construction of pulser.
- Complete non-pulsing subsystem tests.
- Complete sub-lethal marine biota experiments. Provide detailed plan for field observation and sampling.
- Complete environmental impact statement process.
- Nuclear Survivability and Vulnerability
- Complete data base for ahip and aubmarine cafe standoff ranges from underwater detonations.
- Continue to develop vulnerability assessments and design improvement guidelines for hardened guidance computers and target detection devices.
  - Continue EMP vulnerability assessments of surface combatants (CC-47, DD-963).
- Initiate revised survivability criteria based on updated nuclear threat environment.
- Initiate development of standards and apecifications for hardening all combat platforms to nuclear environments.
  - Initiate EMP hardened prototyping of topside equipment (CG-47, DD-963).
- Initiate EMP vulnerability assessment of precursor test ship.
  - Continue EMP ship test planning.
- Mf ace I leneous
- Update consolidated logistics data base for SEA LANCE, XM785/W82, and NDSB.
- Initiate development of Navy unauthorized launch analysis guideline instruction handbook.
- \* Deferred
- SEA LANCE Phase 3 engineering development.
- SEA LANCE shock and water entry testing.
- Muclear battle management simulations.
- Development of MIL-STD Software Nuclear Safety Analysis (SNSA).
- c. (U) FY 1988 Planned Program:
- \* Air-Delivered Nuclear Depth/Strike Bomb (NDSB)
  - Continue Phase 3 ILSP devolopments.
- Continue Phase 3 engineering development.
- \* Navy/USMC XM785/WR? Projectile
- Continue Phase 4 il.SP development.
- Continue Phase 4 production engineering.

Program Element: 63634N

Title: Tactical Nuclear Weapons Development

- \* R61 Romb Stockpile Improvement Program (SIP).
- Continue Phase 3 engineering development.
- Continue Phase 3 ILSP development.
- \* Muclear Survivability and Vulnerability
- Indate data base for ahip and submarine asfe standoff ranges from underwater detonations.
- Continue to develop vulnerability assessments and design improvement guidelines for hardened guidance computers and target detecting devices.
  - Continue planning for first EMP ship test.
- . Continue EMP vulnerability assessments of surface combatants.
  - Initiate FPP vulnerability assessment of aircraft carriers.
- Initiate development of EMP test plans for follow-on ship classes.
- Initiate development of ship alterations and ordnance alterationa to harden ships for testing at EMPRESS II.
  - Begin planning for Navy ahipboard equipment tests at DNA blast/thermal test site.
- ue development of standards and specifications for hardening all combat ships to muclear environments.
  - jate transient radiation effects on electronics (TRE) assessments of shipboard equipment.
- Miscellaneous
- Continue consolidated logistics data base update for developmental bombs and warheads.
  - Continue to develop and model nuclear battle simulations.
- Continue to develop target oriented tactical decision aids.
- . Continue to develop unauthorized launch analysis guidelines.
- Continue development of MIL-Standard Software Nuclear Safety Analysis and procedures.
- Initiate Phase I Concept Definition Studies for new technology muclear warheads.
- Initiate technology base analyses/studies for hardening nuclear weapons effects, and Arctic warfare.
- FY 1989 Planned Program

ę.

- Air-Defivered Muclear Depth/Strike bomb (MDSB)
  - " Continue Phase 3 engineering development.
- Continue Phase 3 1LSP development.
- " Navy/lishC XM785/L'82 Projectile
- Complete Phase 4 11.5P development.
- Complete Phase 4 engineering development.
- ILSP update. - Inftfate

860

Progres Element: 63634N

Title: Tactical Nuclear Weapons Development

\* R61 Bomb Stockpile Improvement Program (SIP).

- Continue Phase 3 engineering development.

· Continue Phase 3 ILSP development.

Nuclear Survivability and Vulnerability

- Update data base for ship and submarine safe standoff ranges from underwater detonations.

- Continue to develop vulnerability assessments and design improvement guidelines for hardened guidance computers and target detecting devices.

Conduct blast and thermal test of DDG 51 topaide equipment at DNA field test site..

- Continue development of standards and specifications for hardening all combat platforms to nuclear environments. - Begin assessing the vulnerability of shipboard equipment due for major upgrade.

- Continue EMP vulnerability assessment for surface ships and aircraft carriers.

- Continue preparation for first EMPRESS test.

Miscellaneous

- Continue Phase 1 Concept Studies for new technology nuclear warheads.

- Complete consolidated ILS logistics data base for TNW weaponry.

- Initiate ILS study for TNW maritime support in TNW environment.

- Continue to develop and model nuclear battle simulatora.

- Continue to develop target-oriented tactical decision aids.

- C. wlete unauthorized launch analysis guidelines.

Complete Mil-STD Software Nuclear Safety Analysia and procedures.

Contirue technology base analyses and studies.

(U) Program to Completion: This is a continuing program. ě

Major Milestones: E **.** 

86/ 12 87/03 Date 86/02 Air Delivered NDSB Phase 2A Start Air Delivered NDSB Phase 3 Start 1. SEA LANCE Phase 2A Complete Complete XM785/WR2 Phase 4 Initiate XM785/W82 B61 Bomb STP Milestone: 3.

UNCLASSIFIED

I. (U) TEST AND EVALUATION DATA: Not Applicat e.

## FY 1988/89 HOTAE DESCRIPTIVE SUMMARY

Program Element: 636334 DD Mission Area: 211 - Direct Fire Combat

Title: Marine Corps Ground Combat/Supporting Arms Systems (Advanced)

Ardget Activity: 4 - Taction Programs

A. (U) FY 1966/89 RESURCES (PROJECT LISTING): (Dollars in Thousands)

2 /2/							1040
Project. No.	TI*Ie	FY 1986 Actual	FY 1987 Estinate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Estimated Cost
	TOTAL FOR PROGRAM ELEMENT	16,022 1,7113	14,561	7,98	9,410	Continuing	Continuing
41000	Joint Service Small Arms Program	2,75	*		*	Continuing	Continuing
	Nuclear/Biological/Oranical Equipment	1,341	2,493	2,579	2,718	Continuing	Continuing
	Remotely Piloted Vehicles	10,193	12,068	(879,4)	(666,1.)	Cortinuing	Continuing
	Hypervelocity Missile	0	0	1,559	2,548	Continuing	Continuing
	Arti-Armor (Fire & Forget.)	0	0	8	1,440	Continuing	Continuing
	Orand Air Telerobotics Systems	0	0	2,808	2,695	Continuing	Continuing

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

- Funding consolidated in CMC1, Ground Weaporry Product improvement Program, Program Element 266234, Marine Corps Ground Contat/Supporting Arms (Operational Systems) in FY 1987 and beyond.
   Funded in Program Element 64657M, Marine Corps Ground Combat Supporting Arms Systems (Engineering).

B. (U) BRIDE INSTRIPTION OF ELEMENT AND MISSION NEED: This program element includes Research, Development, Test and Evaluation efforts for the advanced development of Marine Corps equipment, weapons and support systems required for the conduct of close commat, and fire support and the provision of battlefield mobility.

Program Element: 63635M

Marine Corps Ground Combat/Supporting Arms Systems (Advanced) Title:

C. (U) COPPARISM WITH FY 1987 DESCRIPTIVE SIMMRY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Sameny and that shown in this Descriptive Sameny are as follows: Marine Corps Ground Weagorny: The FY 1986 Increase of 1,669 is due to acceleration of the Dragon warhead improvement effort. Note of Sameny and the FY 1986 decrease of 650 and the FY 1988 decrease of 938 is due to less than anticipated costs associated with Marine Corps perticipation in NBC NOTE efforts of other Services. Renotely Piloted Vehicle: The FY 1986 increase of 1,726 is due to contained acceleration of the short range whicle ground support equipment development and associated logistical support analyses and plans development. The FY 1987 decrease of 3,611 was due to a Corpressional reduction. Hypervelocity Misselle: This joint development was contained in FY1987 and prior years in the Light Americal Vehicle Project, CFEES in Program Element. 266294, Marine Corps Ground Combat/Supporting Amer/Quentional Systems). Arti Armor (Fire and Forget): This project was contained in FY 1987 and prior years, this effort was contained in C1699, Hemically Piloted Vehicles in this program element.

# (U) FUNDING AS REPLECTED IN THE FY 1987 DESCRIPTIVE SUMMRY:

[c+c]	Estimated Cost	Cortinuing Cortinuing Cortinuing Cortinuing	Total Estimated Oost		UNCLASSIFIED
	Additional to Completion	Cortinuing Cortinuing Cortinuing Cortinuing	Additional to Completion		UNCL
	FY 1988 Estimate	12,32 * 3,517 8,735	FY 1989 Estimate	±6,88,88 €8,88,88	
	FY 1987 Estimate	18,249 * * 2,570 15,679	FY 1988 Estimate	976 (386) 3,409 (276)	
	FY 1986 Estimate	13,186 12,53 1997 198,18	~ 3	11111	863
	FY 1985 Actual	2,747 2,130 2,638	Progregat, Marine Corps FY 1986 FY 1987 Actual Estima	1,764 (777)	
(c) independent of the second	Title	TOTAL FOR PROTRAN ELEMENT Marine Corps Ground Wesporry Joint Service Small Arms Program Nuclear/Biological/Granical Equipment Remotely Piloted Vehicles	OTHER FY 1988/89 APPROPRIATIONS FINES: TITLE	MBA1 Oremical Agent Alarm Set (qty) (RCN 68953) Lightweight Decon System (qty) (RCN 061393) Oremical Agent Monitor (qty) (RCN 68963)	
2	Project No.	00011 00014 01598 01598	D. (U) Project No.	C1538	

Program Element: 63635M

Title: Marine Corps Ground Combat/Supporting Arms
Systems (Advanced)

(U) RELATED ACTIVITIES: Henotely Piloted Whicles: U.S. Army and foreign remotely piloted vehicle programs. ட்

F. (U) WORK PERFORMED BC: Martine Corps Ground Weaporry: IN-HOLDE: Martine Corps Development and Bhusation Command, Aberdeen Proving Ground, MD; U.S. Army Misselle Command, Aberdeen Proving Ground, MD; U.S. Army Misselle Command, Aberdeen Proving Ground, MD; U.S. Army Misselle Command, Arseral, M... Joint Service Small Arms Program: IN-HODE: Small Caliber and Five Control Laboratory, Picatirny Arseral, Dover, NJ. CONTRACTOR: Colin Windrester Group, East, Alton, IL. Nuclear/Biological/Chemical Experiment: IN-HODE: Martine Corps Development and Buesley Martine, MD; U.S. Army Natick Research and Development Engineering Corner, Aberdeen Proving Ground, MD; U.S. Army Natick Research and Development Engineering Cornerd (PM-263) Martinet, M. CONTRACTOR: To be Determined. Handely Piloted Vehicles (RPV): IN-HOUSE: Naval Air Systems Command (PM-263) Martineton, D.C. Robotics: IN-HOUSE: Martine Corps Development and Education Command, Quantico VA; Naval Ocean Systems Command,

### (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89; ဗ

# (U) Project C1998, Niclear/Biological/Oranical Equipment.

1. (U) <u>Description</u>: This program supports research, development, testing and evaluation necessary to jointly develop items of equipment with the U.S. Army and other services. Marine Corps efforts concentrate on characteristics unique to the Martine Orps amphibious mission.

### (U) Program Accomplishments and Purze Erborts: ۶.

#### a. (U) FY 1986 Program

- Monitored and participated in the Nuclear, Biological, and Chemical Equipment research, development, test and evaluation efforts of other Services with particular emphasis on the Chemical Agent Monitoring System, Edmanced Onemical Protective Suit and improved protective mask. 0
- Orducted independent testing and evaluation of other Services Nuclear, Biological, and Chamical Defense Equipment. 0
- Participated in Joint Service Program Reviews and conducted a Marine Corps Nuclear, Biological, and Chemical Defense Conference. 0

Program Element: 63635M

Title: Marine Corps Ground Combat/Supporting Arms Systems (Advanced)

b. (U) FY 1987 Program:

o Participate in Joint Service Review Group program reviews.

- evaluate and participate in other services' Nuclear, Biological, and Chamical research and development efforts. 8 0
- directed energy weapon individual protective equipment, Outline research, development, test and evaluation in the following areas: countermeasures, remote-area detectors, vehicle and shelter detectors, collective protection systems, and improved decontamination systems. 0
- c. (U) FY 1988 Planned Program:
- Participate with the U.S. Army in development of advanced individual protection equipment, improved and remote dramical agent detectors, and personnel/casualty decontamination systems. 0
- Participate with the U.S. Army in development of a family of collective protection shalters and accessory kits. 0
- Participate with the U.S. Army in development of improved radiac instruments, smoke and obsouration devices, directed energy devices and directed energy counter measures. 0
- d. (U) FY 1989 Planned Program:
- Participate with U.S. Army in development of advanced individual protection equipment, improved and remote chanical agent detectors, and automated chamical agent warning and recommaissance systems. 0
- Outline with joint development of a family of collective protection shelters, improved radiac devices, and smoke and obscuration devices. 0
- Outline with development of directed energy devices and directed energy weapon countermeasures.
- e. (U) Program to Completion:
- Comple's development of advanced individual protective equipment, improved chemical agent detectors and radiac devices, and chantoal agent automated warning and reconnaissance systems. 0
- Complete development of directed energy devices and directed energy weapon counter measure... 0

UNCLASSIFIED

-

Program Element: 63635M

Title: Marine Corps Ground Combat/Supporting Arms Systems (Advanced)

(U) Project C1963, Hypervelocity Missile:

- 1. (U) <u>Description</u>: This project will provide a vehicle mounted guided missile system capable of defeating frontally, and at extended ranges, all threat main battle tanks into the 21st century. The Hypervelocity Missile will replace the TOW Weapon system on the Light Amored Wehicle-Arti Tank Wehicle.
- 2. (U) Program Accomplishments and Puture Efforts:
- a. (U) FY 1966 Program:
- Contract awarded for 12 Hypervelocity Missilles for Joint USA, USAF and USAC Demonstration. 0
- b. (U) FY 1987 Program:
- b Hypervelocity Missile demonstration preparation.
- c. (U) FY 1988 Planned Program:
- o impervelocity Missile demonstration.
- o Milestone II Decision to enter full scale engineering development.
- d. (U) FY 1989 Planned Program:
- o Commence Jull-scale engineering development.
- 3 32" integration of Mypervelocity Missile in Light Armored Vehicle-Arti Tark.
- e. (U) Program to Completion:
- Complete Hypervelocity Missile full scale engineering development.
- o Complete developmental and operational tests.
- o Complete and test Hypervelocity Missile integration on Light Armored Vehicle-Anti Tank.

Frogram Element: 63635M

Title: Marine Corps Ground Combat/Supporting Arms Systems (Advanced)

(U) C1964, Arti-Armor (Fire and Forget)

- 1. (U) Description: This project will provide for Marine Corps participation in the Army's Advanced Artitank Weapon system Medium (AMNS-M) development program. It will provide support to a deputy program manager at the Army's Missile Command, and any unique Marine Corps developmental requirements.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- Advanced Artitiank Weapon System-Medium is a joint program new This program received no Marine Corps funds. An start in FY 1986 funded initially by the Army alone. 0
- A contract was awarded to a maximum of four responders for participation in a technology demonstration lasting 27 0
- b. (U) FY 1987 Program:
- o This program will be funded by the Army only in FY 1987.
- c. (U) FY 1988 Planned Program:
- Commence furthing a small portion of the Advanced Artitank Weapon System-Medium RYDAE requirement primarily to support the Marine Corps peculiar needs in the program. 0
- d. (U) FY 1989 Planned Program:
- o Continue Ording Marine Corps participation in the program.
- e. (U) Program to Completion:
- o Continue to fund Marine Corps participation in the program.
- (U) C1981, Cround-Air Telerobotics System (GATBis)
- 1. (U) Description: This project will develop prototype systems to include a Teleoperated Vehicle (TOV) and Airborne Henotely Operated Device (ARCD) for operational testing and field evaluation by the RMF during FY 1988 and FY 1989.

Program Element: 63635M

Title: Marine Corps Ground Combat/Supporting Arms Systems (Advanced)

2. (U) Program Accomplishments and Puture Efforts:

a. (U) FY 1986 Program:

o This program was contained in project C1699, Title: Remotely Piloted Wehicles.

Program initiation/Program Manager authorized at Marine Corps Development Center.

Oround-Air Telerobotics System program development organization established and Naval Ocean Systems Center (Hawaii Lab) designated principal development activity. 0

o Sardia National LABS designated primary developer of Airborne Renotely Operated Device.

o Naval Ocean Systems Center (Haveli Lab) designated primary developer of the Teleoperated Vehicle.

b. (U) FY 1987 Program:

o This program was contained in project C1699, Title: Remotely Piloted Vehicles.

o Milestone L'Required Operational Capability approval 1st quarter.

o Commence demonstration and validation phase.

o Complete Teleoperated Vehicle/Airtorne Remotely Operated Device subsystem integration.

Complete fabrication of Teleoperated Vehicle/Airborne Remotely Operated Device Prototypes. 0

c. (U) FY 1988 Plarned Program:

Commence combined developmental Testing-L/Operational Testing-I for Teleoperated Vehicle and Airtonne Remotelly Operated Device. 0

o Commence field evaluation.

d. (U) FY 1989 Planned Program:

Fleet Marine Rorce field evaluation continued (Teleoperated Vehicle/Airborne Remotely Operated Device). 0

UNCLASSIFIED

898

Program Element: 63635M

Title: Marine Corps Ground Combat/Supporting Arms
Systems (Advanced)

o Developmental Test L'Operational Test I continued.

o Require Operational Capability validated for Teleoperated Vehicle/Airborne Remotely Cremated Device.

Full scale engineer development decision to include go ahead for limited Preparation for Milestone II: production during FY91 and FY92.

e. (U) Program to Completion:

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not applicable.

I. (U) TEST AND EVALUATION DATA: Not applicable.

## FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 63654N

DoD Mission Area: 303 - Special Operations Forces

Budget Activ

Title: Joint Service Explosive Ordnance Development (Advanced)
Budget Activity: 4 - Tactical Programa

A. (II) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Prolect	FY 1986	FY 1987	FY 1988	FY 1989	Additional	Total Estimated
No. Title	Actual	Estimate	Estimate	Estimate	to Completion C	Cost
TOTAL FOR PROGRAM ELEMENT	10,700	13,658	11,643	12,412	Continuing	Continuing
S0377 Explosive Ordnance Disposal Procedures		10,396	8,341	9,933	Continuing	Continuing
S1317 Explosive Ordnance Disposal		3,262	3,302	2,479	Continuing	Continuing
Diving Systems						

As this is a continuing program, the above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

- Provides for the development of Explosive Ordnance Disposal tools and equipment for use by all military services. The responsibility is assigned to the Navy as single service manager, by Department of Defense Directive 5160.62 of 24 November 1971, for management of the Joint Service Explosive Ordnance Diaposal Research and The mission of Explosive Ordnance Disposal units is the detection, identification, rendering safe, recovery, field and laboratory evaluation, and final disposal of unexploded nuclear, conventional (including improvised explosive devices), to provide Explosive Ordnance Disposal personnel of all military services with the special equipment and tools required to support this mission. This program also provides life support related equipment and remotely operated vehicles necessary to aupport the performance of Navy Explosive Ordnance Disposal tasks underwater. This equipment must have inherently low accustic and magnetic signatures in order to allow the Explosive Ordnance Disposal technician to safely approach, render aafe and dispose of underwater chemical, and biological munitions. Increasing types of foreign and domestic weapons neceasitate a continuing development program B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Development Program.
- Descriptive Summary and that shown in this Descriptive Summary are the reduction in FY 1986 -1,877 caused by a Department budget/ program adjustments and the GRH adjustment, the reduction in FY 1987 -1,133 caused by Congressional actions and adjustments, the (Dollars in Thousands) The significant changea between the FY 1987 reduction of -1,759 in FY 1988 caused by Department budget/program and NIF rate adjustments. C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUPMARY:



Program Element: 63654N

Title: Joint Service Explosive Ordnance Development (Advanced)

(U) FUNDING AS REPLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	<u>Title</u>	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	to Ad	Estimated Cost
	TOTAL FOR PROGRAM ELEMENT	7,110	7,110 12,577 14,791	14,791	13,402	Continuing Continuing	Continuing
S0377	Explosive Ordnance Disposal						
	Procedures	7,110	9,392	11,427	806'6	Continuing Continuing	Continuing
S1317	Explosive Ordnance Disposal						
	Diving Systems	*	3,185	3,364	3,494	Continuing Continuing	Continuing

\* Project S1317 transferred from Program Element 63722N, Naval Special Warfare, starting in FY 1986.

D. (U) OTHER PY 1988/89 APPROPRIATION FUNDS: Not applicable

Program Element 64654N, Joint Service Explosive Ordnance Disposal Development (Engineering), provides for the integration of specialized tools and equipment into specific procedures required for individual weapons and E. (U) RELATED ACTIVITIES: ordnance items.

Indian Head, MD. CONTRACTORS: Foster-Miller Associates, Inc., Waitham, MA.; CACI, Ariington, VA; and Hanlon Industries, Inc., Euclid, OH. Project S1317 - IN-HOUSE: Naval Coastal Systems Center, Panama City, FL; Naval Surface Weapons Center, Dahlgren, VA and White Oak, MD; Naval Ocean Systems Center, San Diego, CA; Naval Explosive Ordnance Disposal Technology Center, Indian Head, - Naval Explosive Ordnance Disposal Technology Center (lead laboratory), CONTRACTORS: Rexnord Inc., Malvern, PA; Diving Unlimited, San Diego, CA; MD; Navy Experimental Diving Unit, Panama City, FL. Project S0377 IN-HOUSE: F. (U) WORK PERFORMED BY:

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

(u) Project S1317, Explosive Ordnance Disposal Diving Systems:

Development of life support diving equipment and remote vehicles to support Explosive Ordnance The equipment must have inherently low acoustic and magnetic signatures in order to allow the Explosive Ordnance Disposal technician to safely approach, render safe, and dispose of underwater ordnance. Disposal underwater operations (W) Description:

Program Element: 63654N

Title: Joint Service Expiosive Ordnance Development (Advanced)

# 2. (U) Program Accomplishments and Puture Efforts:

#### FY 1986 Program:

- ° Completed Developmental Testing of Remotely Operated Vehicle.
- . Continued detail design of Explosive Ordnance Disposal Support Craft.
  - Continued Neutralization Charge engineering effort.
- Evaluated prototypes of Divers Timer/Depth Gauge and Underwater Decompression Computer.
  - . Continued Chemical Warfare Protective Diving Suit Development.

#### b. (U) FY 1987 Program

- Continue Engineering Effort of the Remotely Operated Vehicle.
- Begin Full Scale Development of the Neutralization Charge engineering effort.
  - Continue Chemical Warfare Protective Diving Suit Engineering Development.
- Complete Developmental Testing of Diver's Timer/Depth Gauge and Underwater Decompression Computer.
  - · Complete Technical Data Package (TDP) for Explosive Ordnance Disposal Support Craft.

### c. (U) FY 1988 Program:

- \* Continue Full Scale and Engineering Development of ongoing subprojects.
  - ° Conduct OPEVAL for Diver's Timer/Depth Guage.
- \* Conduct OPEVAL for Underwater Decompression Computer.
  - Conduct TECHEVAL for the Neutralization Charge.

### d. (U) FY 1989 Program:

- Conduct OPEVAL for the Neutralization Charge.
- Conduct OPEVAL for the Chemical Warfare Protective Diving Suit.
- ° Conduct TECHEVAL for the Remotely Operated Vehicle (ROV).
- e. (U) Program to Completion: This is a continuing program.

### UNCLASSIFIED

, i

Program Element: 63654N

Title: Joint Service Explosive Ordnance Development (Advanced)

## H. (U) PROJECTS OVER \$10 MILLION IN PY 1988/89:

# (U) Project S0377, Exclosive Ordnance Disposal Procedures:

Provide Explosive Ordnance Disposal personnel of all military services with the specialized equipment and tools required to support their mission of detection, location, identification, rendering safe, recovery, field and laboratory evaluation, and final disposal of nuclear, conventional chemical, and biological munitions, including improvised 1. (U) Description: explosive devices.

## 2. (II) Program Accomplishments and Puture Efforts:

#### a. (II) FY 1986 Program

- Completed Operational Evaluation of two systems which will alguificantly enhance personnel aafety, render safe mechanical fuzes, and locate ordnance underwater.
  - \* Continued design/development on a terrorist explosive device countermeasures program.

#### b. (U) PY 1987 Program:

- . Contime full scale development of systems required to: (a) clear large numbers of munitions from forward NATO airbases; (b) render safe/neutralize unexploded ordnance (c) rapidly locate impacted/unexploded ordnance underground or underwater; and (d) provide a basic robotic capability to significantly enhance safety.
- Complete Operational Evaluation for one system to improve the ability to locate ordnance underwater.
- \* Obtain Approval for Pull Production for three systems used to: a) render safe mechanical fuzes; b) locate ordnance underwater; and c) improve the ability to locate ordnance underwater.

### c. (U) FY 1988 Planned Program:

- Complete Operational Evaluation of a system used to penetrate the case of ordnance and Mechanical Trepanner for mechanical access capability for analysis and evaluation of ordnance.
  - o Increase capability to identify, detect, and render aafe sophisticated terrorist exploaive devices.
- \* Continue development of system to sveep large areas and initiate magnetic influence fuzed ordnance targeted against aircraft on rumays.

### d. (U) FY 1989 Planned Program:

- Continue full scale and engineering development of ongoing subprojects.
- $^{\circ}$  Obtain Approval for Pull Production of a system to locate buried ordnance underwater. 873

Program Element: 63654N

Title: Joint Service Explosive Ordnance Development (Advanced)

e. (U) Program to Completion: This is a continuing program.

f. (ii) Major Milestones: Not Applicable.

1. (U) TEST AND FVALUATION DATA: Not Applicable.

UNCLASSIFIED

874

FY 19PE 'PO PITEE DESCRIPTIVE SIMMAEY

Program Element: 63702N DoD Hission Arc:: 235 - Naval Warfare Support

Title: Ocean Engineering Systems Development Budget Activity: 4 - Tactical Programs

Toral

A. (U) FY 1988/89 RESOURCFS (FPG.FCT LISTING): (Pollars in Thousands)

Project No.	Title	FY 1986 Actual	FY Jaga	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Estimated
761 OS	TOTAL FOR PROGRAM FIEMFRIT Shallow Depth Diving Equipment	1,243	1,374	1,503	1,901	Continuing Continuing	Continuing Centinuing

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through PY 1989.

from surface platforms to depths of 450 feet. Diver operations include ship husbandry, salvage/recovery and submarfne rescue operations to support National, as well as havy needs around the world. Modern certifiable diving systems which ensure optimum B. (U) BRIEF DESCRIPTION OF EIFMENT AND MISSION NEED: This program develope systems to support conventional diver operations diver safety and allow maximum work efficiency are needed to replace current antiquated systems.

C. (U) COMPARISON WITH THE PY 1967 DESCRIPTIVE SUMMARY: (Dollars in Thousards) Not Significant.

# (11) FURLIM, AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No. Title	Ŀ, Š	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Est;mated Cost
TOTAL FOR PROG AM ELEMENT S0394 Shallew Dupin Diving Equipment		1,677	1,340	1,417	1,393	Continuing Continuing	Continuing Continuing
D. (U) OTHER FY 1948/65 APPROPRIATION FUNDS: (E	(Dollars in Thousands)	housands)					Total
	17 1926 F	FY 1987	FY 1988	FY 1989		Additional	Estimated
T	Actual E	Estimate	Estimate	Estimate		to Completion	Cost
Other Procurement, Navy:							
Funds (1130)	812	3,000	3,000	2,000		19,000	30,812
Quantities (Diving System Medule)	-	~	3	\$		19	
		875				UNCLA	UNCLASSIFIED

Program Element: 63702N

Title: Ocean Engineering Systems Development

E. (U) KELATED ACTIVITIES: Program Flement 63713K, Ocean Engineering Technology Development, funds the development of deep ocean underwater search and observation systems, diver tools/equipments and diver medical technology. F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Civil Engineering Laboratory; Port Bueneme, CA; Naval Ocean Systems Center, San Diego, CA; Naval Coastal Systems Center, Panama City, Fl.; Navy Experimental Diving Unit, Panama City, FL. CONTRACIORS: United Technologies, Fast Hartford, CT; Battelle Memonial Institute, Columbus, OH.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1985/89:

(t) Diejeer S0394, Shallow Depth Diving Equipment:

1. (U) Description: This project provides for the development of U.S. Navy diver life support equipment and other terts necessary to perform such shallow underwater tasks as salvage, recovery, inspection, ship husbandry and repair, rescue and object emplacement. Specifically, this project develops the first U.S. Navy certified Standard Diving System Module for diving operations to 170 feet; develops the Lightweight Dive System to improve operations in confined spaces to depths of 60 feet; and develope the Conventional Dive System to improve mobility, communications, and endurance during work operations to 450 feet.

2. (11) Program Accomplishments and Future Efforts:

а. (п) FY 1986 Program:

° Completed technical evaluation of the Standard Diving System Module.

° Completed operational evaluation of the Standard Diving System Module.

\* Obtained production decision (Milestone IIIA) for Standard Diving System Module.

onperational requirement for Lightweight Diving System was issued June 1986 (OR 108-02-87)

o Completed performance specifications for prototype Lightweight Dive System.

o Operational requirement for Conventional Diving System was issued June 1986 (OK 102-02-87)

Completed configuration analysis of Conventional Dive System.

Program Element: 63702N

Title: Ocean Engineering Systems Development

#### b. (U) FY 1987 Program:

- Complete Navy provisional certification of Lightweight Dive System prototype.
- Complete manned testing of prototype Lightweight Dive System.
- \* Issue Test and Evaluation Master Plans (TEMP) for the Lightweight Dive System and the Conventional Dive
- ° Complete Lightweight Dive System procurement specifications for Teat and Evaluation unit procurement.
- ° Complete prototype dive helmet for Conventional Dive System.
- Initiate laboratory testing of Conventional Dive System components.

### c. (U) FY 1988 Planned Program:

- ° Complete Technical Evaluation of Lightweight Dive System.
- . Complete Operational Evaluation of Lightweight Dive System.
- ° Define configuration of Conventional Dive System and initiate configuration control.
- Continue laboratory testing of Conventional Dive System components.

### d. (U) FY 1989 Planned Program:

- ° Complete Lightweight Dive System development and obtain approval for acquisition.
- \* Initiate manned testing of Conventional Dive System.
- e. (U) Program to Completion: This is a continuing program.
- H. (U) PROJECTS OVER S10 MILLION IN FY 1988/89: Not Applicable.
- I. (U) TEST AND EVALUATION DATA: Not Applicable.

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63704N

DoD Mission Area: 422-Mapping, Charting and Geodesy

Budget Activity: 4 - Tactical Programs ASW Oceanography

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
	TOTAL FOR PROGRAM ELEMENT	11,219	9,368	7,430	10,120	Continuing	Continuing
R0118	Ocean Measurement Sensors	7,310	5,141	1,890	2,597	Continuing	
R1299	Ocean Measurements Techniques	1,884	2,332	1,419	1,588	Continuing	Continuing
X1596	Satellite Applications						
	and Technology	2,025	1,895	2,823	4,167	Continuing	Continuing
R1987	Mapping, Charting and Geodesy						
	Techniques	0	0	1,298	1,768	Continuing	Continuing

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

ographic instrumentation and techniques to measure acoustic and non-acoustic anti-submarine warfare ocean parameters. The Ocean Measurement Sensors project also includes the Navy's only program directed toward multi-sensor ASW acoustic performance prediction capability in support of low frequency active systems in a Battle Group Multi-static Sonar scenario. This program also develops techniques to analyze and display the measured data to support Naval oceanographic survey, oceanographic reconnaissance, and Fleet command requirements for ASW and submarine operations. This program is the principal source of advanced technology for Naval This program develops highly specialized, ultra-high resolution oceanfor application of space-B. (4) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: ocesnographic survey support

the Fleet for greater accuracies and densities of geophysical data to support the more advanced weapon systems and navigation sensor-derived oceanographic data to Naval tactical applications; and for transitioning oceanographic data from forward operating areas into Navy operational oceanographic support products. The Mapping, Charting and Geodesy project will address the needs of systems being introduced to the Fleet. The Satellite Applications and Technology project, X1595, is a combination and renaming of two projects (63207N, X0527 and 637(4N, X1596) beginning in FY 1988 involved with the development of algorithms to process and display remotely sensed satellite data.

UNCLASSIFIED

878

Program Element: 63704N

Congressional action; a decrease of 517 in project X1596 is the result of Department program/budget and Congressional C. (U) COMPARISON WITH THE FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: in FY 1986, a decrease of 281 in project X1596 for GRP and Department budget adjustments; in FY 1987, an increase of 2,892 in project R0118 is the result of adjustments; in FY 1988, a decrease of 1,301 in project R1299 is the result of Department program/budget adjustments; an increase of 1,298 in project R1937 is the result of Department program adjustments.

Title: ASW Oceanography

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Droject		1085	75 1086	FV 1987	7000	1000	Total
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	3,708	11,875	7,065	8,572	Continuing	Continuing
R0118	Ocean Measurement Sensors	1,280	7,717	2,249	2,832	Continuing	Continuing
R1299	Ocean Measurement Techniques	1,080	1,852	2,404	2,720	Continuing	Continuing
X1596	Satellite Oceanographic						
	Tactical Applications	1,348	2,306	2,412	3,020	Continuing	Continuing

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable

35111N, Weather Service; Program Element 63207N, Air-Ocean Tactical Applications; Program Element 35160N, Defense Meteorological Program Element 61153N, Defense Research Sciences; Program Element 62435N, Ocean and Atmospheric Support Technology; Program Flement 35112N, Oceanography; Program Element 65853N, Acoustic and Non-Acoustic Analysis Support; Program Element 11224i, SSBN Security; and Program Element 31327N, Technology, Reconnaissance, and Surveillance; Program Element Satellite Program; Program Element 63785N, ASW Environmental Acoustic Support. E. (U) RELATED ACTIVITIES:

WORK PERFORMED BY: IN-HOUSE: Naval Occan Research and Development Activity, Bay St. Louis, MS; Naval Ocean Systems Center, San Diego, CA; Naval Environmental Prediction Research Facility, Monterey, CA; Naval Postgraduate School, Monterey, CA; and Naval Research Laboratory, Washington, DC. CONTRACTORS: Applied Physics Laboratory, University of Washington, Seattle, WA;

Program Element: 63704N

Title: ASW Oceanography

Science Applications International Corporation, McLean, VA ; Johns Hopkins University, Baltimore, MD; Applied Physics Laboratory, Computer Science Corporation, Bay St. Louis, MS; Jet Propulsion Laboratory, Pasadena, CA; University of California at Santa Barbara, Santa Barbara, CA; University of California at Berkeley, Berkeley, CA; and Applied Physics Laboratory, University of Johns Hopkins University, Laurel MD; Scripps Institute of Oceanography, San Diego, CA; Marine Environments, Inc., Washington, DC.; Texas at Austin, Austin, TX; Planning Systems, Inc., McLean, VA; and University of Colorado, Roulder, CO.

# G.(1) PROJECTS LESS THAN S10 MILLION IN FY 1988/89:

## (v) Project R0118, Ocean Measurement Sensors:

(U) Description: This project supports advanced development of non-acoustic anti-submarine warfare oceanographic sensors in response to Navy requirements. The project is explicitly designed to transition promising technology to system or where appropriate. engineering development for Naval oceanographic survey operations the "Naval Oceanography Program", initiated by Congressional action as a FY 1986 new start; this program's goal is "to analyze and model the three dimensional scoustic field on a local and regional basis..." "A task force commander would use such a model to optimize the distribution of anti-submarine warfare ships, submarines, aircraft and integrated undersea surveillance system assets in an anti-submarine warfare squadron or Battle Group multi-static sonar scenario."

# 2. (4) Program Accomplishments and Future Efforts:

### a. (u) FY 1986 Program:

- Evaluated lata from Arctic ice thickness measurement system test; selected optimum system for future
- Completed ship survey underwater instrument towed body evaluation for non-acoustic ASW application and began modification for Naval Oceanographic Office survey operations.
- ° Completed design, test, and construction

Program Element: 63704N

Initiated "Naval Oceanography Program" to develop Navy 3-dimensional acoustic modeling capability in support of Battle Croup and ASW squadron operations; range dependent acoustic model evaluation conducted;

Title: ASW Oceanography

secure software development

facility established.

b. (U) FY 1987 Program:

o Ground truth the selected Arctic ice thickness measurement system.

° Conduct tests of rapid profilling bioluminescence sensor in conjunction with a submarine exercise.

Complete development of seagoing turbulence measurement sensor for non-acoustic ASW use,

<sup>c</sup> Complete development of non-acoustic ASW optical sensor suites for shipboard use.

Initiate development of towed bioluminescence sensor for non-acoustic ASW measurements.

Initiate development of integrated non-acoustic ASW sensor suite for submarine mount to collect environmental data.

Complete design and test for submarine-launched expendable conductivity-temperature probe for non-acoustic ASW use.

Continue development of three dimensional acoustic model.

c. (U) FY 1988 Planned Program:

Continue integrated non-acoustic ASW sensor suite development for submarines.

o Continue development of towed bioluminescence sensor.

o initiate sub-surface ice thickness measurement system for use from submarines.

Program Element: 63704N

Title: ASW Oceanography

' Initiate line sensor development for internal wave measurement for non-acoustic ASW.

- d. (U) FY 1989 Planned Program:
- ° Complete towed bioluminescence sensor,
- Complete sub-surface ice thickness measurement system.
- . Continue integrated non-acoustic ASW sensor suite development and testing.
- e. (U) Program to Completion:
- o This is a continuing program.

## (v) Project R1299, Ocean Measurement Techniques:

- testing, this project provides for the advanced development of improved or new techniques for: non-acoustic and oceanographic 1. (U) Description: Through a blend of systems analysis, technical research and development and laboratory/at-sea survey methods; advanced data reduction, analysis, archiving, and presentation; and applied oceanographic products.
- 7. [W] Program Accomplishments and Future Efforts:
- a. (v) FY 1986 Program:
- Demonstrated beach surf forecast improvements for amphibious landing support on the Tactical Environmental Support System.
- Conducted surface wave model comparison (Army, Navy, Canadian, NOAA) for oceanographic predictions.
- Initiated Master Oceanographic Observational Data System update for Fieet ASW and non-acoustic ASW communities.

Title: ASW Oceanography

Program Element: 63704N

Performed Phase I model evaluation of Polar Ice Prediction System (PIPS) ice forecasting model.

Continue hydrodynamic noise model development.

b. (U) FY 1987 Program:

· Test and evaluate in a Fleet operation, a version of surf prediction model for the Tactical

Environmental Support System.

Begin development of empirical ice models for Arctic operational support.

Complete automated operational data displays for Fleet shipboard use.

Complete surface wave model comparison; begin regional surface wave model evaluation.

Continue hydrodynamic noise model development.

(V) FY 1988 Planned Program: c· Complete hydrodynamic noise model.

· Continue empirical ice model work.

Program Element: 63704N

Tille: ASK Oceanography

### d. (4) FY 1989 Planned Program:

- · Complete empirical ice model development.
- ° Conduct fine microscale survey technique applications study.

### e. (U) Program to Completion:

This is a continuing program.

# (11) Project X1596, Satellite Applications and Technology

1. (U) Description: This project uses data observed from a number of satellite sensors to develop tailored tactical products to support a variety of naval warfare requirements. These software based systems produce digital and graphic displays of atmospheric and oceanographic phenomena. As an example, certain sea surface phenomena observed from environmental satellites are processed and displayed in a format to enable the ilect to employ sensors, weapon systems and platforms to minimize the eifects of these phenomena, thereby optimizing tactical performance. Additionally, this project (1) develops and assesses atmospheric and oceanographic satellite sensor technology to meet specific Navy operational requirements; (2) develops processing algorithms to convert raw satellite data into atmospheric and oceanographic parameters; and (3) provides ground truth for operational spaceborne sensors to ensure that the measurements being made are valid.

# 2. (:1) Program Accomplishments and Future Efforts:

### a. (4) FY 1986 Program:

- useful oceanographic products and began the software transition to the Navy's operational occanographic Continued the demonstration of the Geodetic/Geophysical Satellite (GEOSAT) altimeter data for data analysis/forecast center.
- Evaluated the impact of satellite-measured sea surface temperature on Navy's Extended Ocean Thermal Structure products.
- Continued to develop application of satellite-derived data for the Arctic

Program Element: 63704N

Title: ASW Oceanography

Continued to develop global applications of satellite-derived data (e.g., rain rate, high wind areas, aerosols, visibility) for electro-optical weapons and sensors employment.

### b. (U) FY 1987 Program:

- Continue the demonstration of the Geodetic/Geophysical Satellite (GEOSAT) altimeter data processing techniques and complete the software transition to the Navy's operational oceanographic data analysis/forecast center.
- for Transition selected software modules to regional operational sites and formalize software modules transitic, to shipboard systems to process satellite-derived oceanographic and atmospheric data.
- Conduct validation of the Defense Meteorological Satellite Program microwave imager wind and ice data in operational models.
- Continue development of satellite-derived environmental data assimilation and applications techniques.
- Develop automated techniques to assimilate all-source visual, infrared, and microwave data into a single dynamic model to identify tactically significant oceanographic phenomena.
- o Develop expanded applications of satellite-derived data for shipboard use.

### c. (U) FY 1988 Planned Program:

- Continue the demonstration of the Geodetic/Geophysical Satellite (GEOSAT) altimeter data processing
- Continue development of satellite data assimilation and applications techniques.
- ° Begin development of next generation ocean thermal analysis techniques.
- Begin applications software development to exploit newly available butellites.

Program Element: 63704N

Title: ASW Oceanography

- Continue Synthetic Aperture Radar application studies.
- Continue advanced oceanographic remote sensing suite studies.
- Continue multi-channel altimeter studies.
- Begin Atmospheric Light Detection and Ranging (LIDAR) application studies.

### d. (U) Py 1989 Planned Program:

- Complete the demonstration of the Geodetic/Geophysical Satellite (GEOSAT) altimeter data processing technique.
- Integrate algorithms and other software to test and evaluate satellive and ground station data gathering and processing systems.
- ° Continue development of next generation occan thermal analysis techniques.
- Continue developing exploitation techniques for newly available satellite data.
- Begin development of expert system techniques for processing environmental data.
- ° Coutinue development of satellite data assimilation and application techniques.

### e. (U) Program to Completion:

- · Complete development of next generation ocean thermal analysis techniques (FY 1992).
- ° Continue exploitation techniques for newly available satellite data.
- Continue development of expert system techniques for processing environmental data.

Program Element: 63704N

Title: ASW Oceanography

- Continue development of satellite data assimilation and applications techniques.
- Complete Synthetic Aperture Radar studies.
- Continue wulti-channel altimeter and LIDAR studies.
- Transition advanced rensor studies to sensor development.
- This is a continuing program.

# (U) Project R1987, Mapping, Charting and Geodesy Techniques:

coastal ocean optics, (b) coastal tide messurements, (c) marine geophysics (magnetics and gravity), (d) geodetic data analysis, management and display techniques, (e) bathymetric survey systems and techniques and (f) geodesy. With an existing 300 shipyear shortfall in sccessible, coastal hydrographic survey requirements to be satisfied, new technological approaches are necessary to 1. (U) Description: The purpose of this project is to address Navy requirements for improvements in: (a) survey faster, better and cheaper.

# 2. (U) Program Accomplishments and Future Efforts:

- a. (U) FY 1986 Program: (from project R1299)
- ° Completed conceptual design for space magnetometer
- Completed report on Navy requirements for digital mapping, charting, and geodesy products for all
- b. (U) FY 1987 Program: (from project R1299)
- Design space magnetometer ground link station.
- Evsluate new Defense Mapping Agency (DMA) digital product; World Vector Shoreline.
- Design study report for digital mapping, charting, and geodesy product testbed.

Program Llement: 63704N

Title: ASW Oceanography

- c. (U) FY 1988 Planned Program:
- Launch prototype magnetometer.
- Develop interactive graphics display console and workstation for digital testbed.
- . Evaluate the Arctic mapping, charting, and geodesy data collection options.
- Start identifying potential methods of remote tidal measurements.
- d. (U) FY 1989 Planned Program:
- Refire magnetometer downlink station software.
- ° Integrate Global Positioning System (GPS) attitude measurement into magnetometer.
- " issue request for proposal for stereo multi-spectral scanner bathymetric sensor.
- Nevelop Image Processing work station to process the multispectral scanner data collected by the Air Lorne Bathymetric Survey (ABS) system.
- Continue study of potential methods of remote tidal measurements.
- e. (U) Program to Completion:
- . Launch final design magnetometer.
- Test airborne Arctic survey instrument.
- Test remote tidal measurements technique.
- H. (U) PROJECTS MURE THAN SIO MILLION IN FY-88/89: Not Applicable.
- . (U) TEST AND EVALUATION DATA: Not Applicable.

## FY 1988/89 RITGE DESCRIPTIVE SUMMARY

DoD Mission Area: 233 - Anti-Submarine Warfare Program Element: 63708N

Title: Anti-Submarine Warfare Signal Processing Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Advanced Acoustic Processing 3,747 1,579 1,388 1,576 Continuing Acoustic Performance Prediction 4,106 5,365 5,969 7,253 Continuing 6	TOTAL FOR PROCRAM ELEMENT 15,451 15,812 18,431 13,851 Project BEARTRAP 7,598 8,868 11,074 5,022 Advanced Acoustic Processing 3,747 1,579 1,388 1,576 Advanced Acoustic Processing 4,106 5,365 5,969 7,253	18,431 11,074 1,388 5,969	to Completion Continuing Continuing Continuing	Cost Continuing Continuing Continuing Continuing

As this is a continuing program, the above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

provides for the collection of active and passive submarine acoustic intelligence. The Advanced Acoustic Processing project platform-related signal processing programs. The Acoustic Performance Prediction project develops computer-based, on-board B. (U) RRIEF DESCRIPTION OF ELFMENT AND MISSION NEED: The Anti-Submarine Warfare Signal Processing program is responsive to fleet requirements for improved ASW capability to counter the existing and projected submarine threat. The BEARTRAP project independently evaluates Anti-Submarine Warfare signal processing systems aboard tactical air, surface and subsurface platforms. This evaluation is used to reduce redundant development efforts and permits technology transfer among advanced development, capabilities that provide accustic sensor performance predictions and mode selection guidance for all tactical ASW platforms (aircraft, surface ship, submarine) based on in-situ measurements and new/updated environmental data bases. Fleet operators require this information due to the increasing complexity of modern ASW weapons systems. The optimal tactical employment of these systems is based on knowledge of the effects of present environmental acoustic conditions. This project enables the fleet to obtain the full performance potential of their complex at-sea ASW systems by extending threat detection and counter-detection ranges, and maximizing overall ASW platform capability in all geographic areas, including the Arctic. C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the PY 1987 President's Budget and that shown in this Descriptive Summary are as follows: Project WO490: PY 1986 funds decreased -768 due to Gramm-Rudman-Hollings and other Department budget/program reductions. FY 1987 decreased -1,262 for Congressional adjustment and Department program/budget adjustment. Project.X0821: FY 1986 increase of +2,640 is due to a Department program adjustment for the CNO's Urgent ASW R&D Program Advanced Technology Demonstration. FY 1987 reduction of -203 is due to a Department budget

Program Element: 63708N

Title: Anti-Submarine Warfare Signal Processing

and NIF rate adjustments. Project S0823: FY 1987 decrease of -711 is due to a Departmental budget/program adjustment of -509 and adjustment of -150 and a Congressional adjustment of -53. The reduction of -547 in FY 1988 is due to Department program/budget a Congressional adjustment of -202. FY 1988 decrease of -2,320 reflects Department budget/program adjustments.

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

							Total
Project.		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	JOTAL FOR PROGRAM ELEMENT	18,171	13,951	17,988	21,729	Continuing	Continuing
M0490	Project BEARTRAP	4,879	8,366	10,130	11,505	Continuing	Continuing
X0871	Advanced Acoustic Processing	8,891	1,107	1,782	1,935	Continuing	Continuing
<b>SO</b> 823	Acoustic Performance Prediction	4,401	4,478	9,00	8,289	Continuing	Continuing

# D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not applicable.

estimates used in improving ASW sensor for Program Elements; 63529N Advanced ASW target, 63553N Surface ASW, 64713N Surface ASW Sys Imp., 63619N, MK 48 Advanced Cares littes; 63610N, Advanced Lightweight Torpedo; 63254N, Air ASW (Advanced Sensors); 64261N, Project X0821 provides for development of advanced acoustic processing capabilities for various air, surface, submarine, and surveillance platform applications for Program Elements: 24311N, Undersea Surveillance System; 64503N, Submarine Sonar Development; 64219N, Airborne Anti-Submarine Warfare Development; 64713N, Tactical Towed Array Sonar; 64524N, Submarine Advanced Combat System Development; 64217N, S-3B: Project SO823 provides acoustic performance models/algorithms and undersea warfare system performance predictions for integration into a platform system for Program Elements: 63207N, Tactical Environmental Support Systems; 64575N, AN/SQS-53C; 25620N, Anti-Submarine Warfare Combat Systems Integration; 64524N, SUBACS (Eng); 64713N, TACTAS; 64503N Submarine Sonar Development (Eng), 64562N Submarine Tactical Warfare Systems (Eng); E. (U) RELATED ACTIVITIES: Project .0490 provides calibrated active threat target data to support torpedo sonar development and threat verification for advanced active sensor development, and provides passive sound pressure level data to support threat Acoustic Search Sensors (Engineer, no 64713N Surface ASW System Improvements. F. (U) WORK PERFORMED BY: IN-HOUSE: For Project WO490: Naval Air Development Center, Warminster, PA (Lead laboratory); Naval Air Test Center, Patuxent, MD; Naval Surface Weapons Center, White Oak, MD; Naval Weapons Support Center, Crane, IN; Naval Avionics Center, Indianapolis, IN. CONTRACTORS: TRACOR, Aus in, TX; Precision/Echo, Santa Clara, CA; Honeywell, Inc., Denver, CO; Spartan Electronics, Jackson, MI; Magnavox Corp., Fort Wayne, IN; United Technology Norden System, Milville, NY; Digital Equipment Corp., Landover, MD; Numerix Corp., Newton, MA; Ramtek Corp., Napa, CA; Planning System, Inc., McLean, VA; SixdB, Inc.,

UNCLASSIFIED

---

در. لوو لو

Program Element: 63708N

Title: Anti-Submarine Warfare Signal Processing

Systems Center, New London, CT; Naval Air Development Center, Warminster, PA. CONTRACTORS: TRW Systems, McLean, VA; General Electric Co., Inc., Syracuse, NY; The Energystics Corp., Arilington, Arilington, VA; TRACOR, Inc., Austin, TX. For Project S0823: IN-HOUSE: Naval Underwater Systems Center, Newport, RI (Lead Laboratory); Naval Ocean Research and Development Activity, Bay St. Louis, MS; Naval Oceanographic Office, Bay St. Louis, MS. CONTRACTORS: Analysis and Technology, North Davidsonville, MD. For Project XO821: IN-HOUSE: Naval Surface Weapons Center, White Oak, MD (Lead Laboratory); Naval Underwater Stonington, CT; Applied Physics Laboratory, Johns Hopkins University, Laurel, MD; Sonalysts Inc., Waterford, CT.

# G. (U) PROJECTS LESS THAN \$10 MILLION IN PY 1988/89:

## (U) Project XO821, Advanced Acoustic Processing:

performance using acoustic data sets. Efficient operator interaction with the hybrid hardware/software acoustic sensor system is it has become necessary to ensure that their performance be validated by an independent technical review. This project evaluates anti-submarine warfare acoustic signal and post processing systems for detection, classification and contribution to localization developed so that a less skilled operator, assisted by the computer, is able to perform as well an an experienced operator. Advanced acoustic processing tasks associated with broadband arrays, distributed broadband processing, low frequency active 1. (U) Description: As tactical platform signal processing systems have increased in data throughput and complexity, adjunct and active classification are in support of the focused CNO's Urgent ASW R&D Program and in FY 87 transition to PE 63747N, Project X1933 ASW Advanced Technology Demonstration.

# 7. (U) Program Accomplishments and Future Efforts:

### a. (U) FY 1986 Program:

- Testing continued on the AN/SQR-18, the AN/SQR-19 and in support of Major System Mode 11 software Validated Airborne Aiti-Submarine Warfare Automatic Detection/Computer Assisted Classification systems. development for the Advanced Signal Processor (UYS-1).
  - o Testing continued on submarine signal processing systems.
    - o Initial testing of broadband sonobuoy system conducted.

### b. (U) FY 1987 Program

- o Initiation of tests of active systems for sonobuoys and surface ships.
- ° Continuation of the testing of the AN/SQR-18, AN/SQR-19 and Major System Mode 11.
  - ° Continuation of testing of Submarine Towed Array Systems, BQQ-5C.

Program Element: 63708N

Title: Anti-Submarine Warfare Signal Processing

- c. (U) FY 1988 Planned Program:
- ° Conduct performance tests of operational surface ship and submarine aonar systems to provide a baseline for evaluation of aystem improvements.
- d. (U) FY 1989 Planned Program
- Continuation of testing of ASW signal processing systems in development.
- e. (U) Program to Completion:
- o This is a continuing program, efforts will continue to support required system modifications identified during baseline testing.
- (U) Project SO823, Acoustic Performance Prediction (APP):
- This requirement will be met by integrating into both afloat and ashore aystems an To achieve the full performance potential of undersea warfare systems, fleet operators and System complexity requires the use of these predictions to select optimum operating modes and ayatem/auite lineup and to evaluate Acoustic Performance Prediction capability for surface ships (including aircraft carriers), submarines and Anti-Submarine Warfare Operations Centers (ASWOC). Acoustic Performance Prediction computer aoftware, tailored to the apecific needs of the operational commanders must be provided with accurate, real-time estimates of performance based on local and future environmental conditions. user, uses measured in-situ acoustic/environmental data, supplemented by new/updated hiatorical data bases and sensor/target characteristics to yield system and suite performance predictions, counter-detection estimates and sonar mode aelection guidance. various sensor employment alternatives. (U) Description:
- 2. (U) Program Accomplishments and Future Efforts:
- a. (II) FY 1986 Program:
- Obevelopment and laboratory/sea testing (including Arctic) of surface ship and submarine undersea warfare prediction and suite line-up products continued.
- Completed development and testing of Acoustic Performance Prediction (APP) products for the SOR-19 and LAMPS MK III systems aboard USS CURTS (FFG-38).
- ? Completed development and testing of Acoustic Performance Prediction (APP) products for Integrated Carrier ASW Prediction System (ICAPS) (SYK-1) upgrade.

Program Element: 63708N

Title: Anti-Submarine Warfare Signal Processing

- Completed development of initial Acoustic Performance Prediction (APP) products for Navy Standard Tactical Desk-Top Computer for the Submarine Fleet Mission Program Library (SFMPL).
  - Developed Arctic-related Acoustic Performance Prediction (APP) products and tested them during ICEX 1-86.
- Completed development and testing of acoustic prediction products and suite line-up guidance for the SQS-53C.
- ° Completed specifications of Acoustic Performance Prediction and suite line-up requirements for BSY-1 FY 89

### b. (U) FY 1987 Program:

- Laboratory/sea testing and delivery of improved Acoustic Performance Prediction psckages for the UYQ-25 upgrade to support the NON-SQQ-89 Combst Systems (FF 1052s, CG-26s, etc.).
- Begin development of Acoustic Performance Prediction (APP) products for the ASW squadron, and Battle Group/Fleet
- Outpeate/improve existing models and data bases necessitated by air, surface, subsurface ASW system/sensor improvements and evolving fleet operational tactics.
- Begin development of ASW wespon-related Acoustic Performance Prediction (APP) products.
- Development/delivery of Acoustic Performance Prediction (APP) products for use in the Fleet Mission Progrsm Library (FMPL).
- Develop and test Arctic Acoustic Performance Prediction (APP) package for submarine use in ICEX 1-88.
- Evaluation and update of ICAPS, Sonar In-situ Mode Assessment System (SIMAS), and SFMPL, based operational experience.
- \* Begin development of prediction package for Surface Ship Advanced Combat System.
  - \* Begin development of acoustic prediction package for pre-TRIDENT SSBNs.

### c. (U) FY 1988 Planned Program:

- ° Continue development/testing of BQQ-5, BQQ-6 and Submarine Advanced Combat System APP products.
- Continue acoustic performance prediction package development for the pre-TRIDENT SSBN and torpedo development and testing.
- Deliver improved Submarine Advanced Combat System SFMPL software package for implementation.
- Complete development of SIMAS (UYQ-25) and ICAPS (SYK-1) systems improvements generated as a result of fleet resl-time operational feedback.
  - Continue development and st-sea testing of the performance prediction package for the Surface Ship Advanced

UNCLASSIFIED

Program Element: 63708N

Title: Anti-Submarine Warfare Signal Processing

- Continue development and testing of undersea warfare system performance prediction products for the ASW Squadron, and Battle Group/Fleet Commanders.
- (U) FY 1989 Planned Program: þ.
- Complete testing of SIMAS and ICAPS upgrade acoustic software prediction improvements.
  - ° Continue development and testing of weapon and acoustic warfare products.
- ° Complete development and testing of products for BSY-( )/FY 89 Combat System.
- Complete development and at-sea testing of products for Surface Ship Advanced Combat system.
- (U) Program to Completion: e.
- This is a continuing program.
- \* Emphasis will shift to development, incorporation and evaluation of Acoustic Performance Prediction software for new submarine, surface ship and air ASW systems.
- (U) PROJECTS OVER S10 MILLION IN FY 1988/89: Ξ.
- (U) Project W0490, BEARTRAP:
- (U) Description:
- 2. (U) Program Accomplishments and Puture Efforts:
- a. (U) FY 1986 Program:
- Completed installation of the BEARTRAP system in a P-3C Update III aircraft.
   Installed PEARTRAP capability with improved recording systems in one additional Update II aircraft.

### Program Element: 63708N

Title: Anti-Submarine Warfare Signal Processing

\* Started installation of

\* Continued

at a reduced level due to Gramm-Rudman-Hollinga reductions.
• Integrated operational software upgrades in BEARTRAP aircraft.
• Completed delivery of shore-based

for use in designated ADW Operations

· Built two portable data recording systems for use during Pony Express operations.

(8) FY 1987 Program: ۵.

Centers.

capability for P-3C Update III. • Develop

· Install

in BEARIRAP P-3C aircraft.

· Continue to update BEARTRAP tactical and operational software.

· Continue

· Install:

(U) FY 1988 Planned Program: ;

Install nev

hardware and software in three ASW Operations Centers.

• Install 'n three additions! BEARTRAP P-3C sircraft. • Develop improved Digital Signal Recording capabilities for BEARTRAP data collection.

· Continue to update BEARTRAP tactical and operational software.

· Continue

· Develop integrated DMP collection systems for P-3C UPDATE III streraft.

\* Develop updated microprocessor based systems for

applications in BEARIRAP

· Commence development of BEARTRAP capabilities for integration into P-3C UPDATE IV aircraft.

d. (U) FY 1989 Planned Progress

Program Element: 63708N

Title: Anti-Submarine Warfare Signal Processing

° Support

° Install

hardware and software improvements in upgraded ASW Operations Centers.

in two additional BEARTRAP aircraft.

o Install improved Digital Signal Recording capabilities for BEARTRAP data collection.

° Continue to update BEARTRAP tactical and operational software.

° Continue

systems for P-3C UPDATE III aircraft. ° Install

o Install updated microprocessor based systems aircraft.

applications in BEARIRAP

° Continue development of BEARTRAP capabilities for integration into P-3C UPDATE IV aircraft.

e. (U) Program to Completion:

° This is a continuing program.

(V) Major Milestones: ij

Milestone

Date

I. (U) TEST AND EVALUATION DATA: Not Applicable

### FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63709N DoD Mission Area: 235 - Naval Warfare Support

Title: Advanced Marine Biological Systems Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESCURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	<u> 1111 e</u>	FY 1986 Actual	FY 1987 Eatimate	FY 1988 Estimate	FY 1989 Estimate	Total Additional Estimated to Completion Cost	Total Estimated Cost
80214	TOTAL FOR PROGRAM ELEMENT Advanced Marine Biological Systems	5,032	5,224	5,711	6,286	6,286 Continuing Continuing 6,286 Continuing	Continuing

As this is a continuing program, the above funding includes out-year escalation and encompassea all work or development phases now planned or anticipated through FY 1989. BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Program requirements are to train marine manmals and develop associated hardware, to identify those naval operations wherein the use of marine mammals is possible, and to test the feasibility, determine the military worth, and establish the optimum characteristics of such utilization. three systems are in the fleet. The MK-5 Pingered Object Recovery System (formerly QUICK FIND, an unclassified system used to recover torpedoes with California Sea Lions), and the MK-2 Swimmer Detection and Neutralization System (formerly SHORT TIME,

have completed their development cycle, are Approved for Service Use and are operationally deployed. A third system, the MK-18 Mine Detection and Neutralization System (formerly 1.1NEAR SWEEP), has received Provisional Approval for Service Use and is operationally deployed

the C. (U) COMPARISON WITH 1987 DESCRIPTIVE SUMMARY: The significant difference between this Deacriptive Summary and 1987 Deacriptive Summary is the reduction of -1,159 in FY 1988 caused by Department program/budget and NIF adjustments.

Program Element: 63709N

Title: Advanced Marine Biological Systems

(II) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
S0214	TOTAL FOR PROCERAM ELEMENT Advanced Marine Biological	6,382	5,409	5,385	6,870	Continuir	g Continuing
	Systems	6,382	5,409	5,385	6,870	Continuing	Continuing

D. (U) OTHER FY 198R/89 APPROPRIATION FUNDS: Not Applicable

E. (U) RELATED ACTIVITIES: Marine mammal research is being conducted under P.E. 61153N; exploratory development under P.E. 6243SN.

F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Ocean Systems Center, San Diego, CA; (Lead laboratory); Naval Surface Weapons Center, White Oak Laboratory, Silver Spring, MD. CONTRACTORS: B-K Dynamics Inc., San Diego, CA; Systems Engineering Analysis Company, Kailua, Hi; Dynamic Systems Incorporated, McLean, VA.

(U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

(V) Project, S0214, Advanced Marine Biological Systems:

1. (U) Description:

2. (U) Program Accomplishments and Future Efforts:

a. (u) FY 1986 Program:

Program Element: 63709N

b. (v) FY 1987 Program:

Title: Advanced Marine Biological Systems

c (d) FY 1988 Planned Program:

899

d. (3) FY 1989 Planned Program

e. (11) Program to Completion: This is a continuing program which includes the following:

	MS II	OPEVAL	MS III	8
MK-18 Mod 1 System	PY 84/40	FY 87/30	FY 87/4Q	FY 88/10
MK-3 Mod 0 System	FY 85/40	FY 88/10	FY 88/20	FY 88/20
MK-98 Accessory Set	FY 86/40	FY 90/10	FY 90/20	FY 90/20
EX-4 Mod O System	FY 87/30	FY 90/10	FY 90/2Q	FY 90/20

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not applicable.

<sup>1. (</sup>U) TEST AND EVALUATION DATA: Not applicable.

### FY 1988/69 RIVIGE DESCRIPTIVE SUMMARY

Program Element: 637111N DoD Mission Area: 235 - Naval Warfare Support

Title: Fleet Tactical Development and Evaluation Program Budget Activity: 4 Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

lotal		to Completion	
	FY 1989	Estimate	6,127
	FY 1988	Estimate	4,800
	FY 1987	Estimate	3,949
	FY 1986	Actual	1,888
		Title	TOTAL FOR PROGRAM ELEMENT Tactical Development Support
	Project	No.	R0138

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

collection, reconstruction and analysis of fleet operational data elements during exercise and real-world operational events; tactical decision aid computer software. The capability to automate tactical information for rapid retrieval in a multi-threat provides a central library of tactical information, lessons learned and proposed tactics, and reproduces and distributes environment is under development. Accurate reconstruction and analysis of operational performance is absolutely necessary for B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program provides the only funding for the Havy's system for accurate development of tactics to improve warfighting capability. C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) A FY 1987 decrease of 700 is due to Congressiona. adjustments and . FY 1988 decrease of 2,036 is due to department program adjustments and a department program/budget adjustment.

## (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Total	Estimated	Continuing Continuing
	Additional to Completion	Continuing Continuing
	FY 1988 Estimate	6,836
	FY 1987 Estimate	679,7
	FY 1986 Estimate	1,999
	FY 1985 Actual	5,301
	Title	TOTAL FOR PROGRAM ELEMENT Tactical Development Support
	Project No.	R0138

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.

Program Flement: 6371115

Title: Fieet Tactical Development and Evaluation Program

Evaluation. It also provides accurate data upon which Fleet Commanders can base tactical and readiness conclusions, which are Equipments and software developed and maintained, and direct fleet operations support, provided by this program supports tactical development and evaluation conducted under Program Element 65155N, Fleet Tactical Development and the basis for corrective actions. It provides significant reduction in otherwise man-intensive efforts required for data collection and processing during and after exercises and real-world operational events. E. (II) RELATED ACTIVITIES:

### F. (U) MORK PERFORMED BY:

(a) In House: Navy Tactical Support Activity. Silver Spring, MD (b) Laboratory: Naval Surface Weapons Center, Silver Spring, MD

Contractors: Integrated Systems Analysis, Washington DC; General Physics Corporation, Columbia, MD., and United Information Systems, Silver Spring, MD. (c)

### (U) PROJECTS LESS THAN SIO MILLION IN FY 1988/89: ن:

## (U) Project R0138, Tactical Development Support:

responding to Fiert requests (average 1,000 yearly) for that information and data. Navy Tactical Decision Aid Computer software is 1. (U) Description. This project supports development, enhancement, and maintenance of automatic data collection devices; maintains 11 Fieet mainframe computer reconstruction systems (Tactical Information Management Systems) and the Fleet Tactical Library (Navy sole repository of tactical information and lessons learned) and reproduces and distributes Tactical Decision Aid Computer software. Automatic Data Collection and reconstruction systems are vital to reconstruction and analyais of operational and exercise data and directly support tactical and other operational initiatives. Automatic devices produce more accurain data and permit personnel to perform their assigned operational duties. Analysis of the gathered data provides the basis processing, filing and reproducing extensive (average 500 yearly) incoming tactical information and lessons learned data, and for the development of new and/or improved tactics. Maintenance of the Fleet Tactical Library (7,000 documents) entails reproduced, analyzed, quality controlled and distributed to Fleet users.

## 7. (II) Program Accomplishments and Future Efforts

#### a. (U) FY 1986 Program:

- o Provided developmental and maintenance support to 11 Fleet Tactical Information Management System (TIMS) computer installations.
- n installed/deinstalled 150 portable data collection devices on ships and aircraft (several per exercise/operation) in support of 57 Fleet exercises/operations.

Title: Fleet Tactical Development and Evaluation Program

Program Element: 63711N

- o Continued reconstruction standardization effort.
- o Continued enhancing TIMS computer software.
- o Fieet Tactical Library expanded to include observed tactical procedures from potential adversaries.
- o Expanded computer automated tactical decision aids development, reproduction and Fleet distribution.

#### b. (U) FY 1987 Program:

- o Continue direct fleet support through maintaining eleven TIMS computer systems, providing exercise installation and removal data collection of devices, and further improving those systems and devices.
- o Maintain and further expand Fleet Tactical Library (FTL) responsiveness to Fleet requests for tactical documentation.
- o Continue providing computer software development, validation, documentation, reproduction and distribution.
- o Continue enhancement of automated reconstruction systems and data collection devices to meet fleet exercises and operational needs.

### c. (U) FY 1988 Planned Program

Continue FY-1987 program (TIMS, FTL, software programs, reconstruction systems and associated data collection devices) expanding support and development of new systems and methods for computer software supporting warfighting and for collection and reconstruction in support of assessing performance, readiness and developing new or improved tactics.

### d. (U) FY 1989 Planned Program:

- o Continue the FY-1988 planned program, expanding and upgrading hardware and software support.
- e, (U) Program to Completion: This is a continuing program
- H. (U; PROJECTS OVER \$10 MILLION IN FY 1988/89: Not Applicable.
- 1. (U) TEST AND EVALUATION DATA: Not Applicable.

### FY 1988/89 KLT&E DESCRIPTIVE SUMMARY

Program Element: 63713N

DoD Mission Area: 238 - Other Naval Warfare

Title: Ocean Engineering Technology Development Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 PESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Ittle	FY 1986 Actual	Fy 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	lotal Estimated Cost
M0099	TOTAL FOR PROGRAM ELEMENT Deep Submergence	12,208	12,920	13,661	16,108	Continuing	Continuing
	Blomedical Development	5,714	5,801	6,157	7,405	Continuing	Continuing
80396	Deep Depth Diving	922	1,525	1,463	2,180	Continuing	Continuing
20397	Deep Ocean Technology	5,572	5,594	6,041	6,523	Continuing	Continuing

The above funding profile includes cut-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

- the vulnerability of offshore economic assets; and the loss of or compromise of hazardous and/or sensitive material in the deep oceans are considered in the mission areas of search, location, rescue, recovery, salvage, underwater construction and protection B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program develops the medical technology and the diver life support of offshore assets. Developments in this program will enable the U.S. Navy to overcome deficiencies which constrain deep ocean equipment and tools to permit manned and unmanned underwater operations to depths of 20,000 feet. The hostile use of the seabed; operations in the above mission areas
- Department program/budget adjustments in project S0396; in FY 1987, a decrease of 1,543 in project M0099, 407 in project S0396 and 1,503 in project S0397 are the result of Congressional action and adjustments; in FY 1988, a decrease of 1,707 in project the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: in FY 1986, a decrease of 410 GRH and C. (U) COMPARISON WITH THE FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in in project S0396 and 1,840 in project S0397 are the result of Department program/budget adjustments.

Program Element: 63713N

Title: Ocean Engineering Technology Development

## (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	<u>Title</u>	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
6600M	TOTAL FOR PROGRAM ELEMENT Deep Submergence	17,233	13,086	16,373	17,800	Continuing	Continuing
	Biomedical Development	5.954	4,00,9	7,344	7,864	Continuing	Continuing
50396	Deep Depth Diving	2,570	1,332	1,932	2,055	Centinuing	Continuing
20397	Deep Ocean Technology	6,709	07/6	/ 60 6/	188,	Continuing	Con'.1nu1ng

D.(U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.

Program Elements 63702N, Ocean Engineering Systems Development; 63705N, Medical Development (Advanced); 63722N, Naval Special Warfare; 62756N, Biomedical Technology; 63794N, Anti-Submarine Warfare Surveillance; 24561N, RELATED ACTIVITIES: Man-In-The-Sea Program. E. (U)

Newport, RI; Naval Submarine Medical Research Laboratory, Groton, CT; Naval Ocean Systems Center, San Diego, CA. CONTRACTORS: Southwest Research Institute, San Antonio, IX; University of Pennsylvania, Philadelphia, PA; Duke University, Durham, NC; State University of New York, Buff.lo, NY; Undersea Medical Society, Bethesda, MD; kochester Inc., Culpepper, VA., Undersea Medical IN-HOUSE: Naval Medical Research Institute, Rethesda, MD (lead); Naval Coastal Systems Laboratory, Panama City, FL; David W. Taylor Naval Ship Research and Development Center, Bethesda, MD; Naval Underwater Systems Center, WORK PERFORMED BY: Society, Bethesda, Md.

## G.(U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

## (U) Project MO099, Deep Submergence Biomedical Development:

1. (U) Description: The objectives of this project are to provide biomedical technology to support all Navy manned diving operations, to increase the safety and effectiveness of divers at current operational depths, and to provide physiological intormation which will allow useful work to be performed at deeper depths for longer periods of time.

Picgram Element: 63713N

Title: Ocean Engineering Technology Development

## 2. (U) Program Accomplishments and Future Efforts:

#### a. (U) FY 1986 Program:

- ° Completed trial of the effect of varied inspired exygen concentrations on no-decompression diving.
- ° Developed an algorithm for Decompression Sickness (DCS) risk in single air dives.
- Produced equal risk air decompression tables.
- Showed that lung injuly in Decompression Sickness (DCS) is similar to "shock lung", implicating white blood cells as a cause of injury.
- Began a trial of the drug combination of superoxide dismutase, heparin and catalase in the treatment of Decompression Sickness (DCS).
- Demonstrated that breathing Pelium-oxygen during the treatment of Decompression Sickness (DCS) resulting from an air dive worsened the obstruction of blood vessels in the lungs.
- ° Developed a physical fitness program specific to the needs of research saturation diving.
- Established a laboratory for diving gas purity analysis.
- o Developed a new simple model for predicting lung oxygen texicity.
- Determined that the severe rise in blood pressure following air embolism may be responsible for secondary deterioration of brain furction.
- O Demonstrated that the use of a common drug (Lidocaine) improves recovery of brain function after air embolism.

#### b. (U) FY 1987 Program:

- ° Complete development of maximum ascent limits for pressurized submarine rescue.
- ° Complete determination of effects of pulmonary oxygen toxicity on Decompression Sickness (DCS).

Program Element: 637!3N

Title: Ocean Engineering Technology Pevelopment

- ° Complete determination of inert gas solubilities in animal tissues.
- Complete assessment of high frequency ventilation in diving operations.
- Complete comprehensive diver health survey.
- ° Define the optimal wayger concentration and gas density for work at depths to 200 feet.
- Obliver interim design criteria for underwater breathing apparatus to Naval Sea Systems Command.
- · Define the cause of secondary deterioration of brain function following air embolism.
- Determine the need for storoids in the treatment of apinal cord Decompression Sickness (DCS).

### c. (U) IY 1988 Planned Program:

- Deliver guidelines for achieving optimal cardiovascular fitness for underwater work.
- Provide new decompression tables for nitrogen-oxygen diving.
- ' Define of throm pas mixtures for exercise and decompression enhancement.
- Produce guidelings for diver thermal protection and prevention of respiratory heat loss.
- Provide recommendations for emergency treatment of Decompression Sickness (DCS) and air embolism in environments far from decompression facilities.
- Provide quantitative predictions for the incidence of central nervous system oxygen toxicity.
- Provide optimal intermittency schedules for use in oxygen exposures.

### d. (U) FY 1980 Flarred Program:

- Provide comprehensive estimate of likelihood for cardiac aribythmias to occur at depth.
- o Provide hardbook for ekamber contamination monitoring, control, and decontamination.

1

Program Llement: 63713N

Title: Ocean Engineering Technology Development

- Develop final predictive equations describing respiratory heat exchange and regional convective heat loss
- Report on human trials of new agents for use in treating Decompression Sitkness (DCS).
- Report on human trials using evoked potential systems for monitoring divers for symptoms of the High Pressure Nervous Syndrome.
- e. (U) Pro ram to Completion: This is a continuing Program.

### (U) Project S0396, Deep Lepth Diving:

1. (U) Description: This project develops deep depth diving life support equipment and diver tools to safely support Navy divers performing: (a) construction, maintenance, and repair of underwater facilities; (b) salvage; (c) search for and recovery of objects of military importance; and (d) Navy projects requiring settrated diving to depths of 1,000 feet, and one-man, one-atmosphere diving to depths of 2,000 feet.

## (U) Program Accomplishments and Future Efforts:

#### a. (U) FY 1986 Program:

- \* Operational Requirement for Navy One Name. One Atmosphere Diving System (NOWALS) issued August 1986,
- Completed unmanned reliability testing of the MK 14 Closed Circuit Saturation Diving System (CCSDS).
- Completed manned saturation dive of MK 14 Closed Circuit Saturation Diving System (CCSDS) in the Ocean Simulation Facility at the Navy Experimental Diving Unit.
- Completed preparation to Install MK 14 Closed Circuit Saturation Diving System (CCSDS) aboard ACP 72 Deep Dive System for open sea technical evaluation and operational evaluation.
- Continued development of MK 14 Closed Circuit Saturation Piving System (CCSDS) documentation and supportability package.
- Closed Circuit Saturation Diving System (CCSDS) because of unavailability of surface support platform olsested Program Change Approva! Document (PCAD) to suspend further development of MK 14 (Mod 0) from which technical and operational testing was to be conducted.

80

Program Flement: 63713N

Title: Occan Engineering Technology Development

#### b. (U) FY 1987 Program

- Issue Test and Evaluation Master Plan (TEMP) for Navy One Man, One Atmosphere Diving System (NOMOADS)
- Fstablish certification for Navy One Man, One Atmosphere Diving System units 21 and 22.
- ° Conduct design analysis of critical components of Navy One Man, One Atmosphere Diving System.
- Conduct material/structure testing of Navy One-Man, One-Atmosphere Diving System (NOMOADS) graphite composite pressure hull.

### c. (II) Fy 1988 Planned Program:

- ° Conduct system tests on Devolopment Model of Navy One Man, One Atmoshpher Diving System
- Issue draft Acquisition Plan, Training Plan and Integrated Logistics Support Plan for Navy One Man, ONe Atmosphere Diving System.
- \* Complete Test and Evaluation Master Plan for the Navy One-Man, One-Atmosphere Diving System (NUMOADS).
- " Initiate unmanned reliability testing of the NOMOADS.

### d. (U) FY 1989 Planned Program:

- \* Complete unmanned reliability testing of the Navy One Man, One Atmosphere Diving System (NOWOADS).
- ' Initiate certification planning for the NOMOADS.
- of initiate procurement of Engineering Pevelopment/Advanced Development models of the NOMOADS.

### e. (U) Program to Completion:

- ° Conduct manned testing of the Navy One Man, One Atmosphere Diving System (NOWOADS) in FY 1990
- ° Complete technical evaluation of Navy One Man, One Atmosphere Diving System in FY 1991
- Complete operational evaluation of the Navy One-Man, One-Atmosphere Diving System in FY 1992.
- e This is a continuing program.

Program Element: 63713A

Title: Ocean Engineering Technology Development

### (U) Project S0397, Deer Ocean Technology:

disposal, and military oceanography. The systems that are necessary to support these deep ocean operations include: manned and deep depths (to 20,000 feet and preater) requires the exploitation of the most advanced technology. The objective of this project is to identify and advance critical technologies required in order for the Navy to function effectively in the deep ocean Operations which must be performed at deep depths include: search, surveillance, emplacement, saivage/recovery, explosive ordnance unmanned submersible vehicles, underwater work systems, and surface support. To develop reliable and safe operational systems for 1. (U) Description: The U.S. Navy, in crdcr to fulfill its mission, is required to operate in any ocean at any depth.

## 2. (U) Program Accomplishments and Future Efforts:

#### a. (U) FY 1986 Program:

° Operational Requirement for Advanced Tethered Vehicle (ATV) issued June 1986.

° Operational Kequirement for Advanced Unmanned Search System (AUSS) issued June 1986.

Completed at-sca acceptance testing of the Advanced Manueverable Underwater Viewing System with the Deep Submergence Vehicle AIVIN and achieve initial operational capability.

° Completed development of the Advanced Tethered Vehicle's 20,000 foot fiber-optic tether.

° Conducted open-ocean, unterhered test of the Advanced Urmanned Search System.

#### b. (U) FY 1987 Program:

° Initiate development testing of the Advanced Tethered Vehicle with fiber-optic tether.

° Issue Test and Evaluation Master Plans (IEMP) for the Advanced Tethered Vehicle and the Advanced Unmanned

° Complete acoustic data link tests for transmission of sensor data from/to depths of 20,000 feet.

° Conduct search simulation with the Advanced Unmanned Search System.

" Initiate development of work system (manipulator, grabber and tools) for the Advanced Tethered Vehicle.

10

Program Element: 63713h

Title: Ocean Engineering Technology Development

- c. (P) FY 1988 Flanned Program:
- \* Complete work sufte for Advanced Tethered Vehicle.
- o Conduct Advanced Tethered Vehicle at-sea operational dives to 20,000 feet.
- o Instinct at-sea testing of the Advanced Unmanned Search System to depths of 20,000 feet.
- Initiace treiting of fleet operators on Advanced Tethered Vehicle.
- Initiate integrated deck handling system for Advanced Unmanned Search System and Advanced Tethered
- d. (U) FY 1989 Flarred Program:
- \* Accomplish initial operational capability of the Advances Tethered Vehicle.
- ° Complete integrated deck handling system.
- ° Complete development testing of Advanced Unmanned Search System.
- e. (U) Program to Completion:
- Complete turn-over of Advanced Tethered Vehicle to the finet in FY 1991.
- ° Complete turn-over of Advanced Unmanned Search System to the fleet in FY 1992.
- o This is a continuing program.
- H. (U) PROJECTS CVEK \$16 MILLION IN FY 1988/89: Not applicable.
- I. (U) TEST AND EVALUATION DATA: Not applicable.

### FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Title: Container Offloading and Transfer System (COTS) Budget Activity: 4 - Tactical Programs DoD Mission Area: 264 - Intermodal Transfer/Port Operations/Air Drop Program Element: 63719N

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	1,492	2,811	1,528	0	0	36,611
Y0816	Container Offloading and Transfer	1,492	2,811	1,528	0	0	36,611
	System						

available. This project develops components to move cargo over an unimproved beach. Project interfaces with Marine Corps and It requires the utilization of available commercial shipping assets. Given the possibility we may not capture a fully operational high volume port to land these large contingency and sustaining forces, means of offloading commercial shipping over the shore or in an austere port must be Development has been completed and AFP has been granted for Powered Causeways (CSP), Sideloadable Warping Tug (SLWT), Elevated Causeway (ELCAS) and Roll-On Roll-Off (RO/RO) Facility. Development was started in FY 85 on ELCAS rapid casualty repair (RESTORE). RESTORE provides a rapid means of bridging up to two sections (180') of ELCAS or 160' of Cantilevered Elevated The Strategic Sealift program includes sealift for the deployment of Maritime Prepositioning Ships, Army Divisions, and the Marine Assault Follow-On Echelons. Causeway (CANTELCAS), which could be damaged by storm, accident or enemy action. B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Army systems.

(Dollars in Thousands) A decrease of 2,791 in FY 1987 is the result of G. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: Congressional actions and adjustments.

## (U) FUNDING AS REPLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Title TOTAL FOR PROGRAM ELEMENT Container Offloading and Tra
--

Program Element: 63719N

Title: Container Offloading and Transfer System (COTS)

- D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not applicable
- which is considering further development of crane motion compensation devices formerly under CCTS. Program Element 63635M, (USMC Field Logistic System), which interfaces on shore with components developed by this project. There is no unnecessary duplication Auxiliary Crane Ship Project of Program Element 63726N (Merchant Ship Naval Augmentation Program), of effort within the Navy or the Department of Defense. (U) RELATED ACTIVITIES:
- David W. Taylor Naval Ship Research and Development Center, Bethesda, MD; Naval Ordnance Station, Indian Head, MD; Naval Sea Systems Command, Washington, DC; Naval Weapons Handling Center, Earle, NJ; and Norfolk Naval Shipyard, Portsmouth, VA. (U) WORK PERFORMED BY: IN-HOUSE: Lead Laboratory is the Naval Civil Engineering Laboratory, Port Hueneme, CA. CONTRACTORS: Fairey Engineering Limited, Stockport, Cheshire, England.
- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:
- (U) Project Y0816, Container Offloading and Transfer System:
- (U) Description: Amphibious resupply operations will be conducted in areas where developed port facilities are either This project provides essential hardware and techniques to transfer containerized, bulk cargo, and rolling stock, over-the-beach from modern commercial ships moored offshore. The development includes: Elevated Causeways and RESTORE, a means of rapidly bridging up to 180' of the Elevated Causeway or 160' of CANTILEVERED Elevated Causeway which could be damaged by storm, accident or enemy action. non-existent or war-damaged.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program
- Designed Elevated Causeway casualty repair hardware test articles.
- b. (U) FY 1987 Program:
- ° Conduct engineering validation tests on Elevated Causeway casualty repair hardware.
- Design/fabricate ELCAS RESTORE 100' Span.
- Developmental Test (DT IA) on modules and 100' span using ELCAS.
- Prepare integrated logistics support documentation and drawings for CANTELCAS RESTORE.

Program Element: 63719N

Title: Container Offloading and Transfer System (COTS)

- c. (U) FY 1988 Planned Program:
- ° Design/fabricate CANTELCAS RESTORE 160' span.
- Developmental Test (DT IB) on modules and 100' span.
- OPENELOPMENTAL Test (DT IC) on modules and 160' span using ELCAS.
- ° Start Developmental Test (DT ID) on fatigue failure of 100' span,
- d. (U) FY 1989 Planned Program: Not applicable.
- e. (U) Program to Completion: Not applicable.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not Applicable
- 1. (U) TEST AND EVALUATION DATA: Not Applicable

### FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63722N

DoD Mission Area: 307 - Special Operations Forces

Budget Activity: 4-Tactical Programs Naval Special Warfare

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

- mission analysia, MCH equipment and mission simulators; (3) Special Warfare Combatant Cratt: a series of Maritime Support Craft Special Operations in support of Fleet or Joint Commanders which may include the following tactical missions: reconnaissance, projects: (1) SEAL Weapons System: a family of specialized weapons and accessories which includes explosive demolition charges, a variety of firing devices, standoff weapons, small syms and ammunition; (2) SEAL Support System: four categories of Equipment propulsion units, navigation systems, underwater breathing apparatus, diver thermal protection, communications enhancements, ranging from the Special Warfare Craft Medium (SWCM) through special purpose ceaft (High Speed Boat) to Combat Raiding Craft This program makes maximum use of the Foreign Weapons Evaluation Program (FWEP), Special Operationa, Special Technology Program (SOSTP), and a recently approved CNO acquisition policy for Special Warfare equipment, all of which encourage the rapid (A) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Develops weapons, life-aupport, C31, mission aupport equipment and mobility This is required to enhance Maritime This element includes three (mobility, life support, C'1 and mission aupport) which include SEAL Delivery Vehicles, aubmarine Dry Deck Sheltera, swimmer development of Special Warfare equipment and the use of suitably modified off-the-shelf equipment, where appropriate. for Naval Special Warfare Forcea (SEAL/SDV Teams and Special Boat Squardrons). surveillance, ship attack, direct action, unconventional warfare and
- Specific modifications were: +3,433 in FY 1986 caused by a combination of GRH and Department program/budget adjustments, which C. (L) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: The Navy Special Warfare Program budget was significantly increased in all and low intensity conflict. years because of a desire to accelerate improvement of the Navy'a ability to deal

Program Element: 61772N

Title: Naval Special Warfare

+5,211 in FY 1987 caused by Congressional and Department created a one year project program/budget adjustments; +4,684 in FY 1988 caused by Department program/budget and NIF rate adjustments.

## (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

							Total
Project		FY 1985	FY 1986		FY 1988	Additional	
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
		,			1		
	TOTAL FOR PROGRAM FILEMENT	8,114	6,716		15,259	Continuing	
50416	SEAL Weapons System	2,858	2,812		5,804	Continuing	
50417	SEAL Support System	2,035	2,501	6,654	6,146	Continuing	Continuing
\$1317	Explosive Ordnance Disposal Diving Systems	1,443	*				
21684	Special Warfare Combatant Craft	1,778	1,403	2,861	3,309	Continuing	Continuing

<sup>\*</sup> Project S1317 transferred to Program Element 63654N, Joint Service Explosive Ordnance Disposal Development (Adv), starting in

#### (U) OTHER FY 1988/89 APPROPRIATION FUNDS: ċ

	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
SFAL Weapons System OPN BA-4 Line Item 335515	791	847	2,120	3,114	Continuing	Continuing Continuing
WPN BA-3 Line Item 303233	1,431	3,526	1,370	2,200	Continuing	Continuing Continuing
SEAL Support System OPN BA-1 Line Item 331140	27,992	23,662	37,663	46,803	Continuing	Continuing Continuing
Special Warfare Combatant Craft Sck	0	19,600	21,000	0		

F. (U) RELATED ACTIVITIES: Program Element 62734N, exploratory development in SEAL weapons. Program Element 64601N, Mine Development (Engineering), Project S0267, Mine Improvements, provides technology base necessary for development of SEAL weapons and support systems.

Program El ment: 63722N

Title: Naval Special Warfare

Keyport, WA; David Taylor Naval Ship Reaearch and Development Center, Bethesda, MD and Carderock, MD; NAVSEA Combat Systems CONTRACTORS: Ametek-Straza, Santa Barbara, CA; Diving Unlimited, Incorporated, San Diego, CA; RMI Inc. of National City, CA; S-TRON, Belmont, CA; Newport News Shipbuilding, Newport News, VA; and F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Coastal Systems Center, Panama City, FL; Naval Surface Weapons Center, White Oak, MD; Engineering Station, Norfolk, VA; Naval Weapons Center, China Lake, CA; Naval Electronics Systems Engineering Activity, St. Inigoes, MD; Naval Research Laboratory, Washington, DC. CONTRACTORS: Ametek-Straza, Santa Barbara, CA; Diving Unlimited, Naval Weapons Support Center, Crane, IN; Naval Surface Weapons Center, Dahlgren, VA; Naval Undersea Warfare Engineering Station, Resource Consultants Inc., Arlington, VA.

## G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

## (U) Project SO4le, SEAL Weapons System:

Weapons are employed during beach obstacle clearance, underwater ship attacks and direct action missions. This project includes firing devices, demolition charges, guided missile aystems, equipment canisters, marker beacons, hand weapona and smmunition, limpet mines, distress signals and individual combat equipment. To date, 33 items have been developed including the anti-ship and modular limpets; and time delay, radio frequency, and acoustic firing systems. This project has been expanded in response to Secretary of Defense direction to revitalize the Special Operations Forces (SOF) of all the military services against 1. (U) Description: Develops unique weapons and ordnance equipment for use by Naval Special Warfare Forces (SEAL and SDV Standoff Weapon Assembly MK-32, a modified MK-37 torpedo launched from a MK IX SEAL Delivery Vehicle against surface ships; the current threat.

## 2. (U) Program Accomplishments and Future Efforts:

#### (U) FY 1986 Program

- o Chainned design and testing of Underwater Demolition Weapon (UDW) EX-33; a 1200 lb explosive charge with target sensing firing device for use against major or nested (ship) targeta.
- \* Concucted in-water rendezvous/recovery tests of SEAL Equipment Canister utilizing fleet personnel aervices.
  - Completed engineering tests of smoke/flare distress aignals and procured TECHEVAL units.
- Expanded RF/Acoustic Transponder test requirements to include initiation from P-3 & C-130E aircraft.
  - Conducted Standoff Weapon Assembly MK 32 factory training prior to fleet introduction.
- Decorated auccess. I and and underwater field tests on Sympathetic Firing Device using live explosive control and target charges.
  - · Commenced Advanced ASW Limpet Project.



Program Element: 63722N

Title: Naval Special Warfare

### b. (U) FY 1987 Program:

- o Initiate Radio Firing Device, Anti-Disturbance Device and Absolute Time Firing Device projects.
- \* Achieve Milestone II for Advanced ASW Limpet, Absolute Time Firing Device, Anti-Disturbance Device/(basic), Underwater Demolition Weapon and Radio Firing Device.
  - ° Complete evaluation of Radio Frequency/Acoustic Transponder and SEAL Equipment Canister.
- o Achieve fleet introduction of Standoff Weapon Assembly MK-32.
- o Achieve Milestone III for SEAL Equipment Canister and Swimmer Distress Signals.

### c. (U) FY 1988 Planned Program:

- o initiste and achieve Milestone II for Charge Attachment System, Fiber Optic Cuided Missile (a Navy Special Warfare adaptation of an existing Army missile), Miniaturized Firing Device and Antiship Mortar Round.
- Absolute Time Firing Device, Sympathetic Firing Device, Anti-Disturbance Device, Miniaturized Firing Device, Radio Firing Device and Navy Special Warfare Standoff Missile System (adaptation of current missile system ° Complete evaluation of Advanced ASW Limpet, basic Underwster Demolition Weapon, Charge Attachment System, like Hellfire for protection of Navy Special Warfare surface combatants).
  - Achieve 7.5 for Swimmer Distress Signals, Sympathetic Firing Device, Absolute Time Firing Device,

### d. (U) FY 1989 Planned Program:

- ° Complete evaluation of Fiber Optic Guided Missile.
- ° Achieve Milestone III for Charge Attachment System and Antiship Mortar Round.
- ° Achieve IOC for Advanced ASW Limpet, (basic) Underwater Demolition Weapon, Miniaturized Firing Device, Radio Firing Device, Navy Special Warfare Standoff Missile and Charge Attachment Systems.

# (U) Program to Completion: This is a continuing program which includes the following:

	MS II	OPEVAL	MS 111	읽
Underwater Demolition Weapon	FY 87/4Q	FY 88/3Q	FY 88/40	FY 89/3Q
SEAL Equipment Canister	FY 86/40	FY 87/40	FY 87/40	FY 88/2Q
Absolute Time Firing Device	FY 87/2Q	FY 88/1Q	FY 88/2Q	FY 88/4Q
Swimmer Distress Signals	FY 83/10	N/A	FY 87/20	FY 88/1Q
Sympathetic Firing Device	FY 83/10	FY 88/1Q	FY 88/20	FY 88/2Q
Radio Frequency/Acoustic Trans.	FY 81/20	FY 87/40	FY 88/1Q	FY 88/2Q
Advanced ASW Limpet	FY 87/1Q	FY 88/1Q	FY 88/3Q	FY 89/1Q
	918			INCLASSIFIED

Program Element: 63722N

Title: Naval Special Warfare

Anti-Disturbance Device	FY 87/20	FY 88/1Q	FY 88/2Q	FY 88/40
NSW Standoff Missile System	N/A	N/A	FY 88/4Q	FY 89/1Q
Miniaturized Firing Device	FY 88/2Q	FY 88/4Q	FY 88/4Q	FY 89/2Q
Charge Attachment System	FY 88/2Q	N/A	FY 89/1Q	FY 89/20
Radio Firing Device	FY 87/3Q	FY 88/3Q	FY 88/40	FY 89/2Q
Anti-Ship Mortar Round	FY 88/20	N/A	FY 89/10	FY 89/20
Fiber Optic Cuided Missile	FY 88/2Q	FY 89/4Q	FY 90/2Q	FY 90/30
Small Arms/Ammunition	N/A	N/A	N/A	N/A

## (U) Project S1684, Special Warfare Combatant Craft:

(U) Description: Develops specialized combatant craft and unique associated equipment and systems which can operate in shallow water, riverine areas, coastal approaches, and the open ocean in sea states 1-5. Such craft must be capable of extended mission, low probability of detection operations in support of Naval Special Warfare Forces. Efforts include: analysis, material development and tests to develop techniques to minimize radar and acoustic signatures and observability, adsptation of weapons to mininize vulnerability to counter-action, passive ESM monitors, specialized ECM equipment, bi-ststic radar; and tactical deception measures to counter hostile surface and air threats.

## 2. (U) Program Accomplishments and Future Efforts:

### a. (U) FY 1986 Program:

- ° Conducted studies to reduce Surface Warfare Craft Medium (SWCM) detectability characteristics (e.g., radar, infrared, acoustic signatures).
  - Continued development of the MK 43 MOD 0 In ared Visual Imaging Surveillance Sight (IVISS).
- " Initiated studies to develop mobility for Special Warfare Craft Medium, and other Special Warfare craft using Merchant Ship Naval Auxiliary Program (MSNAP) or other platforms.

### b. (U) FY 1987 Program:

- \* Integrate link 11 (receive only) into Special Weapons Craft Medium Combat System. (In primary construction
- Ocontinue craft improvement studies to include craft detectability characteristics reduction and performance improvement.
  - ° Investigate development of sinkable/recoverable combatant rubber raiding craft.
    - o Initiate upgrading the IVISS to a Fire Control System.

Program Element: 63722N

Title: Naval Special Warfare

- ° Initiate application of the SEA VULCAN 25 Rapid Fire Gun Mount to Special Warfare Craft.
  - ° Procure and test experimental Combat Rubber Raiding Craft (CRRC) platforms.

### c. (U) FY 1928 Planned Program:

- ° Investigate acquiaition of a High Speed (intercept) Boat for use in low viaibility operation/conflicta.
  - Provide Merchant Ship Naval Auxiliary Program modules for Special Warfare Craft, Medium.
- Continue Special Warfare Craft improvements initiated in FY 87.
- o Initiate Navy Special Warfare Standoff Missile application for Special Warfare Craft, Medium.
- ° Continue integration of Link-11 receive only capability.
  - ° Complete testing of experimental CRRC platforms.
- onvestigate acquisition of High Speed (intercept) boat for use in low visibility operational conflicts.

### d. (U) FY 1989 Planned Program:

- O Continue Special Warfare Craft Improvements to include craft detectability characteriatics reduction, and combat systems upgrades.
  - ° Continue development of High Speed Boats.
- Continue development of Navy Special Warfare Standoff Missile System inatallations.
  - ° Continue development of Combat Rubber Raiding Craft.
- ° Test installation of the SEA VULCAN 25 Rapid Fire Gun mount with the upgraded Infrared Visual Imaging Surveillance Sight (IVISS) gun control system on first of class Surface Warfare Craft, Medium in preparation for developmental and operational testing.
- (!) Program to Completion: This is a continuing program which includes the following: ė.

	**			
	Lead Craft	OPEVAL	MS III	100
Combat Rubber Raiding Craft	N/A	1	FY 88/20	FY 89/10
High Speed Boat		FY 88/10	FY 88/2Q	FY 89/40
Special Warfare Craft, Medium	FY 84/20	FY 89/40	FY 90/1Q	FY 90/2Q
(including lVISS)				

Program Element: 63722N

Title: Naval Special Warfare

H. (U) PROJECTS OVER \$10 MILLION IN FY 88/89:

## (U) Project SO417, SEAL Support System:

(4) Description: Develops unique support equipment for use by Naval Special Warfare Forces (SEAL and SDV Teams). Items are used during the conduct of hydrographic/inland reconnaissance, beach obstacle clearance, underwater ship attack, and direct-action missions. Items include: SEAL Delivery Vehicle (SDV)/Submarine Dry Deck Shelter (DDS) improvements;

SDV Helicopter Transport System (SDV-HTS); Diver Active Thermal Protection (DATP-for cold water combat swimmer missions); Advanced Underwater Breathing Apparatus (AUBA-for increased combat swimmer endurance); Full Face Mask-Heads Up Display (FFM/HUDS - which improves existing FFM, and will be compatible with AUBA and DATP while alao providing night vision capability); LAR V extension (to improve duration of existing dive profiles); Biomedical Research (to examine physiological, medical and human engineering factors to better train/prepart SEALs for improved mission success); Underwater Target Tag (to track selected targets); Swirmer Propulsion Unit (SPU to improve effective range of combat awimmers); Advanced SEAL Delivery System (ASDS); NSW Mine Counter Measures (to include threat assessments, Portable Object Tactical Janmers (to

Locating Sonar (POLS) and other equip of enhancements for improved combat swimmer reconnaissance); Environmental Analysis (to monitor NAVOCEANO studies and establis, invironmental models to forecast operational conditions); NSW Mission Simulators and Planning Aida. Program has been accelerated and expanded in response to Secretary of Defense direction to revitalize the special Operations Forces of all the military services.

## 2. (U) Program Accomplishments and Future Efforts:

### a. (U') FY 1986 Program

- o Investigated improvements of
- o Investigated improvements to Dry Deck Shelter and monitoring of atmosphere and operations for host ship control.

components.

- Continued development of Portable Object Locating Sonar advanced development model.
- ° Began development of Diver Active Thermal Protection, Advanced Underwater Breathing Apparatus and Full Face Mask under Special Operations Special Technology Program.
- ° Initiated SEAL medical and physiological studies.

Program Element: 63722N

Title: Naval Special Warfare

#### (V) FY 1987 Program ٠

- Conduct non-acquisition studies for
- Conduct Swimmer Propulsion Unit market survey, adaptive engineering and testing.
- Begin Advanced SEAL Delivery System (ASDS) development.
- Continue development of Diver Active Thermal Protection and Advanced Underwater Breathing Abparatus.
- Continue development and commence testing of Full Face Mask.
  - Conduct LAR V studies.
- o Continue SEAL medical and physiological studies.
- Conduct market survey and begin testing of at-sea Paasive Navigation System, Underwater Target Tag and Tactical Jammer as part of the Navy Special Warfare (NSW) Rapid Development Program.
- Conduct mine countermeasure (MCM) threat assessment.
- o Monitor environmental model studies.
- Design, test, deliver equipment storage containers for use in conjunction with Dry Deck Shelter operations,
  - Danestigate and initiate development of Naval Special Warfare (NSW) miasion planners/aimulators.
- Continue mission analysis studies.
- Develop prototype Laser Disc Training Aid.

#### (U) FY 1988 Planned Program ٠,

- Continue non-acquisition studies for
- Pinish evaluation of Swimmer Propulsion Unit.

improvement.

- Continue Advanced Seal Delivery System development.
- Continue development of Advanced Underwater Breathing Apparatus.
- Continue development and commence testing of Diver Active Thermal Protection.
  - Continue testing and follow-on development of Full Face Mask.
    - Continue SEAL medical and physiological studies.
- Pfnish evaluation of Passive At-Sea Navigation System, Underwater Target Tag and Tactical Jammer and obtain Approval for Navy Use.
  - Deliver MCM threat assessment.
- Continue to monitor environmental model atudies.
- Continue development of Navy Special Warfare mission planners/simulators.
  - Deliver interactive Laser Disc Trainer to fleet for evaluation.
- Establish preproduction equipment requirements for Portable Object Location Sonar.
  - Continue mission analysis studies.

Program Element: 63722N

Title: Naval Special Warfare

### d. (J) FY 1989 Plenned Program:

° Finalize improved design concepts for

° Finish Development Options Paper for Advanced SEAL Delivery System.

° Continue development and commence testing of Advanced Underwater Breathing Apparatus.

Ochtinue development and commence testing of Diver Active Thermal Protection.

° Finish evaluation and deliver Full Face Mask.

o Initiate design of SEAL Delivery Vehicle Helicopter Transportation System.

o Investigate design for advanced jammer.

\* Continue development of NSW mission planners/simulators.

° Continue preproduction Portable Object Location Sonar development.

° Continue mission analysis studies.

(U) Program to Completion: This is a continuing program which includes the following. ė

	MS II	OPEVAL	MS III	100
Diver Active Thermal Protection	FY 87/4Q	FY 89/1Q	FY 89/3Q	FY 90/20
Advanced Underwater Breathing Apparatus	FY 88/4Q	FY 91/10	FY 91/3Q	FY 92/4Q
Portable Object Locating Sonar	FY 89/1Q	FY 90/30	FY 91/3Q	FY 92/20
Advanced SEAL Delivery System	FY 92/30	FY 96/1Q	FY 97/1Q	FY 98/2Q
SDV Helo Transport System	FY 90/40	FY 92/3Q	FY 92/4Q	FY 94/20
Advanced Jamer	FY 90/10	FY 92/30	FY 93/20	FY 94/30

The following programs will be initiated/managed under the accelerated research, development and acquistition policy authorized for Navy Special Warfare:

PROGRAM TECH/OPEVAL 10C	N FY 87/30	FY 87/4Q	FY 87/4Q FY 87/4Q	FY 88/30	FY 85/20
	Containers	Passive At-Sea Rendezvous/Navigation System	Underwater Target Tag	Swimmer Propulsion Unit	Full Face Mask

Program Element: 63722N

The following non-acquistion studies are being conducted in support of NSW:

Title: Naval Special Warfare

MK VIII SEAL Delivery Vehicle Improvements
SEAL Medical/Phy. Jology Enhancements
MCM Threat Assessment
LAR V Extension
Mission/Engagement Analysis
Navy Special Warfare Simulators

I. (U) TEST AND EVALUATION DATA: Not Applicable.

### FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63724K DoD Mission Area: 480 - RDT&E Facilities/Management

Title: Navy Energy Program (Advanced)
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
RO82 <sup>9</sup> RO8 33	TOTAL FOR PROCRAM ELEMENT Energy Conservation (Advanced) Mobility Fuels (Advanced)	16,733 7,272 9,461	15,678 6,740 8,938	7,721	8,839 4,149 4,690	Continuing Continuing Continuing	Continuing Continuing Continuing

As this is a continuing program, the above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

- related technology for ship, aircraft, and land based operations to: (a) increase fuel-related weapon system capabilities such as range, endurance, and time on station; (b) conserve energy and reduce energy costs; (c) develop a capability to use a wider shore facilities dependence on petroleum fuels and reduce costs by pursuing energy technology efforts to apply alternate and Fleet-wide energy conservation goals. If achieved, these goals will reduce Navy fuel costs by \$200M per year in FY 1990 and \$380M This program supports projects to evaluate, adapt, and develop energy variety of ship and aircraft fuels without affecting equipment performance or reliability (e.g., fuels with less tightly controlled properties and/or commercial grade fuels, and fuels derived from a wider variety of crude sources); and (d) reduce Navy This program is essential to the accomplishment of Navy per year in FY 1995 assuming \$1 per gallon fuel prices in those years. This program will therefore pay for itself several times advanced energy technologies to specific Navy shore facilities. B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED:
- of Department program adjustments (4313), Department NIF rate adjustments, and Department program/budget adjustments; Project ROB38 - in FY 1988 a decrease of 6699 is the result of Department program/budget adjustments (6687) and Department NIF rate C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: The changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: Project R0829 - in FY 1988, a decrease of 4408 is the result adjustments.

Program Element: 63724N

Title: Navy Energy Program (Advanced)

(11) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Estimated Cost	Continuing Continuing Continuing
Additional to Completion	Continuing Continuing
FY 1988 Estimate	18,828 7,785 11,043
FY 1987 Estimate	16,833 7,479 9,354
FY 1986 Estimate	18,310 7,992 10,318
FY 1985 Actual	20,001 8,655 11,346
Title	TOTAL FOR PROGRAM ELEMENT Energy Conservation (Advanced) Mcbility Fuels (Advanced)
Project No.	R0829 R0838

P. (U) OTHER FY 1988/89 APPROPRIATIONS FUNDS: Not Applicable

Fuels Technology Program. Efforts are in consonance with programs in other services and are coordinated through informal exchanges of information as well as formal technical advisory groups, working groups, committees, joint memoranda of understanding and/or Program Element 64710N, Navy Energy Program (Engineering), and Program Element 62233N, Mobility Joint service agreements. There is no unnecessary duplication of effort within the Navy or Department of Defense. (U) RELATED ACTIVITIES:

Detroit Diesel Allison, Indianapolis, IN; General Electric Corporation, Cincinnati, and David W. Taylor Naval Ship Research and Development Center, Annapolis, MD; Naval Air Development Center, Warminster, PA; Naval Air Propulsion Center, Trenton, NJ; Naval Civil Engineering Laboratory, Port Hueneme, CA; Naval Veapons Center, China Lake, CA; Naval Ship Systems Engineering Station, Philadelphia, PA; and Naval Air Engineering Avondale, OH; Lockheed California Co., Burbark, CA: McDonnell Douglas, St. Louis, MO; Boeing, Seattle, WA; Pratt & Whitney, Palm Beach, FL; Teledyne Inet, Torrance, CA. IN-HOUSE: Center, Lakehurst, NJ. CONTRACTORS: F. (U) WORK PERFORMED BY:

## G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

## (II) PROJECT RC,329 ENERGY CONSERVATION (ADV);

1. (U) Description: This project improves the energy efficiency of naval systems and thereby contributes to improved fleet sustainability and performance (e.g., increased range, time on station, etc.), increased combat capability, and reduced As currently funded, the overall Navy Energy R&D Program, of which this project is a part, will reduce the Navy's fuel costs by \$700M per year by 1990 and \$380M per year by 1995 assuming \$1 per gallon fuel prices in those years.

## 2. (U) Pro ram Accomplishments and Future Efforts:

a. (U) FY 1986 Program

Program Element: 63724N

Title: Navy Energy Program (Advanced)

#### SHIPBOARD CONSERVATION:

- \* To support organitin antifouling paint development and assessment, completed background level organotin measurements in Navy harbors.
- ° Studied effects of organotin in the environment.
- Designed high-efficiency single-screw and centrifugal compressors for air conditioning plants.
  - \* Developed prototype Battery Energy Storage System (BESS) for emergency electrical power.

#### AIRCRAFT CONSERVATION:

- Tested Modern Technology Demonstrator Engines (Army/Navy joint effort) over flight envelopes of P-3, C-130, CH-47, V-22 aircraft.
  - ° Defined fuel efficiency improvement package for F-404 engine.
- Developed fuel efficient aircraft subsystems e.g., Avionics Power Supply.
- Performed TECHEVAL /OPEVAL for improved wind-over-deck airspeed sensor for aircraft carriers.

#### FACILITIES CONSERVATION:

- Designed hybrid photovoltaic/wind energy conversion system to provide power in support of Tactical Aircrew Combat Training System (TACTS).
  - Continued geothermal reservoir analysis st several sires including China Lake, Fallon, Lualualei, Adak
- · Designed for procurement and test and evaluation photovoltaic power systema (29 Palms, and China Lake), and solsr heating/cooling systems (several sites).
  - Continued assessment of small cogeneration systems, and low temperature solar systems.

### b. (U) FY 1987 Program:

#### SHIPBOARD CONSERVATION:

- \* Continue harbor monitoring of organotin. Continue studies supportive of EPA special review of the environmental risk of using organotin anti-fouling paints.
  - \* Continue centrifugal compressor and control system designs for high efficiency air conditioning.
    - ° Continue laboratory scale development of battery energy storage system.

#### AIRCKAFT CONSERVATION:

- Assess Modern Technology Demonstrator Engine test results (configured as turboprop).
  - Initiste F-404 engine fuel efficiency improvement hardware development.
- ° Complete ground demonstration of Lightweight Hydraulic System for future aircraft.
  - . Continue efficient Avionics Power Supply development.

Program Element: 63724N

Title: Navy Energy Program (Advanced)

### FACILITIES CONSERVATION:

- Initiate Efficiency Improvement for Boiler Systems to achieve minimum of 5% increase in boiler efficiency Navywide.
- Continue assessment of installation of small cogeneration systems to provide continuous and emergency power to facilities, especially Mavy hospitals.
- Continue assessment of geothermal reservoir analyses (several Navy sites), alternately fueled vehicles and coal combustion techniques.
- Continue development of hybrid photovoltaic/wind energy system to provide power in support of offshore Tactical Afrerew Combat Training System (TACTS).

### c. (U) FY 1988 Planned Program:

### SHIPPOARD CONSERVATION:

- Continue organotin harbor monitoring
- Complete studies on the effects of organotin in the environment.
- Continue air conditioning control system designs/evaluate benefits of variable speed drive.
  - Continue development of advanced centrifugal and single screw air conditioning compressors,
- Perform new ship hydrodynamic design analyses.
- Continue development of battery energy storage system.

### AIRCRAFT CONSERVATION:

- ° Demonstrate F-404 engine efficiency improvements.
- ° Complete Avionics Power Supply development.
- \* Define program to adapt Closed Loop Environmental Control System (CLECS) technology to fighter/attack aircraft.

### FACTLITIES CONSERVATION:

- Assess geothermal reservoir analyses (29 Palms, Fallon, Lualualei) to select high payback potential reservoirs for private sector financing/development.
- to reduce o initiate Amorphous Transformer technology assessment to replace conventional transformers so as electric power demands and cooling loads.

Program Element: 63724N

Title: Navy Energy Program (Advanced)

- Complete Sterm Line System Upgrade project to produce a steam line system planning manual to reduce steam system losses in facilities Navywide.
- Continue development of hybrid protovoltaic/wind electric power generation systems for remote locations (magazines) and intrusion detection systems.

### d. (II) FY 1989 Flwined Program:

#### SHIPBOARD CONSERVATION:

- Complete centrifugal compressor design/continue control system development.
- Perform new ship hydrodynamic design analyses.
- ° Prepare to test Variable Speed Constant Frequency derivation of electrical power from main propulsion plant.

#### AIRCRAFT CONSERVATION:

- ° Complete F404 engine efficiency improvement project.
- Begin development of Closed Loop Environmental Control System for tactical aircraft.
  - Develop improved efficiency aircraft electromechanical and avionic systems.

### FACILITIES CONSERVATION:

- \* Complete Efficiency Imprevement for Roller Systems and Boiler Fuel Source Planning System to select alternate bother fuels, to include coal, coal slurry, refuse-derived fuels and others.
- Initiate Solar Responsive Roof/Wall Coverings project to adapt facilities surface finishes for the reflection or absorption of solar thermal radiation.
- · Continue assessment of small cogeneration systems, photovoltaic/solar/wind hybrid power systems, improving heating and air conditioning controls systems.
- Continue to assess high payback potential geothermal reservoirs under Naval shore installations (Pickel Meadows, Adak, 29 Palms).
- (U) Program to Completion: This is a continuing program. In FY 1996 FY 1992 planned tasks include: e e
- Continued development of more efficient ship machinery and hull systems.
- Continued development of more efficient aircraft subsystems and fuel use management aids.
  - Continued assessment of new energy technologies for application to haval facilities.

Program Flement: 61724N

Title: Navy Energy Program (Advanced)

(1' - PROJECT RUB38, MORILITY FUELS/ADVANCED;

1. (1) DESCRIPTION: This project is designed to reduce the impact on Navy operations of degrading fuel quality, supply interruptions and rapid changes in file! cost. Recent trends in fuel quality have affected ship and aircraft performance and instability in ship and aircraft gas turbines. This project is developing: (1) a capability to operate on a wider variety of lower quality fuels that are currently entering the supply system, without compromising system performance and reliability, and reliability: i.e.. bulk fuel atorage instability, filter clogging in ships, fuel control valve malfunction in aircraft and thermal fuels (1.e., fuels with less tightly controlled properties and/or commercial grade fuels); (2) a capability to operate on the (3) revised military fuel specifications which will ensure the procurement of good quality fuels independent of the crude source or refinery process. Thin project is developing recommendations for revised fuel procurement specifications (derived from current equipment fuel property requirements), procurement waiver rationale, emergency fuel usage guidelines, and will identify and recommend changes for equipment designs which are fuel property intolerant. This project is part of a joint service program and is coordinated with DOE, NASA, and Industry.

## 2. (U) FROTRAM ACCOMPLISHMENTS AND FUTURE EFFORTS.

### a. (U) IY 1986 Program:

- ° Completed Simulated Mission Endurance Tests on the F-18/F404 engine with relaxed specification fuels to define acceptable fuel property limits.
  - ° Compreted 1000 hour tests on the F402 and F404 engine fuel controls with relaxed specification fuels that validated lubricity and peroxide additive requirements and levels.
- Succassfully completed 248 hour endurance test on a high-speed diesel engine with recycled Naval Distillate to validate specification acceptance.
  - Developed 7-D computer model of afroraft fuel cold flow behavior in fuel tanks to guide fuel freeze point selection.

### b. (L) FY 1987 Program:

- ° Data from fuel property evaluations, additive tests, and engine fuel tolerance testing will be used to recommend JP-5 and F-76 fuel specification modifications to solve current ship and aircraft fuel related performance and relfability problems.
  - Marine diesel engine testing will continue with long term durability tests.
- ° Initiate fuel effects test series with AV-8B/F402 engine instrumented combustor tests.
- "Utility filight and wind tunnel test data to verify 3-D computer model for aircraft fuel cold flow behavior and allow a revised freeze point for JP-5 fuel to be recommended.

Program Element: 63724N

Title: Navy Energy Program (Advanced)

### с. (U) FY 1988 Program:

- <sup>c</sup> Fuel property evaluations and ship/aircraft engine system testing will continue with an emphasis on providing data to recommend changes to relax features of the JP-5 and F-76 fuel specifications that are unnecessarily restrictive, and to determine the effect of using non-standard fuels on hardware reliability and performance. ° initiate fuel effects performance testing of the F402 instrumented engine at simulated altitude conditions.
  - \* Recommend "ev! sed JP-5 fuel freeze point for inclusion in the specification.
- Continue LM-2506 and DDA 501K17 engine combustor rig performance and 1000 hour durability testing.
  - ° Continue high-speed diesel performance and 1000 hour durability testing.

### d. (U) FY 1989 Program:

- ° The JP-5 and F-76 fuel specifications will be revised to be independent of petroleum crude type and refinery processing.
  - Emergency fuel usage guidelines will be under development for use worlúwide, under both peacetime and wartime
    - ° Fvel procurement waiver rationale will be under development from the fuel property/engine requirement correlations derived for the specification revision.
- ° Complete LM 2500 and DDA 501K17 engine combustor rig performance and 1000 hour durability testing.
  - Complete high speed diesel performance and 1000 hour durability testing.
- property/engine hardware performance and reliability effects which will be used to recommend changes to new hardware to make them more fuel quality tolerant and provide the Navy with the new fuel use options such as, (a) a single fuel for all mobile equipment (U) PROCRAM TO COMPLETION: This is a continuing program. In FY 1990 - FY 1992 planned tasks include work on fuel to provide logistics benefits, (b) a higher density aircraft fuel to increase range and endurance, and (c) high performance afreraft fuels to allow large performance improvements for future designs (e.g., 15% - 20%).
- H. (U) PROJECT OVER \$10 MILLION IN FY 1988/89: Not Applicable.
- 1. (U) TEST AND EVALUATION DATA: Not Applicable.

# FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63725N

DoD Mission Area: 235 - Naval Warfare Support Budget Activi

Title: Facilities Improvement
Budget Activity: 4 - Tactical Programs

A. (U) F1 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Estimated Cost
Y0995 Y1316	TOTAL FOR PROCRAM ELEMENT Naval Facilities Systems Improved Methods/Mat'ls for	7,700 3,512 1,760	8,209 4,039 2,133	9,957 5,388 2,209	4,185 1,328 1,502	Continuing Continuing Continuing	Continuing Continuing Continuing
Y1606	Real Property Mgt Naval Construction Forces Technology/Tools	2,428	2,037	2,360	1,355	Continuing Continuing	Continuing

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

and the Naval Construction Forces. This engineering and operational data are required for the systematic transition of new Improved Materials for Real Property Management project (Y1316) will provide new materials and techniques to reduce the spiraling 06M,N costs associated with Real Property Maintenance Activities (RPMA). The Naval Construction Forces Technology/Tools project facility technology based concepts and products to military construction, operations, maintenance, and procurement programs. The Naval Facilities System project (Y0995) will provide new facility concepts and products to support new generation fleet systems (Y1606) will provide construction tools and techniques to allow the Naval Construction Forces to operate in a high residual B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program provides test validated data on new materials, equipment, components, procedures and facility concepts that show totential for improving the effectiveness and economy of naval facilities (ships, aircraft, weapons, etc.) and equipment/procedures to assess the condition of the Navy's aging physical plant. threat, post-attack environment, and to support forward bases and amphibious operations. C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile of the FY Congressional action and adjustment. Project Y1316: -365 in FY 1987 due to Congressional action and adjustment; -388 in FY 1988 due to department program/budget adjustments and NIF rate adjustment. Project Y1606: +625 in FY 1986 due to department budget 1987 Presidents's Budget and that shown in this Descriptive Summary are as follows: Project Y0995: -590 in FY 1987 due to adjustment, program/budget adjustment, and GRH reduction; -312 in FY 1987 due to Congressional action and adjustment.

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Program Element: 63725N

Title: Facilities Improvement

Project	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1938 Estimate	Additional to Completion	Total Estimated Cost
Y0995 Y1316	TOTAL FOR PROCPAM ELEMENT Naval Facilities Systems Improved Methods/Mat'ls for	8,899 3,947 2,576	7,258 3,544 1,911	9,476 4,629 2,498	10,600 5,566 2,597	Continuing Continuing Continuing	Continuing Continuing Continuing
¥1606	Real Property Mgt Naval Construction Forces Technology/Tools	2,376	1,803	2,349	2,437	Continuing	Continuing

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable

### E. (U) RELATED ACTIVITIES:

Technology based products from Logistics Technology in PE62233N are systematically transitioned to this Work on Aviation Engine Test Facilities is complemented by air and noise emissions support work included in PE63721N. Coordination is done through the Joint project. This work is closely coordinated with Army work in PE62719A, PE62730A, and PE63724A. Service Civil Engineering Research and Development Coordinating Group (JSCERDGG). Technology based products from material technology in PE62234N, Systems Support Technology, are systematically transitioned to this project. It is closely coordinated with Air Force PE63723F and PE64708F on Airfield Pavement.

Project Y1606: The lightweight water drill is being developed and funded jointly by the Navy and Marine Corps (PE63720M) for future joint acquisition. The runway rater repair fiberglass reinforced plastic panel is closely coordinated with Air Force (PE63723F and PE64708F) through the JSCE: DCG Airfield Damage Repair Subcommittie. The construction planning and control system for the construction battalions is coordinated with the Marine Corps Amphibious Objective Area Land Management System project (PE63729M and PE64717M).

Navel Surface Weapons Center, Dahlgren, VA; Naval Weapons Center, China Lake, CA; National Bureau of Standards, Galthersburg, MD; Mission Research Corporation, Santa Barbara, CA; SouthWest Research Institute, San Antonio, TX; ABAM Engineering, Lead laboratory is the Naval Civil Engineering Laboratory, Port Hueneme, CA. Contractors: Mission Research Corporation, Santa Barbara, LA; Southwest Mideral Way, WA; BPM Corporation, McLean, VA; Sigma Research, Redmond, WA. IN HOUSE: F. (U) WORK PERFORMED BY:

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY-1988/89:

(U) Project Y0995, Naval Facilities Systems

Title: Facilities Improvement

Program Element: 63725N

meet the demands of new missile systems; (2) improve the security of facilities; (3) assure quality of new constructions and assess the condition of existing facilities, (4) meet the berthing requirements of Navy ships of the 1990's and (5) meet the requirements are creating new demands on the Navy's aging shore establishment and MILCON program. This project provides for the development of facilities concepts, components, equipment and procedures to: (1) reduce existing explosive safety violations and 1. New generation fleet systems (ahips, aircraft, missiles, etc.), environmental regulations, and security increasing requirements of aircraft gas turbine engine test facilities.

# 2. (U) PROGRAM ACCOMPLISHMENTS AND FUTURE EFFORTS

### a. (U) FY 1986 Program:

- system, this device ensures that steam provided to ships meets specifications and reduces ennual operational Completed development of isokinetic sampling device. As an integral part of the steam purity monitoring
- ° Completed development of a 2-D computer-based planning model for locating pier utilities connections and mooring hardware. This model is compatible with the Navy's graphic engineering and mapping system (GEMS) and will significantly increase efficiency of pier designs and reviews. costs for monitoring by 50%.
  - Completed developmental tests on power conditioning equipment for improving quality of shore to ship power.
- Completed operational tests on a computer aided model for determining the appropriate level of facility Initiated operational testing on intruder resistant magazines and personnel doors.
- Completed development of a STANDARD missile test cell that can be sited adjacent to occupied production Completed development of blast resistant windows.
- Completed development and initiated operational testing of aenaors to determine the condition of underwater
  - steel and concrete structures.
- o Initiated development of mathematical simulation wodel for air flow and performance of aviation engine test Tested application methods for lining refractory concrete panels in aviation engine test facilities.

  - . Completed test plan for hush house fire protection systems.
- \* Continued aerothermal testing and analyses for test cells and hush houses.

#### (U) FY 1987 Program ۵.

- deck elevation, pier utilities, and ship berthing plan for a given port. This is an extension of the 2-D ° Complete development of a 3-D planning, design, and operations support computer model for optimizing pier model completed in 1986.
  - \* Design and initiate field tests to establish lighting criteria for plers to meet safety and security

Program Zlement: 537258

Title: Facilities Improvement

#### requirements.

- \* Initiate development of new mooring and handling equipment for special hull treatment currently being installed on submarines.
- Complete development of intruder resistant magazines and personnel doors.
- Complete development of a computer aided model for determining the appropriate level of facility security.
- Continue testing to develop design criteria for misaile test cells to handle the explosive charges of other existing and planned missiles. Plans are to develop 5 standard designs for missile test cells.
- Initiate development of amounttion storage magazines for missiles.
- Complete operational testing of sensors to determine the condition of underwater concrete and steel
- structures.
- Initiate testing to develop pavement evaluation standards.

  Complete aerothermal testing and analyses for aviation engine test cells and hush houses.
- Conduct half acale refractory concrete panel tests in dimulated aviation engine test cell environment. Determine performance and cost advantage of rectangular augmentor tube concept.
- c. (U) FY 1988 Planned Program:
- ° Complete field tests to determine criteria for pier lighting.
- Complete development tests on a mooring and handling unit for berthing special hull treated submarine.
- Initiate development of hardware and techniques for reducing the cost of providing shore steam to ships.
  - Complete development of a missile teat cell for HARPOON, SIDEWINDER, HARM missiles.
- Complete development tests on an ammunition storage magazine for missiles.
- Complete development of sensora to assess condition of underwater concrete and steel structures.
- \* Complete testing and prepare user selection guide for evaluation standards for pavements.
  - Complete full scale refractory concrete panel tests in aviation engine test cells.
- Deliver an interim design package for aviation engine test facilities and transition to engineering development.

### d. (U) FY 1989 Planned Program:

- \* Complete development of criteria for pier lighting.
- Complete devalopment of a mooring and handling unit tor berthing submarines.
- o intriste developmental testing of reverse osmosis concepts for providing boiler feedwater makeup for shore steam plants.
- o Initiate development of design concepts for improving existing piers to meet the demands of the fleet
  - Complete development of missile test cells for Walleye missiles.
- Complete design and initiate operational test on an ammunition storage magazine for missiles.
  - Initiate development of a detection system for locating underground utilities and obstacles.

Program Element: 63725N

Title: Facilities Improvement

e. (U) Pro ram To Completion: This is a continuing program.

# (U) Project Y1316 , improved Methods and Materiala for Real Property Mansgement

1. (U) Description: Many new materials become available each year having a potential for reducing life cycle cost or facilities. Designers often cannot use these products until their benefits have been demonstrated. Industry does not provide the data required to produce competitive non-proprietary procurement specificationa. This project will provide materials performance test data and lite cycle cost data for high investment/risk areas such as airfield concrete pavements, waterfront components, HEMP/TEMPESI shielding for facilities, siltation of berths, membrane roofs, coating, etc.

# 2. (U) PROCRAM ACCOMPLISHMENTS AND FUTURE EFFORTS

### . (U) FY 1986 Program:

- \* Complete field tests on resilient foam filled fenders to obtain performance data for competitive procurement
- · Complete developmental trats on prestressed concrete piles for fender systems. Based on these tests an interim specification will be prepared.
- \* Continue field tests on newly emerging single ply roof systems to resolve conflicting views on performance and coats to enable the preparation of competitive specifications.
- Complete operational tests on refractory concrete for airfield pavement to resist the effect of V/STOL
- Continue fatigue tests to obtain long term reliatility data on synthetic lines for mooring offshore
- \* Initiate operational test on scour jet array device and complete development tests on vortex foil and curtain barrier devices for sedimentation control.
- \* Complete development of concrete designs for magnetic silencing facilities.

### b. (U) FY 1987 Program

- ° Complete development of foam filled fenders.
- \* Initiate operational tests on prestressed concrete piles.
  - Continue field teats on single ply roofing system.
- Complete development of refractory concrete designs for airfield pavement for V/STOL aircraft.
  - ° Complete development of fatigue data on synthetic lines for mooring offshore structures.
    - ° Complete operational tests on acour jet array device for sedimentation control.
      - Initiate operational tests on vortex foil device for sedimentation control.

Program Element: 63725N

Title: Facilities Improvement

- · Conduct field tests to determine feasibility of venting canal at Mayport.
- o Initiate development of reflective floor coatings for aircraft maintenance hangars.
- c. (U) FY 1988 Planned Program:
- Continue operational tests on prestressed concrete pile/fender.
- · Continue field tests on single ply roofing system.
- · Compleme development of scour jet array device for sedimentation control.
- \* Complete operational tests on vortex foil device for sedimentation control.
- 'Initiate operational tests on curtain barrier device.
- Complete development of a venting canal design at Mayport.
- Initiate field tests on joint sealants to resolve conflicting views on porformance.
- Conduct field tests on reflective floor coatings.
- d. (U) FY 1989 Planned Program:
- ° Complete development of prestressed concrete piles for fender applicatons.
- Complete development of performance data for preparting specification on single ply roofing system.
- ° Complete development of vortex foll device for controlling sedimentation.
- . Complete operational tests on curtain barrier device.
  - Continue field tests f joint sealants.
- initiate development of validation test procedures for power line filters to protect against high altitude electromagnetic pulse from nuclear weapons
- Complete operational tests on reflective floor coatings.
- e. (U) Program to Completion: This is a continuing program.
- (U) Project Y1606, Naval Construction Forces Technology Tools
- computerized construction planning models, underwater tools and equipment and productivity enhancing construction methods. The 1. (U) Description: This project provides new or improved construction capabilities for construction equipment objective is to increase Seabee productivity by 100%.
- 2. (U) PROGRAM ACCOMPLISHMENTS AND FUTURE EFFORTS
- a. (U) FY 1986 Program:

Program Element: 63725N

Title: Facilities Improvement

- ° P-3 expeditionary hangar relocated from Point Mugu to Point Hueneme for longevity tests.
- · Construction planning and control models demonstrated on the IBM PC/AT micro.
- Submitted procurement data package for the seawater powered hydraulic system.
- Performed diver test of an underwater navigation system.
- Prepared arctic construction requirements documents for FYB7 underwater tool testing and FYB8 start of new tool development.
- Planned final testing of rapid runway repair fiberglass panels by Seabees delayed until new fiberglass reinforced plastic panels are received (FY88).

### b. (U) FY 1987 Program

- ° Complete development of Seawater Powered Hydraulic System
- \* Complete testing of and deliver the acquisition data package for the 180/air transportable water drill.
  - Conduct operational tests of the construction planning system (V/STOL runway).
- Pinalize deliverable documents for P-3 hanger.

### c. (U) FY 1988 Planned Program:

- Complete work on ground fault interruption for diver safety.
- ° Complete work on underwater electric field detector for divers.
- \* Start work on methods for rapid repair of damaged piers and waterfront facilities.
- \* Initiate development of methods for the rapid restoration of war damaged utilities such as fuel, electrical power, and water.
  - Complete development of the diver modular construction platform.
- Begin development of a submersible electrical powered pump for operation of seawater hydraulic toola.
- ° Conduct tests of diver tools and equipment in the Arctic environment.
- Complete development of the buried pipe and chain locator.
- \* Initiate specification development of airfield damage repair requirement.

### d. (U) FY 1989 Planned Program:

- Completion of testing of injection molded runway repair panels by the Seabees.
  - \* Complete the diver survey system (complementary to diver navigation system).
    - Complete work on a small power source for seawater hydraulic tools.
- \* Complete development of diver lift system.
- e. (U) Program to Completion: This is a continuing program.

Program Element: 63725N

Title: Facilities Improvement

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not Applicable

1. (U) TEST AND EVALUATION DATA: Not Applicable

## FY 1988/89 RDT&E DESCRIPTIVE SUPPLARY

Program Element: 63726N DoD Mission Ares: 262 - Intertheater Sealift

Title: Merchant Ship Naval Augmentation Program
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No. Title		FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
TOTAL FOR SO378 Merchant Program	TOTAL FOR PFOCRAM ELEMENT Merchant Ship Naval Augmentation Program (MSNAP)	5,299	00	3,006	3,530	Continuing	Continuing Continuing

As this is a continuing program, the above funding profile includes outyear escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

- merchant ships to perform tasks in support of the Strategic Sealift mission. The mission areas include point-to-point sealift, MSNAP has already transitioned several items to production, including the Auxiliary Crane Ship (T-ACS), Modular UNREP stations, SEASHEDS and FLATRACKS. Equipment is presently being installed in ships of the Ready Meserve Force (RRF). Military Sealift Command tankers are being fitted with the modular fuel UNREP stations. Priority cargo handling, and operational functions in lieu of container stowage; mooring systems; ship survivability improvements including B. (U) BRIEF DESCRIPTION OF ELEMENT AND HISSION NEED: MSNAP develops prototypes and tests components and systems to equip tasks requiring action are to provide more advanced UNREP systems; containership modification devices for below deck personnel, firefighting, and improved cargo handling hardware and software. These initiatives are critical to the Navy's successful use of both government-owned RRF and U.S. Flag merchant ships to support deployed forces in times of national emergency. fleet support, and underway replenishment (UNREP).
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) A decrease of 6,014 in FY-1987 is due to Congressional FY-1988 funding was reduced by 2,033 due to Department program/budget adjustments. action.

Program Element: 63726N

Title: Merchant Ship Naval Augmentation Program

(U) FUNDING AS REPLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project No.	Ilthe	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Lotal Estimated Cost
\$0378	TOTAL FOR PROGRAM ELEMENT Merchant Ship Naval Augmentation Program	5,482	5,737	6,014	5,039	Continuing	

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
OPN Funds (Sealift Support Equipment)	60,300	70,277	26,847	50,451	Continuing Continuing	Continuing

SEASHEDS, FLATRACKS, containership stowage adapters, modular refueling, and modular underway replenishment (UNREP) delivery systems. The OPN line funds several separate procurements presently including:

62760N (Lugistics Technology). The MSNAP program is the only program which develops systems for the Sealift Enhancement Features (SEF) portion of the Stiategic Sealift Program. PE 63719N (Container Offloading and Transfer System); PE 63635M (USMC Field Logistic System); PE E. (U) RELATED ACTIVITIES:

F. (U) WORK PERFORMED BY: In-house developing organizations are the Naval Coastal Systems Center, Panama City, FL; Navy Weapons Handling Center, Colts's Neck, NJ; and the Naval Ship Weapons System Engineering Station, Port Hueneme, CA. Other Government Agencies participating include the Maritime Administration and the Military Sealift Command. Contractors include: IITAN Inc., Montgomeryville, PA; Giannotti and Assoc. Inc., Annapolis, MD; M. Rosenblatt & Sons, New York, NY; G. G. Sharp Inc., N.Y., N.Y.; and TRE, Washington, D.C.

G. (U) PROJECTS LESS THAN SIO MILLION IN FY 1988/89:

(U) Project S0378, Merchant Ship Naval Augmentation Program:

1. (U) Description: The Strategic Sealift Program urgently requires the products of this project. The Strategic Sealift resources provided by regular fleet units and the Military Sealift Command nucleus fleet are inadequate. The Merchant Ship Naval

Program Element: 63726N

Title: Merchant Ship Naval Augmentation Program

that will deliver palletized cargo from the holds of a containerable outfitted with SEASHEDS and FLATRACKS to the weather deck for and active systems to counter the submarine and missile threats. The Terminal Operations Management Systems (TOMS) will develop integrated systems to provide efficient control and continuity in the delivery of dry cargo, POL, equipment and personnel from Repair System (MCRS), and systems for cold weather operations and Assault Follow-On Echelon (AFOE) support. Outyear efforts in this continuing program will be initiated in response to changes in Strategic Sealift resourcea (RRF acquisitions, composition of Products now in the final stages of transition to production are modular Underway Replenishment (UNREP) sending stations. There are two veraions based on the same common support module. One station is for fue? and the other for dry stores. They enable a The Crone Enhanced Containership (CEC) is a concept being developed to provide a non-self-sustaining containership with a measure of self-unloading capability. The merchantship survivability initiative will develop modular or Other developments include a salvage and mooring system, a Modularized Mobile Augmentation Program (MSNAP) is oriented tward improving the effectiveness of merchant ships to augment these sources. The merchant tanker or freighter to replenish Navy combatant ships. The Containership Strikeup System (CSUS) is a modular elevator readily installed systems to increase the ships' survivability through increased passive measures such as improved damage control augmentation systems are applicable to the Ready Reserve Force (RRF), the U.S. Flag fleet, and the ships of allied nations. ships offloading in the stream to sites ashore. the U.S. Flag Fleet) and new mission tasks. further transfer.

# 2. (U) Program Accomplishments and Puture Efforts:

### 1. (U) FY 1986 Progress:

- \* Completed Grane Enhanced Containership (CEC) ship system prototype design.
- Completed analysis of use of Semi-Submersible Ships.
- " initiated development of cold weather operation systems.
- Completed detailed design of the prototype strikeup system.

\* Initiated Assault Follow-On Echelon (AFOE) Terminal Operation Management System (TOMS) Development.

- Continued development of Modular Mobile Repair System (MMRS).
- Initiated development of Modular Helo Vertical Replenishment (VERIREP) Systems.
- Completed Ownf-Directional Ordnance Handler Detailed Design.

### b. (II) FY 1987 Program:

Program Element: 63726N

Title: Merchant Ship Naval Augmentation Program

Demonstrate prototype strikeup system. (FY-1986 contract action).

At-sea demonstration of CONSOL Vertical Replentshment (VERTREP) System (FY-1986 contract action).

Demonstrate Modular Mobile Repair Strems. (FY-1986 contract action).

\* Continue development and demonstration of selected Terminal Operation Management System (TOMS) functions. (FY-1986 contract action).

c. (U) FY 1988 Planned Program:

· Perform detail design of heating, access, and ventilation unit of the Habitability and Utility Support System

Continue development of new Modular Mobile Repair System (MMRS) capabilities.

\* Complete VERTREP Module development.

Develop limited modular ship survivability damage control system.

Continue development of survivability features for merchant ships.

\* !evelopment of Cold Weather Operations Systems - Demonstration of selected features.

" Initiate design of small craft refueling system for APOE utility craft.

\* Complete development and demonstration of Terminal Operation Management System (TOMS).

· Evaluate low-cost UNREP systems.

d. (U) FY 1989 Planned Program:

· Continue development of Habitability and Utility Support System (HUSS).

Demonstrate additional cold weather features

Initiate design of transportable accommodations complex.

Program Element: 63726N

Title: Merchant Ship Naval Aumentation Program

- o Initiate development of cargo lift system for breakbulk ships.
- e. (U) Program to Completion: This is a continuing program which will consist of follow-on systems development such
- \* The full-size MMRS configuration will be completed.
- Oevelopment of a small craft piloting and navigation aid system.
- Variations of the survivability system will be tested and transition to production.
- Demonstration and evaluation of Habitability and Utility Support System (HUSS).
- O The cold beather features will complete demonstration and transition to production.
- \* Third generation low-cost UNREP systems.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not Applicable.
- I. (U) TEST AND EVALUATION DATA: Not Applicable

### FY 1988/89 HOIRE DESCRIPTIVE SIMPHY

Program Element: 63729M DDD Mission Area: 216 - Intra Theater Land Transportation

Title: Marine Corps Combat Services Support (Advanced)
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESURCES (PROJECT LISTING): (Dollars in Thousands)

Mo. (9) (9) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	Project  No.  TOTAL FOR PROTRAM ELEMENT  COUTY Mine Warfare (Advanced)  COURS Ariation Support (Aivanced)  COURS Ariation Support Material and Equipment  C1966 Surf Zone Container Handler  C1967 Mine Clearing (Advanced)  C1968 Mine Defection Sustem (Advanced)	FY 1986 Actual 11,064 8,989 717 1,358	Estimate 13,287 10,199 2,015 1,073 0	Estimate 13,373 1,419 2,512 784 1,468	Estimate 24,418 3,406 3,388 1,214 1,768 2,457 4,76	Additional to Completion Continuing	Total Estimated Cost Continuing Continuing Continuing Continuing Continuing Continuing Continuing Continuing Continuing
0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	Mine Neutralization Equipment Tactical Fuel Systems	00	00	2,938 150	5,993 1,476	Continuing Continuing	Continuing Continuing

\* Punded in Program Element 64717M, Marine Corps Combat Service Support (Engineering) during the years in parenthesis.

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1969. This Program Element provides funds for the advanced development of B. (U) HILE LEXAUPTION OF ELPHANI AND MILLSION NEWS. MILLS FINGRAL, engineer, and service support of operating forces. Marine Corps equipment needed for the supply, maintenance, motor transport, engineer, and service support of operating forces. (U) HRIEF RESCRIPTION OF ELEMENT AND MISSION NEED:

ballistics data for development of fire control computer algorithms. The FY 1987 decrease of 1,919 was due to undistributed Congressional reductions. The FY 1988 decrease of 14,162 resulted from the separation out additional line items of funding for C1966 Surf Zon: Mine Clearing; C1967 Mine Clearing (Advanced); C1968 Mine Detection (Advanced) and C1969, Mine Neutralization Equipment. Contact Service Support (Advanced): The FY 1986 decrease of 996 resulted from a change in acquisition strategy to a C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SIMMERY: (Dollars in Trousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: Mine Warfare (Advanced): The FY 1986 increase of 1,610 resulted from an accelerated development strategy to purchase additional lots of rounds to accumulate required

Program Element: 63729M

Marine Corps Combat Services Support (Advanced) Title:

non-developmental item approach. The FY 1987 decrease of 412 was due to undistributed Congressional reductions. The FY 1988 decrease of 3,305 due to the separation of C1983 Tactical Ruel Systems and C1966, Surf Zone Container Handler in this program element. Aviation Support Naterial and Equipment: The FY 1986 increase of 1,109 is due to acceleration of the ground Tactical Data Committee for the NVPRN-19 Radar Target, Data Committees: (1) additional finding for completion of full scale congressional reductions. The FY 1988 increase of 1,119 provides: (1) additional finding for completion of full scale engineering and test and evaluation of the ground portion of the AVPRN-19 Radar Thersponder Beacon Tactical Data Committee in Advanced) in this program element. Mine Detection System (Advanced): A FY 1988 separate line item from COOT7, Mine Warfare (Advanced) in this program element. Tactical Fuel Systems: A FY 1988 separate line item from COOT7, Mine Warfare Advanced) in this program element. Tactical Fuel Systems: A FY 1988 separate line item from COOT7, Mine Warfare Advanced) in this program element. Advanced) in this program element.

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Estimated Cost	Continuing Continuing Continuing Continuing
Additional to Completion	Continuing Continuing Continuing Continuing
FY 1988 Estimete	21,986 15,869 1,724 1,393
FY 1987 Estimate	15,857 12,118 2,427 1,312
FY 1986 Estimate	9,341 7,379 1,713
FY 1985 Actual	8,387 7,104 271 1,012
Title	10TAL FOR PROGRAM BLAMBNI Mine Warfare (Advanced) Ocutat Logistics Support (Advanced) Aviation Support Material and Equipment.
Project. No.	00077 00078 00082

The above furting profile includes out—year escalation and encompasses all work and development phases now planned or anticipated through FY 1988 only.

#### (U) OTHER FY 1988/89 APPROPRIATIONS FUNDS: å

Total Estimated Oost		ASSIFIED.
Additional to Completion	111	UNCL
FY 1989 Estimate	- 27,800	
FY 1988 Estimate	28,503 (318) 2,877 (130)	
FY 1987 Estimate	8,989 (330) (300)	776
FY 1986 Actual		
Title	Combat Logistics Support (Advanced) Tractor, RT, Art Stear (qty) (RON 062371) Forklift Attachmert, 10,000 lb. (qty) (RON 063031)	
Project. No.	00078	

946

Program Element: 63729M

Title: Marine Corps Combat Services Support (Advanced)

	7,80 (24)
65 62 63	3,63 (12)
1.6	3,690 (12) (12) (12)
8,118 ( <del>3</del> 5)	1111
11	1111
( <i>IZ</i> )	1111
Conteiner Hardler, Rough Terrain, 50,000 lbs (qty) (RCN 63041) Aviation Surcet, Material and Equipment.	AVPRN-19 Refar Target Data Comunicator (qty) (RCN 147239) Compuser Aided Mission Planning System (qty) (RCN 141868)
3	

E. (U) RELATED ACTIVITIES: U.S. Army Program Element 637044, on Ruels/Lubricant Development; U.S. Army Program Element 63270A on Aircraft Rober/Propulsion; U.S. Army Program Element 63624 and 63664 (Land Mine Warfare); U.S. Army Program Element 63624 (Webicle Componentry).

Atomotive Commend, Warren, M.; Marine Corps Development and Education Commend, Quantico, VA; U.S. Army Tark and Entomotive Commend, Warnington, DC; Naval Civil Engineering Laboratory, Port Hueneme, CA; Naval Coastal Systems Center, Parama City, FL. CONTRACIONS: Brurswick Corporation, Marion, VA; Ortkoch Truck Corporation, Ortkosh, WI; Motorola, Incorporated, Tence, AZ; and Syracuse Research Corporation, Syracuse, N; FMC Division Northern Ordrance Division, Mirneapolis, Mi; and Honeywill Inc, Mirneapolis, M.

# G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

# (U) Project (DOTA), Combat Logistics Support:

moving) equipment and material handling equipment; water purification, electric power distribution, soft maintenance shelters and bulk fiel systems, provide standardized portable maintenance shops, and overhead protective construction material. This program 1. (U) Description: This program is to provide the Fleet Marine Forces with service support heavy engineering (earth will research and develop these and like items in the advanced development stage.

# 2. (U) Program Accomplishments and Pubure Efforts:

### a. (U) FY 1986 Program:

o Completed advanced development of a 1,200 gallons per hour reverse crimsis unit.

Program Element: 63729M

Title: Marine

: Marine Corps Combat Services Support (Advanced)

b. (U) FY 1987 Program:

Initiate advanced development of medium tension structures for maintenance shelters in the amphibious objective 0

c. (U) FY 1988 Planned Program:

o Manitor Army Development of Medium Tactional Vehicles.

Initiate development of a software system to provide rapid planning of support facilities (roads, airfields, etc) in the objective area to operate the use of available engineer personnel equipment. 0

Ortine development of medium soft shelters for intermediate level maintenance, supply and aviation requirements. 0

o Moritor other service efforts to adopt a nortactical general purpose vehicle.

d. (U) FY 1989 Plarned Program:

o Mornitor Army Development of Madium Tactical Vehicles.

Develop a kit for Marine Corps bulldozers which will allow smaller sized equipment to perform selected missions normally performed by larger equipment. 0

Outline the development of the software system for facilities and land management in the amphibious objective 0

Omplete avanced development of soft shelters for intermediate level maintenance, supply, and aviation requirements. 0

o Continue to monitor adaptation of nontactical general purpose vehicles.

o Initiate advanced development of an enhanced logistic system for Marine Corps use.

UNCLASSIFIED

948

Program Element: 63729M

Title: Marine Corps Combat Services Support (Advanced)

e. (U) Program to Completion:

o This is a continuing program.

(U) Project (10082, Aviation Support Material and Equipment:

1. (U) <u>Description</u>: This project supports Marine Corps efforts to improve aviation operational capabilities through participation in other service development, service development, or development and evaluation of aviation associated equipment not available elsewhere.

2. (U) Program Accomplishments and Puture Efforts:

a. (U) FY 1986 Program:

Directed Marine Comps efforts associated with the development of the ground Tactical Data Communications for the AVPRN-19 Radar Tanget Data Communicator. 0

Ortinued operational test and evaluation of Marine Air Theffic Control and Landing System and Marine Air Theffic Control Squadran Equipment. 0

o Continued to investigate helicopter external sling-load configurations and equipment.

o Continued to participate in the Joint Services Advanced Vertical Lift Aircraft Program.

o Completed testing of the shipboard AV/TRN-30 Renote Area Approach and Landing System.

Continued participation in other Service developments of aviation systems/equipment.

Ompleted Initial Operational Test and Evaluation of Marine Air Traffic control and landing system equipment, software modifications. 0

Braluated helicopter external sling-load equipment to reduce ground loading personnel static electrical shock. 0

Cortinued participation in other service developments of aviation systems and equipment.

63729M Program Element:

Marine Corps Combat Services Support (Advanced)

### h. (U) FY 1987 Program:

- Complete testing of any software modifications to the Marine Air Traffic Control and Landing System directed as a result of the operational readiness evaluation. O
- Omplete development, and prepare for fielding Tactional Data Communications improvement to the NVPRN-19 Radar Target Data Communicator which provides enhanced operational capability of two-way data lini: communications between aircraft, and Forward Air Controller to conduct All-Weather Close Air Support in a hostile Electronic warfare environment. 0
- Ortinue participation in other service developments of aviation systems and equipment. 0
- Select and approve for service use improvements to helicopter external-load slings and shackles configurations. 0
- (U) FY 1988 Planned Program: ö
- Complete development and operational testing of the tactical data communications to the AVPRN-19 Radar Target Data Commission. 0
- an infra-red beacon capability for the AVPRN-19 Multi-function Redar Commence advanced development of Transponder Beacon (MRIB). 0
- (U) Project COOTT, Mine Warfare:
- The same 1. (U) Description: This program provides the Martne Corps with an amphibious capability to breach mirefleids. system must be compatible with existing equipment normally used in an amphibious assault, and be able to shoot on the move.
- (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- Conducted advanced design of advanced development of filel air explosive wanteads and launcher mechanisms. 0
- Cortinued efforts to determine suitability of other minefield breaching techniques. 0
- Patricated prototype warhead and launchen. 0

Program Element: 63729M

Marine Corps Combat Services Support (Advanced) Title:

Ommenced developmental testing of the Catapult Launched Ruel Air Explosive wanhead, launchers and fine control mechanisms. 0

Continued to monitor mine dispensing modules for use with tracked/wheeled vehicles to emplace scatterable mines. 0

b. (U) FY 1987 Program

Analyze fluel-air cloud patterns and alternatives to enhance effectiveness. 0

Conduct ROTAL efforts to defermine suitability of other minefield breaching techniques in the amphibious assault including fiel—air explosives and alternate mine nautralization systems. 0

Deliver Catapult Launched Fuel-Air Explosive warheads, launchers and firing mechanisms. 0

Initiate advanced development of the Asseult Amphibious Vehicle mine plow system. 0

Initiate advanced development of the Antipersonnel Obstacle Breaching System (AROBS) to replace bangelone 0

Initiate advanced development of Assault Amphibious Vehicle/Light Armored Vehicle minefield marking system. 0

Initiate advanced development of the advanced portable mine detector.

(U) FY 1988 Planned Program: ပံ

Transition Catapult Launched Fuel-Air Explosive system to full scale development. 0

Accelarate prototype fabrication of Catapult Launched Fuel-Air Explosive fire control, and launcher system 0

Orrhot, accuracy testing of warheads to determine fuel air explosive cloud pattern effectiveness. 0

Conduct Developmental Test I (DT I). 0

Ornsinue advanced development of the Minefield Marking System for Amphibiaus Assault operations. 0

Program Element: 63729M

Title: Marine Corps Combat Services Support (Advanced)

- Continue Arguit Amphibious Vehicle mine plow design and fabricate and assembly test hardware. 0
- Initiate design of Assault Amphibious Vehicle/Light Armored Vehicle minefield marking system and conduct concept effectiveness testing. 0
- d. (U) FY 1989 Plarmed Program:
- Continue design and test of Assault Amphibicus Vehicle/Light Amored Vehicle minefield marking system. Fabricate and assamble development and operational test hardware. Initiate developmental test. 0
- Densition state drange Arti-Mine Minition Warhead from Expoloratory Development to Advanced Development.
- e. (U) Progrem to Completion:

0

- Continue mine warfare systems development development testing/operational testing.
- (U) C1966 Surf Zone Container Handler
- 1. (U) Description: This project will develop a system to rapidly transfer, transport and stack International Standards Organization containers in the objective area, and develop a system that identifies and tracks a container contents from origin to destination.
- 2. (U) Program Arximplishments and Pubure Errorts:
- a. (U) FY 1986 Program:
- o Exploratory development, of a Surf Zone Container Hardler.
- b. (U) FY 1987 Program:
- Cartinusd exploratory development of the Surf Zone Container Hardlen.
- c. (U) FY 1988 Planned Program:
- Transition Surf Zone Container Handler to Advanced Development.

Program Element: 63729M

Marine Corps Combat Services Support (Advanced) Title:

> Equipment, and power train modeling. 0

Prototype fabrication. 0

Modeling of container tracking. 0

(U) FY 1989 Planned Program: þ.

Development Test I. 0

Develop prototype tracking system. 0

Integrated logistic support planning.

(U) Program to Completion: e.

Operational Test II. 0 Developmental test/operational test of Container Tracking System. 0

Level II and III Design

First integrated logistic support planning level III drawings, cost operatioal effectiveness analysis.

(U) C1968 Mine Detection System (Advanced)

1. (U) Description: This project will test and evaluate existing systems to detect mines and study new technology for new detection systems.

2. (U) Program Accomplishments and Future Efforts:

a. (U) FY 1986 Program:

This program is in exploratory development. 0

Program Element: 63729M

Marine Corps Combat Services Support (Advanced) Title:

b. (U) FY 1987 Program:

This program is in exploratory development.

(U) FY 1988 Planned Program ပ

Transition Portable Mine Detection to Advanced Development. 0

(U) FY 1989 Plarned Program: ġ.

Themsition a forward (stand-off) mine detector system for mounting on USMC tactical equipment from exploratory development. 0

Cort,ine Advanced Development, of Portable Mine Detector. 0

(U) Frogram to Completion: ė

Complete Advanced Development of Portable Mine Defector. 0

Complete advanced development of forward (stand-off) mine detector system and transition to full scale engineering development. 0

Initiate Advanced Development of airbonne mine detection laser system to detect mines in the surf and buried on the beach. 0

(U) C1967 Mirre Clearing (Advanced)

1. (U) Description: This program will test and evaluate existing systems to clear mine fields and study new technology for application to existing systems or development of new systems.

(U) Program Accomplishments and Puture Efforts:

a. (U) FY 1986 Program:

This program is in exploratory development. c

Program Element: 63729M

Title: Marine Corps Combat Services Support

b. (U) FY 1987 Program:

o This program is in Exploratory Development.

c. (U) FY 1988 Planned Program:

Initiate advanced development of an advanced line drange system to address inversitive manition requirements. 0

Study feesibility of using other host vehicles for line drarge deployment.

d. (U) FY 1989 Planned Program:

o Development. Test on advanced line charge system, to include delivery system.

e. (U) Program to Completion:

o Operational Test on advanced line charge, propollsion system, and host vehicle linkage.

(U) C1969 Mire Neutralization Equipment

1. (U) <u>Description</u>: This program will test and evaluate existing mine neutralization systems both individual, vehicle, and study new technology for mine neutralization applications.

2. (U) Program Accomplishments and Puture Efforts:

a. (U) FY 1986 Program:

This program is in exploratory development.

b. (U) FY 1987 Program:

o This program is contained in project 00077, Mine and Booktrap Courtermeasures (Advanced).

Program Element: 63729M

Marine Corps Combat Services Support (Advanced) Title:

c. (U) FY 1599 Program:

Continue Advanced Development of the Anti-Personnel Obstacle Breaching System (AROBS) to include development, testing and certification. 0

d. (U) FY 1989 Program:

Complete Advanced Development of the Artipersonnel Obstacle Breaching System (APCBS) to include operational 0

Uniplete Advanced Development of the Track Width Mine Plow for the Assault Amphibious Vehicle.

e. (U) Program to Completion:

Complete Brighteating Development of the Antipersonnel Obstacl. Breaching Systam. 0

Complete Engineering Devlequiert of the Assault Amphibiaus Vehicle Mine Plow. 0

1. (U) Description: This project will develop an improved tactical fiel hardling system which will provide the Marine Corps with the during amphibious assaults and subsequent operations ashore trough the year 2000. This program will advess the forward (battle field) movement of fiel to support forward community.

2. (U) Program Accomplishments and Ruture Enforts:

a. (U) FY 1986 Program: This program in exploratory development.

b. (U) FY 1987 Program: This program in exploratory development.

c. (U) FY 1988 Plarned Program:

Initiate Atvanced Development for the Tactivai Ruel System for year 2000.

Program Element: 63729M

Marine Corps Combat Services Support (Advanced) Title:

Award Contract for the Fluel Additive Surbsytam to permit the control and injection of additives to the fluel for use by the Marine Corps Air Wing.

0

- Prepare the Preliminary Integrated Logistic Support Plan for the Ruel Additive Subsystem. 0
- Prepare the Development Test-I test plan for the Fluel Additive Subsystem. 0
- d. (U) FY 1989 Planned Program:
- Outline the Advanced Development of the Ruel Additive Subsystem, to include prototype fabrication, Development Test-I, update of the Integrated Logistics Support Plan, preparation of the Operational Test-I Plan. 0
- e. (U) Program to Completion:
- Transition to Engineering Development and complete the development of the Tactical Ruel System for year 2000. 0
- (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not applicable. Ŧ
- I. (U) TEST AND EVALUATION DATA: Not applicable.

# FY 1988/89 RDT&F DESCRIPTIVE SUMMARY

Title: Defense Suppression

Budget Activity: 4 - Tactical Programs Program Element: 63734N DoD Mission Area: 374 - C' Protection/Mult mission, TECH & SPT

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total Estimated Cost	N/N	f limited
Tc Additional Est to Completion Co	N/A N/A	classification and o
FY 1989 Estimate	4,524	are of a higher
FY 1988 Estimate	4,546	his program
FY 1987 Estimate	11,831	tails of t
FY 1986 Actual	5,504	SION REED: De
<u>Title</u>	TOTAL FOR PROCPAM ELEMENT Chalk Coral	B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Details of this program are of a higher classification and of limited access.
Project No.	P18i)4	B. (Ψ) access.

# FY 1988/89 RDT&E DESCRIPTIVE SUPPLARY

Program Element: 63737N DoD Mission Area: 238 - Other Naval Warfare

Title: Link Hazel Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

ated	N/A N/A	imited
Total Estimated Cost		d of 1
Additional to Completion	N/A N/A	er classification an
FY 1989 Estimate	6,800 6,800	e of a high
FY 1988 FY Estimate Est	11,500	program ar
FY 1987 FY Estimate Es	17,043	ils of this
FY 1986 F	23,105 23,105	NEED: Deta
Title	TOTAL FOR PROGRAM ELEMENT Link Hazel	3. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Details of this program are of a higher classification and of limited incress.
Project No.	R1679	B. (U)

# FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63740N

DoD Mission Area: 237 - Naval Warfare Surveillance & Reconnaissance Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total Estimated Cost	N/A N/A
Additional to Completion	N/A N/A
FY 1989 Estimate	59,672 59,672
FY 1988 Estimate	53,843
FY 1987 Estimate	42,166
FY 1986 Actual	32,956 32,956
6-1	JOTAL FOR PROCRAM ELEMENT Link Laurel
Project No.	R1892

B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Details of this program are of a higher classification and of limited access.

# FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63744N DoD Mission Area: 237 - Naval Warfare Surveillance & Reconnaissance

Title: Link Spruce
Budget Activity: 4 - Tactical Programs

Total

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousanda)

Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	33,090	67,745	283,855	311,707	N/A	N/A
R1903	Link Spruce	33,090	67,743	283,855	311,707	N/A	
B. (U)	B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEFD: Details of this program are of a higher classification and of limited	NEED: D	etails of t	this program	n are of a	higher classification an	d of limited
access.							

# FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63746N

DoD Mission Area: 237 - Naval Warfare Surveillance & Reconnaissance Budget Activity: 4 - Tactical Programs

A. (II) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total Estimated	N/A N/A	limited
Total Estima Cost		of
5	N/N	and
Additional to Completion	ZZ	Details of this program are of a higher classification and of limited
		higher
89 ate	897	of a
FY 1989 Estimate	50,897 50,897	are (
FY 1988 Estimate	65,028 65,028	rogram
		this
Y 1987 stimate	55,575 55,575	of
FY 1987 Estimate	55	a11s
	5 5	Det
FY 1986 Actual	9,675	(EED:
	ţ	(11) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: ess.
	TOTAL FOR PROCRAM ELEMENT Retract Maple	IPTION OF ELEN
	FOR t Maj	ESCE
Title	TOTAL FOR PROG Retract Maple	IEF D
H	ች %	. BR
Project No.	¥1906	B. (II)

FY 1988/89 RDTGE DESCRIPTIVE SUMMARY

Program Element: 63748N DoD Mission Area: 237 - Naval Warfare Surveillance & Reconnaissance

Title: Link Plumeria Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Additional Fstimated to Completion Cost	N/A N/A N/A N/A	Details of this program sre of a higher classification and of limited
FY 1989 Estimate	11,529	sre of a h
Fy 1988 Estimate	14,080 14,080	s program
FY 1987 Estimate	0 0	ails of thi
FY 1986 Actual	0 0	T AND MISSION NEED:
<u>Title</u>	TOTAL FOR PROGRAM ELEMENT Link Plumeria	3. (U) BRIFF DESCRIPTION OF ELEMEN
Project No.	R1978	B. (U)

# FY 1988/89 RUILE DESCRIPTIVE SUMMARY

Program Element: 63750N DoD Mission Ares: 237 - Naval Warfare Surveillance & Reconnaissance Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total Estimated Cost	N/N N/A	of limited
Additional to Completion	N/N N/A	classification and
FY 1989 Estimate	10,014 10,014	are of a higher
Fy 1988 Estimate	8,819	this program
FY 1987 Estimate	CO	Details of (
FY 1986 Title Actual	TOTAL FOR PROGRAM ELEMENT 0 CHALK WEED 0	B. (T) RRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Details of this program are of a higher classification and of limited access.
Project No.	R1994	B. (U)

# FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Title: Retract Elm Budget Activity: 4 - Tactical Programs Program Element: 63751N DoD Mission Area: 237 - Naval Warfare Surveillance & Reconnaissance

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

								Total	-
Project		FY 1986	FY 1987	FY 1988	FY 1989		Additional	Esti	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate		to Completion	Cost	
	TOTAL FOR PROGRAM ELEMENT		0	39,041	41,039		V/N		N/A
R2003	Retract Elm	J	0	39,041	41,039		N/N	_	N/A
B. (U)	B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: access.		Details of	this progre	m are of	higher	Details of this program are of a higher classification and of limited	Jo pu	limited

# FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 63752N DoD Mission Ares: 237 - Naval Warfare Survelliance & Reconnaissance Budget Activity: 4 - Tactical Programs

A. (II) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate		Additional to Completion		Estimated
F 0	TOTAL FOR PROGRAM ELEMENT Chalk Poinsettin	0 0	00	15,000	25,000		N/A N/A		N/A N/A
E.	B, (U) RRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Details of this program are of a higher classification and of limited secess.	NEED:	Details of	this progra	m are of a	higher cl	assification and	d of	limited

FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 63764N DcD Mission Area: 237 - Naval Warfare Surveillance & Reconnaissance Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completio	Additional to Completion	Total Estimated Cost	ated
R1972	INTAL FOR PROGRAM ELEMENT Link Evergreen	00	0 0	74,228	118,338		N/A		N/A N/A
B. (U)	5. (V) BRIEF DESCRIPTION OF EIEMENT AND MISSION NEED: Details of this program are of a higher classification and of limited access.	NEED: De	tails of t	this progr	am are of a	higher classificat	lon and	of 1	imited

UNCLASSIFIED

196

# FY 1988/89 NDT&E DESCRIPTIVE SUMMARY

Program Element: 63784N DoD Mission Area: 233 - Anti-Submarine Warfare

Title: Fixed Distribution Systems
Rudget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total Eatimated Cost	678,747
Additional to Completion	408,778
FY 1989 Estimate	112,039 112,039
FY 1988 Estimate	75,997
FY 1997 Estimate	33,30. 33,301
FY 1986 Actual	16,268 16,268
Title	TOTAL FOR PROGRAM ELEMENT Fixed Distributed System
Project No.	X1312

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated.

BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: The Integrated Undersea Surveillance System (IUSS) provided 5 Æ.

C. (L) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary are as follows. In FY 1986, the decrease of -1125 reflects the Cramm-Rudman-Hollings reduction. Funding for the Fixed Distributed System (FDS) underwater and shore processing systems were

Program Element: 63784N

Title: Fixed Distribution Systems

The FY 1987 increase of +7,319 reflects the net effect of Congressional action and adjustments and PE consolidation. The FY 1988 increase +23,336 reflect consolidated into PE 63784N, X1312, based on a Department program adjustment.

and Department program/budget adjustments to fully fund the

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

program to meet scheduled fleet introduction.

Total Estimated Cost	491,477
Total Estima Cost	
Additional to Completion	390,341
FY 1988 Estimate	52,661 52,661
FY 1987 Estimate	25,982 25,982
FY 1986 Estimate	17,393
FY 1985 Actual	12,397
Title	TOTAL FOR PROGRAM ELEMENT Fixed Distributed System
Project No.	X1312

D. (U) OTHER FY 1988/1989 APPROPRIATION FUNDS:

Total	Estimated	Cost	2,800
		to Completion	2,800
	FY 1989	Estimate	0
	FY 1988	Estimate	0
	FY 1987	Estimate	0
	FY 1986	Actual	0
			MILCON

E. (U) RELATED ACTIVITIES: Undersea Surveillance Systems, Program Element 24311N, which contains the shore processing subsystem development of the Fixed Distributed System through FY 1986.

AT&T Technologies, Inc., CONTRACTORS: Naval Ocean Systems Center, San Diego, CA. F. (U) WORK PERFORMED BY: IN-HOUSE: Greensboro, NC; TRW, Inc., McLean, VA.

- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/1989: Not applicable.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/1989:
- (A) Project X1312, Fixed Distributed System:
- 1. (U) Description: Project X1312 includes the design, development, integration, test and deployment

Program Element: 63784N

Title: Fixed Distribution Systems

2. (11) Program Accomplishments and Future Efforts:

(J) FY 1986 Program:

\* Completed first Advanced Development Model (ADM) fabrication and testing of FDS underwater multiplexer/repeater.

\* Initiated first ADM sensor and cable survivability testing.

\* Infriated fabrication of

۰

\* Completed

Conducted testing or

Developed CRI display system for studying FDS field management iscues in FDS test bed.

Conducted DT-1 interia performance testing utilizing the FDS test bed to measure performance of

b. (J) FY 1987 Program:

Continue design fabrication and testing of electro-optic devices and seals for the Advanced Development Models (ADMs).

FDS teat bed in FY AA for potential reduction in personnel required to operate a distributed sensor field. o Initiate development of hardware and software to support planned

Conduct for use in collecting ambient noise data for FDS.

\* Design, fabricate, test and evaluate fiber optic trunk and

° Complete fiber optic trunk cable survivability testing.

° Initiate development of specifications for FDS system architecture

. Continue study of

Conduct IVI-1 performance validation testing utilizing the FDS test bed.

'Conduct testing on issues related to managing data/information flow for a

Program Element: 63784N

Title: Fired Distribution Systems

 Identify critical parameters affecting man loading for each functional component of a distributed field processing system.

#### (U, FY 1988 Planned Program ů

Complete Advanced Development Model (ADM) fabrication and test.

Pstablish payout procedures for fiber optic cable, repeater and cluster and complete platform interface specification for cable loading and storage.

Prepare report defining measures of effectiveness (MOEs) for field management aspects of FDS shore processing system.

to assess impact on manpower required to operate FDS.

Conduct test bed testing of

for use in FDS ambient noise data collection.

Initiate procurement of long lead components for prototype hardware.

Initiate underwater electronic facility phase-up.

Initiate a source selection plan to select a follower company for undersea electronics production.

FDS test bed in FY 88 for potential reduction in personnel required to operate the distributed sensor Complete development of hardware and software to support planned

Complete development of specifications for FDS system architecture.

#### (U) FY 1989 Planned Program: ъ

Complete Advanced Development Model (ADM) evaluation.

of FDS shore processing system

Prepare report defining NUEs for

development.

Conduct mechanical sea trial.

• Prepare updated system specifications to be included in the RFP for FDS shore processing development and release RFP.

Begin fabr: : ion of

Regin fabrication of

and test hardware. electronic hardware.

° Complete verification of underwater hardware installation and repair techniques.

Regin testing EMSP software development issues using Engineering Development Model (EDM) EMSP delivered at ATGT Hell Labs by PMS 412 EMSP development program.

Program Element: 63784N

Title: Fixed Distribution Systems

° Continue development of the FDS shore processing subsystem by completing

#### (J) Program to Completion: ė.

Award shore processing system Pull Scale Engineering Development (FSED) contract.

\* Release final design specifications.

° Conduct electrical sea trial.

° Complete prototype system evaluation.

° Complete fabrication of

° Complete fabrication of

° Complete fabrication of

° Complete fabrication of underwater hardware model by follower and conduct testing.

and test hardware.

(V) Major Milestones: ij.

Milestone

Date

13 May 86 Demonstration and Validation (D&V) Phase, 1.

DNSARC I Approved

40/FY 88 Full Scale Engineering Development (FSED) Phase, JMRB 11 2.

'n

4. JRMB III

2Q/FY 95

Program Element: 63784N

ASW Surveillance (FDS)

Title:

(U) TEST AND EVALUATION DATA:

Development Test and Evaluation (DT&E): 3

ET&E Conducted: DT-1A Phase I, Detection Performance Evaluation, was conducted during the

time period. The detection performance of candidate algorithms was measured for the configurations deployed in the FDS Test Bed utilizing the service of

DT&E Test Schedule: 3

DT-1A (FDS Test Bed) 3 Phase 1 Detection Performance Evaluation

Phase 2 Detection Demonstration

Phase 3 System Concept Validation

Sea Test of Undersea ADM Hardware DT-18 ઉ

Sea Test of Underwater System Hardware 3

Phase 2 Electro/Opric/Acoustic Validation Phase 1 Mechanical Validation

DT-2B 3

System Deep Sea Demonstration

TECHEVAL 3 (J) Difference between article tested and article procured: DT-1A testing, using the FDS Test Bed, is accomplished by using existing off-the-shelf hardware. The test bed contains various sized

algorithms. The test bed is used as the principle system Levelopment of underwater hardware is independent from the shore processing hardware. Development testing of the underwater hardware will be DT-IB through DT-IIB. shore mil-standard processing hardware is developed and tested in military standard computer development programs. Integrated testing of the underwater and shore subsystems will occur in DT-IIC. for demonstrating and validating the FDS concept. tor R&D of FDS

Important sub-systems not tested and probable impact on test results.

O None.

Important discrepancies or deficiencies found and corrective action taken.

O None found to date.

Summary of technical performance demonstrated during DT&E including reliability and maintainability.

Data from first phase of development testing (DT-1A phase 1) is currently undergoing processing and is not yet available. (Projected availability date Mar 87).

Department of the Navy Program Manager and development contractors.

- Space and Naval Warfare Systems Command Program Manager.
  - AT&T Primary development contractor.

Identify the agency responsible for the DT&E independent evaluation and personnel operating and maintaining the system.

- DT-1A testing is being conducted by the Naval Ocean Systems Center (NOSC) and Space and Naval Warfare Systems Command (SPAWAR) personnel with OPTEVFOR observers.
- 2. (U) Operational Test and Evaluation (OT&E): Operational Test and Evaluation will be conducted utilizing the FDS test bed to verify operational suitability and estimate program progress. The FDS test bed will also be used on the EDM system to evaluate operational effectiveness. Data will be developed relative to pre-established operational effectiveness and operational suitability issues. The EDM articles tested will be essentially the same as those to be procured; all subsystems will be tested. No OT&E testing has been initiated to date.

- 3. (U) System Characteristics:
- (U) Required Operational Characteristics:

DEMONSTRATED PERFORMANCE	Milestone I approved 13 May 1986, no operational testing conducted to date.		
THRESHOLD	286	> 500 Hours 8 years	<pre>&lt; 3 Hours     Not addressed     since MTBF is     8 vears</pre>
CHARACTERISTICS	System Availability	Reliability (MTBF) (Shore End) (Underwater System)	Maintainabiiiry (Shore End) (Underwater System)

- (d) Thresholds concerning probability of probability of and probability of will be provided by OPNAV in a future Test and Evaluation Master Plan (TEMP) update.
- b. (U) Required Technical Characteristics:

(U) Thresholds concerning probability of will be provided by OPNAV in a future Test and Evaluation Master Plan (TEMP) update.

DF-1A Phase I data concerning these parameters is currently undergoing processing and is not yet available.

-

- 4. (U) Current Test and Evaluation Activity:
- . (U) T&E Activity (Past 12 Months):

Planned Date	
	Performance
Event	(U) Interim Testing

Data being analyzed to assess detection performance.

Remarks

Actual Date

b. (U) T&E Activity (Next 12 months)

Remarks
Planned Date
Event

- (U) Performance Validation Test
  - (い) Hardware Sea Test
- 5. (U) Program Documentation:

# FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

DoD Mission Area: 233 - Anti-Submarine Warfare Program Element: 63785N

Budget Activity: 4 - Tactical Programs Support (AEAS)

Title: Anti-Submarine Warfare Environmental Acoustic

A. (U) PY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Estimated
R0120	TOTAL FOR PROGRAM ELEMENT AZAS Ocean Measurement and Modeling Program	14,745	10,708	13,495	13,920 13,920	Continuing Continuing	

Total

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

- continuing improvement of ASW system design, development, deployment and operation through better understanding of the environmental and acoustic properties of the world's oceans. It provides data sets and computer prediction products to both the Because of the quieter and more elusive Soviet submarine threat, and the escalating costs of increasingly sophisticated and complex ASW systems to detect and localize the threat, there is a continuing need to minimize the degrading effects of the ocean environment on weapon system performance and to, in fact, enhance that The ASW Environmental Acoustic Support (AEAS) Program is dedicated to B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: performance through knowledge of the ocean medium. system design communities and operational fleet units.
- FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: The reduction of -935 in FY 1986 is due to The FY 1988 reduction of -1,983 is due to Department program/budget C. (U) COMPARISON WITH PY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the Gramm-Rudman-Hollings and Department program/budget adjustments. The reduction of -2,056 in FY 1987 is due to Congressional aljustments and Department program/budget adjustments. adjustments.

Program Element: 63785N

Title: Anti-Submarine Warfare Environmental Acoustic Support AEAS)

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Total Estimated on Cost	ng Continuing
Additional to Completion	Continuing
FY 1988 Estimate	15,478
FY 1987 Estimate	12,764
FY 1986 Estimate	15,680
FY 1985 Actual	8,680
Title	TOTAL FOR PROCRAM ELEMENT AEAS Ocean Measurement and Modeling Program
Project No.	R0120

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not applicable.

Submarine Sonar Development; 63502N, Surface Mine Countermeasures; 63522N, Submarine Arctic Warfare Support; 62435N, Ocean and (U) RELATED ACTIVITIES: AEAS provides environmental acoustic support to, and is involved in joint activities with a number of The most significant of these are: 24311N, Undersea Surveillance System; 63784N, ASW Surveillance; 63254N, Air ASW; 63553N, Surface ASW; 63708N, ASW Signal Processing; 64713N, Tactical Towed Array Sonars; 63601N, Mine Development; 64503N, Atmospheric Support Technology. The AEAS Program was the principal coordinating activity for the major FY 1986 Arctic exercise that involved many of the above programs.

Louis, MS; Naval Ocean Research and Development Activity, Bay St. Louis, MS; Naval Research Laboratory, Washington, DC; Naval CONTRACTORS: University of Texas, Applied Research Laboratory, Austin, IX; Planning Systems Incorporated, Slidell, LA and McLean, VA; ODSI Defense Systems Incorporated, Rockville, MD; Science Applications International Corporation, McLean, VA; Rockwell Office of Naval Research, Arlington, VA; Office of Naval Research Detachment, Bay St. Ocean Systems Genter, San Diego, CA; Naval Underwater Systems Conter, New London, CT; Naval Air Development Center, Warminster, International, Autonetics Marine System Division, Anaheim, CA. F. (U) WORK PERFORMED BY: IN-HOUSE:

- G. (U) PROJECTS LESS THAN SIO MILLION IN FY 1988/89: Not applicable.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1/88/89:
- (U) Project R0120, AEAS Ocean Measurement and Modeling Program:
- 1. (U) Description: This project provides environmental accustic system predictive capability and data essential to optimize the design, development and performance of undersea acoustic surveillance and tactical ASW systems, thus extending threat detection ranges, increasing time to enemy counterdetection and enhancing ASW platform survivability. It conducts undersea environmental/acoustic measurements, develops computer prediction products and measurement instrumentation, and performs data

Program Element: 63785N

Title: Anti-Submarine Warfare Environmental Acoustic

Support AEAS)

banking and analyses in support of ASW systems. The project's technical goal is for the continuing improvement of ASW system design, development, deployment and operation through better understanding and predictive capability for environmental/acoustic characteristics.

- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program:
- . Transitioned environmental/acoustic data bases and sonar prediction models to Naval Oceanographic Office, Fleet Numerical Oceanography Center, and system users.
- Delayed Arctic data reduction and analysis to FY 1987.
- b. (U) FY 1987 Program:

- o Initiate major computer numerical modeling effort for range-varying environments, shallow water and mine
- \* Prepare the SPARS numerical model for transition to the Space and Naval Warfare Systems Command in support of fixed and mobile surveillance systems.

Program Element: 63785N

Title: Anti-Submarine Warfare Environmental Acoustic Support AEAS)

c. (U) FY 1988 Planned Program:

in conjunction with Naval Sea Systems Command and Space techniques. Assess

and Naval Warfare Systems Command. Test new operational system performance in peripheral seas.

operational system performance in peripheral command.
• Transition SPARS model to Space and Naval Warfare Systems Command.

Deliver range-varying environment and shallow water numerical modeling products to the fleet and system

tesigners.

Expand mine warfare data base development for selected ports and model development for selected mines and countermeasures.

° Continue data collection and analysis efforts for surveillance systems being developed by the Space and Naval Warfare Systems Command.

d. (U) FY 1989 Planned Program:

. Continue to deliver range-varying environment and shallow water modeling products to the fleet and system designers.

e. (U) Program to Completion: This is a continuing program.

f. (U) Major Milestones: Not applicable.

1. (U) TEST AND EVALUATION DATA: Not applicable.

# FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 63787N

DoD Pission Area: 235 - Naval Warfare Support

Buds

Title: Special Processes Budget Activity: 4 - Tactical Programs

A (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

							Total	-
Pro lect		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Est	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost	
	TOTAL FOR PROCKAM ELEMENT	50,828	38,775	40,423	38,173	N/A	<b>«</b>	N/A
T0116	Linear Tank	50,828	38,775	40,423	38,173	N/I	<	N/A
B. (U)	B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED:		etails of (	this progra	in are of	Details of this program are of a higher classification and of limited	nd of	limited
access.								

# FY 1988/89 RUTGE DESCRIPTIVE SUMMARY

Program Element: 64203N DoD Mission Area: 238 - Other Naval Warfare

Title: Standard Avionics Development Rudget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Title TOTAL B		FY 1986 Actual 14,150	FY 1987 Estimate 11,819	FY 1988 Estimate 16,836	FY 1989 Estimate 17,445	Additional to Completion Continuing	Total  Itional Estimated  Completion Cost  Continuing Continuing
Joint Services/ Navy Standard Avionics Components and Subsystems	Standard nd	4,227	3,677	9,463	10,654	Continuing Continuing	Continuin
AN/AYK-14(V) Carrier Aircraft Inertial	181	4,740	1,156	3,685	5,804	Continuing	Continuing
Navigation System II		5,183	986,9	3,688	486	Continuing	Continuing Continuing

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

This program element contains three (3) standard development efforts: B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED:

ownership cost by developing affordable, standard avionics which maximize combat readiness, and increase reliability and interoperability. AVCS also supports the Joint Services Review Committee on Avionics Standardization to develop interservice AVCS includes efforts to identify future user needs, and develop standard, life cycle cost effective First, the Joint Services/Navy Standard Avionics Components and Subsystems (AVCS) is a multi-task project which develops standard (less than major) avionics for multi-aircraft application. The major objective is to reduce avionics proliferation and total standard avionics. equipment. Second, the AN/AYK-14(V) project provides for the development and production of a Navy Standard Airborne Computer capable of flexible enough to permit its use in a wide variety of applications. As a result, total hardware and support software can be standard Government Purnished Equipment (GFE) resulting in greatly reduced life cycle costs. Design flexibility also allows for technology infusion necessary to keep pace with expanding fleet operational requirement. The AN/AYK-14(V) is supplied as GFE to satisfying the airborne digital computer requirements well into the 1990's. The project is an outgrowth of the requirement to reduce the proliferation of functionally similar but logistically unique CFE computer systems by developing a standard design, vital navy weapons systems including the F/A-18, F-14D, A-6F, V-22, AV-8B, E-2C, EA-6B, SH-60B, ACLS, and MK-50 torpedo.

Program Element: 64203N

Title: Standard Avionics Development

Third, the Carrier Aircraft Inertial Navigation System II (CAINS II) project provides for the design, development, test, current aging conventional electromechanical sensor technology in CAINS and to improve passive carrier operations by development evaluation and qualification of the Navy's next generation standard CAINS. The primary goal of the CAINS II project is to improve fleet performance and reduce system operation and support costs through the application of LASER Gyro sensor technology to replace The CAINS effort is directed toward the needs and requirements of all carrier based fixed wing and rotary wing aircraft involved in ASW, AAW, and Strike Warfare. of a Covert CAINS Alignment Link.

C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The significant changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are:

decrease of 7,001 is due to Congressional action and adjustments. The FY 1988 decrease of 2,345 was due to Department program and The FY 1986 net increase of 1,411 is the result of a GRH adjustment and Department program and program/budget adjustmenta to cover costs of changes required for the Standard Attitude and Heading Reference System (SAMS), used by the V-22. budget adjustments.

The FY 1987 decrease of 4,858 is due to The FY 1988 decrease of 3,514 is due to The decrease of 1,513 in FY 1986 was due to GRH and Department program and budget adjustments. The primary Department adjustments were within the Program Element to cover other project requirements. Congressions action and adjustments and Department program/budget adjustments. Department program/budget adjustment. W0845:

delay of the Covert Alignaent Link full scale development and the P'I effort by one year. There were also relatively minor NIF contractor, appear to be developing satisfactory equipment that can be competed head-to-head in production and the decision to adjustments) to allow for second source development of Cains II. The FY 1988 decrease of 10,119 reflects primarily the Department program adjustment decision to delete the contingency CAINS II second source development effort in FY 1988 since both development W1630: The FY 1987 increase of 4,246 is due to Congressional action (with Department program/budget adjustmenta and Congressional and Department budget adjustments.

Program Element: 64203N

Title: Standard Avionics Development

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Project		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
No.	<u> </u>	Actual	Estimate	Estimate	Estimate	to Completion	Cost
•	TOTAL FOR PROGRAM ELEMENT	12,861	14,668	19,432	32,814	Continuing	Continuing Continuing
MO577	Joint Services/ Navy Standard						
	Avionics Components and						
••	Subsystems	4,365	2,816	10,678	11,808	Continuing	Continuing
W0845	AN/AYK-14(V)	5,167	6,253	6,014	7,199	Continuing	Continuing
W1630	Carrier Aircraft Inertial						
	Navigation System Il	3,329	665,5	2,740	13,807	Continuing	Continuing Continuing

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.

## E. (U) RELATED ACTIVITIES:

(II) WOS72 Joint Services/Navy Standard Avionics Components and Subsystems: A tri-service Memorandum of Agreement exists to promote joint development of standard avionics components and subsystems. The Navy has identified WO572 to promote interservice Currently the Joint USAF/USN Standard Central Air Data Computer (SCADC) has received Approval for Production (AFP). Development of the Joint Service Standard Attitude Heading Reference System (SAHRS) continues. standardization activities.

Additionally, to align Department of Defense To coordinate Navy standard embedded computer resources, this AN/AYK-14(V) initiatives on Very High Speed Integrated Circuit (VHSIC) technology, this project coordinates efforts with the Naval This effort is coordinated with the Navy Shipboard Standard Computer Project Office to ensure project interfaces with the Tactical Embedded Computer Resources Project Office. Air Systems Command Advanced Development Project Office and the Navy VHSIC Office. compatibility of the Common Machine Transferable Support Software. (U) WO845 AN/AYK-14(V):

Development of the Covert CAINS (U) W1630 Carrier Aircraft Inertial Navigation System II: The CAINS II project transition LASER Gyro technology developed Alignment Link will be based on information gained from technology evaluations of Ultra High Frequency (UHF), Infrared (IR), Ultra Violet (IV) and, Extremely High Frequency (EHF) performed by the Navy. The P3T effort beginning in FY 1991, transitions advanced under Program Element 63202N, Project W0525, Advanced Technology Demonstration LASER Gyro. sensor technology being developed under Program Element 63202N, Project W0525.

(U) Related activities for each of these programs are complementary in nature. As a result, there is no unnecessary duplication of effort within the Navy or the Department of Defense.

Program Element: 64203N

Title: Standard Avionics Development

### F. (U) WORK PERFORMED BY:

WO572: CONTRACTORS: Magnavox Defense Systems, Fort Wayne, IN; The Singer Company, Kerfott Division, Little Falls, NJ; Northrop IN-HOUSE: Haval Avionics Center, Indianapolis, IN; Naval Air Development Center, Warminster, PA; Naval Air Test Center, Patuxent River, MD. Precision Products Division Boston, MA.

IN-HOUSE: Naval Avionics Center, Indianapolis, IN, (lead lab); Naval Air Development Center, Warminster, PA; Naval Air Test Control Data Corporation, Minneapulis, MN; Sperry Systems, St. Paul, MN; Sperry Systems, Pueblo, Center, Patuxent River, MD. CONTRACTORS:

Naval Avionics Center, Indianapolis IN; Naval Air Development Center, Warminster, PA; Naval Ocean Systems Center, San Diego, CA; Naval Air Test Center, Patuxent River, HD; Naval Surface Weapons Center, Silver Spring, MD. CONTRACTORS: Litton Aerospace, Woodland Hills, CA; The Singer Company, Kearfott Division, Little Falls, NJ. IN-HOUSE:

# G. (U) PROJECTS LESS THAN \$10 HILLION IN FY 1988/89:

### (U) WOB45 AN/AYK-14(V):

the rapid advances in Microelectronic Technology which allow these capabilities to be met, the Navy Standard Airborne Digital additional AN/AYK-14(V) processing and memory capability and allow cost effective upgrades to the processing capabilities of current AN/AYK-14(V) based aircraft s)stems. Continuation of the P<sup>3</sup>I and VHSIC insertion efforts for AN/AYK-14(V) are essential (U) Description: Because of the continually increasing demand for improved capabilities of Navy weapon systems and Computer, AN/AYK-14(V), as it exists today is unable to meet the majority of identified TACAIR needs beyond 1985. This effort provides preplanned product improvements (P1) to the AN/AYK-14(V) to respond to new and urgent user operational requirements for F/A-18, V-22, F-14D, A-6F, AV-8B and HK-50. In addition, upgrades to these and other major weapons systems in the late 1930's and early 1990's will again exceed processing capabilities. For this reason, a VHSIC insertion effort is proceeding to provide if it is to meet future operational needs.

# 2. (11) Frogram Accomplishment and Future Effort:

hardware; continued delivery of Pol EDM and preproduction hardware to users; qualification and baseline of Memory Subsystem Module (3) FY 1986 Program: Development, test, evaluation, and qualification of P<sup>3</sup>I Engineering Development Model (EDM) (MSSM) module; development and delivery of MSSM preproduction models; tested and delivered final version of Machine Transferable Support Software (MIASS) for Pol; awarded ESED contract for design and development of VHSIC processor module.

(FMM), continue delivery of Pil hardware to users; continue development of VHSIC processor module; commence development of high h. (U) FY 1967 Program: Continue Mavy test program and baseline Pol hardware including Programmable Memory Module density semiconductor memory module.

1

Program Element: 64203N

Title: Standard Avionics Development

- c. (U) FY 1988 Planned Program: Complete Navy test program of P<sup>3</sup>I hardware; deliver and begin test of high density semi-conductor memory module; deliver and begin test of first VHSIC development modules; initiate analysis of follow-on efforts for state-of-the-art technology infusion for AM/AYK-14(V) users.
- test of high density Continue development testing of VHSIC modules; complete semi-conductor memory module; begin development of additional, state-of-the-art technology infusion efforts. (U) FY 1989 Planned Program:
- (U) Program to Completion: This is a continuing program, Provide for development modules required to meet requirements of AN/ANT-14(V) users through technology infusion efforts. VHSIC development will be completed in FY 1990.
- f. (U) Major Milestones:

				- 4Q/FY 1990	
1983	1987	1987	1986	1989	1991
1Q/FY 1983	2Q/FY 1987	3Q/FY	3Q/FY	3Q/FY	1Q/FY 1991
o P <sup>9</sup> I MS II	O P' I TECHEVAL	o P <sup>3</sup> 1 NS 117	O VHSIC MS 33	O VHSIC TECHEVAL	O WHSIC MS 177
٥	٥	٥	0	0	٥

# (U) W1630 Carrier Aircraft "Artial Navigation System II:

- opportunity of improving both fleet readiness and reducing inertial system life cycle costs through the application of strapdown sensor technology. Improvements in reliability, slignment times and system cost are associated with the inherent characteristics of Ring LASER technology. The CAINS II will be a completely digital system using low cost, high speed micro-processors for computing aircraft attitude, heading, velocity, and position information. The Ring LASER Gyro technology exhibits significant advantages over the conventional "spinning wheel" gyros in characteristics such as reaction time, calibration stability, environmental insensitivity, reliability, and dormancy (shelf life). These advantages make it possible to: 1) enhance reliability by an order of magnitude, 2) reduce alignment times by as much as 50 percent and 3) achieve a reduction in logistic support costs have deficiencies which impact both fleet readiness and the cost of ownership. The CAINS II will provide the Navy with the as compared to the AN/ASN-92 system. This project will also develop a data link for covert alignment of aircraft at sea on a 1. (U) Description: Current operational Carrier Aircraft Inertial Navigation Systems, such as the CAINS I (AN/ASN-92), carrier.
- (U) Program Accomplishments and Puture Effort:
- Began acceptance/delivery of FSED hardware. a. (U) FY 1986 Program:

UNCLASSIFIED

一年 日本 日本の いって

Program Element: 64203N

Title: Standard Avionics Development

- b. (U) FY 1987 Program: Commence and complete Design Approval Testing (DAI), performed by the contractors. Complete Navy Lab test and evaluation and system integration. Commence and complete Navy IECHEVAL and commence OPEVAL testing.
- Complete OPEVAL and obtain an Approval For Full Production (AFP) for the CAINS II (U) FY 1988 Planned Program: system.
- (U) PY 1989 Planned Program: Initiate development of the CAINS Covert Alignment Link and initiate the CAINS PSI development effort.
- e. (U) Program to Completion: Complete development, laboratory and TECH/OPEVAL testing to obtain Approval for Full Production (AFP) for the covert link and complete the P3I CAINS II system development efforts.
- H. (U) PROJECTS OVER \$10 MILLION IN PY 1988/89:
- (U) MOS72 Joint Services/Navy Standard Avionics Components and Subsystems:
- procurement, logistics, and maintenance. To address this concern, the Joint Services/Navy Standard Aviunics Components and Subsystems program provides for the timely development of families of Government Furnished Equipment, supportive of, but separate from, major aircraft weapon system acquisitions and common to multiple aircraft typea. This project is of a continuing nature with new development efforts continually being identified and undertaken. Navy participation in the Joint Services Review (U) Description: A growing concern in Naval Aviation is the proliferation of unique swionic equipment that increases with each new or modified sircraft. This proliferation of unique Contractor Furnished Equipment (CFE), due to non-availability of off-the-shelf Government Furnished Equipment (GFE), has resulted in a growing cost burden in the areas of development, Committee (JSRC) on Avionics Components and Subayatems continues to identify and fund joint engineering developments.
- 2. (U) Program Accomplishments and Puture Efforts:
- (U) FY 1986 Program: Expanded Approval for Production (AFP) on the Standard Central Air Data Computer (SCADC) to additional aircraft. Continued competitive development of the Joint Service Standard Attitude Heading Reference System (SAHRS). Defined SAHRS dealer changes required for use on the V-22. Conducted Critical Design Reviews on both SAHRS contractors.
- Approval Testing (DAT) will be performed by the SAHRS Contractors. Begin Navy laboratory, system integration, and TECHEVAL/OPEVAL b. (U) FY 1987 Program: Begin delivery of Standard Attitude Heading Reference System (SAHRS) FSED Hardware. testing on SAHRS
- (U) FY 1988 Planned Program: Complete TECHEVAL/OPEVAL on SAHRS and obtain approvs1 for limited production. Award contracts and commence development of a Tactical Ground Proximity Warning System (GPWS), Standard Compass System (SCS), and Standard Flight Control System (SPCS).

987

さんかんか おおとれば の変に変い

Program Element: 64203N

Title: Standard Avionics Development

d. (U) FY 1989 Planned Program: Continue development and begin test of the Tactical Ground Proximity Warning System (GPWS), Standard Flight Control System (SPCS), and Standard Compass System. Award contract and begin development of Downed Alrerewman Locating System (DALS). Approve Standard Attitude Heading Reference System (SAHRs) for full production.

e. (U) <u>Program to Completion</u>: Complete development and obtain approval for production of GPWS, SCS and DALS. Commence development of laser altimeter. This is a continuing effort in coordination with the USAF/USA to identify and develop standard avionics components and subsystems. 

### f. (U) Major Milestones:

SCS	10/87	06/60	16/60
SPCS	10/87	11/91	10/92
DALS	10/88	10/01	10/92
Cat. III	10/88	03/92	03/93
Cat. 11	03/88	04/91	12/92
GPWS*	03/88	06/60	16/50
SAHRS	02/85	12/88	06/10
	Contract (MS II)	AFF (HS 111)	100
W0572			

Act. I - Transport, early warning and patrol aircraft; Cat. II - Fighter and attack aircraft; Cat. III - Helicopters.

UNCLASSIFIED

886

I. (U) IEST AND EVALUATION DATA: Not Applicable.

# FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 64211N DoD Mission Ares: 344 - Tactical Commend and Control

Title: Identification, Friend or Foe Systems Development Budget Activity: 4 - Tactical Programs

A. (U) PY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
	TOTAL FOR PROGRAM ELEMENT	18,833	22,474	36,201	33,866	Continuing	Continuing Continuing
M0676	Improved Identification Development	5,316	8,938	9,924	17,122	Continuing	Continuing
W1253	Combat Identification System	13,517	13,536	26,277	16,744	Continuing	Continuing

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

ships and aircraft, and Navy test and evaluation). FY 1988 and later funding is only for Navy unique requirements. The Improved systems must be both tri-service and NATO interoperable to prevent fratricide in joint and allied operations. The current IFF system (MK XII IFF), a cooperative (question and answer) system, is twenty years old, unreliable, susceptible to counter-measures, and increasingly unsupportable as the technology of this system approaches obsolescence. An upgraded, improved cooperative system is required. The resolution of the identification problem is multi-faceted and includes information received from several sensor sources (both cooperative and non-cooperative systems). This element addresses the need for new and/or improved systems The Combat Identification System (CIS) program covers the development of a new cooperative identification system (MK XV) that is both Iri-Service and NAIO interoperable. Intough FY 1987, funding in this project includes the Navy share of the Iri-Service "core" program (basic hardware) as well as Navy unique requirements (system cost and effectiveness analyses, system integration in Navy Identification Development program covers the ongoing performance and reliability improvements to the existing MK XII IFF system (anticipated life expectancy into the 1990's and beyond on selected platforms). This effort will develop modifications to improve reliability, enhance operational performance and reduce system susceptibility to hostile countermeasures. The program also Includes the development of new passive foe identification techniques including Non-cooperative Target Recognition (NCTR) techniques and the "Retract Sky" program, which are being developed jointly with the other services, and a shipboard Inverse Synthetic Aperture Radar (ISAR) for increased detection range and stand-off classification of surface targets. The program B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Reliable and secure positive identification systems are essential elements of battle management in the naval environment. In addition to distinguishing friend from foe for weapons employment, the Navy requires identification Friend or Poe (IFF) systems for battle group air defense management and air traffic control.

Program Element: 64211M

Title: Identification, Priend or Foe Systems Development

provides for development of a Central IFF (CIFF) system using multiple shipboard sensor correlation and expert processing techniques to discern friend from foe in a local battle group environment.

The changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY:

#### Project W0676:

In FY 1986, a decrease of 1,755 is the result of GRH and Department program/budget.

Ü

In PY 1988, a decrease of 2,243 is the result of Department program/budget adjustments.

#### Project W1253:

- In FY 1986, an increase of 3,447 is the result of GRH (-549) and Department program/budget adjustments (+3,996) to fund Navy share of core program.
  - In PY 1988, a decresse of 16,968 is the result of transfer of core funding to the Air Force (11,600) and other Department program/budget adjustments.

# (U) FUNDING AS REPLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

PY 1985 PY Actual Bst	TOTAL FOR PROGRAM ELEMENT 10,811 1 Improved ID Development 6,418 Combat ID System 4,393 1
PY 1986 FY 1987 Estimate Estimate	17,141 23, 7,071 9, 10,070 14,
87 FY 1988 ate Estimate	23,449 55,412 9,338 12,167 14,111 43,245
Additional to Completion	Continuing Continuing Continuing
Total Estimated Cost	Continuing Continuing Continuing

<sup>(</sup>U) OTHER FY 1988/89 APPROPRIATION FUNDS: Ď.

UNCLASSIFIED

066

Program Element: 64211N

Title: Identification, Friend or Foe Systems Development

(BA-2)
MAVY
PROCURIDERIT.
OTHER

OTHER PROCURERENT, MAVI (BA-Z)						Total
al and a second	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Estimated
PK XII AIMS IFF-332851(Total)	. 2,737	8,664	16,491	32,654	Continuing	Continuing Continuing
AN/UPM-149/150 Test Sets	0	4,500	7,640	4,761	Continuing	Continuing Continuing
MISC IFF Improvements Quantity	2,603	2,711 various	4,261 various	7,089 various	Continuing Continuing	Continuing Continuing Continuing
IFF Wideband Antenna	0	0	1,875	1,232	Continuing	Continuing Continuing
AN/UPX-30 (CIPF), Antenna	0	0	0	7,784	Continuing	Continuing Continuing
MK XV CIS (long lead)	0	0	0	0	Continuing	Continuing Continuing

(U) RELATED ACTIVITIES: In FY 1987 the Navy will lead two tri-service identification programs which will be based on existing Navy programs. Direction comes from the Joint Requirements Oversight Council. Programs include the Tri-Service Target ID Program (TRITIP), based on the Navy AKUIS program and a tri-service "Retract Sky" program. Execution will be determined in tri-service Memoranda of Agreement (MDA) which will define funding, manpower and scope of work requirements. Intent of effort is to pool resources and eliminate duplication within the Navy or Department of Defense.

Naval Avionics Center, Indianapolis, IN; Naval Electronics Systems Engineering Activity, St. Inigoes, MD; Naval Air Development Center, Warminster, PA: Naval Air Test Center, Lexington Park, MD. CONTRACTORS: Allied/Bendix Corporation, Towson, MD; Hazeltine (U) MORK PERFORMED BY: IN-HOUSE: Naval Research Laboratory, Washington, D.C.; Naval Ocean Systems Center, San Diego, CA; Corporation, Greenlawn, NY; Texas Instruments Inc., Dallas, TX; Scope, Inc., Reston, VA.; Hughes Aircraft Corp., El Segundo, CA.

- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not applicable.
- H. (U) PROJECTS OVER \$10 HILLION IN FY 1988/89:
- (U) Project W0676, Improved ID Development:

UNCLASSIFIED

Program Element: 64211N

Title: Identification, Friend or Foe Systems Development

systems, and provides for integration of IFF systems into airborne and shipborne weapons and communications systems. This project performance and reliability of existing MK XII equipment and reduce the electronic countermeasures vulnerability of MK XII also includes several sub-projects which are intended to improve the Navy's overall friend and foe identification capability. This project provides for the design and development of modifications necessary to improve the (U) Description:

- before there was one per radar. It is compatible with both the existing MK XII and the design of the new MK XV Central IFF (CIFF) is a multi-sensor processor for ships which accepts ID data from different sources, including  $F_{
  m oe}$  ID, correlates it and provides an integrated picture to the evaluator, thus increasing the degree of confidence in a friend or foe evaluation. It also allows use of only one IFF interrogator per ship whereas
- The Advanced Radar Target Identification System (ARTIS) interprets radar modulations to identify targets and has been in advanced development since FY 1984. ARTIS is the basic project upon which a Navy lead, tri-service target identification program (TRITIP) will be based, commencing in FY 1987.
- applications, and extensive T&E at Pacific Missile Test Center (PMTC). Also included is the "Retract Sky" program (an IFF enhancement system). "Retract Sky" is the basic project upon which a Navy lead, tri-service IFF Other projects in W0676 include a Wide Band Antenna for ships, a Portable IFF Test Set for general ship use, a Mode 4 Evaluator for use in the E-2C aircraft, the Inverse Synthetic Aperture Radar (ISAR) for shipboard enhancement system program will be based, commencing in FY 1987.

# 2. (U) Program Accomplishments and Puture Efforts:

### (U) FY 1986 Program:

- Continued development of CIFF.
- Started T&E of ARTIS advanced development model.
- Continued development of the Wide Band Antenna.
- . Published T&E results from Portable IFF Test Set and the E-2C Mode 4 Evaluator.
- Continued "Retract Sky" flights and data analysis.
- \* Installed, tested and deployed an engineering development model (EDM) ISAR unit on board a deploying CGN.

## b. (U) FY 1987 Planned Program:

Program Element: 64211N

Title: Identification, Friend or Foe Systems Development

- Complete development of CIFF; prepare for a production decision.
- Commence full scale engineering development of ARTIS; fold Air Force and Army signal modulation programs into ARTIS effort. Promulgate Memorandum of Understanding.
  - Award full scale development contract for the Wide Band Antenna.
- . Commence production of Portable IFF Test Set and E-2C Mode 4 Evaluator.
- Prepare advanced development model specifications for "Retract Sky" hardware; fold Air Force and Army IFF enhancement efforts into Navy "Retract Sky" program. Promulgate Memorandum of Understanding.
  - Commence Program Development of Surface ISAR; evaluate data from EDM deployment.

## . (U) FY 1988 Planned Program

- Commence CIFF T&E.
- Complete full scale development of ARTIS and plan for production.
  - . Complete IGE of the Wide Band Antenna.
- Commence full scale development of ISAR.
- \* Commence advanced development and demonstration/validation (D/V) of the "Retract Sky" hardware.

## d. (U) FY 1989 Planned Program:

- . Complete CIFF T&E and commence limited production.
  - Obtain production approval of ARTIS.
- · Continue full scale development of ISAR and obtain approval for limited production.
  - Begin production of Wide Band Antenna.
- (U) Program to Completion: This is a continuing program. Planned efforts include:
  - . Install Wide Band Antennas in ships.
- . Complete development and test and evaluation of ISAR; obtain full production approval for ISAR.
  - · Obtain full production approval for CIFF.
- \* Continue development of non-cooperative target recognition (NCTR) equipment; investigate electro-optic (E/O) identification, passive NCTR (PNCTR) techniques, etc.

#### f. (U) Milestones:

CIPP MS III
ARTIS MS III

FY 1989 FY 1989 UNCLASSIFIED

された 一年 一年 一年 から

Program Element: 64211N

Title: Identification, Friend or Foe Systems Development

Hite Band Antenna MS III	FY 1988	
MK XII IPP Test Set MS III	FY 1987	
22C Mode 4 Evaluator MS III	FY 1987	
ISAR MS III	FY 1989	
Retract Sky MS III	FY 1991	

# (U) Project W1253, Combat Identification System:

The PK XV Combat Identification System is a Tri-Service, NATO-interoperable, OSD-directed project under Air Force lead. MK XV will be the form, fit and function replacement for the present MK X/XII IPP which is now over 20 years old and Las certain deficiencies to be corrected in MK XV. The project provides the Navy's share of funds to the Air Force for the tri-service "core" development effort in FY 1987 and prior (FY 1988 and subsequent year funds were transferred to the Air Force) and also provides funds for the design, development, analysis and test of Navy "unique" integration for ships, submarines, aircraft, and shore facilities. (U) Description:

# 2. Program Accomplishments and Puture Efforts

### a. (U) FY 1986 Program:

- Continued tri-service evaluation of contractor hardware.
- Continued cost analysis.
- Continued logistic support planning.
- Continued Mayy integration studies.
- Continued development and initiated testing and evaluation of MARK XV brassboard equipment.
  - \* Integrated NATO requirements into the overall MARK XV program.

## b. (U) FY 1987 Planned Program:

- Complete demonstration and validation phase and the delivery of MK XV development equipment from both contractors.
- Commence test and evaluation of PK XV development equipment at Air Force and Navy Facilities.
  - · Commence preparation/drafting of full scale development specifications.
    - · Commence preparations for Milestone II.

## c. (U) FY 1988 Planned Program

Program Element: 64211N

Title: Identification, Priend or Foe Systems Development

- · Complete D/V phase, prepare for Milestone II, begin full scale development second quarter FY 1988.
- · Commence NATO participation in full scale development.
  - · Prepare for TECHEVAL/OPEVAL.
- · Commence preparations for Milestone III.
- d. (U) FY 1969 Program:
- · Continue full scale development.
- \* Continue NATO participation in full scale development.
- Continue preprations for TECHEVAL/OPEVAL and Milestone III
  - · Prepare platform integration contracts.
- (U) Program to Completion:
- \* Inia program is intended to reach IOC in FY 1992. Full production approval targeted for FY 1991.
- f. (U) Major Milestones:

#### M lestones:

July 1984

II March 1988

III March 1991

# . (U) TEST AND EVALUATION DATA:

contracts with Texas Instruments and Bendix. Various acceptance and qualification tests have been conducted on individual system items by both contractors and have been monitored by government personnel. Accepted items will undergo full Development Test and supported by Naval Air Test Center. Independent Navy peculiar testing will be conducted by Naval Air Test Center, supported by (U) Development Test and Evaluation (DTGE): The MARK XV Identification, Friend or Foe Program passed DSARC I on 24 JRMS II is scheduled for March 1988. Testing performed to date has been on models produced under advanced development. Evaluation commencing December 1986. The agency responsible for MARK XV core program DT&E is the U.S. Air Force 4950th Test Wing, monitored by government personnel. Flight tests begin in February 1987 by the 4950th Test Wing and transition to Naval Air Test Center in mid-March 1987. Navy unique tests commence in June 1987. Test reports from Bendix and Texas Instruments testing are Naval Electronica Systems Engineering Activity. During DT&E, lab tests will be conducted on accepted items by both contractors, due in July and August 1987; 4950th Test Wing Report is due in October 1987. July 1984.

Program Element: 64211N

Title: Identification, Friend or Foe Systems Development

DIAL flight testa commence in the third quarter of FY 1991 and are acheduled to complete at the end of the first quarter of FY After transition to full scale development, UT&E lab testing is scheduled for the first three quarters of FY 1991. 1992. Responsible agencies for DT&E in full acale development are the same as for advanced development listed above.

- and Evaluation Center (APOTEC) is responsible for MARK XV core program operational test, supported by Operational Test and Evaluation Force (OPIEVPOR) for the Navy. OPIEVPOR is responsible for Navy unique operational testing. Articles tested will be (U) Operational Test and Evaluation (OT&E): As part of the full scale development program, operational testing for the MARK XV core program is scheduled to commence in the first quarter of FY 1992 and complete during the second quarter of FY Air Force Operation Test Service follow-on operations) test and evaluation will commence in the first quarter of FY 1993. production representative units.
- test data results will be compared with the operational performance requirements. The results of the comparison will be used to Distribution (TCD) schemes for interservice and NATO operations; high confidence identification of friends in benign and ECM environments; compatibility with weapon systems and sensor envelopes; security against deception and exploitation; and operational performance functions are contained in the most recent MARK XV System Concept Paper (SECRET). During the D/V phase. assess the potential system performance prior to a Milestone II decision. To be operationally effective, the MARK XV system must have the following characteristics: NATO and interservice interoperability; feasibility and compatibility of Time and Code (U) Systems Characteristics: The MARK XV system is currently in the Demonstration/Validation phase. Interoperability with the current MARK XII system and the civil ATCRBS, the future Mode S and MAIC functions.

## 4. (U) Current T&E Activity:

## T&E Activity (Past 12 Months)

Event IEMP rewritten	Planned Date	Actual Date Jul 86	Remarks The tri-service TEMP for MARK XV has been coordinated
			through all services and is currently awaiting HQ AFSC/TE approval.

Program Element: 64211N

Title: Identification, Friend or Foe Systems Development

## T&E Activity (Next 12 Months)

Event	Planned Date	Remerks
DT&E Lab Teat	Dec 86 - Mar 87	Conducted by Bendix and Texas Instruments Corporation and observed by representatives of NESEA and NOSC respectively.
DIGE Flight Test	Mar 67 - Jun 67	Performed by 4950th USAF Test Wing and NATC. Data reduction by NRL and NATC.
Interoperability Teating Mar 87 -	Mar 87 - Apr 87	To be performed at either WPAFB or NATC. NATC, NESEA and NRL will participate.
Flug Compatibility	May 87	Aircraft transponder testing will be conducted by NATC. NESEA will do similar testing for ahipboard interrogators.
Mavy Unique	Jun 87 - Aug 87	Accomplishes testing required by USN and not included in core teating program.  - Verification of embedded MK XII AIMS (NRL).  - Preliminary shipboard integration testing (NESEA and

NOSC).

- Multipath propagation over water (NAIC).

一人になるとはないのではないという

PY 1988/89 RDISE DESCRIPTIVE SUMMARY

Program Element: 64212N DoD Mission Area: 233 - Anti-Submerine Warfare

Title: Light Airborne Multi-Purpose System Budget Activity: 4 - Tactical Programs

A. (U) PY 1988/89 RFSOURCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project		FY 1986	FY 1987	FY 1988		Additional	Estimated
No.	Title	Actual .	Estimate	Estimate		to Completion	Cost
	TOTAL, FOR PROCRAM ELEMENT	17,155	18,887	16,970	6,171	Continuing	TRD
WJ 707	Light Airborne Multi-Purpose	1,681	1,935	3,964		Continuing	TBD
£1902	System MK III Improvement PENGUIN Anti-Ship Hissile	15,474	16,947	12,956	4,185	0	70,046
	System Integration						

The shove funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

provides sensor processing, command and control, and integrates all Light Airborne Multi-Purpose System information gained from processing of acrustic and non-acrustic sensor information. For anti-ship surveillance and targeting, the helicopter serves as an The ship also provides the Recovery Assist, Securing and Traversing System as well as visual landing aids, and maintenance/support facilities for the aircraft. The Penguin Missile System is a short range, air-to-surface, anti-ship missile system to be operated from the LAMPS MK 111 SH-60B helicopter. The MK 2 Mod 7 Penguin Helicopter Launched, Anti-Ship Missile (NILASM) is a sociffication of the surface launched HK 2 Mod 3 missile. The missile is an autonomous weapon which is controlled by an infrared countermanaires resistant seeker that is automatically activated when the missile reaches a preset range from the B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: Light Airborne Multi-Purpose System MK III is a computer integrated ship/ helicopter system that dramatically increases the effectiveness of surface combatants. It is optimized for anti-supmarine warfare and has secondary missions of anti-ship surveillance and targeting, search and rescue, medical evacuation, vertical replenishment and communications relay. For ASW, the helicopter provides a remote platform for deployment of sonobuoys and torpedoes and elevated platform for radar and electronic support measures and will carry missiles. The ship, through a directional data link, predicted position of the target. Penguin missile integration into the SH-60B involves development work by the airframe menufacturer and the systems integrator. BYSLEM SPREOTE.

Program Element: 64217N

Title: Light Airborne Multi-Purpose System MK III

C. (U) COMPARISON WITH THE 1987 DESCRIPTIVE SUPPARY: (Dollars in Thousands) FY 1986 W1707 was increased by +1,681 due to a Department budget adjustment and FY 1988 W1707 was increased by +3,479 reflects a Department program and budget adjustment and NIF rate adjustment to fund the integration of a 99 channel sonobuoy receiver, the MK 50 torpedo, and flight incident recorder into the LAMPS ME 111. FT 1986 W1902 was increased by +1,429 for Department budget adjustment and GRH adjustment. In FY 88, W1902 was increased +2,837 for Department program/budget adjustment.

(U) FUNDING AS REPLECTED IN THE PY 1987 DESCRIPTIVE SUPPLIES.

							Total
Project		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
.02	21719	WC LOW 1	EST INSTE	ESTIBATE	ESTIMATE	to completion	280
	TOTAL FOR PROCRAM ELEMENT	11,333	14,045	19,712	10,604	767.7	69,224
	Quantity (Test and Evaluation)						
<b>41</b> 707	Light Airborne Multi-Purpose						
	System Improvement	*11,333	0	1,994	485	ī	2,479
W1902	PENCUIN Anti-Ship Missile System	0	14,045	17,718	10,119	767 7	99,700

#FY 85 funds in W1707 were obligated for Penguin Missile Program.

D. (U) OTHER PY 1988/89 APPROPRIATION FUNDS:

	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estinate	Additional to Completion	Total Estimated Cost
*SH-60B Aircraft Procurement, Navy (APN-1/6) Quantity	269,204	229,427	148,531	168,296	1,279,160	1,279,160 4,586,314 (55) (204)
Other Procurement, Mavy	49,519	32,023	31,298	27,611	11,217	393,466
Weapons Procurement, Navy (PENCUIN)	0	0	3,563	38,012	74,005	115,580
Quantity			(o)	(99)	(129)	(193)
*Costs for related ship systems currently	currently programmed at approximately \$470.4M. Cost	t approxima	tely \$470	4M. Cost	breakdown by year is reflected in	reflected in
Shipbuilding and Conversion, Mavy appropriations under ship acquisition program elements.	s under ship	acquisition	program e	lements.		

Program Element: 64212N

Title: Light Airborne Multi-Purpose System MK III

(Combat Rescue/Special Operations helicopter), is an Air Force derivative of the UH-60A airframe and the SH-60B engine. Program Program Element 64206A, UH-60A BLACKHAWK (Utility Jactical Transport Aircraft System), a derivative MLACKHAWK airframe. Program Elements 64203N, AN/AYK-14 Standard Airborne Computer; 64266N, AN/UYS-1 Advanced Signal Processor; 64518N, AN/UYQ-21 Tactical Data System; will be used in Light Airborne Multi-Purpose System MK III. Program Element 64713N, of which has been selected for the Light Airborne Multi-Purpose System MK III airframe. Program Element 64753F, HH-60D, NIGHTHAWK Element 64750A, EH-60A QUICKFIX and Program Element 64748A, EH-60B Stand-Off Target Acquisition System, are derivatives of the Elements 24224N, SH-60B SEAHAWK provides for product improvements of airframe, engines and flight subsystems. Program Element AN/SQR-19 Tactical Towed Array Sonar, will be used in conjunction with the Light Airborne Multi-Purpose System MK III. 64229N, CV IZ Helo shares the same engines and airframe components with the LAMPS MK III. E. (U) RELATED ACTIVITIES:

Engineering Center, Lakehurst, NJ; Fleet Combat Direction Systems Support Activity, Dam Neck, VA; Naval Underwater Systems Center, Ordnance Station, Indian Head, MD. CONTRACTORS: International Business Machines, Owego, NY (Light Airborne Multi-Purpose System New London, CJ; Naval Air Test Center, Patuxent River, MD; Naval Avionics Center, Indianapolis, IN; Naval Weapons Center, China MK III System Prime); Sikorsky, Stratford, CT (Air Vehicle); General Electric, Lynn, MA (Engine); Canadian Commercial Corporation (DAF Indal), Ottawa, Canada (Recovery Assist, Securing and Traversing System). Kongsberg Vaapenfabrikk Ltd., Kongsberg, Norway F. (U) MORK PERFORMED BY: IN-HOUSE: Naval Air Development Center, Warminster, PA, (Lead Laboratory-LAMPS MK III); Naval Air Lake, CA (Lead Laboratory-PENGUIN); Pacific Missile Test Center, Point Mugu, CA; Naval Surface Weapons Center, Dahlgren, VA; Naval (Penguin Missile).

- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:
- (U) Project W1707, LAMPS MK III Improvement
- bus interface and greater tactical flexibility. The On-Top Position Indicator will also be replaced by an R-1651/ARA( ) 99 weapon pylons and modification of the AN/ASQ-165 Armament Control Indicator Set which is currently in use to pre-set the MK-46 (U) Description: The primary goal of this improvement effort is to upgrade the sonobuoy receiver capability from 31 to 99 channels, to integrate the system requirements of the MK 50 Advanced Lightweight Torpedo into the LAMPS MK lil air vehicle, required for the SH-60B. The 99 channel receiver will be a form fit replacement for the current receiver. New capabilities include the ability to fully use the new 99 channel sonobuoys, which are planned to be in fleet inventory, a MIL-STD-1553B data channel cayable system with a broad band antenna. The MK-50 incorporation requires the provisions of heater circuits to the Iorpedo. (perational software changes will also be necessary to provide accurate trajectory predictions in computing water entry and to incorporate a flight incident recorder with sufficient information for flight simulator reconstruction of a mishap as and release points prior to launch. The MK-50 is due to replace the MK-46 Torpedo.

Program Element: 64212N

Title: Light Airborne Multi-Purpose System MK III

- 2. (U) Program Accomplishments and Future Efforts:
- s. (U) FY 1986 Program
- a Initiated engineering effort and swarded development contract leading to integration of 99 channel sonobuoy
- Initiated development and awarded development contract of the MK 50 torpedo capability into the IAMPS MK III SH-60B weapon system.
- b. (U) FY 1987 Program:
- Begin 99 channel sonobuoy receiver installation and system integration testing.
  - Regin MK 50 integration testing to include software compatibility checks.
- c. (U. FY 1988 Program:
- channel sonobuoy receiver. TECHEVAL is to identify technical deficiencies and determine whether the design for the MK 50 and the 99 meets technica: specifications. OPEVAL will determine operational suitability of the systems. Combined Development Testing/Operational Testing is scheduled
- \* Commence development integration of deployable flight incident recorder capable of simulator reconstruction of future SH-60B mishaps.
- d. (U) FY 1989 Program:
- \* Continue contractor development and integration of the SH-60B flight incident recorder.
- e. (U) Program To Completion:
- \* Development and integration of a deployable flight incident recorder will continue in FY 1989 and complete in FY 1990.
- Puture plans include initiation of programs for a classification sensor, a detect/protect capability against anti-air missiles, an acoustic upgrade to include broadband processing and advanced digital buoys, radar processing and night vision goggle cockpit compatibility.

UNCLASSIFIED

というない はないない

gram Element: 64212N	2N	Title: Light Airborne Multi-Purpose System MK III
f. (U) M	f. (U) MAJOR MILESTONE	DATE
61	99 Channel Sonobuoy Receiver	
į.	Receive proposals	Jul 1985
2.	Award Development Contract	Apr 1986
3.	Complete integration testing	Oct 1987
4.	Program Review for Long Lead	Mar 1988
5.	Complete Flight Testing (OT-II)	Jun 1988
9	Award Contract for Production	Nov 1989
7.		
Ϋ́	AlMT (MK 50 Torpedo)	
1.	Receive Proposals	Jul 1985
2.	Award Development Contract	Apr 1986
3.	Complete Integration Testing	Oct 1987
.4	Program Review for Long Lead	Mar 1988
5.	Complete Flight Testing (OT-II)	Jun 1988
• 9	Award Contract for Production	Nov 1989
7.		ī

1/2/

# H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

# (U) Project W1902, Penguin Integration

air-tu-surface, anti-ship weapon. It has been successfully test fired from a patrol boat and a high speed aircraft, the F-16. Navy insensitive munitions requirements and modify the SH-60B helicopters to provide carriage and launch capabilities. This 1. (U) Description: The PENGUIN Missile is currently in service with several NATO countries as a surface-to-surface and This program will modify the patrol boat PENGUIN Missile for launch from a helicopter, modify the motor and warhead to meet U.S. program will provide 28 missile installation kits for 33 ships to service any of 115 missile capable SH-60B helicopters.

Program Element: 64212N

Title: Light Airborne Milti-Purpose System MK III

1. (U) FY 1986 Program:

Began testing of PENGUIN airframes, mission system modifications and avionics weapons system modification.

Aircraft provisioning contract awarded to IBM and Sikorsky.

b. (U) FY 1987 Program:

\* Begin captive carriage of PENGUIN missile on a rotary wing aircraft.

° Continue integration and testing for PENGUIN missile.

° Continue aircraft integration and provisioning for PENGUIN capability.

° Complete DI/OT IIA testing.

(1

c. (U) FY 1988 Program:

° Complete test of ship shipalt installation.

O Complete aircraft modification.

· Program review in 2Q/FY 88 to execute long lead production contract for missile, aircraft mods and shipalt.

° Complete OT-IIC testing.

d. (U) FY 1989 Program:

· Complete OT III missile system testing.

o Planned completion of R&D program.

Complete test ship shipalt installation. Complete aircraft modification and continue (U) Program to Completion:

captive flight/separation/jettison testing.

f. (U) Major Milestones:

PENGUIN Missile

Date

UNCLASSIFIED

1003

1

Program Element: 64212N

Title: 1.ght Airborne Multi-Purpose System MK III

DT/OT 11A Testing Program Review

3Q/FY 87 2Q/FY 88 3Q/FY 88 4Q/FY 88 1Q/FY 89

1. DT/OT IIA Testing
2. Program Review
3. Long Lead Procurement
4. OT IIC
5. Procure Ship Alteration Lots
6. HS III
7. Commence Installation
8. Initial Operational Capability

I. (U) TEST AND EVALUATION DATA:

Progres General 64212H

# . (U) TEST AND EVALUATION DATA:

- 1. (W) Envelopment Test and Evaluation: Light Airborne Multi-Purpose System (LAMPS) MK III full scale development testin, programed from laboratory and beach tests, through individual system tests, through total system testing using the Light Airborne Malti-Purpose System Land Rase Tast Site (LLBTS) and Mobile Ship Ground Station (MGS), to, in CT 1981 and 1982, at-sea tests isclimite participation in a major fleet exercise. The five pre-production SH-608 misreaft accountabled over 3000 accident free filight hours. The vast majority of this time was flown by Mavy crews in the four mission equipped pre-production aircraft. Over 600 Mays were spent deployed aboard the USS MCINEMEM (FFG-8). Over 600 at-sea flight kours and over 1000 ahipboard landings were accountabled. The Light Airborne Multi-Purpose System M III weapon system was tested in a wide range of primary and secondary mission seematios, including ASM against a variety of fleet submarines. Development and operational test results are presented in the following paragraphs.
- (s. (U) The Light Airborne Multi-Purpose System MK III full scale development test and evaluation program used flvs SH-60m SIMMAMKS, three Unlicopter Landing Systems (HLS), three Light Airborns Multi-Purpose System MK III ship electronic sets and the Light Airborne Multi-Purpose System MK III ship electronic sets and the
- b. (U) A firs basis to continue Light Airborne Malti-Purpose System MK III development was provided by Operational Test (OT)-184(M-7/Moort Mange (SB)) and Operational Test-IC (M-3/Extended Mission (EN)) tasting under CMO Project-189 (formerly K/C-5). H-2/Short Mange test results and H-3/Extended Mission testing were highly successful and the results were provided at Defense Systems Assemble Maylew Council (DSAMC) Milestones IIB and IIC respectively.
- c. (U) Development Test (DT)-IIA was dedicated to testing the integration of the hardware and software of the newly insured Light Airborne Multi-Purpose System MK III equipments into their respective airborne and shipboard systems and insuring that the effectiveness of the operator-equipment interface in its operating environment was not a limiting factor in system performance. The Light Airborne Multi-Purpose System MK III Land Based Test Site then combined the sirborne avionics laboratory and the ship electronics laboratory and was used for system integration and Proof of Compiliance (PQC) testing.
  - d. (U) Development That II was dedicated to extensive imboratory, flight and shipboard testing of various Light Airborne Hulti-Nupose System M III subsystem as well as inversed testing of the entire Light Airborne Hulti-Nupose System M III waspon system. Five pre-production prototype 34-608 helicopters and one Light Airborne Hulti-Airpose System M III equipped FPG-7 class whip, as well as various land based test sites and facilities, were used during this phase of testing. Each of the major Mays and contractor described is described in some detail below.
    - e. (U) The first weapon system demonstration was conducted at the Light Airborne Multi-Purpose System HK III Land Based Test Site. This demonstrated that the avionics and ship electronics were ready for installation in the aircraft and the ship respectively, and that the software was sature enough to permit the weapon system to advance to flight testing.
      - (U) Mayy Preliminary Evaluation (MPE)-IA was conducted at Skoraky's West Palm Bach Test Pacility, using an instrumented SH-608. The primary purposes of this Mayy Preliminary Evaluation were to evaluate the flying qualities and performance of the SH-608 and a proposed flight envelope. This Mayy Preliminary Evaluation showed that the SH-608 was ready for testing at see.

els accordance with the 1980 revision of DOD Instruction 5000.3 and OPMAV Instruction (OPMAVIMST) 3960.104 all test phases have been requested.

Title: Light Airborns Multi-Purposs System MK III

g. (U) The Hard Landing demonstration was conducted at Mayal Air Tast Center (MATC) using an instrumented SH-60B. The objective of this demonstration was to varify the capability of the landing gear system and the airframe to vithstand stresses imposed during landings. Besults included: a vertigal landing appead of 10.2 Past Per Second (PPS), with roll angles up to 6° seconsfit stability in multi-assauthal landings on s 9° sinpe; and axcellent response in the hard landing. This demonstrated that the aircraft was structurally ready for at-sea operations.

h. (U) Mayy Prolisinary Evaluation-IN was conducted at Mayal Air Test Centar using a mission configured SH-60B. The primary objective of this Mayy Preliminary Evaluation was to avsluate the aircraft under night and instrument meteorological conditions. This avaluation showed that the aircraft was ready for all weather operations.

1. (U) Many Praliainary Evaluation-IB was conducted at Manyl Air Enginearing Center (MAEC) using an instrumented SH-60-B. The objectives of this evaluation were to determine the maturity of the Malloopter Landing System and the Welloopter Landing System in preparation for the Melloopter Landing System Technical Evaluation (TEXMEND 25 and The Many Preliainary Meluation aboved that dynamic response and centering of the aircraft during recovery assist Landing, and the visual landing aids configuration were excellent. This Many Preliainary Evaluation demonstrated that the Majloopter Landing System was ready for at-see Technical Evaluation.

j. (U) The System Prime Contractor's Weapon System descratration was conducted at Mayal Air Test Center using three mission configured SH-608 mirrors and the Mobile Ship Ground Station, which contained the Light Airborne Multi-Purpose System ME III ship electronics. The objectives of this descratration were to verify that the Light Airborne Multi-Purpose System ME III waspon mystem was ready for testing at mee, to descratrate compilance of the weapon mystem with International Business Machines (IBM) contract specifications, and to provide an early look at the mystem's operational multability. This demonstration verified that the Light Airborne Multi-Purpose System ME III weapon mystem was ready for testing at see.

k. (W) Mayy Preliminary Evaluation-IC (Flying Qualities Fhase) was conducted at Sikorsky's West Fals Beach Facility using an instrumented SH-608. The primary objective of the Mayy Freliminary Evaluation was to evaluate the SH-608's flying qualities with the proposes final Fregrammable Read Only Manary (FROM) installed in the Automatic Flight Control System (AFCS). This evaluation concluded that the flying qualities of the SH-608 helicopter would enable the weapon system to perform the ASM and Anti-Ship Awyelliance and Thresting (ASST) missions.

1. (U) May Preliminary Bralumition-IC (Performance Phase) was conducted at the Sikorsky West Palm Beach Filght Test Facility weing an instrumented SH-60B. The primary objective of this May Preliminary Evaluation was to evaluate the SH-60B aircraft performance in level filight, in a hover, and during climbs and autorotations. The performance of the SH-60B helicopter demonstrated excellent potential to perform the Light Airborne Multi-Purpose System MX III mission.

m. (U) Dynamic FTG-0/3H-608 Interface Tests were conducted at see on board the USS MCINEBRET using an instrumented 3H-608 and beliacopter Landing System installed in the ship. The primary objectives of this test period were to develop a SH-608/FTG-8 flight envelope, and to evaluate the Halloopter Landing System during recovery assist, manuscring and strughtening, and traversing operations. Additional objectives were to evaluate technical characteristics of the Halloopter Landing System during helloopter sold ship sold of 50 foot wave height, 28 knot true vinds, and ship sold of 50 foot wave height, 28 knot true vinds, and ship sold deviloped for the FTG-8 under vind and see conditions as described above. The Horizon Defence Set (HRS) on the FTG-8 was also evaluated as a significant sid to the pilots in position keeping during Decovery Assist, Securing and Traversing (RAST) recovery assist landings abover ship.

a. (U) A Maintenance Engineering Inspection (MEI) was conducted at Mays! Air Tast Center using a mission equipped SM-60B and a simulated FFG-7 class hangar. The primary objective of this test was to determine if May personnel could perform the mecassary maintenance functions to support the SM-60B at see, on board a FFG-7 class ship, by following maintenance procedures described in May maintenance publications. This test describted the ability of May maintenance personnel to perform these functions.

INCI ASSIFIED

Progras Clement: 64212H

Title: Light Airborne Multi-Airpose System MK III

- e. (U) Many Preliminary Dvaluation II (Shore) was conducted at Manal Air Test Center using two mission, configured 3H-60B aliasopters and Mobil Ship Ground Station. The objectives of this test period were to evaluate socustic, rader, navigation, and demans systems as well as data link performance. From this evaluation it was concluded that the 5H-60B mirrorft had the potential to perform the Light Airborne Multi-Purpose System M. III missions.
- p. (8) Many Preliminary Evaluation II (Sea) was conducted at the Atlantic Undersea Test and Evaluation Center (AUTEC) using two mission configured SH-608 aircraft embaried aboard USS MCIMERNEY. The primary objective of this test was to determine the ability of Authorne Malti-Purpose System ME III unappen systems to perform their necessary functions. This test evaluated the ability of all Light Airborne Malti-Purpose System ME III subsystems to function individually and collectively. The Light Airborne System ME III unappen system demonstrated this capability by successfully prosecuting a variety of Light Airborns Malii-Pury subseries target threats.
- q. (U) The mast portion of the Light Airborne Multi-Purpose System HK III weapon system At-Sam Technical Evaluation was sendented in an open cocam environment using two SM-508 helicopters embarked aboard the USS HCIMERNEY. The objective of this test was to demonstrate the ability of the Light Airborne Multi-Purpose System HK III weapon system to perform its ASM mission in secondance with the thresholds listed in Decision Coordinating Paper (DCP)-85. The Light Airborne Multi-Purpose System HK III weapon avaiem demonstrated at a mility to successfully prosecute a second generation submarine threat at ranges of recent and the Light Airborne Multi-Purpose System with areas of uncertainty of up to

- These tasts included over 200 r. (U) Mission Profile Qualification Teste (MPQTe) were conducted at Maval &ir Test Canter. I flight hours at typical mission profiles is order to obtain May reliability and maintainability data.
- (U) Structural demonstrations and final Mard Landing demonstrations were conducted to demonstrate that the SH-60B alroreft see most all performance and flying qualities appelifications.
- t. (8) System Prime Contractor Environmental demonstrations were conducted on a mission configured aircraft to measure the effects of temperatures, moise and vibrations on the aircraft avionics.
- u. (U) imay Preliminary Evaluation III was conducted both ashore (at imas) Air Test Center) and at sea (abourd MCINERNEY) to review the performance of all aircraft, engine avionics and shipboard subsystems as well as performance of the entire Light Airborns Malki-Purpose System MK III integrated system. Additionally, Many Preliminary Evaluation III evaluated the effectiveness of macessary system changes/updates identified during Operational Test(OT)-III. Over 100 flight hours were flown during the course of Many Preliminary Evaluation III. At-sea evolutions included a number of ASM and Anti-Ship Surveillance and Pargeting scenarios. Research to operational Evaluation in III dress rehearsal prize: to Operational Evaluation.
- v. (8) May 1982 Amms 1983, Davelopment Testing. As a consequence of deficiencies discovered during developmental and operational testing, corrections have been developed and demonstrated during a follow-on testing phase. GSD guidance in the Dacision Nemorandum for LAMPS MK III DSAMC held in June 1982 has been compiled with as follows:

  AMI/ALQ-142 ESM validation testing was conducted prior to Phase II long lead procurement.

  AMI/ALQ-142 ESM validations testing was conducted prior to Phase III long lead procurement.

  AMI/ALQ-142 ESM validations testing was conducted prior to Phase III long lead procurement.

  AMI/ALQ-142 ESM validations testing was conducted and necessary deficiency corrections were identified, implemented and tested the diagnostic capabilities were met.

  AMI/ALQ-142 ESM validations were adapted to the performance improvements have been incorporated and were evaluated in August/September 1987. The results demonstrated that performance improvements have been incorporated and currently being schieved with the peace system fitted to the SM-2 and SM-3 helloopters.
- Tests conducted with the Accustic Target Tracker (ATT) have descentrated a mature ASW capability with a reduction in operator workload.
  - As a result of deficiency corrections which have been incorporated, a mature system goal of 2.0 MPHBF is expected to be mediaved in the Lot I sircraft, well sheed of the planned DCP 85 date of 1988.

.

Program Clement: 64212H

Title: Light Airborne Multi-Purpose System MK III

w. (U) DT-III Testing commessed in Mer 84. Punctional tests included communications, Data Link, Madar IFF, Acoustics and EM. Sests were performed at MATC Paturant Biver with FPG-36. Additional testing of corrections software deficiencies was conducted in Am 64. DT-III testing has included Inias and results of these tests will be forthcoming.

# 2. (8) Operational Test and Desimption (OTHE)

a. (U) Operational Yest and Deluntion (Operational Tet.-IIA and Operational Tast-IIB) objectives were to determine the Light Airborne Multi-Purpose System ME III waspon mystem's operational performance (operational effectiveness and operational autability) is a realistic operational environment against targets representative of the threat. Recovery Assist, Securing and Travarsing Sperational Environment operational environment operations of the threat. Recovery Assist, Securing and Travarsing Sperational Test-IIA.

b. (U) Operational Test-IIA was conducted ashore and at see from 1 May to 30 June 1981 using two pre-production prototype mission equipped 5M-60B airdraft. The at-sem periods, 23 May - 3 June 1981 and 10-18 June 1981 were conducted aboard USS MCIRIBRET (FFG-B) in the Bermins operating area. USS FIMBACK (SSM-670) provided seven days of dedicated services and USS GAMCIA (FF-1040) sequipped with bowed array somer provided five days of almulated Thotion1 Towed Array Sonar (IMCIAS) services. A total of 200.9 beauts was flown.

dr. (U) Operational fast-IIB was conducted ashore and at sen from 1 Oct 81 - 11 Feb 82. During the period 21-28 Oct 81, Maval Air That Center and Air Fast Daluation Squadron One (WL-1) conducted joint Davalopsent That/Operational Test of the Becovery Assist, Scouring and Traversing system abourd MURIMITY prior to commencement of Light Airborne Multi-Purposa System HK III Operational Daluation on 3 Hbv 81. During 2-23 Hbv 81 a two helicopter detachment abourd MURIMITY participated in Beediness Educationa 1-14 Woodwood AM/ALG-142 Electronic Margine Support Hassures range tests at the Atlantic Fleet Weapons Thailing Pacility western operations with USS SICHARD MISSEL (SSM-697). During 4-7 Dec 81 a two helicopter detechment abourd MURIMITY conducted western operations abourd MURIMITY. During the period from 18-31 Ann 20 a two helicopter detechment abourd MURIMITY conducted Electronic Warfare Support Massures range tests, AM operations with USS JACKSONVILLE (SSM-699), and Anti-Ship Savvillance and Targeting operations with USS JACKSONVILLE (SSM-699), and Anti-Ship Savvillance and Targeting operations with USS JACKSONVILLE (SSM-699), and Anti-Ship Savvillance and Targeting operations with USS JACKSONVILLE (SSM-699), and Anti-Ship Savvillance and Targeting operations with USS JACKSONVILLE (SSM-699).

(1) (U) Operational Dralustion (caclustons:

(a) (U) The Light Airborne Multi-Purpose System MK III weapon aystem has the potential to be operationally affective descentrated AN espablity. bessed on

(b) (U) The Light Airborne Multi-Purpose System HK III weapon system has the potential to be operationally suitable, meastwated probability of mission success, maintainability, and operational availability. based On dea

(c) (U) The following items enhanced mission performance and represented significant improvement in halloopter/ship ASK:

I Capability of Light Airborne Multi-Purpose System PK III to redetect and localize threat representative targets;

2 Light Airborne Multi-Purpose System PK III capability of the SH-60B to conduct flight operations from FFG-7 class states through 5, and to conduct ASM operations in see states through 4;

3 SH-60B range and endurance;

§ SH-60B range and endurance;

§ SH-60B automatic approach, hover and depart capabilities;

§ Light Airborne Multi-Purpose System PK III communications relay capability;

§ SH-60B AH/AFG-124 rader performance;

§ TOC-GE-801 jet engine performance and reliability.

Progras Element: 64212H

Title: Light Airborne Multi-Nirpose System MK III

(2) (8) Operational Desimation Recommendations:

- (a) (B) Continue approval for limited production (limited fleet introduction).
- 1dent1f1ed ŏ 1 Continuing aggressive shore-based Development/Operational Test-IIIA to verify correction (b) (W) Proceed with planess production of the 34-608 sircraft and shipboard equipment subject to:
- 2 Conducting Operational Test-IIIB with the earliest fleet representative SH-60B, and a fully integrated Light Airborne Multi-Purpose Metes MK III ship, to support production approvel (full fleet introduction).
  - (c) (U) Adopt the modified spering list.
- (4) (8) Davelop and procure Light Airborne Malti-Purpose System MK III System trainers in sufficient time to support
- (a) (W) Correct specific deficiencies delimented in the Operational Evaluation report prior to the Initial Operating Capability date.
  - d. (U) Operational Test-IIIA was conducted ashore from 1 May 1962 28 Feb 1983. Combined DT/OT testing consisted of monitoring some corrections isocreprated as a result of discrepancies identified during OPENAL. Major areas reviewed included the Massew Major, Major Archives Safetians Discrepancies and Laboratory Describtes of the Acoustic Target Tracker (ATT).
- (U) FFG-36 Special Board of Laspection and Survey (18528V) Trials for LAMPS MK III were conducted 9-12 Out 84. The Board found the LAMPS MK Ship/Air Combat System has auccessfully demonstrated the ability to perform the ASW mission, with operator compensation, the Asti-Ship Surveillance and Thrgoting (ASST) mission, and the LAMPS III System has awareme potential for expending the combat capability of the FFG-7 Class Ship.
- f. (2) OT-IIIB was conducted from 1 buly through 22 September 1984, using AIRTEVRON ONE Lot I and Lot II production airdraft on brand HSA Haderwood (FRG-36). F
- passe of UT-1118. The admittones phase was conducted from 4-26 February 1985, Wing AlMTSWIDS ONE Lot I and Lot II alroraft on beard MES business. A total of 78.6 mission flight hours were flown during this period. ASM range testing was conducted at AUTEC beard was 4-11 February 1985. A total of 46 mission hours were flown against augmented U.S. suches submariants. Menage testing was conducted at AUTEC beard of 46 mission hours were flown against augmented U.S. suches submariants. Menage testing was essenting with Electronic Marfare Support Measures (ESM) emmitter wans and Jamer vans simulating a hostile radio frequency emvironment. The open-comment of the additional OT-IIIB phase was truminated on 23 February 1985, when the AIRTEVROM alroraft environment. The
- (1) (0) Conclusions
- (a) (U) The LAMPS MK III Weapons System is operationally effective for ASST.
- (b) (U) The LAMPS MK III Wespon System is potentially operationally effective for ASM (open-ocean ASM operational effectiveness was not determined).
  - (a) (u) The LAMPS WK III Wespons System is operationally suitable.
- (4) (U) Operational effectiveness and operational suitability findings support a recommendation for limited production.

Progras Element: 642128

Title: Light Airborns Multi-Purpose System MK III

- (2) (U) Decommendations
- (a) (U) Approve the LMFS MK III Meapon System for limited fleet introduction.
- (b) (U) As a prerequisite to approvel for full fleet introduction, conduct OT-IIIC to:

# 6. (U) Follow-on Operational Test and Evaluation:

(8) CMO letter Ser 98181/58354730 of 31 July 1985 recommended that OT-IIIC be combined with operational teating of other ayatems related to LAMPS MK III. CONOFIEVED is planning to ecuplete OT-IIIC in conjunction with CMO projects 168-2, 179-5 and 802-2, dwring July - September 1987. A service approved TEMP revision will be aubmitted to 050 early FT 87.

# 3. (0) System Charmoteristics

(U)The Light Airborne Malti-Purpose System MX III has been developed to meet mission requirements for anti-submarine warfare and mati-ship surveillance and targetimg. The Light Airborns Multi-Purpose System MX III hallooptar (SH-60B) is a darivative of the harmy BLACE MAME (UH-60A). SH-60B hellooptars are designed to operate from FFG-7, DD-963, DDG-993, and CG-87 classes of ships. The following characteristics, updated to reflect Secretary of Defense Decision Memorandum of 24 Movember 1981, apply to the MX III systems and represent the latest information available:

System Characteristics

Milestone III Threshold

Deponstrated

a. (U) Light Airborne Malti-Purpose System

- (1) (J) Missions
- Primery Anti-Submerine Merfers
- Pr (Probability of redetection and classification given valid trigger)
- Pm (Probability of attack oriteria to within 800 yarda gives localitatios)
- Pi (Probability of localitation to within 3 naution) malles given correct classification)

1010

=
E
¥
8
1
•
2
3
3
#
뢰
2
ğ
틸
6
3
=
3
F

Description (Note 1)	(Mote 2)	(Note 2)	(Note 2)	M/E (Mote 3)		Demonstrated	W/E (Note 3)	Descriptrated	Demonstrated	•	•		150	33		33	£ .	3)
Milestone III Threshold										4			\$21					
Secondary - Anti-Onto Surveillance and Targeting	M (Probability of detection)	Pe (Probability of sorrect classification)	Pt (Probability of over-the-borison targeting)	DEA (Detection hange Advantage)	Other Secondary	Search and become	Vertical Replanishment	Medical Dracuation	Communications Balay	(2) (1) (passettes Combaldin (fee Sects)	(3) (v) Alreraft Performance - Endurance ASW 100 mautical miles (Nours)	deti-Ship Surveillance and Thrgeting 40 mautical ailes (Mours)	(4) (U) Belicopter Bash Speed (knots)	(5) (U) Mader Detection Mange (nautical alles) Swyfece Threat Cross Section (60 square anters) (1500 square meters)	(6) (j) Marigation Acouracy (Distance from ship)	# 35 moutical miles	# 70 rautical miles	#100 mautical miles

1011

C. C	Title: Light Airborne M.	Title: Light Airborne Multi-Purpose System MC 111
Aprica Characteristics	Milestone III Threshold	Deponstrated
b. (8) destability, Boliability and Maintainability		
(1) (J) Operational Availability		
Total System (S)	76	
(2) (4) milestiffy		
AND Probability of Success Total Mystem (\$)	2	(Note 2)
Inti-Ship Surveillance and Targeting Probability of Success Total System	£	Note 2)
Neen Filght Moure Detuces Pollumes SM-600 SEAMMAK (Air Vehicle and Avionics)	1.5	*.9 bre
Nean Time Between Pailures Ship Electronics	70	07-
(3) (U) Maintelmability		
Meen Time to Repair (Nours) (Elapsed Haintenance Time/Haintenance Action)		
Air Webjele	2.0	1.3
Aviontos	1.0	1.5
The Cleatronics	2.5	0.15
Direct Maintenance Manhours/Flight Hour		
Arientes (Unscheduled)	0.0	0.10
Melloopter (Unscheduled)	0.1	2.80
Support Antions	9.0	6.10
Melicopter (Scheduled)	3.1	2.60
Sa-608 (Q-Lavel Total)	15.9	11.60
Probability of Pault Detection		
Avionica	98	6 of 6 (Note 2)
Ship Electronics	00	3 of 3 (Note 2)
Probability of Fault Isolation		
āvionica	885	3 of 6 (Note 2)
Ship Electronics	80	3 of 3 (Note 2)
	7101	LINCI ASSIFIED

#### (a) ELLO

- 1.(8) becomparated results based on OT-IIIB testing as reported in COMDFEFFOR Ser \$12/0187 of 02 July 1985.
- 2.(8) Data sample size impufficient to yield statistically significant results. Therefore, results are reported as outcomes rather than probabilities.
- 3.(8) Instantes not evaluated (M/E) during this phase of operational testing.

4. (8) Current The hotivity			
	The Activity (Past 12 Hosthe)		
	Pleased Sate	Actual Date	henerite
PR-IIIB (Continuation)	Pab 86 - Nay 86	Pob 66 - Nay 80	- A/C loing Triels
	TAE Activity (Best 12 Houths)		
Dresst	Planned Bate		Besserks
of-111c	Jul 87 - Sep 87		- Determine Open-coean ACM effectiveness
Suspite Maelle Integration Initial Testing	Commence Det 86 - Orgoing		- Penguin
ME 50 Surpado; 99 Chamal Assabuny Basalver	Committee Out 86 - Orgoing		- P <sup>3</sup> I Program

# 5. (8) Program Documentation

Title: Light Airborne Multi-Purposs System MK III

Light Airborne Malti-Purpose System HE III Test and Evaluation, Phase I, They Preliminary Praluation-ID of SM-60B Melloopter	ML-37 R-80	2 Oct 60
Finel Deport, Light Airborne Multi-Purpose System MK III Test and Dalumtion, Phase I, Many Preliminary Evaluation-IB, & 58-60B/FFG-6 Envelope Development/Becovery Assist, Securing and Traversing Technical Evaluation	NV-30R-81	14 Sep 81
Piss! Report, Light Airborne Multi-Purpose System ME IXI Test and Deluntion Frase I, May Freliminary Evaluation-IB & SH-60B/FFG-8 Majphoned Envelope Development/Recovery Assist, Securing and Traversing Technical Evaluation	RM-30 RE-61	16 Mov 81
Light Airborne Milti-Purpose System HK III Test and Evaluation, Phase I, (May Prelimnicary Evaluation-IC, Flying Qualities) of the SH-608 Helicopter	M-18-61	19 Jan 81
Light Airborne Malti-Purpose System MK III Test and Bralumtion, Phase I, (Meval Preliminary Bralumtion-IC - Purformance) of the SM-50B Halloopter	Mf_12B_81	11 Mar 81
Plant Deport, Light Airborne Multi-Purpose System HK III Test and Evaluation, Phase I, Mayy Preli-tnary Evaluation-IC of the SH-60B Helicopter	N4-318-81	27 Oct 81
At-See Technical Deluntion Report #6186881600	International Business Machines CDC	15 Jul 81
Light Airborne Multi-Purpose System HK III Test and Evaluation, Phase I, Special Purpose Test Preliminary for Light Airborne Multi-Purpose System HK III - 1st Interim (Preliminary)	M4-41R-80	28 Oct 80
Second Interia Report - Light Airborns Multi-Purpose System MK III Test and Eveluation, Phase I, Special Lurpose Test for the Light Airborns Multi-Purpose System MK III	M4-C4R-BO	23 Jan 81
Light Airborne Malti-Purposee System HK III The! and Evaluation, Phase I, Spee. Purpose Test for Light Airborn. Hulti-Purpose System HK III - 3rd Interim (Preliminary)	M-58-81	30 Jan 81
Light Airborne Malti-Purpose System HK III Test and Evaluation, Phase I, SH-608 Initial Mard-Landing Demonstration	M-20E-81	4 Jun 81
Light Airborne Multi-Purpowe System HE III Test and Evaluation, Phase I, 3E-608/T700-GENO! Propulsion System Description	M-10R-81	18 Jun 81
Deq. for Performance Verification of Radio Frequency Freamplifier/Signal Distribution Frovision in AN/ARE-075 Sonobusy Beceivers	RM-25R-81	7 Jul 81
Light Airborne Multi-Purpose System ME III Test and Evaluation, Phase I, Witness of Air Vehicle Environmental Control System Descentration	M/-40R-80	26 Jun 81
Finel Report - Light Airborne Multi-Purpose System MF III Test and Evaluation, Phase II, Mary Preliminary Evaluation-II for Light Airborne Multi-Purpose System MK III	RV-C4R-81	30 Jun 81
1014	NOC	UNCLASSIFIED

# UNCLASSIFIED PROGRES GREETE

Title: Light Airborne Multi-Purpose System MK III

	-	
Mayal Air Test Center (MAVAINTESTCEN) Test and Evaluation, Phase I, Light Airborne Multi-Purpose System HK III Pull Scale Development, Program Summary Report	M-8R-81	19 aut 91
Phase II (Mavy Preliminary Evaluation-II) of the Light Airborne Multi- Purpose ME III Ship/Air Weapon System (At-Sea Tests)	RM-C3R-81	# Hay
Light Airborne Multi-Purpose System HK III Test and Evaluation, Phase II, Mery Preliminary Evaluation-II for Light Airborne Multi-Purpose HK III, Final Report	RW-C4RE-81	30 Oct 81
Light Airborne Multi-Purpose System MK III Test and Evaluation, Phase II, May Preliminary Evaluation-II (Shore)	RW-13R-81	30 Mar 81
Final Report, Light Airborne Multi-Purpose System MK III Test and Evaluation, Phase II, Mavy Preliminary Evaluation-II for Light Airborne Multi-Purpose System MK III	RM-C4R-81	30 Jun 81
Mayal Air Test Center (MAVAIRTESTCEM) Test and Evaluation, Phase II, Summary Report for Light Airborns :Alti-Purpose System HK III	RK-48R-81	2 Nov 81
Light Airborne Multi-Purpose System MK III Test and Evaluation, Phase III, May Preliminary Evaluation-III for Light Airborne Multi-Purpose System MK III 2nd Interim (Preliminary)	RM-53R-81	26 Oct 81
Light Airborne Multi-Purpose System MX III Test and Evaluation, Phase III, May Preliminary Evaluation-III for Light Airborne Multi-Purpose System MX III	RV-C5R-81	18 Sep 81
Third Interis Report - Light Airborne Multi-Purpose System HK III Test and Evaluation, Phase III, Mavy Preliminary Evaluation-III for Light Airborne Multi-Purpose System HK III	RM-C6R-81	9 Feb 81
Commander Operational Test and Evaluation Force (COMOPTEVFOR) Quicklook Report of Initial Operational Test and Evaluation of Light Airborne Multi-Purpose System MK III Weapon System	Message DTG 081750ZJUL81	10 Jul 81
Commender Operational Test and Evaluation Force Quicklook Report, Operational Evaluation of Light Airborne Multi-Purpose System MK III Weapon System	Message DTG 2415002FEB83	24 Feb 82
Operational Evaluation of Recovery Assist, Securing and Traversing System	Ser 753	14 Jun 82
Commander Operational Test and Evaluation Force Evaluation Report, Light Airborne Hulti-Purpose System HK III Weapons System	Ser C158	29 Jun 82
Quick Response Report LAMPS MK III Ship/Air Weapon System, Special INSURV Trials	RW-98R-84	13 Nov 84
Special LAMPS MK III Trial of USS Underwood (FFG-36)		10 Dec 84
Commander Operational Test and Evaluation Force Report, Follow-on Operational Evaluation of the LAMPS MK III Weapons System	Ser 412/C187	2 Jul 85
	INI	HINDI ACCIE

# FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 64213N

DoD Mission Area: 265 - Intra-theater Airlift

Title: Helicopter Development Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	<u>Ittle</u>	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	lotal Estimated Cost
W0901 1	TOTAL FOR PROCRAM ELEMENT Helicopter Night Vision System * AH-1 Aircraft	11,337 11,049 288	5,800 5,800	11,226 0 11,226	12,595 0 12,595	Continuing Continuing	Continuing  Continuing

<sup>\*</sup> Project W0901 HNVS moved to PE 64260N CH/MH-53E in FY 1988 and out.

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

developed, integrated and qualified on the AH-1 aircraft are: 1) a turreted day/night Forward Looking Infrared (FLIR) equipped targeting system; 2) an additions wing tip air-to-air missile station for self protection and reactive Anti-Radiation Missile When integrated these components will provide expanded weapon system Major components to be This is a multifacted modernization program. (ARM) capability; 3) STINGER Air-to-Air Missile SYSTEM. B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: carability, accuracy and mission effectiveness.

(U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the In FY 1987, FY 1987 Descriptive Summary and this Descriptive Summary are as follows:

Project W0901, FY 1986 increase of 5,707 for Department Budget adjustment and decrease of 424 for GRM adjustment. decrease of 665 for Congressional adjustment. FY 1988 funding of 4,915 transferred to PE 64260N.

action. In FY 1988, increase of 3,980 for Department Program adjustment and decrease of 587 for Department Program/Budget Project W1378, in FY 1986, increase of 288 for Department Budget adjustment and in FY 1987 decrease of 4,619 for Congressional adjustment.

# UNCLASSIFIED

To See !

61,337

Continuing

Continuing

Estimated

Cost

to Completion

Estimate FY 1988

Estimate

Fstimate FY 1986

Actual FY 1985

FY 1987

11,084

5,766 5,766

16,158

5,577 6,662 1,727 2,192

Helicopter Night Vision System

W0901 W1378

TOTAL FOR PROGRAM FLEMENT

Title

Project

0

Additional

Title: Helicopter Development

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

UNCLASSIFIED

Program Element: 64213N

Total

7,518

Continuing

#### qualifying an M-65 based night targeting system adapted to the AH-1S and the U. S. Army mission (PE 23744A, Proj D176). There is 12,771 E. (U) RELATED ACTIVITIES: Navy Hellfire missile test and evaluation was conducted under Program Element 64371N. no unnecessary duplication of effort within the Navy or the Department of Defense. 27,976 30,838 0 APN-5 AH-1 Night Targeting Systems APN-5 AH-1 Block Upgrade

24,470

11,068

Aircraft Procurement, Navy (4581)

APN-5 Hellfire Retrofit

APN-5 Engine Retrofit

The Army is

104,523

677, 77

Estimated

Cost

Estimate

Estimate

FY 1988

FY 1987

FY 1986 Actual

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

Helicopter Engine Enhancement

Crown Helicopter

W1577 W1792

AH-1 Afreraft

Total

The state of the s

F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Air Development Center, Warminster, PA; Naval Air Test Center, Patuxent River, MD; CONTRACTOR: AH-1: Bell Helicopter Textron, Fort Worth, TX; Boeing Vertol Company, Philadelphia, PA; Collins Radio Division, Rockwell International, Cedar Rapids, IA; Hughes Aircraft Company, Culver City, CA; General Electric Co., Lynn, MA. Naval Air Engineering Center, Lakehurst, NJ; Naval Air Propulsion Center, Trenton, NJ; Naval Weapons Center, China Lake, CA.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable.

Program Element: 64213N

Title: Helicopter Development

(U) PROJECT OVER \$10 MILLION IN FY 1988/89.

# (U) Project W1378, AH-1 Aircraft

1. (U) Description: This project funds: 1) Turreted day/night FLIR targeting system which enables combat operations in adverse weather conditions and at night beginning in FY 1987. This system will incorporate targeting for the TOW/TOW II Laser range finder/designator and day/night sensors with appropriate stabilization/target tracking capabilities. 2) Wing tip station for reactive ARM (SIDEARM) and air-to-air defensive weapons conducted a survey of U. S. industries capable of accomplishing the targeting portion of the modernization program and an evaluation of off-shore companies through our Foreign Weapons Evaluation program. It was determined that a night targeting system designed by Israel Aircraft Industries, Limited could provide the most cost effective solution for both countries while also meeting the Initial Operational Capability (IOC) requirements. The system is a highly refined second generation design derived from an existing Israeli attack helicopter targeting system. Discussions between the Department and the Government of Israel (GOI) sharing between the two governments would be on a one-third GOI and two-thirds Department ratio during the development and requirements and deliverable costs would be borne individually by each country. It is planned that this effort will be structured Non-recurring production costs would be shared on a like ratio, but equipment, installation, unique have determined that a collaborative effort to co-develop and co-produce the system would be beneficial to both countries. 3) Integration of the STINGER missile system into the AH-1W for air-to-air defense. so that either country could proceed with production without the participation of the other. missile, HELLFIRE missile and the turreted gun; (AIM-9) beginning in FY 1990. integration phases.

# 2. (U) Program Accomplishments and Future Efforts:

Funding reflects directed requirement to conduct an Operational Assessment of the potential capability to incorporate STINGER missiles on aircraft. (U) FY 1986 Program:

b. (U) FY 1987 Program: Not Applicable.

# c. (U) FY 1988 Planned Program:

- o Complete development specification for FLIR and aircraft integration.
- o Complete statement of work for FLIR development and aircraft integration.
- o Release RFP for competitive contract for FSED and production options.
- o Commence integrated logistics support analyses and planning.

Program Element: 64213N

Title: Helicopter Development

- o Design FLIR/aircraft interface and begin fabrication of day/night targeting FSED Engineering Development model (EDM).
- o Procure test articles for Night Targeting EDM development.
- (U) FY 1989 Planned Program Ą.
- Execute development, fabrication, integration, test and evaluation and production contracts for wing tip missile station/STINGER air-to-air missile capability. This effort is a P<sup>3</sup>I initiative and completes in 0
- o Complete fabrication and integration of Night Targeting EDM in AH-1 aircraft.
- Conduct contractor ground and flight testing and begin Navy Technical evaluation for Night Ta Sating.
- (U) Program to Completion: ÷
- o Complete Navy TECHEVAL and conduct OPEVAL.
- Complete Integrated Logistics Support (ILS) analysis and plan.
- Conduct Navy Program Decision Milestone (NPDM) for Approval for Full Production decision and production installation in AH-1 aircraft.
- Execute contracts for fabrication, integration, test and evaluation and production decisions for wing tip missile capability. This effort is a P<sup>3</sup>I initiative and completes in FY 1992. ٥
- (U) Major Milestones į.

Milestones

Day/Night Targeting FLIR

Date

FY 1988 FY 1988-89 1. Issue competitive contract for FSED

2. Fabricate EDM

3. DT/TECHEVAL

4. OPEVAL
5. Milestone III

FY 1991 FY 1991 FY 1991

1019

Title: Helicopter Development Date Program Element: 64213N

# Wing-tip Station/STINGER Air-to-Air Missile system

Milestones

,	STORES OF THE STORE OF THE STOR	for Pol	effort	•	1017
-	1. Execute continues to:		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	>	FV 1990
	o Wahricate EDM and conduct integration	conduct	Integration	-	7/1
2				ĭ	FY 1991
m,	3. DT/TECHEVAL			7	FV 1991
7	4 OPFVAL			1	
ř	***			E	FY 1991
'n	5. Milestone III				

I. (U) TEST AND EVALUATION DATA:

# PY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Budget Activity: 4 - Tactical Programs Title: AV-8B Aircraft (Engineering)

Total

Program Element: 64214N DoD Mission Area: 223 - Close Air Support and Interdiction

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Estimated	1,383,866 1,383,866
Additional to Completion	33,907 33,907
FY 1989 Estimate	11,404
Fy 1988 Estimate	13,052
FY 1987 Estimate	44,508
FY 1986 Actual	65,300
Title	TOTAL FOR PROGRAM ELEMENT AV-8B
Project No.	WD652

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

- light attack aircraft. A two-seat training version designated the TAV-8B and an increased night attack capability for the AV-8B twice the range or payload of the AV-8A/C. It combines aerodynamic improvements with the Angle Rate Bombing System for increased weapon delivery accuracy and a new stability augmentation system to reduce pilot workload providing a more capable and reliable The AV-8B will meet the Marine Corps requirements for a light attack aircraft to provide responsive offensive air power that can operate from austere forward sites in direct support of ground forces. The AV-8B is an improved vectored thrust aircraft based on the AV-8A concept and powered by the F402-RR-406 engine that has up to B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: are being developed.
  - C. (U) CON-PARISON WITH FY 1987 DESCRIPTIVE SUPPLARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary are: In FY 1987, decreases of 3,731 for Congressional FY 1987 Descriptive Summary are: In FY 1987, decreases of 3,731 for Congressional adjustment and 400 for Department Program/Budget adjustments. In FY 1988, decrease of 7,406 for Department Program/Budget adjust-

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUPPLARY:

Estimated Cost	1,366,704
Additional to Completion	44,350
FY 1988 Estimate	20,458
FY 1987 Estimate	48,639
FY 1986 Estimate	65,300
FY 1985 Actual	61,308
ect Title	
Project No.	W0652

Program Element: 64214N

Title: AV-8B (Engineering)

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Gost
Aircraft Procurement, Navy (41CC/AK/46JC) (Quantity)	724,734	623,284	582,343	649,126 32	1,444,087	1,444,087 7,958,800 84 328

(U) RELATED ACTIVITIES: Not Applicable.

CONTRACTORS: McDonnell Douglas Corporation, Saint Louis, MO, with subcontract to British F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Air Test Center, Patuxent River, MD; Naval Weapons Center, China Lake, CA; Naval Air Development Center, Warminster, PA. CONTRACTORS: McDonnell Douglas Corporation, Saint Louis, MO, with subcontract to British Aerospace, Ltd., Kingston, England; Rolls Royce, Bristol, England.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable.

H. (1) PROJECT OVER \$10 MILLION IN FY 1988/89:

(U) Pro ect W0652, AV-8B:

1. (U) <u>Description</u>: Improved vectored thrust V/STOL aircraft for USMC units based on AV-8A aircraft concept powered by the F402-RR-405 engine. The AV-8B will improve the range/payload performance over the AV-8A and will feature improved reliability and wintainability. TAV-8B is a two place derivative for pilot training. A Night Attack system developed in cooperation with the UK will be incorporated in the AV-8B which will increase its operational suitability and effectiveness.

2. (U) Program Accomplishments and Puture Efforts

a. (U) FY 1986 Program:

AV-8B

o Completed flight evaluation of -406 production configuration engine to include TECHEVAL.

o Performed TECHEVAL of digital electronic engine fuel control and began expanded envelope testing.

o Completed development of training simulators.

Program Element: 64214N

Title: AV-8B (Engineering)

- o Continued correction of deficiencies resulting from TECHEVAL/OPEVAL to expand weapons envelope.
- o Commenced Electronic Warfare suite integration.
- o Completed ship interface testing.

#### TAV-8B

- o Continued development to include completion of Sequencing and Divergence Sled Tests. Completed Sled Test DI/OI.
- o Completed major assembly of fuselage in preparation of RAMP scceptance.

### AV-8B NICHT ATTACK

- Finalized agreement with the United Kingdom (UK) on the extent of commonsilty between the AV-8B and the GR-MKS and reached agreement on the amount of funding for this common effort. 0
- o Continued development with first flight planned late in FY 1987.
- o Conducted Preliminary Design Review and Simulator evaluations.
- o Commenced production aircraft fabrication and installations.

### b. (U) FY 1987 Program

#### AV-8B

- o Complete AV-8B engine/fuel control filght tests.
- o Continue weapons envelope expansion.

#### TAV-8B

- o Complete ramp operations and conduct first flight of the TAV-8B.
- o Complete laboratory development tests including structural, dynamics and flight simulation.

Program Element: 64214N

Title: AV-8B (Engineering)

- o Begin contractor and Navy Flight tests.
- o Conduct fleet introduction evaluation at VMAT-203, MCAS Cherry Point, MC.

### AV-8B NICHT ATTACK

- o Sign Firm Fixed Price contract with prime contractor McDonnell Aircraft Co.,
- o Complete engineering design and equipment deliveries to MCAIR.
- o Complete avionics laboratory text and manned flight simulation.
- o Conduct major assembly, complete ramp operations, and conduct first flight.
- o Initiate Navy development flight testing.
- . (U) FY 1986 Planned Program:

#### AV-8B:

- o Close out AV-8B development contract.
- o Complete shipboard suitability and interface testing.
- o Continue weapons integration/envelope expansion.

#### TAV-8B:

- o Complete structures and systems avionics development flight testing.
- Complete Navy development testing and Fleet introduction weapons evaluation at VMAT-203, MCAS, Cherry Point, NC.

### AV-8B Might Attack:

- o Complete development and flight testing.
- o Conduct operational flight testing.

Program Element: 64214N

Title: AV-8B (Engineering)

# d. (U) FY 1989 Planned Program:

- o Initiate and continue development of corrections resulting from TAV-8B and Night Attack flight testing.
- o Continue on-going Pal initiatives.

# e. (U) Program to Completion:

.

- o Evaluate and conduct Pol such as a digital communications terminal (DCT) and the imaging infrared Maverick missile.
- o Complete TAV-8B and Night Attack deficiency correction testing.

### f (U) Major Milestones:

	SWCTS311H	DATE
۲.	1. Award of Might Attack PSD Contract	December 1986
2.	2. TAV-8B First Flight	October 1986
3.	3. Might Attack Pirst Plight	June 1987
4	4, Pleet Delivery of IAV-8B	July 1987
۸,	5. Might Attack Technical Evaluation (Complete)	September 198
9	6. IAV-8B Technical Evaluation (Complete)	December 1987
r.	7. Might Attack Operational Testing (Complete)	November 1987
89	8. IAV-8B Operational Testing (Complete)	November 1987
6	9. TAV-8B IOC	July 1988
10.	10. Night Attack 100	June 1990

# I. (U) TEST AND EVALUATION DATA:

UNCLASSIFIED

Program Element 64214N

Title: AV-8B Development

AV-8B

- J. (U) Development Test and Evaluation (DIRE)
- (V) Joint Contractor/Mavy DT&E provides an AV-8B Test Program evaluating technical characteristics. MATC is the principal site for Contractor and Mayy DT&E.
- b. (U) The March 1976 DSARC I directed a Flight Demonatration Program (FDP) to validate technical aspects of the AV-8B. Two AV-8A's ware modified into prototype YAV-8B's. The YAV-8B is aerodynamically representative of the AV-8B but does not contain all planned avionica or systems modifications. Basic serodynamic differences between the AV-8A and AV-8B including NASA developed super critical high lift composite wing, leading edge root extension, engine inlet modification, and lift improvement devices were tested in the FDP. Maximum weight VTO and STO, austained "G", and clean and loaded cruise performance characteristics were demonstrated to support a deciaton to proceed with AV-8B Pull Scale Development (PSD).
- integration including cockpit mockup. PSD flight teats have been conducted using one YAV-8B, four PSD AV-BB's and two pilot production aircraft as required. PSD aircraft flew 2288 hours in 2157 sorties to complete eleven (11) c. (U) The AV-83 Full Scale Development (FSD) Program Test and Evaluation Master Plan (TEMP) was approved on 9 Juna 1982 and spotted on 16 August 1984. To minimize duplication, the PSD Program utilizes FDP Validation testing, maintenance engineering inspection, electromagnetic compatibility, wind tunnel, canopy/ejection seat, contractor ground and flight demonstration teate. Milestone IIIB was supported by approximately 125 sircraft flight test months which concluded with the final TECHEVAL in the fall of 1984. Phase results wherever possible. Lateratory and ground tests include over 13,000 wind tunnel hours, complete monitored throughout F3D. Technical teating also included: wing and fuselage static loads, ground vibration systems integration (moftware/hardware), fatigue loads (two lifetimes) high angle of attack (HAOA) and major TEMP defined reliability and maintenance thresholds were (atatic, drop, and fatigue) atructural qualification, manned flight simulation, and functional avionics Mavy Developmental Teat and Evaluation periods.
- (dealgnated the TAV-BB) and development, integration, and modification of a production AV-BB aircraft to include a evaluations, Visual Landing Aid teats aboard LHA class type ships. Puture significant DT&E for the AV-8B Program expanded weapona development, carriage, release, separation and control. Seven hundred twenty-three AV-8B final devalopment phase flights have been flown as of 30 September 1986 for a total of 828.5 hours. Additional DT-III includes; (1) Contractor/Navy DT-III activity to include modification of an AV-8B to a two seat trainer version (U) PSD tenting for the AV-8B is complete. DT-III mission systems testing is ongoing in the area of tasks include Digital Electronic Puel Control tests, High Mach Roll Off tests, All Weather Landing System Might Attack capability.

Program Element 64214N

Title: AV-8B Development

AV-8B

# (. (ij) Operational Test and Evaluation (OT&E)

- OT&E supports AV-8B Acquisition Strategy by providing test evaluations related to ustablished thresholds for Major Milestones. (U) OTAE is conducted by Commander Test and Evaluation Force (COMOPTEVFOR).
- AV-SA, COMOPTEVFOR assessed YAV-8B flight performance in the attack mission profile and V/STOL handling qualities to be potentially operationally effective. Analysis of contractor data showed MFHBF rates of 3.0 and 3.2 hours during MPE-I and II. The comparable AV-8A rate was 1.5 hours. Assessment of contractor maintenance data indicated the YAV-8B to be potentially operationally suitable. OT-I was completed in July 1979. (%; The PDP was conducted as combined DT/OT-I.
- furnished during Phases I and II. Phase III was completed in December 1983. It evaluated GAU-12 25mm Gun System capabilities and aircraft improvements incorporated during FSD. Maintenance and logietic support were contractor evaluating AV-8B potential capabilities in CAS, tactical performance and VSTOL handling. Phase II was completed Using PSD AV-8B's, Phase I was completed in September 1982. It accumulated 46.7 flight hours during 32 sorties CAS/Interdiction in a low altitude high threat environment. Maintenance and logietic support were contractor (U) OT-IIB was conducted in three phases. Phases I and II supported the August 1983 IIIA DNSARC. in July 1983. It accumulated 24.7 flight hours during 16 sorties assessing AV-8B potential capabilities in furnished during Phases I, II and III.
- phase was conducted using two Low Rate Initial Production (LRIP) aircraft. OPEVAL, supported by USMC maintenance, tachnical issues, or critical operational issues romaining from FSD and OPEVAL. DT-III/OT-III is ongoing for full (U) OT-IIC (OPEVAL) was conducted in two phases: Phase I (Air to Ground) commenced 31 August 1984 and assessed AV-8B capabilities in realistic operational scenarious including shipboard operations. A Phase I Quick completed 5 February 1985. Phase II (Air to Air) commenced 15 February 1985 and completed 30 March 1985. Each avionics suite integration including EW and chipboard compatibility plus aircraft and weapons delivery envelope Look Report (Confidential) was published by COMOPTEVPOR in March 1985. The report was very positive and in Admiral Carter's words, "was the best OPEVAL he had conducted in his nearly three years as COMOPTEVFOR:. OP supported Milestone IIIB (May 1985) and completed FSD OT&E (OT-II). There are no high risk areas, critical expansion.
- 6. (U) Future significant OT&E in the AV-8B program includes operational testing by COMOPTEVFOR of the AGM-65 (Laser Maverick) missile on the AV-8B, EW (Electronic Warfare) testing, Digital Electronic Fuel Control testing and testing of the TAV-8B and the Night Attack modifications to the AV-8B. Laser Maverick OT&E was restarted in November 1986 with ancipated completion in January 1987.

UNCLASSIFIED

To Best Co

# UNCLASSIFIED

Program Element 64214N

Title: AV-8B Development

AV-6B

# L. (U) System Characteristics

		Technical		Demonstrated	
<u>E</u>	Operational,	(U) Operational/Characteristics	Objective	Performance	
	Overell Length	gth	46.33 ft.	46.33 ft.	
	Overall Wing Span	g Span	30.33 ft.	30.33 ft.	
	Overall Height	ght	11.65	11.65 ft.	
	Maximum VTO Veight	Veight	18,860	18,935	7
	Mission Reliability	imbility	.80	88.	12
	Haintainabi	Maintainability DMMH/PH	18.0 hrs.	17.1 hrs	/2

Notes: 1/ SUBINSERY Pax River (C) myg 2415002 Jul 84

2/ COMOPTEVPOR (C) AV-8B OPEVAL Final Evaluation Report Jun 85

H. (U) Current TRE.Activity

(U) Past 12 Wonths

		Actual Date
Complete ACM-65E Integration		Oct 85
Complete ALR-67 Integration	Dec 85	Apr 86
Digital Electronic Fuel Control		Aug 86
TECHEVAL Complete		
Complete TAV-8B Seat Service Release Tests		Sep 86
TAV-8B Piret Flight		Oct 86
Vigual Landing Aids Eval Complete	Oct 86	0ct 86
Ship Suitability Eval Complete	98	0ct 86

1028

Program Element 64214N

Title: AV-88 Development

#### AV-8B

### (U) Next 12 Months

Nov 86 Nov 86	Dec 86	Jun 87	Value 87
Commenc ALR-67/ALQ-164 OPEVAL Commence AGM-65E OPEVAL	Shipboard Inertial Alignment Capability Test	Night Attack First Flight	Commence into otan Commence Might Attack TECHEVAL

# M. (U) Program Documentation:

# COMOPTEVPOR PROJECT REPORTS

SERIAL NO.	613					C177
TITLE	OT-IIB Phase I OPTEVFOR Evaluation Report AV-8 Aircraft (195-OT-IIB)	OT-IIB Phase II COMOPTEVPOR	OT-ILE Phase II COMOPTEVFOR	TEMP 195 aigned by ASM(RE&S). Next	OT-112 Phase I COMOPTEVPOR	OPEVAL Report COMOPTEVFOR 1tr 3960 (Conf.) (195-OT-IIC).
DATE	20 Jan 83	4 Jul 83	21 Jul 83	6 kug 84	11 Mar 85	26 Jun 85

# FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 64215N DoD Mission Ares: 475 - Central Supply and Maintenance

Rudget Activity: 4 - Tactical Programs Title: Support Equipment

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Total il Estimated	Continuing Continuing	Continuing Continuing	Continuing Continuing
Additional to Completion	Contir	Contir	Contin Contin
FY 1989 Estimate	64,307	•	61,110 3,197
FY 1988 Estimate	72,942	0	68,513 4,429
FY 1987 Estimate	26,364	0	21,871
FY 1986 Actual	16,921	4,632	10,443
Title	TOTAL FOR PROGRAM ELEMENT	Servicing Equipment	Support System Calibration Standards
Project No.	50	1000	\$1857

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

Facility, and Consolidated Automated Support System projects provide for technology update and full-scale development of Naval Aviation support equipment systems. These systems are required for operational and maintenance support to improve the readiness of all sircraft, propulsion, avionics, and armament systems at all maintenance levels: organizational, intermediate, and depot. The These specifications will be used by SYSCOM and Service calibration The Aircraft Handling and Servicing Equipment, Aviation Engine Test Metrology Calibration Standards R&D project is a Navy-wide program to develop required field level calibration standards (hardware) in all major measurement technology areas and parameters. This project will develop engineering development models and prototypes The requirement for this effort is reflected in SECNAVINST 4355.11C. from which procurement specifications will be written, managers to procure field level calibration standards. B. (U) RRIEF DESCRIPTION OF ELEMENT AND MISSION NEED:

Program/Rudget adjustment. In FY 1987, decreases of 1,075 for Congressional adjustment and 7,492 for Congressional action. In FY C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the Project W0852, in FY 1986, decreases of 582 for GRH adjustment, 2,127 for Department Budget adjustment, 109 for Department 1988 increase of 5,178 for Department Program adjustment, and decreases of 1,970 for Department Program/Budget adjustment, 817 for FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: Department Budget adjustment and 36 for Department NIF Rate adjustment.

Project W1748, in FY 1988 decrease of 4,579 for Department Program adjustment for support of higher priority programs.

UNCLASSIFIED

こ はかったっとかいるから

Program Element: 64215N

Title: Support Equipment

Project S1857, in FY 1987, increase of 2,439 Congressional adjustments. In FY 1988, increase of 1,067 reflects Department Program /Budget adjustment and Department NIF Rate adjustment.

Project Y1842, in FY 1988, decrease of 5,570 reflects Department Program adjustment and support of higher priority programs.

# (U) FUNDING AS REPLECTED IN THE PY 1987 DESCRIPTIVE SUMMARY.

(

Project No.	<u>Title</u>	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
MCK01	10TAL FOR PROGRAM ELEMENT	12,067	20,105	32,492	49,66	Continuing	Continuing
UDAS	Servicing Equipment	3,110	4,910	0	0	Continuing	Continuing
7	Support System (CASS)	8,957	13,261	30,438	66,158	184,900	308,469
X1857	Calibration Standards	0	1,934	2,054	3,362	Continuing	Continuing
17748	GSE Calibration	0	0	0	4,579	Continuing	Continuing
Y1842	Aviation Engine Test Facility	0	0	0	5,570	Continuing	Continuing

D. (U) OTHER PY 1988/89 APPROPRIATION FUNDS: Not Applicable.

as part of a coordinated Army and Air Rorce effort endorsed, supported and directed by the Joint Logistics Commanders (JLC). There (U) RELATED ACTIVITIES: For Project X1857 the individual projects encompassed in this program are a Navy lead responsibility no unnecessary duplication of effort within the Navy or the Department of Defense.

Fituatint River, MD; Metrology Engineering Center, Pomona, CA; National Bureau of Standards, Washington D.C; Naval Research Laboratory, San Diego, CA; Naval Surface Weapons Center, Dahlgren, VA; and Pscific NJ; Others are Mayal Air Development Center, Warminster, PA; Naval Air Logistics Center, Patuxent River, MD; Naval Air Test Center, F. (U) WORK PERFORMED BY: IN-HOUSE: Lead Field Activity for Support Equipment is the Naval Air Engineering Center, Lakehurst, Missile Test Cenier, Pt Mugu, CA.

CONTRACTORS: Northern Research Corp., Woburn, MA; Coastal Marine Research, Toms River, NJ; Northwestern Motor Corp., Eclair, WI; For the CASS, General Electric Co., Huntsville, AL.

G. (U) PROJECTS LESS THAN \$10 HILLION IN FY 1988/89:

Program Element: 64215N

Title: Support Equipment

# (U) Project WO601, Aircraft Handling and Servicing Equipment:

The project is on-going pre-planned product improvement (P31) efforts to ensure gation in the area of aircraft common support equipment. Common support equipment as ground support equipment such as mobile electric generators, tow tractors, composite materials inspection units, jet aircraft starting units and engine test systems which 1. (U) Description: This project is composed of a multitude of smaller sub-projects dedicated to technology investitechnology improvements in common test equipment keep pace with the state-of-the-art and thereby prevent adverse readiness impact, as newer and more sophisticated aircraft weapon systems are introduced into the Fleet.

.

- 2. (U) Program Accomplishments and Puture Efforts:
- a. (U) PY 1986 Program: The following sub-projects completed:
- o A/E 37T-24 Engine Adapter Assembly (T400)
- o A/W 37T-1 Test System modification (TS8)
- o Dynamic Engine Simulator
- o IA-12 Tow Tractor
- b. (U) FY 1987 Program: Not Applicable.
- c. (U) FY 1988 Planned Program: Not Applicable.
- . (U) FY 1989 Planned Program: Not Applicable.
- e. (U) Program to Completion: The following sub-projects will be initiated:
- o Thermography Non Destructive Investigation (NDI)
- Ultrasonic NDI
- o Universal Engine Test Set (ETS)
- o Gas Path Analysis Test Set

Program Element: 64215N

Title: Support Equipment

- o Filmless Radiography
- (U) Project X1857 Calibration Standards:
- ware), measurement capabilities and techniques required to support: (1) the millimeter wave requirements for MILSTAR (a satellite communications system), the AN/SLQ-32 and the W.R-8, and (2) the fiber optic missile guidance and avionics data link requirements in the AV-8B aircraft and shipboard communications network. This project's tasks sre the Navy's lead service responsibilities as part of a Tri-Service metrology R&D program directed by the Joint Logistics Commanders. 1. (U) Description: This project in Metrology RDIGE will carry out the engineering development of standards (hard-
  - 2. (U) Program Accomplishments and Puture Efforts:
- a. (U) FY 1986 Program: The following sub-projects were initiated:
- Microwave/Millimeter Wave development of power-attenuation standard for 18 60 GHZ and Signal Generator Calibrator in the 18 60 GHz range.
- Electro-Optics development of a Modular Piber Optic Calibrator (1300 Nancmeter); a Automated Modular Laser Calibrator; and an Imaging IR Cal System (8 - 14 microns) 0
- Systems Metrology development of a Multi-Punction Meter Calibrator. 0
- Electrical Electronic development of an Advanced Meter Calibrator and an AC voltage standard. ٥
- o Automated Metrology development of a Modular Calibration Interface Device (DC to 10 MHz).
- Analytical Metrology development of a Calibration Interval Assessment Analysis.
- b. (U) PY 1987 Program: The output of this project will be design specifications and prototype calibration standards (hardware) in support of laser, fiber optic and IR systems, Millimeter wave equipment and Automatic teat equipment. Calibration standards (hardware) will be developed for Fleet use at the intermediate and organizational level. The following technology areas will continue, complete or initiate development efforts:
- o Microwave/Millimeter Wave Continue.
- Initiate development of an Automated Modular Fiber Optic Calibrator (1300 Nanometer). Electro-Optics - Complete Imaging IR calibration system. 0

Program Element: 64215N

Title: Support Equipment

- o Flectrical Electronics Continue.
- o Automated Metrology Continue.
- o Analytical Metrology Continue.
- o Systems Metrology Initiate the Advanced Controller development projects.
- (U) FY 1988 Planned Program: The following subprojects will either be completed or initiated: ċ
- Calibration System (110-340 GHz). Regin development of the Advanced Imaging IR Calibration System (3 to 5 Electro-Optical - Complete development of the Automated Modular Fiber-optic Calibrator (1300 Nano Meter). Initiate development of the Advanced Modular Laser Calibrator. Regin development of a Quasi-Optical 0
- Microwave/Millimeter Wave Complete development of a Signal Generator Calibrator with frequency capability Begin development of a Signal Generator Calibrator and power-attenuation standard extension (60 to 110 GHz). Begin development of an EMIin the 18 - 60 GHz range. Begin development of a Communication System Noise Calibrator. Complete develop-ment of the power-attenuation standard with frequency capability extended to the 18 - 60 GHz range. Pegin in the 18 - 60 GHz range. Begin development of a Communication System Noise Calibrator. development of an Attenuation and Phase Noise Calibration System to 60 GHz. /EMP Probe Calibrator. 0
- an Advanced Meter Calibrator. Complete development of a High Accuracy AC Voltage Standard (Accuracy to 50 Electrical/Electronic - Regin development of a High Accuracy DC Voltage Standard, Complete development of 0
- Physical-Mechanical Regin development of Liguid Flow Calibration Systems 1 to 1000 gpm and 1000 to 4500 gpm. Regin development of a Pressure Calibration System (0 - 2000 ps1).
- Automated Metrology Complete development of a Modular Calibration Interface Device (DC to 10 MHz). Regin Regin development of a Modular development of Calibration Strategies for Automated Test Equipment (ATE). Calibration Device (10 MHZ to 18 GHz). 0
- Ansiytical Metrology Megin development of a Program Operations Analysis Model and Equipment Reliability Analysis Model. 0
- o Systems Metrology Complete development of the Advanced Instrument Controller.

034

Program Element: 64215N

Title: Support Equipment

- d. (U) FY 1989 Planned Program: The following will be completed or continued:
- o Electro-Optical Second year of a three effort to develop a Quasi-Optical Calibration System capability. Continue development of an Advanced Modular Laser Calibrator and Advanced Imaging IR Calibration System,
  - o Microwave/Millimeter Wave Continue.
- o Automated Metrology Continue.

(

- Electrical Electronic Regin development of an AC Voltage Standard (25 ppm) and an Arbitrary Waveform 0
- Analytical Metrology Complete the Calibration Interval Assessment Analysis. Complete Program Operations Analysis and Equipment Reliability Analysis Models. 0
- (U) Program to Completion: .
- In PY 1990, final year of a three-year effort to develop a Quasi-Optical Calibration capability. Delivery of a prototype standard operating in the 200 - 340 GHz range is expected at the end of this year,
  - metrology technology developed into models and prototypes from which procurement specifications can be Electrical-Electronic; Physical-Mechanical; Automated metrology; Analytical metrology; and Systems In FY 1991 and 1992, funding will transition Electro-Optical; Microwave-Millineter Wave; 0
    - (U) PROJECT OVER SID MILLION IN FY 1988/89: Ŧ.
- (U) Project 40852, Consolidated Automated Support System:
- puter-assisted, multi-functional capability based on standardized hardware and software elements. It evolved in response to Fleet Commanders expressed concerns regarding serious deficiencies in existing automatic test equipment and the recommendations of an extensive 1976 SECNAV Study report on test equipment, Program objectives are: (1) increase material readiness; (2) reduce life (U) Description: 1, , project will design and develop modularly constructed automated test equipment with comcycle costs through standardization of equipment and all logistics elements; (3) improve tester sustainability at depot and intermediate (including aircraft carriers) maintenance levels; (4) reduce proliferation of unique test equipment, and (5) provide Navy-wide test capability for existing and future avionic/electronic support requirements. With test stations that can be easily configured to satisfy different test requirements (1.e., electro-optical, radio frequency, laser, infrared, inertial navigation, etc.) and design provisions which permit modification to meet the demands of future technology, this tester system will increase

1

Program Element: 64215N

Title: Support Equipment

aircraft and their associated aircraft cstriers and shore bases. In March 1985, SECNAV directed further expansion of the CASS repair facility throughput capability, reduce spare parts and personnel training requirements, and significantly reduce the space required for avionics testing in the critically space limited Navy sircraft carriers. The project was initially structured to provide test support for five Many Weapon systems. In March 1983, its scope was expanded to include support for all Navy tactical scope to include ATE support for all Navy electronics applications. The sequisition strategy included a competition between two contractor teams to develop detailed designs which were evaluated during a Critical Design Review (CDR) in early FY 87. The Honeywell Corp. will be qualified as a second production source during FSED and each annual production lot subsequent to a limited selected design will be developed during FSED by General Electric Co. with a teaming arrangement. The second team member, production release will be competitively avarded between the two sources.

# 2. (U) Program Accomplishments and Future Efforts

### s. (U) FY 1986 Progras:

- Continued competitive engineering design effort by the two antractors. Industry firms submitted proposals for PSED phase.
- Continued experimental work and demonstrations to aid in the selection of a design at Critical Design Revlew (CDR). 0
- o Conducted Covernment evaluation of the PSED proposals.

### b. (U) FY 1967 Progress:

- Conduct CDR and complete evaluation of industry FSED proposals. Present program to NPDM for Milestone II approvel.
- o Award FFP FSED contract with three years of FFP production options to General Electric Co.
- o Commence PSED.

# c. (U) FY 1988 Planned Program

- o Assembly and integration of Engineering Development Models will be completed.
- o Assembly and integration of pre-production models commences. DI-IIA starts.
- o Preliminary and detailed dealgn occurs for test program sets.

Program Element: 64215N

Title: Support Equipment

- o Preliminary product baseline is established.
- d. (U) FY 1989 Planned Program:
- o Complete assembly and integration of pre-production models.
- o Conduct 1st Art.. : Verification testing.
- o Conduct Physical Configuration Audit.
- o Conduct DT-IIB, DT-IIC, and OT-IIA.
- e. (U) Progress to Completion:
- o Complete support of support Operational Test Program sets.
- o Complete Technical and Operational Evaluation testing.
- o Complete Integrated Logistics Support Evaluation. Obtain approval for limited and full production.
- Commence weapon system test program set development at contractor sites. Limited production units will be required for Weapon System test program set integration. 0
- changes in sirving mix or weapon system modification thereby avoiding obsolescence and the need for a new Commence Pre-planned Product Improvement (PSI). Among the basic concepts of CASS will be the ability to insert new technology without impacting application software, and ease of reconfiguration to adapt to tester. A P2I effort will be established as a sepsrate project at the completion of PSED. 0
- f. (U) Major Milestones:

Dates	1. Start Pre-Pull Scale Engineering	Review	NPPM 1st Qtr FY	11C 4th Qtr FY 1989
Mi lestones	Start Pre-Pu	Pre-FSED Cri	3. Milestone II NPDM	4. TECHEVAL/DT-11C

# UNCLASSIFIED Program Elecant: 64215N

I. (U) TEST AND EVALUATION DATA: Not Applicable.

UNCLASSIFIED

1038

to a distinguish a specimen

# PY 1988/89 RDIGE DESCRIPTIVE SUPPLARY

Program Element: 64219N DoD Hission Area: 233 - Anti-Submarine Marfare

Title: Airborne Anti-Submarine Warfare Developments Budget Activity: 4 - Tactical Programs

A. (U) FY 1968/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Accust	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
MO485	TOTAL FOR PROCRAM ELEMENT Cerrier ASW Helicopter Avionics	2,295	1,228	00	• •	Continuing	Continuing
W1442	improvement ricgian SH-2 Reliability Readiness Improvement	2,398	0	0	•	0	37,544

The above funding profile includes out year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

- reliability, and performance in current airborne ASW platforms. These projects will upgrade the primary sensor of the Carrier Inner Zone Anti-Submarine Marfare Helicopter (CV IZ Helo) through new sensor technology to increase active and passive detection capability against threat submarines. They will also provide cost effective improvements to increase readiness of the SH-2F LAMPS This program element provides improvements in maintainability, B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: HK I wespon system.
- Program W0485 was reduced -2,528 in FY 1986 to accomposate a CRH adjustment and Department budget/program adjustments. The FY 1987 was reduced by -1,038 for Department budget/ The FY 1988 reduction of -5,512 reflected a Department budget/program C. (U) COMPARISON WITH PY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the adjustment. Program W1442 was increased +1,620 in FY 1986 to reflect Department budget/program adjustments and a GRH adjustment. FY 1967 Descriptive Summary and this Descriptive Summary are as follows: program adjustment and Congressional adjustment.

Program Element: 64219N

Title: Airborne :nti-Submarine Warfare Development

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

4		700 L VI	70 1006	TADE V4	WY 1989	Additional	Total
No.	Title	Actual	Estinate	Estimate	Estimate	to Completion	Cost
	TOTAL POR PROCRAM ELEMENT	25,349	5,601	2,266	5,512	57,988	63,200
H04.85	Carrier ASW Helicopter Avionics Improvement	5,478	4,823	2,266	5,512	57,988	63,200
	P. ograsi						
W1442	SH-2 Reliability Readiness Improvement	13,879	778	0	0	0	0
WO486	Anti-Submarine Warfare Operation	5,992	*	*	*		

\* Project WO486, Anti-Submarine Warfare Operations Center transferred to PE 64711N in FY 1985.

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

A/K
0 (0)
0)
(0)
52,798
61,121
its (SH-2):
W1442 Aircraft Procurements (SH-2): Funds (APN-1) Quantity

WO485 Other Procurements: Procured as Contractor Furnished Equipment under CV Inner Zone ASW Helo under PE 24243N.

Program Element 64229N, Carrier Inner Zone ASW Helicopter, provides the platform in which the improved AQS-13F sonar and the Advanced Lightweight Sonar (ALWS) will be installed. E. (U) RELATED ACTIVITIES:

F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Air Development Center, Warminster, PA; Naval Air Test Center and Naval Aviation Logistics Center, Patuxent River, MD; Naval Weapons Engineering Support Activity, Washington, DC; Naval Air Engineering Center, Lakehurst, NJ; Naval Avionics Center, Indianapolis, IN; Naval Surface Weapons Center, Dahlgren, VA; Naval Training Equipment CONTRACTORS: Allied Corporation, Bendix Center, Orlando, FL; and Naval Engineering Support Office (NESO), North Island, CA;

Program Element: 6:219N

Title: Airborne Anti-Submarine Warfare Development

Oceanics Division, Sylmar, CA (Sonar Contractor); Sikorsky Aircraft Division, Stratford, CI (Prime SH-60F Contractor); KAMAN Astrospace of Bloomfield, CI; and Teledyne Systems Company, Northridge, CA, (Avionics Integrator).

- (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: ပ္
- (U) Project WO485, CV AVIONICS IMPROVEMENT PROGRAM (ALUS):

(U) Description: This project provides an upgraded primary sensor (sonar) for use in the SH-60F CV Helo which will provide greater range. The upgraded sensor is needed in order to counter the Soviet submarine threat. This project consists of two parts - the introduction of the AQS-13F sonar for the SH-60F CV Helo and the development of the ALMS to replace the AQS-13F to meet the projected threat. The ALWS will be developed such that it will be compatible for installation in the SH-60B and

- (U) Program Accomplishments and Puture Efforts:
- a. (U) The FY 1986 Program
- \* AQS-13F Conducted Navy Technical and Operational Tests on SH-60B with Engineering Development Model (EDM) AQS-13F sonar installed.
- ALMS Updated ALMS specifications and SOW to reflect RFI responses from Industry.
   ALMS release Request for Information (RFI) to Industry for written estimates of program design criteria and schedule. Responses were at no cost to Government.
- (U) FY 1987 Program ۵,
- \* Monitor ongoing testing and review testing results from related program element 64229N, Carrier Inner Zone ASW Helicopter (SH-60F).
  - The AQS-13F development effort under this project will be completed in FY 1987.
- (U) FY 1988 Planned Program: ;
- · ALMS See program to completion.
- (U) FY 1989 Planned Program: Ą,
- · ALMS See program to completion.

Program Element: 64219N

Title: Airborne Anti-Submarine Warfare Development

- e. (U) Program to Completion:
- ALMS Release RFP to Industry; evaluate proposals, determine competitive range and complete technical discussions.
- (U) Project W1442, SH-? Reliability Reliability Readiness Improvement: The T700 integration program will complete the R&D phase with the nualification of the drive train components. This action will complete the W1442 program.
- 1. (U) FY 1986 Program:
- Completed tests of drive train qualification and complete Navy test of Readiness Improvement Program.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988: Not Applicable.
- I. (U) IEST AND EVALUATION DATA: Not Applicable.

UNCLASSIFIED

The state of several and the section

# FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 64221N DoD Hission Area: 233 - Anti-Submarine Harfare

Title: P-3 Modernization Program
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Estimated Cost
	TOTAL FOR PROCRAM ELEMENT	29,542	54,441	126,902	152,145	Continuing	Continuing Continuing
W1149	Electronic Support Measures Systems	3,201	1,034	0	0	0	50,425
	Improvement						
W1152	Advanced Signal Processor Systems	10,055	5,330	5,054	5,209	Continuing	Continuing Continuing
	Integration						
W1588	P-3 UPDATE IV Avionics*	16,286	48,077	108,037	108,409	76,971	330,731
W1926	P-3G	0	0	113,811	38,527	77,048	129,386

The above funding includes out year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

- capability to counter the emerging threat. This program provides upgrades to the aircraft defensive and offensive systems to enhance the P-3C's surface and subsurface tracking, classification, and attack capability. It provides for improved battle graup while accepting high data rate sensors, provides work load sharing among crew stations, as well as allowing for ease of incorporation of future sensors, and improves aircraft survivability in an increasing hostile environment through greater standoff targeting and classification ranges, as well as an improved early alert to a broad range of emerging threat sensors. It also B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program is the most cost effective alternative to upgrade the P-3 force to counter the quieter, faster, Soviet submarine threat. The present P-3C avionics suite does not have the war fighting support through upgraded Electronic Support Measures, communications, radar and growth capability. This program will give a significantly increased flexibility through a distributed bus architecture that allows significantly increased processing power provides improvements to the range, survivability, maintainability and payload capabilities of the P-3 airframe.
- FY 1967 Descriptive Summary and that shown in this Descriptive Summary are as follows: W1152 was decreased -2,265 in FY 88 due to program/budget adjustments. In PY 87, W1588 was reduced -22,316 due to Congressional action and adjustments and Department program/budget adjustments and was increased in FY 1988 by +32,952 by Department program/budget adjustments and NIF rate (U) COMPARISON WITH PY 1987 DESCRIPTIVE SUMPARY: (Dollars in Thousands) The changes between the funding profile shown in the Department budget/program adjustments. W1588 (UIV) was decreased in FY 1986 -2,613 due to Gramm-Rudman-Hollings and Department

1043

UNCLASSIFIED

ALE POST AND AND AND ADDRESS OF THE PARTY OF

Program Element: 64221N

Title: P-3 Modernization Program

adjustments. Project W1926 was decressed -19,667 in FY 87 due to Congressional action, and increased in FY 88 by +13,811 to fund the P-3C program.

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY.

							Total
Project		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
.02	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL POR PROGRAM ELEMENT	24,944	33,110	6,877	82,404	332,470	175,691
W1149	Electronic Support Measures Systems Improvements	8,608	3,432	1,066	0	0	50,668
W1150	Communications Integration	8,391	*	*	*		37,559
W1152	Advanced Signal Processor Systems Integration	6,705	10,779	5,751	7,319	24,796	84,398
W1588	P-3 UPDATE IV Avionics	0	18,899	70,393	75,085	297,674	486,432
M1656	Radar System Improvements	1,240	*	*	*		116,683
W1926	3.4	0	0	19,667	TBD	TBD	TBD

#W1150 and W1656 were combined into W1588 P-3C Update IV in 1986.

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

FY 1988	Estimate Estimate Estimate		0 103,847 132,260		
	Actual Esti		26.7,964	(87)	
		Aircraft Procurement, Navy	Advanced Signal Processor	Integration, APN, B.A.5	Quantities

E. (U) RELATED ACTIVITIES: Program Element 64261N, Acoustic Search Sensors (Air Common Acoustic Processing), is developing processor software for advanced sonobuoys. Program Element 64217N, S-3 Weapons System Improvement Program, is developing imaging capability into the AN/APS-116 Radar. Program Element 64507N, EMSP is developing the acoustic signal processor.

Test Center, Patuxent River, MD. CONTRACTORS: IBM, Manassas, VA; Lockheed California Company, Burbank, CA; General Electric Company, Utica, MY; Boeing Aerospace Company, Seattle, WA; Computer Sciences Corporation, Warminster, PA. F. (U) WORK PERFORMED BY: IN-HOUSE: Lead laboratory is the Naval Air Development Center, Warminster, Pa. OTHERS: Naval Air

1044

Program Element: 64221N

Title: P-3 Modernization Program

# G. (U) PROJECTS LESS THAN \$10 MILLION IN PY 1988/89:

# (U) Project W1152, Advanced Signal Processor Software Integration:

P-3C Update III. It will increase the operational capability of the ASP by integrating the sequel hardware/software configuration (U) Description: This project provides the P-3C with an improved acoustic system that will process more advanced active and passive sonobuoys and maintain pace with the emerging threat. This project will continue software development, integration and testing in the Navy standard acoustic processor (Advanced Signal Processor (ASP)) and ancillary equipment in the with Passive Tracking Algorithms (PTA), Broadband, a 32 channel half-bandwidth capability (Channel Expansion), 99 channel on-line sonobuoy radio frequency monitor capability and provide for integration of advanced sonobuoys, which are contained in the modular software design Airborne Common Acoustic Processing (ACAP), into the P-3C Advanced Signal Processor and CP-901 Tactical Computer.

# 2. (U) Program Accomplishments and Puture Efforts:

### a. (U) FY 1986 Program:

#### Completed -

- . P-3C Update III 32 Channel Expansion implementation and QA
- ASP Commendable Manual Entry Panel integration testing
- · ASP System Controller Software implementation and testing
- Dual analog tape recorder and sonobuoy receiver integration tests.

### b. (U) FY 1987 Program

- . Channel Expansion and ACAP Build 4 DT/OT to be conducted Feb-Aug 1987.
- · ACAP Build 5, ERAPS (Expendable Reliable Acoustic Path Sonobuoy) software, requirements definition and start of software implementation.
  - o integration of ACAP Build 4 software into ASP hardware.
- \* Develop the processing for advanced sensors for future updates of the ACAP software.

# c. (U) FY 1988 Planned Program:

- · Minor acoustic software improvements
- · Update III Channel Expansion (CHEX) software deficiency corrections.
- \* Define designs for incorporating advanced sensors and acoustic algorithms.

045

Program Element: 64221N

Title: P-3 Modernization Program

٠,

# d. (U) FY 1989 Planned Program:

- Minor acoustic software improvements.
- \* Implement software for incorporating advanced sensors and acoustic algorithms.
- e. (U) Program to Completion:
- \* Software implementation of advanced sensors into P-3C Update III (This effort will continue as these sensors reach maturity through the ALP/AFP process).
- \* Program will continue to provide the necessary software support for the fleet P-3 programmable acoustic

# H. (U) PROJECTS OVER \$10 HILLION IN FY 1988/89:

# (U) Project W1588, P-3 UPDATE IV Avionics Program

integrating existing and developing sensors into a distributed system architecture with upgraded displays and controls. The resulting configuration will decrease the existing operator workload, and improve operational effectiveness by increasing ease of 1. (U) Description: This project upgrades the avionics (acoustic and non-acoustic) suite of the P-3 aircraft to provide the required capability necessary to combat the faster, quieter Soviet Submarine. This capability is obtained by It will also significantly increase the acoustic processing capacity of the aircraft by integrating the Enhanced Modular Signal Processor (EMSP) into the data bus system. (W1150, Communications Integration and W1656, Ander System Improvements are incorporated into W1588 in FY 1986). data handling and reliability.

# 2. (U) Program Accomplishments and Future Efforts:

### A. (U) FY 1986 Program:

- Update IV Avionics Demonstration and Evaluation contract awarded Nov 1985.
  - \* Update IV IDR and PDR conducted for both Phase I contractors.

### b. (U) FY 1987 Program:

- . Navy to evaluate contractor demonstrations and proposals for FSED (Phase II).
  - . Award contract for engineering development.

046

Program Element: 64221M

Title: P-3 Modernization Program

# c. (U) FY 1995 Planned Program:

- Continue development of Update IV avionics system.
   Perform trial installation of Update IV avionics kit.

# d. (U) FY 1989 Planned Program:

- \* Conduct DT-IIA/OT-IIA
- . Obtain Approval for Limited Production and award production contract.

# e. (V) Program to Completion:

- Conduct IECHEVAL/OPEVAL for Update IV svionics suite
   Obtain Approva! for Pull Production in FY 1990.
   Achieve Initial Operating Capability in

## f. (V) Major Hilestones:

ä	1. DMSARC Milestone I approval	Nov	Nov 1984
2.	Contractor Demonstration Phase RFP release	Feb	Feb 1985
ų	Contractor Demonstration Proposals Received	Jul	Jul 1985
*	Contractor Demonstration Contract Award	No.	Nov 1985
\$	PSED RIP Release	ALLE	Aug 1986
9	PSED Proposals Received	Sc	Oct 1986
7.	Contractor Demonstration	Oct	Oct 1986
•	Contractor Demonstration Evaluation	Nov	Nov 1986
6	PSED Contra. t Award	F	Mar 1987
10.	ALP	Aug	Aug 1989
11.	Production Contract Award	Sep	Sep 1989
12.	Technical Evaluation	Feb	Feb 1990
13.	Operational Testing	TP.	.tul 1990
14.	14. Initial Operating Capability		

Program Element: 64221M

Title: P-3 Modernization Program

### (U) Project W1926, P-3G

1. (U) Program Description: In order for the VP forces to maintain pace with a continually improving threat and an increasing number and type of missions, an improved airframe with greater range, survivability and maintainability, increased payload, and state-of-the-art acoustic and non-acoustic sensors is required. The current P-3 UPDATE IV Avionics program provides the necessary upgrading to the acoustic data processing system and non-acoustic sensors. These features will provide the baseline for the avionics package for the P-3G aircraft that will incorporate necessary aircraft system improvements and replace the P-3G.

# 2. (U) Program Accomplishments and Puture Efforts:

a. (U) FY 1986 Program: Not applicable.

(U) FY 1987 Program: Not applicable. ç

#### (U) FY 1988 Planned Program ວ

Award contract for P-3G development and production options.

GFE P-3C airframe to contractor.

GPI airframe date and Update IV data to contractor.

Conduct preliminary design review.

Continue development, fabrication and manufacture of prototype airframe.

Conduct critical dealgn review.

\* Award Advance Acquisition Contract - FY 89.

#### (U) FY 1989 Planned Program: ÷

Conduct Production readiness reviews.

· Conduct final design review.

Conduct production readiness reviews.

# e. ('1) Program to Completion:

\* Conduct TECHEVAL/OPEVAL in FY 1991.

· Obtsin Approval for Full Production in FY 1991.

1048

64221N	
lesent:	
Program	

Title: P-3 "odernization Program

- Perform DT-III/BIS/OT-III in FY 1992.
   Achieve Initial Operating Capability in

#### W) Major Hilestones: f.

RFP Release for prototype development	Contractor proposals received	Contract award	DT-IIA/OT-IIA (comence)	ALP	TECHEVAL (comence)	OPEVAL (commence)	APP
	2. (	3.	4. E	S. A	6. 1	7. 0	8. A

Apr 1987 Jun 1987 Oct 1987 Aug 1989 Jan 1990 Har 1991 Oct 1991

1. (U) IEST AND EVALUATION DATA:

)

9. IOC

*test and evaluation Data* 

# A. (U) pevelopment test and Evaluation

- (u) the P-3C Weapons System was developed during Project ANEW, which ran from 1962 through 1968. This project included the lationatory system/aock-ups were used to prove conceptual feasibility, and flight test bed systems were used to detine requirements evaluation of hardware and software aspects of black boxes, sensors, and functional integration techniques. During this prograe, and test concepts. Activities involved were the Maval Air Test Center (MATC), Patuxent River, Maryland, and the Maval Air Development Center (NADC), Warminster, Pennsylvania.
- system and individual subsystems. Reliability problems were identified in the Inertial Navigation System and the Doppler Navigator. 2. (U) from 1968 through 1970, the YP-3C (a contractor testing prototype of the P-3C) was flown by crews from Lockheed, MAIC, and Commander Operational test and Evaluation Force (COMOPtEVFOR) for the purpose of conducting performance tests of the weapons During the same time trame, Lockheed and MAIC crews performed system and subsystem maintainability demonstrations on avionic and weapon system equipments. This phase of the program demonstrated the ability of Navy technicians to maintain equipment under simulated operational conditions, using contractor developed training procedures and support equipment. It also led to identification of the requirement for significant improvements in computer-controlled diagnostic programs.
- communications, inertial navigation, and doppler navigation. A frounction improvement Program designed to update the capabilities of the weapon system was commenced in 1969 and continues through ine present. Under this program Navy developed hardware and software improvements, veritied by MATC in the YP-3C, are being incorporated in a time-phased updated version of production P-3C aircraft. (U) In the 1969-1970 time frame, creus from NATC and the Naval Weapons Evaluation Facility (NWEF) conducted service suitability flights atuard two modified production P-30s. Problems were investigated in the areas of High Frequency (HF) these improvements involve major advances in maintainability and reliability as well as growth in capability.
- (U) A major modification to the P-3C Weapons System took place with the fleet introduction of Update I in April 1975. This Evaluation (MIE) was conducted in FY-74, the Follow-On Operational test and Evaluation (FOTLE) in late FY-75 and the first quarter of into the aircraft through software developed by NADC. Significant increases were obtained in reliability and maintainability; the latter through an improved sottware diagnostic program to allow crew members increased fault isolation capability. Navy Technical tartical display for the sensor station operators and an improved acoustic processing system. These improvements were integrated thange included the addition of 392,000 words of memory to the data processing system, an OMEGA navigation system, an additional

- was conducted on the 1805 and MaRPOON systems separately from the P-3C Update II tests. The Update II NIE was concerned with the SAS The Update II included a sonobusy Reference System (SRS) rapable of providing accurate tactical plots of sonobuor fields in the water, an Intra-Red Detection System (IRDS) which provided low design has increased system capabilities in the areas of acoustic post-processing, man-machine interface, and maintainability. NIE Delivery of the first production Update II aircraft was in August 1977. All Update il peculiar systems were supplied as Government visibility and night detection capability, the MARPuiM air-to-surface missile system, and improved widehand acoustic tape recorder. furnished iquipment (GFE) with Lockheed providing harduare integration and NADC integrating the system's software. The Update II and software integration of all systems and commenced in FY-77. Unsatisfactory results prompted the extension of testing through tu) the P.3C Update II was the next major modifications to occur. 17-78 for successful completion.
- final phase of 14.0 OPEVAT was the demonstration of Anti-Submarine Warfare Operational Center (ASMUC) interoperability with the ASMUC 6. (U) As a result of CONOPTEVFOR reconnendation that the AN/AUA 7(V)4 Directional Frequency and Ranging (DIFAR) should have which has been successfully tested by MAIC and underuent successful operational Evaluation (OPEVAL) (September-December 1984). The three rerniers vice a single vernier, the equipment was modified commencing in January 1979 to include this neu capability which hardware change to the system AGA-7A(VIIO/II/I2 consenced in March 1984 with all software changes integrated in the 34.6 program It was designated the AGA-7A(V)6/7. A follow-on modification includes an update to the control panel and bearing computer for improved man-machine interface. This increases the acoustic sensor operator's recognition and classification capabilities. 1.2.6 program in Movesber 1985.
- replay deficiency was closed. Approval for Limited Production (AIP) for 18 aircraft was granted on 31 December 1984 with only those acoustic sensor capabilities by inclusion of the Single Advanced Signal Processor (SASP), the Advanced Sonobuoy Communications Link identified during testing. Follow-on verification and validation of deficiency correction (DI-11:8) was conducted I February 1983 reception of sonobuoy signal transmissions, provided calibrated signals, and enable efficient management of software programs and IASCL), the Adaptive Controlled Phased Array (ACPAI, and the Acoustic Test Signal Generator (ATSG). The new systems will enhance acoustic data retrieval. Lockheed and MADC act as managers of hardware and software integration, respectively. Navy Preliminary Portions of the Adaptive Controlled Phased Array (ACPA) antenna required for signal flow. ASMiC Digital Data Extraction will be (U) The third major modification to the P-3C was the Update III. This modification includes extensive redesign of the Evaluation (MPE) was completed in mid FY-78 and was followed by UI-II testing of the Advanced Developmental Model (ADM). 01-II demonstrated by Movember 1985. Approval for full Pruduction (AFP) for P-3C Update III (less ACPA) was requested December 1985. testing was completed in February 1979. NIF testing commenced in Harch 1981, followed by OIF in September 1981. Provisional Approval for Service Use (PASU) was granted on 6 July 1982 due to interoperability and SASP software freeze-up deliciencies 15 April 1983, DI-IIIC testing was conducted to April 1984 - 22 May 1984. The SASP freeze deticiency was closed.

Completion was delayed due to NAIC aircraft and personnel shortages and 14.6.1 stability probleme. A rehabilitated 14.6.1 concluded TECHEVAL in October 1986 and will start OPEVAL (U) 14.6.1 Started (ECHEVAL March 1985 and was completed in October 1985. in Movember 19:86.

 4. (U) MAIC evaluated the implementation of the Broadband algorithm in the AGA-7(A)13/14/15 during DT-IIB testing 3 January lvx5 - 16 July 1985 on a P-3C Mon-Update (MUD) using 34.68 developmental software. MAIC quick response report AT-CBR-85 dated 28 August 1985 reported satisfactory technical characteristics for detecting and tracking a target but noted four part I tactical defliciencies. the Flectronic Support Measures (ESM) System Improvements Project integrates the ALR-77 ESM system into the P-3C to processing, emitter to plattorm correlation, and bearing accuracy to support Bearing-Only-Launch (BOL) HARPOON missile targeting. the improved ESM system also includes the P-3's tirst implementation of the AYK-14 Mavy standard airborne computer as an ESM post provide improved frequency coverage, bearing accuracy, and threat warning. System features include multiple/complex signal processor. All is scheduled to begin in August 1986. 3

The Mays will award an FY-MM Full Scale Engineering Development (FSED) contract for the P-36 aircraft in order to ne P.3C through re-engining, plus incorporation of Upolte IV mission avionics, elongation of the bomb bay, plus incor reation of various reliability, maintainability, survivability and vulnerability enhancements.

# 8. (C) operational lest and Evaluation

(C) "ILE ALCOMPLISHED TO DATE: Due to the integrated nature of its weapon system, the P-3C has been subjected to the concept of full systems testing under operational conditions throughout its development.

in realistic operational test which included participation in fleet exercises. The Mod I and Mod 3 systems were tested with the then current fleet systems to measure operational effectiveness relative to existing systems. This test phase was conducted to permit the teats were conducted by Air Jest and Evaluation Squadron (AJRTEVROM) (v.e (VX-1) under the direction of CONOPTEVFOR. The Mod 1 system (C) Buing 1965-1969, three test vehicles MP-3A (Mod 1 ANEM System), P-3B (Mod 3 ANEW System), and YP-3C were subject thet P-3A. In addition, continued operational testing of the Mod 3 system during ASM missions proved more effective than operating P-18 systems. The YP-3C was periodically subjected to Mavy operational tests Juring the contractor's flight test program to ensure validated the digital Anti-Submaring Marfare (ASW) System concept during an ASW mission which proved to be more effective than a urderly development of the AMEM concept from conceptual test through functional prototype and preproduction design verification. gains made in the Mod 1 and Mod 3 were maintained and improved in production systems. UNCLASSIFIED

- (b) (v) During the period May 1969 to July 1973, COMOPIEVFOR conducted OPEVAL at the P-3C Meapons System under Chief of Mayal Operations (CNO) Project 0/V 77. . . ed on the results of OPEVAL, CHROPTEVFOR concluded that the P-3C Weapons System was operationally effective and operationally suitable
- suitability of the system and associated subsystems. This included validation of the correction of deficiencies, evaluation of In Movember 1474, Fulat of the P-3C Weapons System was assigned to COHOPTEVFOR under CNO Project F/V 270. part, the project charged Conofit of with providing a continuing appraisal of the operational effectiveness and operational pertormance of newly introduced subsystems, and the refinement of tactical doctrine. 5) (3)
- (1) (v) Task 1, under CNO Project F/V 270, was a side-by-side comparison of a production AGA-7(V) with an improved AUA-7(V) Engineering Development Model (EDM). CUMUPIIVFOR reported the results of this testing in June 1975 and stated that
- it was nore reliable than the AGA-7(V). Theretore, CUNOPTEVFUR recommended that the intended production version (AGA-7(V)4/5) of the EDM be considered for incorporation in future P-3C procurements.
- (2) (1) lask is at CNO Project F/V 270 connenced operations in March 1975 to verify the operational effectiveness and operational sustability of the P-3C Update I Meapons System. Project operations were delayed several months (August-November 1975) white auxiling introction of software deficities.

CONOTIEVEOR reported the resurts of Update I testing in September 1976 concluding, in part,

January 1977 that the AGA-7(V)4 injorporating 17 RtP changes be approved for service use. Approval for Service Use (ASU) was granted In 1977 COMOPTEVFOR conducted testing to verify incorporation of 17 Reliability Japrovement Program (RJP) changes in the AOA-7(V)4 acoustic processor. COMOPTEVFOR recommended in that P.3C Update I operational effectiveness and operational suitability, as reported in September 1976, had been upgraded by the by CHO in March 1977.

(d) buring the period July to December 1477, COMMOPTEVFOR conducted an OPFVAL of the AN/AAS-36 IRDS in a standard P-3C aircraft with no CP-901 interface. CONOPTEVFOR recommended the system be granted PASU until discrepancies encountered during OPEVAL were corrected. In May 1979, following actions initiated by COMMAVAIRSYSCOM to correct the IRDS discrepancies, COMOPTEVFOR recommended that the system be approved for corvice use. ASU was granted by CNU in July 1979.

- (e) (V) During the period Movember 1978 to June 1979, COMOPTEVFOR conducted an OPEVAL of the P-3C Update II Weapons System in Movember 1979. COMOPTEVFUR recommended follow-on OTAE be conducted on the P-3C Update II prior to granting full ASU for the total under CNO Project 155-2. Originally scheduled from December 1977 to March 1978, OPEVAL had been delayed because the accuracy of The potential to be operationally effective and operationally suitable after correction of IRDS deficiencies and completion of follow-on recommended following rectification of antenna corrosion difficulties. These corrections were made and ASV for the SRS was granted OTAE. COMOPTEVFOR reported preliminary results of the SRS in July 1979, concluding that the SRS is operationally effective and has OPEVAL flight operations were completed in The P-3C Update II Weapons System was determined to have the the potential to be operationally suitable as installed in the P-3C Update II aircraft. COMOPIEVFOR recommended PASU with ASU SMS did not meet Test and Evaluation Haster Plan (TEMP) requirements during TECHEVAL. The objectives were to evaluate the operational effectiveness and operatic al sustability of the P-3C Update II aircraft. June 1980 and an evaluation report was distributed in June 1980. weapon system in the final evaluation report.
- iest and Evaluation (1014E) with the P-3C Update III aircraft, performed under CNO Project ISS-3. The aircraft under test had an ADM to detect, classify, localize and attack submarines representative of a 1980s threat, using Advanced Signal Processor (ASP) derived potential asssion reliability, agintainability, operational availability, logistic supportability, and inleroperability of the P-3C effectiveness and operational suitability of the weapon system. Specific objectives were to assess the P-3C Update III's potential (f) (U During the period Movember 1978 to March 1979, CONOPTEVFOR conducted a preliminary phase of Initial Operational weapons system in an operational environment. The COMOPTEVFOR evaluation report was distributed in December 1979 recommending contact data; assess outential performance of the P-3C Update III in operations from fleet VP deployment sites; and assess the version of the Update III avionics suite installed. The purpose of the evaluation was to assess the potential operational continuation of Full Scale Development (FSD) of the P-3C Update III Meapons System.
- effectiveness and operational suitability of the wadon system. Soecific objectives of the effectiveness evaluation were to (g) (U) FOIME of the P-3C Update II commenced in April 1981 to provide a continuing appraisal of the operational determine the capability of the P-3C Update II to:

operationally suitable. The COMOPTEVFOR evaluation report published in May 1982 recommended continued provisional ASU and additional evaluation were to determine reliability, maintainability, availability, compatibility, interoperability and adequacy of training, Specific objectives of the suitability human factors and safely. COMOPTEVFOR concluded the P-3C Update II is polentially operationally effective and potentially

FOIGE, CONOPTEVEOR recommends the following correction of identified deficiencies:

(h) (j) The OPEVAL for the P-3C Update III was conducted by CONOPTEVFOR from September 1981 through January 1982 under CNO evasive targets representative of the late 1980s-1990s threats in all areas were operationally effective and have the potential to be operationally suitable. The COMOPTEVFOR evaluation report published in May project 185-3. The test aircraft included the full service test model ASM avionics improvement systems. Specific objectives of the assess survivability aspects as listed in paragraph (7) above. -CONOPTEVFOR concluded that P-3C Update III ASM avionics improvements 1982 recommended that the P-3C Update III be PASU and FOTAE. Specific recommendations to correct identified deficiencies included: 1) correct SASP "freeze-up" problems; 2) correct ASWOC acoustic replay deficiencies; and 3) correct STS reliability and improve determine the capability of integrated Acoustic Communications System (IACS) to receive tonal signals using the SASP; and to 4) including those containing Electronic Countermeasures (EUM) activity; 2) the capability to operate from deployment sites; 3) logistic supportability PASU was granted on 6 July 1982. test ware:

correction of ASMOC acoustic replay deficiencies and that ACPA is not recommended for fleet introduction. ASMOC interoperability was demonstrated to COMOPTEVFOR in Movember-December 1983 and Update III received AFP in January 1986. Update III BUNO 161762. OT-111C testing was conducted from 7-15 September 1984. COMOPTEVFOR concluded that the P-3C Update III is (i) (l) FOTAE of the P-JC Update III commenced in April 1983. Specific objectives of OT-IIA were to: 1) expand tactics Multi-Purpose Displays (MPDs); and 6) conduct FOTAE to verify correction of deficiencies and complete testing of partially resolved intoroperability with LAMPS and MTDS; 4) verify suitability of the Mean Time to Repair (MTTR) for Digital Magnetic Tape Set (DMTS) Specific recommendations included: 1) do not approve ACPA for fleet introduction but continue devetopment; 2) correct SASP freeze problems; 3) correct acoustic recording replay deficiencies; 4) correct STP deficiencies; 5) improve reliability of sensor station operational issues. OT-IIIB of the P-3C Update III was conducted from 21 June to 6 September 1984 using the first production P-3C ercept for ACPA. The findings supported a recommendation for one additional year of continued limited production except for ACPA. development with emphasis on the use of SASP and ACPA; 2) verify correction of deficiencies identified during OT-IIC; 3) verify The COMOPTEVFOR evaluation report published in operationally effective and potentially operationally suitable; that it not be approved for full fleet introduction until after February 1984 concluded the P-3C Update III is operationally effective, except for ACPA and potentially operationally suitable, and AISG; and 5) verify the capability to modify the System Test Program (STP).

UNCLASSIFIED

(1) (1) Auk-7 Broadland was put in deficiency status in June 1986 by Connopievene.

Ji nigg to be Accomplished in Future: Update III offer efforts will include 14.6.1 OPEVAL and fleet release in the

(j) COMINPTEVENR (VX-1) will be conducting Update IV (17-11A testing during the late spring and early summer of FY-89. This testing will follow DT-IIA testing conducted by NADC and DT-IIB testing conducted by NATC. This testing is necessary to obtain ALP of four of 201 P-3 Updale IV avionic systems. CHROPIEVFOR (VX-1] will be conducting OT-IIB testing (OPEVAL) during the Spring of 1989. This testing will precede the decision for full production of the remaining 201 avionic systems.

() Instant of the P-3G Program will commence in FY-90. This testing which provides a recommendation for milestone IIIA (ALP) mill utilize the development prototype test aircraft and evaluate the various modifications incorporated into the P-3G design. OPEVAL mill commence in FY-91 upon delivery of the first production P-3G aircraft with the Update IV mission avionics package. Subsequently, follow on NTEE will be conducted on the second lot of production P-3G aircraft.

### ( Current ILE Activity (Past 12 Honths): ٦.

Remarks				
Actual Date	May 86-Jun 86	Oct 86-Present	Jul 86-0ct 86	Jul 86-Oct 86
Planned Date	May 86-Jul 86	Oct 86-Present	Jul 36-Mov 86	Jul 36-0ct 8n
Event	OPEVAL	TECHEVAL	TECHEVAL	TECHEVAL

# (U Future 166 Activity (Next 12 Nonths)

Nov 86-Feb 87 TECHEVAL OPEVAL

OPEVAL

OPEVAL **77**0

DI/0111A

D1/01118

1111/613/01111

UNCLASSIFIED

# FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 64224N DoD Mission Area: 371 - Self Protection

Title: Airborne Electronic Warfare Engineering Budget Activity: 4-Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
W0617	TOTAL FOR PROGRAM ELEMENT Tactical Airborne Adaptive ECM ALR-67 Upgrades	48,732	30,313	32,010 16,531 15,479	37,384 14,075 23,309	Continuing Continuing 19,678	Continuing Continuing 58,466

As this is a continuing program, the above funding include; cut-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989 only.

- self-protection), and the continual countermeasures upgrade in concert with threat advances, combat losses would reach B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program element provides funds for the engineering development of tactical fixed and rotary wing aircraft electronic warfare systems including radar warning receivers, and countermeasures systems to jam, deceive and warn of existing and advanced threats. Without the development of a countermeasures capability (aircraft unacceptable proportions.
- result of GRH and Department Budget Program Adjustments. In FY 1987 the decrease of 25,660 is the result of Congressional Action and Adjustments and Department Program Budget Adjustments. In FY 1988 the net decrease of 9,791 is the result of NIF Rate and Department Program and Budget Adjustments. In FY 1988 Funds from WO617 which support the development of the ALR-67 Advanced C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the 1987 Descriptive Summary are as follows: The decrease of 7,364 in FY 1986 is the Special Receiver (ASR), +15,479, are transferred to the project W1988, ALR-67 Upgradea.

Program Element: 64224N

Title: Airborne Electronic Warfare Engineering

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY.

roject o.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
	TOTAL FOR PROGRAM ELEMENT	42,072	56,096	55,973	41.801	Continuing	Continuine
40617	Tactical Airborne Adaptive ECM	42,072	56,096	55,973	41,801	Continuing	Continuing

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: Not Applicable.

E. (U) RELATED ACTIVITIES:	radar warning receiver efforts are coordinated by a US Air Force 1983 Memorandum of
rning receiver e	receiver efforts are coordinated with the US Air Force in accordance with an ALR-67/ALR-74 1982
Memorandum of Agreement. The ALQ-162	program has a 1981 Memorandum of Agreement with the US Army. The ALO-149
developed in this program will be integrated	be integrated with the EA-6B ALQ-99 under Program Element 25674N. EW Counter Resnonse. The
APR-39A(V)2 effort is a joint/cooperative progr	APR-39A(V)2 effort is a joint/cooperative program with the U.S. Army. Advanced development efforts for systems in this program
are conducted in Program Element 63206N, Electi	are conducted in Program Element 63206N, Electronic Warfare Advanced Development. There is no unncessary duplication of effort
between this program and others within the Navy or the Department of Defense.	or the Department of Defense.

F. (U) WORK PERFORMED BY: IN HOUSE: Pacific Missile Test Center, Point Magu, CA.; Naval Air Test Center, Patuxent River, MD; Naval Avionics Center, Indianapolis, IN; Naval Weapons Center, China Lake, CA; Naval Research Laboratory, Washington, DC; Naval Ocean Systems Center, San Diego, CA; Naval Air Development Center, Warminster, PA; and Naval Surface Weapons Center, Dahlgren, VA. Contractors: Vorthrop, Rolling Meadows, IL; ITT (Avionics) Nutley, NJ; Applied Technology, Sunnyvale, CA; and Sanders Associates, Nashua, NH.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

(U) Project W0617, Tactical Airborne Adaptive ECM:

This project increases aircrew and aircraft survivability through upgrade to existing and acquisition of new self-protection countermeasures, advanced technology receiver systems and communications countermeasures. countermeasures set, the systems, and Generic ALQ-XXX Fast Electronic Mulling Continuous Error Repeater (FENCER) system to counter Components, equipments, or devices addressed under this project are the ALQ-162(V)1 Description:

58

UNCLASSIFIED

Program Element: 64224N

Title: Airborne Electronic Warfare Engineering

Expendable (GENEX) decoy to counter upgrade to detect

transmitter and exciter replaces the ALQ-92

systems. The Joint Army/Navy APR-39A(V)2 uses a digital processing The ALQ-149 tactical G3 countermeasures receiver and a modified ALQ-99 jammer, which has been remoyed from service in the EA-6B electronic

countermeasures aircraft. This will provide a capability to identify signals in the band. ALQ-149 and jam signals in the band. ALQ-149 and associated ungrade will be software programmable, compatible with other on board avionic systems and The ALQ-149 is in full scale engineering development. counter radar threats in the

# 2. (U) Program Accomplishments and Future Efforts:

### (V) FY 1986 Program:

- \* Continued OTGE on the ALQ-162
- · Completed the ALQ-162(V)1 technical installation verification test in the A-4M.
- Continued ALQ-162 upgrade and modifications
- Continued system requirements definition of
- olectronic countermeasures system.
- \* Tested pulse doppler improvements and transitioned from a firmware to a software reprogrammable capability for the ALQ-162
- Continued testing of improvements to DECM techniques.
- Incorporate firmware/software conversion technique into the ALQ-162.
- Continued ALQ-149 tactical C3 countermeasures system full-scale engineering development.
- Initiated FENCER integration/installation study.
- Terminated the APR-39A(V)1 program. Commenced joint development of APR-39A(V)2 with U.S. Army.

### (U) FY 1987 Program:

. Complete OT&E on the ALQ-162

Program Element: 64224N

Title: Airborne Electronic Warfare Engineering

Continue the full scale engineering development of the ALQ-149 for the EA-6B aircraft.

. Award full scale engineering development contract for the ALR-67A(V)2 ASR.

. Award FSED contract for APR-39A(V)2.

\* Commence full scale enginering development of GENEX expendable jammer.

c. (U) FY 1988 Planned Program:

\* Continue the full scale engineering development of the ALQ-149 for the EA-6B aircraft.

· Continue FSED of the APR-39(V)2.

. Continue PSED of GENEX.

d. (U) FY 1989 Planned Program:

\* Commence DT/OT of the APR-39A(V)2.

· Continue FSED of GENEX

. Complete DI/OI of ALQ-149.

(U) Program to Completion: This is a continuing program. ÷

f. (V) Major Milestones:

MILESTONE

DATE

ALQ-162(V)1 CW Countermeasures Set M/S II FSED M/S IIIA M/S IIIB IOC

FY-79/3Q FY-85/3Q FY-87/3Q

UNCLASSIFIED

Program Element: 64224N

Title: Airborne Electronic Warfare Engineering

ALQ-149 Tactical C<sup>3</sup> Countermeasures System

M/S II FSED

H/S IIIA

M/S IIIB

FY-89/40

FY-91/40

FY-91/40

GENEX

M/S II FSED

H/S IIIA

FY-87/20

FY-87/20

FY-87/20

# (U) Project W1988, ALR-67 Upgrades:

100

(

band for the ALR-67 Advanced Special Receiver (ASR) which is required (A) Description: This project develops common upgrades for the Navy ALR-67 and the Air Force ALR-74 Radar Warning Roceivers (RMR) in accordance with the 1982 Navy/Air Force RWR MOA and the 1985 DOD LW Plan. Specific upgrades are an advanced apability for effective RAR functions in the threat environment of the 1990's. Possible future incorporation of a processor and frequency extension into the will be investigated.

# 2. (U) Program Accomplishments and Puture Efforts:

- a. (U) FY 1986 Program: Not Applicable.
- b. (U) FY 1987 Program: Not Applicable.
- (U) FY 1988 Planned Program: Continue full scale engineering development (FSED) of the ALR-67A(V)2 upgrade.
- d. (U) FY 1989 Planned Program: Complete PSED fabrication of ALR-67A(V)2 upgrade.
- Proceed to approval for limited production in FY 1991 and full production decision (U) Program to Completion: ë in Fr 1992.

UNCLASSIFIED

Program Element: 64224N

Title: Airborne Electronic Warfare Engineering

f. (V) Major Milestones:

Milestone:

Date

ALR-67A(V)2 Advanced Special Receiver M/S II FSED M/S IIIA M/S IIIB IOC

1. (U) IEST AND EVALUATION DATA: Not Applicable.

# FY 1988/89 RDIGE DESCRIPTIVE SUPPLARY

Program Element: 64226H

Dob Hission Area: 371 - Self-Protection

Title: Airborne Self-Protection Jamer

Budget Activity: 4 - Tactical Programs

A. (U) PY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Estimated
	TOTAL FOR PROCRAM ELEMENT	19,769	27,195	16,427	6,324	£8,938	362,750
M0619	Airborne Self-Protection Jamer	7,170	11,279	2,246	0	0	116,820
V1481	Common Development Airborne Self-Protection Jammer	3,452	6,629	o	0	0	51,210
W1482	Support Equipment and Technology Airborne Self-Protection Jamer	8,847	9,287	14,181	5,325	8,308	119,420
¥1.728	Afreraft Integration ASPJ Improvements	0	0	0	666	50,632	74,440

The above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989. U.S. Air Porce funding for ASPJ is reported under Program Element 64737F. B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: The Airborne Self-Protection Jammer (ASPJ), designated AN/ALQ-165, is a joint Navy and Air Force program to develop a defensive electromagnetic countermeasure system for self-protection of tactical aircraft (P/A-18, P-14, A-6, AV-8B, and USAP P-16) to increase their probability of mission success and survivability when confronted by modern diversified radar-controlled weapon systems. The resulting system is to be flexible and compatible with integrated system concepts, capable of installation in existing aircraft, and software reprogrammable to keep pace with the changing threat. Additionally, an ASPJ pod installation is being developed for the AV-8B. The program also includes development of support equipment, alternate technology, and aircraft integration.

1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: In FY 1986, Project W1482 was decreased by 1,069 as a result of CRH and Department budget adjustments. In FY-87 the funding profile was increased by 17,300 to support C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in FY

UNCLASSIFIED

THE PROPERTY OF THE PARTY OF TH

Program Element: 64226N

Tible: Airborne Self-Protection Jammer

4,396 to accompdate program slips and support the F-14D, level of effort, firs-fixed priced integration contract (W0619 increased integration of the ASPJ into the F/A-18, F-14 and AV-8B aircraft (WO619, 5000; W1481, 4000; W1482, 8300). Part of the increase (10,600) was the result of an administrative error. In FY 1988 Department Program and budget adjustments increased net funding by by 2,246; W1482 increased by 11,028; W1728 decreased by 8,978 delaying start of planned improvements to FY 1989).

# (U) PUNDING AS REPLECTED IN THE PY 1987 PRESIDENT'S BUDGET:

							Total
Project		PY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estinate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	36,007	20,796	19,947	12,131	Continuing	ဒိ
MO619	Airborne Self-Protection Jamer	8,704	7,478	6,373	0	0	105,825
	Common Development						
VIABI	Airborne Self-Protection Jamer	5,629	3,382	3,712	0	0	48,302
	Support Equipment and Technology						
W1482	Airhorne Self-Protection Jamer	21,674	9,936	9,862	3,153	5,940	95,743
	Aircraft Integration						
W1728	ASPJ Improvements	0	0	0	8,978	Continuing	Continuing Continuing
	Quantity (Development Test and Evaluation/Operational	181					
	Test and Evaluation)					12 /	12 ASPJ/6 CPMS*

<sup>\* 12</sup> Airborne Self-Protection Jamers (Joint program funded by U. S. Navy and U.S. Air Force) and 6 Comprehensive Power Management Systems (U. S. Air Force unique effort funded by U. S. Air Force).

# . (U) OTHER PY 1988/69 APPROPRIATION FUNDS: Not Applicable

Equipment, Program Element 63206N. The ALR-67 Radar Warning Receiver is being interfaced with the ALQ-165. Air Force funding for ASPJ development is contained in Program Element 64737F. There is no unnecessary duplication of effort between this program and E. (U) RELATED ACTIVITIES: The advanced development model phase of this project was funded under Airborne Electronic Warfare others within the Navy or the Department of Defense.

Pacific Hissile Test Center, Point Mugu, CA; Maval Weapons Center, China Lake, CA; Aeronautical Systems Division, Wright-Patterson Warner-Robins, GA. CONTRACTORS: Prime contractor is the Joint Venture of IIT, Avionics Division, Nutley, NJ, and Westinghouse, F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Research Laboratory, Washington, DC; Naval Air Test Center, Patuxent River, MD; Air Force Base, Dayton, OH; 3246TH Test Wing, Eglin Air Porce Base, Pt Walton Beach, Fl; and Warner-Robins Air Logistics Center,

Program Element: 64226N

Title: Airborne Self-Protection Jammer

Baltimore, MD with the Joint Venture Headquarters in Mutley, NJ; Grumman Aerospace Corporation, Bethpage, Long Island, NY; McDonnell Douglas Corporation, St. Louis, NO; General Dynamics Corporation, Fort Worth, IX.; and Honeywell Inc, Minneapolis, MN.

G. (U) PROJECTS LESS THAM SIO MILLION IN PY 1988/89

(U) Project W0619, Airborne Self-Protection Jamer Common Development:

This project funds the Mavy's share of the joint Mavy/Air Force common development of the Airborne 1. (U) Description: Self-Protection Jamer.

2. (U) Program Accomplishments and Puture Efforts:

( 1

a. (U) PY 1986 Program:

· Completed delivery of ASPJ prototype systems.

criteria for technical selection and effectiveness, threat prioritization, and effective operation in a · Completed ASPJ system specification verification and laboratory threat simulation testing at the Pacific Missile (Laboratory test at PMIC and AFEWES provided excellent results. ASPJ met or exceeded performance realistic multiple threat environment.) Test Center.

· Began laboratory stress testing at contractor facility.

Conducted ASPJ laboratory development testing at the Air Force Electronic Warfare Environmental Simulator.

(U) FY 1987 Program

\* Continue ASPJ optimization laboratory testing at PMIC.

Continue required laboratory testing (environmental, electromagnetic interference, reliability development tests, etc) at Mavy and Air Force field activities and contractor facilities.

(U) FY 1988 Planned Program: j

• Complete funding requirements for the Navy's share of common test and evaluation provisions.

1065

UNCLASSIFIED

Program Element: 64226N

Title: Airborne Self-Protection Jammer

\* Complete common laboratory teating and reliability development tests.

· Begin reliability qualification test.

. (ii) FY 1989 Planned Program: Not applicable.

e. \* (U) Program to Completion: Not applicable.

(U) Project W1728, Airborne Self-Protection Jamer Improvements

The program will investigate certain maturing technologies and electronic countermeasures techniques to detect. ( Description: This project will investigate, develop and incorporate ASPU hardware and software combat capability eserging threat capabilities to the second special processing and other advanced techniques. Block improvements to production improvements. **..** 

ayatems will begin in FY 1992 by government-directed Engineering Change Proposals (ECPs). The funding profile depicts the Navy's share of common USN/USAF improvements.

(U) FY 1986 Program: Not applicable.

b. (U) FY 1987 Program: Not applicable.

c. (U) PY 1988 Planned Program: Not applicable.

(U) FY 1989 Planned Program: ÷

· Contract award and preliminary engineering feasibility studies.

(U) Program to Completion: e.

. Begin major effort for improvement program.

Develop hardware and software improvements.

· Conduct feasibility demonstration.

· Conduct ECP kit verification and validation.

UNCLASSIFIE

Program Element: 64226N

Title: Airborne Self-Protection Jamer

- · In FY 1992, issue ECP-1 to incorporate improvement program changes in production systems.
- Continue software studies and upgrades for future improvements.
- H. (U) PROJECTS OVER S10 MILLION IN PY 1988/89:
- U) Project W1482, Airborne Self-Protection Jammer Aircraft Integration:
- Approval for Pull Production deciaions by the Navy/Air Force System Acquisition Review Council (N/AFSARC). This process is survivability of tactical aircraft and aircrevs and enhance the probability of mission success in a high threat radar controlled which must be successfully completed prior to approval for Production Verification and the Approval for Limited Production and required to provide the fleet with a fully tested, reliable defensive electronic countermeasures suite that will increase the This project supports the integration of the Airborne Self-Protection Jammer (AN/ALQ-165) with Navy tactical aircraft (P/A-18, F-14, A-6, and AV-8B). It also supports the Developmental and Operational Teat and Evaluation programs weapon system environment.
- 2. (U) Program Accomplishments and Puture Efforts:
- a. (U) FY 1986 Program:
- · Completed laboratory and on-sircraft integration of ASPJ with the F/A-18.
- · Continued prototype engineering programs in the A-6, AV-8B and F-14D.
- \* Began ASPJ integration in the A-6 aircraft.
- · Started Developmental Test and Evaluation (DIGE) ground and flight tests in the F/A-18.
- b. (U) FY 1937 Program:
- · Continue ASPJ prototype engineering programs in the F-14D A-6 and AV-8B.
- Complete ASPJ DT&E in the F/A-18.
- . Commence OT&E F/A-1f

UNCLASSIFIED

1067

Program Element: 64226N

Title: Airborne Self-Protection Jammer

- c. (U) FY 1988 Planned Program:
- \* Continue ASPJ prototype engineering in the F-14D, A-6 and AV-83.
- (U) FY 1989 Planned Program:
- \* Complete OTSE F/A-18.
- By that time, ASPJ integration and Development/Operational Test and Evaluation programs in the F/A-18, will have been completed. This program is funded through FY 1991. (U) Program to Completion:

### f. (U) Major Milestones:

푀	Milestones	Date
1.	1. DoD System Acquisition Review Council, DSARC II	July 1979
2.	2. Associate Contractor Agreements	June 1980
6	3. Complete Design Specifications, F/A-18	August 1981
4	4. Commence Aircraft Integration Design, F/A-18	Apr11 1982
5.	5. Commence ASPJ Prototype Deliveries	October 1983
9	6. Commence F/A-18 Aircraft Integration	October 1984
7.	7. Commence F/A-18 Developmental Test and Evaluation	August 1986
80	8. Joint Resources and Management Board (JRMB) Program Review	November 1986
9.	9. Commence Operational Test and Evaluation	July 1987
10.	10. Complete Developmental and Operational Test and Evaluation	February 1990
11.	11. Navy/Air Force JRMB for Production Decision	July 1990

# 1. (U) TEST AND EVALUATION DATA:

Simulator, and technique testing at the Air Force Electronic Warfare Evaluation Simulator demonstrated the system concept and techniques effectiveness against specific threat systems. The Advanced Development Model was not flyable and bears little physical resemblance to the Prototype Model of the Airborne Self-Protection Jammer. Delivery of the first Prototype Model, took 1. Development Test and Evaluation (U) An Advanced Development Model of the Airborne Self-Protection Jammer was assembled by the Naval Research Laboratory. It underwent integration and concept testing in 1975-78. These tests demonstrated the feasibility of the dual-mode power amplifiers, software reprogrammability and Radar Warning Receiver interface operations. Further testing at the Pacific Missile Test Center Tactical Environment Simulator, the Naval Weapons Center Electronic Warfare Threat Environment

1068

Program Element: 64226N

Title: Airborne Self-Protection Jammer

program set testing have commenced. System Integration Laboratory and initial aircraft integration activities were completed in scale development contract includes laboratory and simulation testing and a test, analyze and fix program consisting of 3,000 bours of reliability development testing followed by 1500 hours of reliability qualification testing. Environmental and test August-September 1986. Engineering test flights in the F-16 were completed at Eglin ATB, FL in November 1986. Flight testing in the Naval Air Test Center, Naval Weapon Center, Pacific Missile Test Center, Air Force Electronic Warfare Evaluation Simulator and Delivery of the twelve prototype models to be used for testing was completed in May 1986. Testing to be completed within the full September, 1985 on the Air Force F-16 at General Dynamics, Ft. Worth, TX and in July 1986 on the Navy F/A-18 at McLynnell-Douglas, St. Louis, MO. The prototype models have been installed in the F/A-18 and the F-16 which are the lead airplanes for Development DT laboratory testing in the Air Force Electronic Warfare Evaluation Simulator was successfully completed in June 1986. Jam-to-Signal flight tests in the F/A-18 were flown at the Naval Air Test Center (NATC) in both sircraft will follow at Eglin Air Force Base, FL (F-16) and at the Naval Weapons Center, China Lake, CA (F/A-18). The Joint Service Program Manager is PMA-272. Since this is a Joint Navy/Air Force Systems Command, activities to be used in DT&E include the Air Force Systems Command Armssent Division. Both Navy and Air Force personnel will operate the system. The Navy Operational Rest and Evaluation Force and the Air Force Operational Test and Evaluation Center (AFOTEC) will monitor development testing to place in October 1983. The development contractors are the Joint Venture of ITT, Nutley, NJ, and Westinghouse, Baltimore, MD. eliminate redundant operational tests. rest and Evaluation (DT&E).

environment. Due to flight test range restrictions, including security, maximum use will be made of performance data to correlate test program and minimize delay in the production schedule, early DT&E will be combined with the last phase of DT&E starting in May 1987. Pully dedicated operational Test and Evaluation will begin around July 1987 by AFOTEC and the Navy Operational Test and configurations in the sircraft with respect to the operational capability requirements when employed in an operationally realistic recommendation by Commander, Operational Test and Evaluation Force, regarding Fleet Introduction in the F/A-18 and by AFOTEC Operational Test and Evaluation: (U) The Operational Test and Evaluation Force and the Air Force Operational Test and for Pull Scale Development. They have also monitored contractor and government development testing. In order to accelerate the Evaluation Force. Prototype Models of the Airborne Self-Protection Jammer will be lastalled in the Navy F/A-18 and the Air Force F-16 which are the lead sircraft for both development and operational testing. Operational testing will evaluate the system ability of the Airborne Self-Protection Jammer to respond through software reprogrammability and to interface with radar warning receivers will also be evaluated. Completion of the Operational Evaluation, about February 1988 will provide the basis for a F-14D and A-6 testing will be incorporated as part of the block upgrading of these airframes. Test facilities include the Inctical Environment Simulator at Point Magu, CA, the Electronic Warfare Ihreat Environment Simulator at China Like, CA, the Air Evaluation Center independently reviewed tests on the Advanced Developmental Model, March 1977 - August 1978, which paved the way regarding production for the F-16. Follow-on testing will be conducted to evaluate installation of ASPJ in a pod for the AV-8B. Force Electron.ic Warfare Evaluation Simulator at Fort Worth, TX, and the test ranges at Eglin Air Force Base, FL, and China Lake, filght test performance with an assessment of operational effectiveness, particularly against certain advanced emitters.

690

Program Element: 64226N

Title: Airborne Self-Protection Jammer

- 3. Systems Characteristics: (4,
- a. (b) The following items are to be demonstrated by the developing agency/contractor.

	Verified
Performance	Thresholds T
Frequency Coverage (GHz)	
Threat Capacity, Simultaneous Emitters	yes
Pulse Density (pps)	yes
Output Peak Power	yes
Output Continuous Wave Power	yes
Pulse Duty Cycle	yes
Response Time (seconds)	
Operational Availability	
Mission Reliability	
Maintenance Demand (Mean Flight Hours Between Maintenance Action (Hours))	
Direct Maintenance Manhours/Maintenance Action (Hours)	
Logistics Demand (Mean Flight Hours between repair (Hours)	

- b. (U) The prototype models have been delivered and development testing has commenced.
- 4. Current I&E Activity: (U)

# Test and Evaluation Activity (Past 12 Months)

Renarks	Initial test completed Jun 1986 additional test planned for May 1987.	DT Flight test started in Jan 1987. Ongoing. Ongoing.
Actual Date (Start)	Mar 86	Oct 86 Aug 86 Aug 86
Planned Date (Start)	Dec 85	Oct 85 Mar 86 May 86
Events	APEWES DT LAB TEST	F/A-18/F-16 DT&E A-6 integration F-14 integration

Test and Evaluation Activity (Next 12 Months)

Program Element: 64226N

Events

F/A-18/F-16 OT&E APEMES

Aug 87 Jul 87

Planned Date (Start)

Remarks

Title: Airborne Self-Protection Jammer

Prelicinary operational assessment to support limited production decision

The current TEMP JOB2, dated March 1981, was approved June 1981. A revision to TEMP JOB2 is in coordination and is scheduled for approval March 1987. The current DCP 171-II was approved January 1981. A revision is in coordination and scheduled for approval March 1987.

# PY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 64229M DoD Mission Area: 233 - Anti-Submarine Warfare

Title: Carrier Inner-Zone ASW Helicopter Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
V1810	TOTAL FOR PROCRAM ELEMENT CV 12 ASW Helicopter	11,639	3,975	581 581	° 0	: :	35,295 35,295

The above funding profile includes out-yest escalation and encompasses all work or development phases now planned or anticipated.

Anti-Submarine Warfare (ASW) protection in the inner-zone using manned SH-60F helicopters equipped with an improved AQS-13F dipping sonar. Starting in FY 1989, the SH-60F will replace the existing SH-3H ASW helicopters which are becoming insufficient in number and capability to counter the increasing Soviet submarine threat to the CV battle group. Other missions which the SH-60F will perform are Anti-Air Warfare (Chaff); Command, Control, and Communication; Logistics, Fleet Support Operations (including B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program will provide Carrier (CV) battle groups with quick reaction plane guard, MEDEVAC, and search and rescue); Non-Combat Operations, and Surveillance.

the FY 1987 Descriptive Summery and that shown in this Descriptive Summary are as follows: FY 1987 -4,087 Congressional action (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands). The changes between the funding profile shown in and adjustments; FY 1988, +581 Department budget/program adjustment and NIF rate adjustments.

# (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Total		fon Cost	39,551	39,551
	•	to Completio		
		Estimate	C	0
		Estimate		8,062
	FY 1986	Estimate		12,389
	FY 1985	Actual	19,100	19,100
		Title	TOTAL FOR PROGRAM ELEMENT	Carrier Inner-Zone ASW Helicopter
	Project	No.		W1810

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

1072

Program Element: 642298

UNCLASSIFIED

Title: Carrier Inner-Zone ASW Helicopter

Total Additional Estimated to Completion Cost	2,184,433 3,033,199 81,615 138,526 (132) (175)
FY 1989 Estimate	356,821 24,416 (18)
FY 1988 Estinate	319,434 21,291 (18)
FY 1987 Estimate	144,109 11,204 (7)
FY 1986 Actual	28,402
Title	Aircraft Procurement (SH-60F) Punds APM-1 Punds APM-6 Quantity

E. (J) RELATED ACTIVITIES: Program Element 64206A, UH-60A BLACK HAWK (Utility Tactical Aircraft System), a derivative of which has been selected for the Light Airborne Multi-Purpose System MK III airframe. Program Element 64212N, SH-60B SEAHAWK (LAMPS MK III), the parent aircraft (for airframe and engines) of the SH-60F Carrier Inner-Zone ASW Helicopters. Program Element 64219N, CV Helo Avionica Improvement Program, improves the AQS-13E dipping sonar to the AQS-13F model and will develop the Advanced Light Weight Sonar (ALMS), a Pol replacement of the AQS-13P. Program Element 63610N, Advanced Light Weight Torpedo (MK 50) program, provides the latest ASW weapon for the SH-60F.

Naval Air Development Center, Warminster, PA (Lead Laboratory); Naval Air Test Center and Mayal Aviation Logistics Center, Patuxent River, MD; Naval Weapons Engineering Support Activity, Washington, DC; Naval Air Engineering Center, Lakehurst, NJ; Naval Avionics Center, Indianapolis, IN; Naval Surface Weapons Center, Dahlgren, VA; Naval Training Equipment Center, Orlando, FL; Naval Engineering Support Office, North Island, CA; and Naval Engineering Support Office, Pensacola, FL; CONTRACTORS: Sikorsky Aircraft Division, Stratford, CT (Prime Contractor and Air Vehicle supplier); Allied Corporation, Bendix Oceanics division, Sylmar, CA, Subcontractor for Dipping Sonar, Teledyne Systems Corp., Northridge, Ca., Subcontractor for Avionics Integration. F. (U) WORK PERPONNED BY: IN-HOUSE:

# G. (U) PROJECTS LESS THAN \$10 HILLION IN PY 1988/89

# (U) Project W1810, Carrier Inner-Zone ASW Helicopter:

It will replace the existing SH-3H CV Anti-Submarine Warfare helicopters which are becoming (V) Description: The Carrier Inner-Zone Anti-Submarine Warfare helicopter will be the SH-60F aircraft with the be a derivative of the SH-60B consisting of virtually the same airframe and drive train with a new avionics suite. This avionics suite will consist of communications, navigation, data handling, armament and an improved dipping sonar (AQS-13F), and integrated via a data bus. A contract with Not to Exceed (NTE) prices for Firm Fixed Price (FPP) development and options for 5 lots of FFP insufficient in masher and capability to counter the increasing Soviet submarine threat to the CV battle group. The SH-60F will production was signed 28 February 1985. The total planned production program improved AQS-13F dipping soner.

UNCLASSIFIED

Program Element: 64229N

Title: Carrier Inner-Zone ASW Helicopter

# 2. (U) Program Accomplishments and Future Efforts:

- a. (U) FY 1936 Program
- o Define development.
- " Award Long Lead (LL) contracts for Lots 1 and 2 production (7 aircraft).
- Pinish contractor testing of the Hardware Software Integration Facility (HSIF) basic equipment and begin integration with Naval Avionics Center monitoring.
- P Continue airframe modification of two aircraft on the SH-60B production line to the SH-60F configuration.
- ° Complete engineering development tests on modified YSH-60B.
- b. (U) FY 1987 Program
- \* Define production Lots I and II contract.
- . Award Long Lead (LL) contracts for Lot 3.
- Pinish HSIF integration, complete avionics development and demonstration of HSIF to government.
- ° Complete assembly of two SH-60F aircraft (Lot 1) and conduct contractor flight tests.
- Deliver Lot 1 afroraft and start Navy technical tests.
- c. (U) FY 1988 Planned Program:
- Continue Navy technical tests and perform Operational Evaluation using first and second production aircraft.
- \* Award Lot 3 contract and Long Lead contract for Lot 4.
- Approval for Full Production (AFP) (Milestone III) occurs in FY 1988.
- d. (U) FY 1/89 Planned Program: Not applicable.

UNCLASSIFIED

074

Company of the second of the s

Program Element: 64229N

Title: Carrier Inner-Zone ASW Helicopter

### e. (U) Program to Completion:

- · Complete Navy Technical testing and complete Navy Operational Testing.
- Receive Approval for Full Production, award production contracts, and continue deliveries of production alreraft.
- \* Additional technical and Follow-on Operational Test and Evaluation will be scheduled as required.

### f. (U) Major Milestones:

Ħ	Milestones	Dete
i	Award Production Lots 1 and 2 Long Lead (LL) Contracts	January 1986
2.		March 1987
ж.	Operational Evaluation	December 1987
4	Hilestone III	March 1988
۸.	Award Production Lot 3	April 1988
	and Lot 4 LL Contract	
9	Award Production Lot 4	January 1989
	and Lot 5 LL Contract .	
7.	Initial Operational Capability (IOC)	
80	Award Production Lot 5	January 1990
	and Lot 6 LL Contract	
9.	Award Production Lot 6	January 1991
	and Lot 7 LL Contract	
10.	Award Production Lot 7	January 1992
	and Lot 8 LL Contract	
11.	Award Production Lot 8	January 1993
	Contract	

- H. (U) PROJECT OVER \$10 MILLION IN FY 1988/89: Not applicable.
- I. (U) TEST AND EVALUATION DATA:

Fragras Basset: 643

## J. (U) TEST AND EVALUATION DATA:

- 1. Development Test and Bylamation (DT&E)
- a. (8) Extensive DTME has been completed on the SM-60B air vehicle incident to development of the UM-60A BLACK HAME and the SM-60B SELAME. Naziama utilization will be made of the data obtained during this testing to minimize test requirements in development of the CV Balo. The CV Helo program manager is RML-256.
- b. (W) PT-IIA Apr 1985 Dec 1986. Contractor tests on the SM-60B design. Bench tests ensured that avionics system performance and integration, including the soner, have satisfacterily matured and are ready for incorporation in the SM-60.
- e. (U) M-118 Apr 1985 Feb 1986. Tests by Sikorsky is a modified SH-608 prototype test bed helicopter on the Automatic Flight Omatrol System (AFCS) and AQS-13F sc.r. (This effort is funded under PE64219H and is shown for continuity. The AQS-13F has been restructured into PE64229H). Tests auccessfully completed. Afreraft transferred to MATC Mar 85.
- d. (B) DT-LIC Nur 1986 July 1986. Tests by the Meval Air Test Center and Huval Surface Heapons Center to evaluate the AFCS underly season in the 38-608 tast bed helicopter. AFCS demonstrated several unhuncing characteristics with respect to performing CV innersons ANE mission (MATC Deport No. No-668-86 dated 12 Aug 86). AGS-15 demonstrated enhunced capability for the conduct of innersons ANE (MATC Deport No. No-688-86 dated 29 Aug 86). Continued development was recommended for both systems.
- e. (W) Df-IID Jam 1967 Jum 1967. Tests by Sikorsky in a production 34-60f to evaluate airframe changes, the AQS-13f sonar and avients systems integration and pt.formance.
- (U) DT-IIE July 1967 Jan 1968. Tests by the Mayal Air Test Center to evaluate the ability of the 3M-60F to meet technical
- 6. (U) PT-11F Feb 1966 May 1986. Tasts by the Mayal Air Test Center to satabilsh technical saturity of the SH-60F and to werify servestion of discrepansies discovered in previous testing phases.
- and Survay using two electsft from the third production lot h. (8) FT-III Jam 1990 - Mar 1990. Tests by the Moard of Inspection to eveluate MM-607 especialities and correction of discrepancies.
- 2. Operational Test and Evaluation (OTAE)
- ()) OT-II# Am Sep 1986. Independent tests by Commender, Operational Tast and Evaluation Force (CONOPTEVFOR) of the SM-608
  - indisate CT mais has potential to be operationally affective and aultable. Findings support a recommendation for continued development of the CI Helo.
- Combined tests by CONDFIGUROR and MATAIRTESTICM. using two fully integrated IM-60F helicopters, Organizational level system maintenance will be h. (U) OT-IIB Oot - Bor 1967. performed by the may.
- 4. (V) OT-III Aug Dec 1988. CONCETTIFOR will
- . (U) OT-IV. TED

Progres Beaset: 642798

Title, CV ASM innergone Helicopter

3. (8) Apten Characteristics

. (v) FEE Bresholds.

1,2	Determined to	•
Brre abolds		
8		
Antestor All alsolon But apped CT apotting fact	Persetter  Mage Source  Marine Source  (2/8 - 104)  Marine Jord  Marine Source  M	Paraeter Dapos Mistensos The per Mistensos Atton Capalo Mis
F 18101	Meelon Arten 1832-139	

(1) (8) ABM Comfiguration (eres of 8, 2 MK 50 torpedoes, one external fuel tank, and 8 sonobuoys), 40\$ time in hover į

(2) (8) Ans lavel, tropical day, no wind

(3) (8) AM grees weight and configuration, maximum continuous power

(4) (8) Polded; relative to A-7 airplane

S &

5 3

7

Progres Element: 642294

Title: CV ASV Innersons Helicopter

b: (t) Offic Bresholds

Prestivence

Demosters

The to leans Omedition II Condition III

Motes

Thresholds

Maximum See State Operating Copability Probability of detection, given detectability

Probability of redstastion

Speed of Mysacos (kt.)

Probability of sorrest classification (see or son-see) given detection

Time to ettack after correct classification

Probability of proper weapon placement gives correct eleasification

The to reettack

fromability of proper waspon placement during restract

Time from lawrith to first dip at 50 mm from CV

Time to relocate between dip stations 50 mm apart

Minimum time on station

UNCLASSIFIED

1078

Program Donest:

#### 231140114 9

#### रशास्त्राच

BLEST BRACOFTER STATE

.

Probability of completing a 4 bour stands without a critical or major failure Mean filight hours between critical or

ME-AQS-134 SORAR SPERIETTE Mar fallers

. Probability of completing a 4 hour mission without a critical or major failure Heam flight hours between critical or major failure

Tale Columbility

IL See DELICOPTER SESTIM

2.0 2 Mess time to repeir (sirfress)

4:1 1.0 Hean time to repeir (emples)

then ties to repair (automine) Mess time to repoir (seems)

3.0 km

2

MINISTER

Mirrot minteness medeurs per filebt

.

Detes: General. All offeetiveness probabilities assume an operable aircraft.

1. (8) Condition 1. The aircraft shall be apotted for immediate lawnoh. It shall be basded into the relative wind, with reter blocks agreed, starting opposes plumes blocks agreed, starting opposes, plane captain, and attacked plume bandlers chandlers chandlers because by the aircraft handling officer, at least four tiedowns shall be blocked by the aircraft handling officer, at least four tiedowns shall be adjusted to the aircraft. The flight ever shall be ready for lawnoh in all respects, with all personnel equipment attached and adjusted as in flight. When the air officer passes the word to stand by to lawnoh the Condition I helicopter(s), engines shall be started without further lastrations; boxyver, rotor emphasement and lawnoh shall be positively controlled by FII-FLI.

The same ecaditions apply as for condition I, except that flight ereus shall at and by in the ready 2. (8) Comfitton II.

Progras Clement:

Title: CV ASM Innerzone Helicopter

3. (U) Condition III. Main rotor blades may be folded and the sircraft need not be in position for immediate launch; something or as to allow direct socsas to a suitable launch spot. A towbar shall be attached to the aircraft and a specific LEE, tractor driver, handling orey, and starting orewmen shall be designated and assigned to each helicopter. Sesse personnel must be thoroughly brised so that when the order is given to prepare to launch, the aircraft can be safely and expeditiously moved into position and readied for launch. Flight orews should be brised for launch and be standing by in a designated location.

a, (V) The probability of detection (Md) threshold is stated for a factioni Sonar Mange.

TSR is the predicted range or the MGS-13F sonar based on environmental conditions and target strength. The twent maximum speec of advance (SOA) is 15 kts, and the threat subsarine's maximum appropriate is 15 kts. As ISR changes, the soreen position will be adjusted to maintain the same Pd.

(4) The membedility of redetection thresholds are stated for a submarine 304. relative to datum. as shown in the table.

. These probability of redetection values are for a 120° containment sector from the datum. Time late is measured from the time contact is lost.

6. (U) 3mm lavel, tropical day, ASW configuration, ASW gross weight, transiting at maximum continuous power, no wind.

7. (U) Time-on station does not include transit time to and from CV. 505 of on-station time is spent in no wind hovering operations. Major failure is defined as a failure 8. (U) A critical failure is defined as a failure which causes mission abort. resulting in significant sission degradation.

9. (U) Operational Availybility will be computed as uptime divided by uptime plus domitime.

		Bengrite	- Marchen's Software Integration Facility (MSIF) Beach tests started to verify interfaces, integrate and validate avionics integration. Complete avionics descentration to ensure avionics system and somer are ready for incomporation in the SE-607.	- Contractor Flight Tests completed in modified SH-60B prototype of the Automatic Flight Control System (AFCS) and AQS-13F somer.	- Mayal Air Test Center (MATC) and Mayal Surface Mempons Center (MSMS) evaluate Automatic Flight Control System (AFCS) and AQS-13F soner installed in SH-60B test bed aircreft.	- Independent test by COMPTEMPON of 281-508 test bed aircraft to assess the potential operational effectiveness and potential operational suitability, develop testion, satismes procress end identify operational issues.
	TL Activity (Past 12 Months)	Actual Date	i	j	j	j
TAE Activity.	TL. Lot1	Planned Date	Jes 1986 - Dec 1986	Apr 1985 - Pab 1986	Nar 1966 - Jul 1966	Aug 1986 - 3ep 1980
4. (8) Correct TAE Activity.		Freed	OT-IIA (continued)	M-113	W-11C	07-11A

1080

Title: CV ASW Innerzone Helicopter

Event Pleaned Date Actual Date - Contractor test o	Date - Contractor test on first two production 38-60Fs. Evaluate AFCS, AQS-13F somer and mission avionics
Jen 1967 - Jun 1967	- Contractor test on first two production 38-60Fs. Evaluate AFCS, AQS-13F somer and mission autonios
	system integration and performance.
FT-IIE/ Jul 1967 - Jem 1968 - Combined MATC/VII- Of-IIS technical and opt	- Combined MATC/VI-1 tests on first two production IN-60Fs to evaluate the ability of IN-60F to meet textunion and operational thresholds.
OT-IIC Nov 1967 - Den 1967	- SE-607 OPETAL

<sup>(8)</sup> Program Documentation. CV Immerson ASM Helicopter Test and Evaluation Master Plan (TEMP) No. 945 approved 13 February 1985. Currently being reviewed for update. ×:

<sup>(</sup>B) CV Helo Acquisition Strategy Paper No. ANF-01-1-30 approved by Chief of Maval Material on 27 Aug 1984. Being updated to an acquisition plan currently in review.

## FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 64252N DoD Mission Area: 225 - Air Warfare Support

Title: Aircraft Propulsion (Engineering)
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
41731	TOTAL FOR PROCRAM ELEMENT T56/M71 Engine Improvement	995,44	23,975	289	1,999	3,525*	107,448
	Program	77,566	23,975	289	1,999	3,525*	107,448

\*Navy reprograming action in process.

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through 1989.

- engine capable of meeting the mafety and operational needs of the E-2C aircraft. Without an increase in power and a reduction in fuel consumption, the planner increases in aircraft gross weight will have a significant impact on the operational capabilities of Improvements through adaptation of new technologies to existing engine design, and (2) for the development and qualification of such improvements to answer new operational requirements. The current TS6 project is a full scale development and qualification B. (U) BRIEF DESCRIPTION ()F V. CHENT AND MISSION NEED: This program supports the development of a derivative T56 turbo-propeller the E-2C community. The program provides for: (1) limited development and demonstration of potential aircraft engine performance program structured to meet present and future aircraft needs.
- of Congressional action and adjustments. The 1,999 in FY 1989 is required to complete the Operational Evaluation (OPEVAL) of the engine/airframe integration, and is within the Secretary of the Navy directed program ceiling. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: in FY 1987, a decrease of 3,525 is the result

Program Element: 64252N

Title: AIRCRAFT PROPULSION ENCINERRING

(U) FUNDING AS REPLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

Total 7 FY 1988 Additional Estimated te Estimate to Completion Cost	300 0	00 300 0 107,850
FY 1987 Estimate		27,500
FY 1986 Estimate	44,566	44,566
FY 1985 Actual	23,774	23,774
Title		156/M71 Engine Improvement Program
Project No.		W1731

- D. (U) OTHER FY 1968/89 APPROPRIATION FUNDS: Not Applicable.
- (U) RELATED ACTIVITIES: Supplementary technology is provided by Program Element 63210N, Advanced Aircraft Propulsion Systems.
- F. (U) WORK PERFORMED BY: CONTRACTORS: Allfron Gas Turbine Division, Indianapolis, IN.; Grumman Aerospace Corporation, Bethpage, N.Y.; Hamilton Standard Corporation, Windsor Locks, CT.; IN HOUSE: Naval Air Systems Command, Washington, D.C.; Naval Air Propulsion Center, Trenton, N.J.; Naval Air Test Center, Patuxent River, MD.
- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:
- (U) Project W1731, T56/M71 Engine Improvement Program:
- necessitate the need for more power throughout the E-2C's mission profile and a decrease in specific fuel consumption. These requirements must be met in order to maintain existing endurance and altitude profiles as well as a safety margin when operating in a single engine configuration, hot day environment, at take-off conditions. The improved T56/M71 engine (Navy designation (U) Description: E-2C airframe and avionics improvements, and the corresponding increase in aircraft gross weight, TS6-A-427) will satisfy all present and future E-2C requirements for performance, fuel economy, and altitude capability.
- 2. (U) Program Accomplishments and Future Efforts:
- a. (U) FY 1986 Program
- 3240 engine test hours completed. Fixed price letter contract definitized in June; full scale development continued.
- Development engines installed for ground testing.

UNCLASSIFIED

THE RESERVE THE PARTY OF THE PA

Program Element: 64252N

Title: AIRCRAFT PROPULSION ENGINEERING

Plight testing commenced in April.

Completed required Navy DI and OI to support initial request for Approval for Limited Production.

Approved engine for limited production (2 installs, 2 spares).

b. (U) FY 1987 Program

° Complete production release endurance testing.

Refurbish flight test engines to production configuration.

**\** ,)

 Conduct required Navy Development DT and OT Operational testing to support request for Approval for Limited Production.

\* Commence Navy Technical Evaluation at the Naval Air Test Center. Verify flight envelope, evaluate flying qualities and performance, demonstrate shore based carrier suitability.

Approve engine for limited production (12 installs, 1 spare, 1 trainer).

\* Complete full scale engine accelerated mission endurance qualification testing and corrosion testing.

· Commence delivery of limited production engines.

c. (U) FY 1988 Planned Program:

° Complete Navy Technical Evaluation.

Deliver first production aircraft.

° Conduct EMC, EMV and EMI testing.

Demonstrate ship board carrier suitability.

° Correct revealed deficiencies.

° Conduct 10-20 flight hours of full envelope flight tests.

Program Element: 64252N

Title: AIRCRAFT PROPULSION ENGINEERING

## d. (U) FY 1989 Planned Program:

- Conduct 50 Catapults and Arrestments with production engines.
- · Commence Operational Evaluation (OPEVAL).
- Conduct 6 months of operations with 300 to 450 flight hours ashore and afloat.
- \* Approve Engine for Full Production.
- . (U) Program to Completion:
- . Complete final phase flight testing.
- · Correct revealed deficiencies.
- a Transfer engine monitoring to Program Element 64268N, Aircraft Engine Component Improvement Program.

### f. (U) Major Milestones:

August 1984	November 1985	April 1986	May-June 1987		June 1987	March-June 1988	Jan-July 1989	September 1989
(1) Letter Contract Awarded	(2) Preliminary Flight Rating Test	(3) Definitized Contract	(4) TECHEVAL (Phase 1)	(5) Commence Limited Production	Engine Deliveries	(6) TECHEVAL (Phase II)	(7) OPEVAL	(8) Approved for Full Production
3	3	3	3	(2)		9	3	(8)

H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89: Not Applicable.

I. (U) TEST AND EVALUATION DATA: Not Applicable.

## UNCLASSIFIED

## FY 1988/89 RDTGE DESCRIPTIVE SUMMARY

Frogram Element: 64255N

DoD Hission Area: 454 Other Test And Evaluation Support Budg

Title: Electronic Warfare Simulator Development Budget Activity: 4-Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	<u>Títle</u>	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
19200	TOTAL POR PROGRAM ELEMENT	34,705	37,981	41,103	43,401	Continuing	Continuing Continuing
7000	SIMULATION (ECHO)	24,156	24,799	27,065	29,642	Continuing	Continuing Continuing
7/907	Electronic Warfare	7,732	7,853	9,010	10,036	Continuing	Continuing Continuing
W1778	Closed Loop Test Capability	2,817	5,329	5,028	3,723	0	26,756

The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

more realistic operational test and evaluation of Electronic Warfare (EW) warning, defense, and countermeasures systems in China Lake, CA and EW system component test and evaluation at the Tactical Environment Simulation (TES) Laboratory at the Pacific test and evaluation of surface ship EW systems through development of anti-ship capable missile threat and associated targeting (U) BRIEF DESCRIPTION OF ELFMENT AND MISSION NEED: This program consolidates the design, fabrication and integration of naval threat radar simulators in one program element for increased managerial emphasis and coordination. These efforts will provide for These developments support flight range test and evaluation of airborne EW systems at the Electronic Warfare Threat Environment Simulation complex at the Naval Weapons Center, Missile Test Center, Pt. Mugu, CA. They also provide secure, high quality test and evaluation of EW systems' critical aircraft installation effects through closed loop radar simulations at the Naval Air Test Center, Patuxent River, MD. The program supports platform simulators and other EW systems effectiveness evaluations in the Effectiveness of Navy Electronic Warfare Systems accordance with General Accounting Office and Congressional recommendations.

(Dollars in Thousands) In FY 1986, Project W0602 was increased 631 to program and budget adjustments. Project X0672 was decreased in FY 1987 by 4,406 by Congressional action and adjustments and support a strike electronic warfare digital simulation risk reduction; in FY 1987 W0602 was reduced by 9047 due to Congressional action and adjustments and Department program/budget adjustments; in FY 1988 a decrease by 8,598 is the result of Department Department budget/program adjustments; and in FY 1988 by 7,753 by Department budget/program adjustments. Project W1778 was decreased 740 in FY 1986 due to GRH and Department budget adjustment, and 671 in FY 1988 by Department program/budget adjustments (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: and MIF rate adjustment.

Program Element: 64255N

Title: Electronic Warfare Simulator Development

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUMMARY:

							Total
Project		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROCRAM ELEMENT	22,148	35,260	51,896	58,125	Continuing	Continuing
M0602	Electronic Warfare						
	Environment Simulation	10,342	23,525	33,846	35,663	Continuing	Continuing
X0672	Effectiveness of Mavy Electronic					٠	
	Warfare Systems (EMEWS)	7,906	8,178	12,259	16,763	Continuing	Continuing
W1778	Closed Loop Test Capability	3,900	3,557	5,791	5,699	607,4	29,115
							2

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS: None

Sisulators (EXCOM) and the Joint Coordinating Committee on Electronic Defense Systems. Support is provided to Program Element Element 64573N (Shipboard Electronic Warfare Improvements). Specialized support is provided for development testing of new and/or coordinated through the OSD sponsored Tri-Service CROSSBOW-S Committee, the Joint Executive Committee on Air Defense Threat 64208 (Training Range Instrumentation and Systems Development), Program Element 24575N (Electronic Warfare Support), and Program improved systems modifications, for Fleet exercises/training and the Navy training community. There is no duplication of effort Related Air Force and Army efforts are (U) RELATED ACTIVITIES: All Services use the facilities supported by this program. between this program and others within the Navy or the Department of Defense. F. (U) WORK IZRFORMED BY: (Project W0602) In-House: Naval Weapons Center, China Lake, CA (lead laboratory) and Pacific Missile Test Center, Point Mugu, CA. CONTRACTORS: RCA, Moorestown, NJ; Electronic Warfare Associates, Ridgecrest, CA; General Dynamics, Pomena, CA; ECAC, Ridgecrest, CA; Hughes, Pullerton, CA; and General Dynamics, Fort Worth, TX; Ford Aerospace. (Project W1778) Moorestown, NJ; and Georgia Institute of Technology, Atlanta, GA; (Project X0672) In-House: Space and Naval Warfare Systems Commend, Washington, DC; Naval Research Laboratory, Washington, DC (lead laboratory); Naval Sea Systems Command, Washington, DC; Mayal Electronic Systems Engineering Center, Portsmouth, VA; Naval Surface Weapons Center, Dahlgren, VA; Naval Avionics Center, In-House: Naval Air Test Center, Patuxent River, MD, (lead laboratory); Naval Weapons Center, China Lake, CA. CONTRACTORS: Indianapolis, IN; CONTRACTORS: Raytheon Corporation, Bedford, MA; Control Data Corporation, Arlington, VA; Westinghouse,

Program Element: 64255N

Title: Electronic Warfare Simulator Development

Inc., Baitimore, MD; Lockheed Aircraft Company, Burbank, CA; Digital Equipment Corporation, Nashua, NH; QUEST, Inc., McLean, VA; Locus, Inc., State College, PA; Applied Physics Laboratory, Laurel, MD.

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

(U) Project W1778, Closed Loop Test Capability:

system in a tightly controlled scenario, mutual interference between the jamer and the rest of the wespons system can be readily fiight hours, elimination of uncontrolled variables in testing, and greater security for developing and testing sensitive jaming radar simulation capability to determine the effectiveness of EW and electronic countermeasures (ECM) systems installed in host This capability will enable the test and evaluation of tactical aircraft EW equipments against simulated hostile naval missile systems and will be coordinated with the EW Integrated Systems Test Laboratory at the Naval Air Test Center. System development requirements are coordinated through the Navy tri-center (Naval reduction and increased test effectiveness. Major improvements in the capabilities to be achieved are a reduction of aircraft (C) Description: This project improves fleet tactical sircraft survivability by providing a secure, closed-loop weapons systems environments in a secure anechoic chamber large enough for tactical aircraft. By operating a complete weapons determined and degradation as a result of integration inadequacies can be assessed. Primary simulation will be provided by the Air Test Center/Pacific Missile Test Center/Naval Weapons Center) simulator development concept for complementary support, cost CROSSBOW-S Generic Radar which will simulate equipment and techniques.

2. (U) Program Accomplishments and Puture Efforts:

a. (\*) FY 1986 Program

\* Continued closed loop test capability development.

. Began missile simulation development and scenario control.

b. (U) FY 1987 Program:

Continue missile simulation development and scenario control.

closed loop test simulator. Continue installation support, software integration of

. Begin development of Radio Frequency (RF) Background Generator.

880

Program Element: 64255N

Title: Electronic Warfare Simulator Development

- c. (U) FY 1988 Planned Program:
- \* Begin development of Radio Frequency (RF) Background Generator.
- Participate in modification efforts for the CROSSBOW-S Generic Radar.
- Complete initial missile simulation development
- Complete frequency simulation and scenario control.
- d. (U) FY 1989 Planned Program:
- \* Complete development, fabrication and installation of:
- missile system emulator
- CROSSBOW-S Generic Radar modification
- RF Background Generator,
- e. (U) Program to Completion: Not applicable.
- (U) PROJECTS OVER \$10 HILLION IN FY 1988/89: H.
- (U) Project WO692, Electronic Warfare Environment Simu'ation (ECHO)
- This effort is required by and interfaces with HARM, ALR-67, ALQ-126B, ALQ-162, ALQ-165, EA-6B Advanced Capability (ADVCAP), Integrated Defensive Avionics Program (IDAP), expendable jammers and decoys as well as other EW systems which achieve Simulation (ECHO) range at NWC, China Lake, CA and associated laboratory test equipment for EW component test at the Tactical Environment Similation (TES) Laboratory at the Pacific Hissile Test Center (PMTC), Point Mugu, CA. INADS upgrades will provide a integrated networks and associated platform gun Specific 1. (W) Description: Project W0602 provides for the development of the Integrated Naval Air Defense Simulation (INADS) complex for flight test and evaluation of airborne EW equipment and tactics development at the Electronic Warfare Environment realistic navel threat environment representing

Initial operational capability (IOC) through 1995. System development requirements are coordinated through the Navy tri-center (NAIC, PMIC, NAC) similator development concept for mutual support, cost reduction and increased test effectiveness.

UNCLASSIFIED

これにおかれる 古本は 大きないのできない

Program Element: 64255H

Title: Electronic Warfare Simulator Development

components to be developed include the CROSSBOW-S Generic Radar

## 2. (U) Program Accomplishments and Puture Efforts:

#### a. (V) FY-1986 Program:

Continued development of semi-active/Track Via Missile (TVM) test system including search, track and guidance radar simulation at the Pacific Missile Test Center.

\* Initiated procurement for Flycatcher

Tadar

\* Incorporated

'modification into CROSSBOW-S Generic Radar.

#### b. 'U FY-1987 Program:

. Complete Flycatcher procurement.

Commence development of two early warning acquisition radar simulators.

Commence development of

integrated networks and associated gun systems.

## c. W FY-1988 Planned Program:

Complete semi-active/TVM test system and CROSSBOW-S Ceneric Radar modification.

\* Continue development of

acquisition and command, control and communication simulators.

· Complete Flycatcher integration into range.

### d. (U) FY-1989 Planned Program:

Complete development of two early warning acquisition radar simulators.

Program Element: 64255N

Title: Electronic Warfare Simulator Development

io.

- \* Commence development of Second Crossbow-Generic Radar.
- . Commence development of J-Band Emitter Simulstor.
- Commence development of E-Band early warning acquisition radar simulator.
- · Commence development of Threat Jamer Emitter Simulators.
- e. (U) Program to Completion: This is a continuing program.
- f. (U) Major Milestones: Not applicable.
- (U) Project X0672, Effectiveness of Navy Electronic Warfare Systems (ENEWS):
- accomplished through the development of flyable instrumented simulators representative of anti-ship missile threats, laboratory simulation facilities utilizing hardware seekers in anechoic chambers in connection with computers to simulate threst missile This project provides a capsbility for the Navy to evaluate the effectiveness of shipbosrd flight profiles and their response to electronic countermeasures techniques, and large scale tactical engagement computer stanistion capabilities. This project provides coat effective teating capabilities and intelligence updates to evaluate tactical This capability is electronic warfare systems to counter anti-ship missile threats and associated targeting platforms. response to rapidly improving anti-ship missile threats. 1. (U) Description:

## 2. (J) Program Accomplishments and Future Efforts:

#### a. C. FY 1986 Program:

- · Completed development of interactive scenario generator.
- Continued development of

Weapon System and

sissile simulators.

- Completed acceptance testing and achieved initial operational capability of simulator.
- Commenced development of IR Seeker simulator.

1091

大小ない事がないか

Program Element: 64255N

Title: Electronic Warfare Simulator Development

#### b. (w) FY 1987 Program:

- Contimue digital systems integration with Coordinated Electronic Warfare Simulation Laboratory.

· Maintain existing simulation assets.

- Perform intelligence updates.

- Commence development of missile simulator.

- Complete development of automatic television tracking system and electronic support measures referee receiver system for use aboard the EP-3B flying laboratory during IECHEVALs and OPEVALs.

- Continue developments.

System, and

wissile simulator

- Continue development of IR Seeker simulator.

### c. (V) FY 1988 Planned Program:

- Incorporate decoy/electronic countermeasures module and inner defense zone model into scenario generator.

- Commence development of electronic warfare systems performance monitor capability.

- Continue digital systems integration with Coordinated Electronic Warfare Laboratory.

- Maintain existing simulation assets.

- Perform intelligence updates

- Continue

developments.

missile

simulator

LINCLASSI

1092

Program Element: 64255N

Title: Electronic Warfare Simulator Development

- Continue IR Seeker and RP/IR hybrid simulator devalopments.

## d. (U) FY 1989 Planned Program:

- Continue development of electronic warfare systems performance monitor capability.
- Continue digital systems integration with Coordinated Electronic Warfare Laboratory.
- Maintain existing simulation assets.
- Perform intelligence updates.
- Continue

missile

simulator developments.

- Continue IR Seeker and RF/IR hybrid simulator developments.

d. (U) Program to Completion: Inis is a continuing program.

e. (U) Milestones: Not applicable.

I. (U) Test and Evaluation Deta: Not applicable.

MC ASSERT

## PY 1988/89 RDT&E DESCRIPTIVE SUPPLARY

Program Element: 64260M DoD Hission Area: 265 - Intra-theater Airlift

Title: C/MH-53E Nudget Activity: 4 - Tactical Programs

A. (U) FY 1988/69 RESOUNCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	€ ₹	7 1986 ctual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
	TOTAL POR PROGRAM ELEMENT		1.946	1.563	20,124	9,228	45.413	
M0901	Helicopter Night Vision System		*	*	4,803	0	0	58,413
W1109	C/MH-53		1,946	1,563	15,321	9,228	45,413	

\* Project W0901 funded in PE 64213N in FY 1986/87. The above funding profile includes out-year escalation and encompasses all work or development phases now planned or anticipated through FY 1989.

# B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED

of reduced visibility. This program also supports MH-53E development, a helicopter needed by the Navy to fill a major deficiency in our ability to counter the Soviet Block mine warfare capability. The MH-53E will have a maximum tow tension capacity double reliability and maintainability. It will provide unlimited spar crack propagation, unlimited fatigue life, increased aircraft mean time between aborts, and increased ballistic tolerance. Additionally, efforts begin on the T64-GE-416 engine enhancement. This upgrade will provide the MH-53E with the capability to hover out of ground effect in a one engine out emergency situation at port and the Mavy MH-53E minesweeping helicopters. The present Marine and Navy helicopters' ability to perform amphibious warfare and tactical minesweeping operations is severely restricted by the lack of night/low visibility capability. This project will allow transport and minesweeping helicopters to operate at low altitude and at nuar daylight airspeeds at night and during periods cantly more effective mine countermeasures aircraft. The HH-53E will also have an enhanced utility mission capability as well as a Might Vision System which will incorporate the U.S. Army developed Pilot Night Vision System (PNVS). Development of a composite main rotor blade (CMRB) for both the CH and MH-53: begins in FY 1987. A CMRB will greatly enhance CH/MH-53E safety, survivability, (U) The Helicopter Might Vision System (HNVS) provides an infrared night vision system for the Marine Corps CH-53E transthat of the deployed RH-53D, and 30 to 50 percent increased on-station time. There attributes will make the MH-53E a signifimission gross weights for two minutes and then fly for one hour to effect a safe landing. This effort will correct an OPEVAL

Progres Element: 64260N

C. (U) CONFARISON WITH FY 1967 DESCRIPTIVE SUPERARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1967 Descriptive Summary and that shown in this Descriptive Summary are: Project W1109, in FY 1986, increase of 928 for Department Budget adjustment and decreases of 119 for GRH adjustment and 40 for Department Program/Budget adjustment. In FY 1987, decreases of 48 for Congressional adjustment and 1,853 for Congressional action. In FY 1988, increase of 7,000 for Department Budget adjustment and decreases of 413 for Department Program/Budget adjustment, 15 for Department Program adjustment. Project 10901 added to this Program element in FY 1988.

Title: C/MH-53E

# (U) FUNDING AS REPLECTED IN THE PY 1967 DESCRIPTIVE SUPPLIY:

						Total
Project No	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Estimated
	15,043	1,177	3,464	8,749	41,100	141,433
D. (U) OTHER FY 1968/89 APPROPRIATION FUNDS:	a					Total
	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Estimated
Aircraft Procurement, Navy (AIGK/CL) quentity	247,445	219,934	240,047	211,442	188,838	TRD
MILCON (PE 24696N)	0	0	3.1	0		3.1

employed in night vision systems; Army Advanced Attack Helicopter Program, Program Element 64207A, provided the Pilot Night Vision E. (U) RELATED ACTIVITIES: DOD Common Module Forward Looking Infrared, Program Element 63710A, developed the leading technology System and infrared sensors for a classified program which is incorporated into the CH/HH-53E Helicopter Night Vision System. Program Element 23744A is providing preproduction program improvement for the PNVS.

F. (U) WORK PERFORMED BY: IN-HOUSE: Mavel Air Icst Center, Patument River, HD; Naval Coastal Systems Center, Panama City, FL; Operational Test and Evaluation Force, Morfolk, VA: CONTRACTORS: CH/HH-53E, Sikorsky Aircraft Division of United Technologies Corporation, Stratford, CI; Indiana Gearworks, Indianapolis, IN; OZONE, Ozone Park, NY; FENN, Newington, CI; Weiman Gordon, Worchester, MA. HIVS: Sikorsky Aircraft Division of United Technologies, Stratford CI; Martin Marietta, Orlando, FL; Sperry Corporation, Albuquerque, NK; Mark IV/PCD Corporation, Handen, CT; Northrop Corporation, Anaheim, CA; Honeywell Inc., Mismespolis, HM; Bughes Optical Products, Inc., Chicago, IL; Varian, Palo Aitc, CA; III Corp., Rosnoke, VA.

三人のと とのころ

Program Element: 64260N

Title: CH/MH-53E

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:

(U) Project WO901, Helo Night Vision System (HNVS):

(U) Description: The primary goal of the HNVS effort is to improve fleet capability through the use of existing IR The effort is directed primarily towards needs in amphibious and mine warfare areas. Specific deficiencies being Requirement. The threat being addressed is enemy night warfare; major improvements in capability to be achieved are to provide a an interface electronics unit and control unit which are necessary to integrate the AN/AAQ-11 Pilot Night Vision Sensor (PNVS) into the C/MH-53E. HNVS integration will provide up to a 90% improvement in helicopter night/all weather tactical capability for low altitude flights to avoid detection and ground-to-air weapons, and will enhance transport, assault, VOD and mine sweeping oper-ations during periods of reduced visibility. The Army developed AH-64 AN/AAQ-11 is the only off-the-shelf infrared sensor in production which is suitable for the H-53 application and is being procured in accordance with Congressional guidance to use only addressed include an enhanced capability to operate low-level at night or in reduced visibility as identified in a 1977 Operational night and low visibility capability that does not presently exist. Specific components to be developed under this effort include existing systems. This effort interfaces with AN/AVS-6 Aviator's Night Vision Goggles which became operational in 1986.

2. (U) Program Accomplishments and Future Efforts: (From PE 64213N FY 1986 and FY 1987)

(U) FY 1986 Program: Under a Basic Ordering Agreement with Sikorsky Aircraft Company initial system design and integration studies were conducted to determine the modifications required to install the HNVS into the CH-53E.

Conducted Human Engineering, installation design/configuration and preliminary logistics support analysis.

o Awarded the CH-53E HNVS FSED contract to prime contractor (Sikorsky) in June 1986. Prime will award subcontractor efforts to integrate HNVS.

b. (U) FY 1987 Program

o Complete aircraft modification detail design.

o Complete component fabrication and assembly.

c. (U) FY 1988 Planned Program

o Complete aircraft modification and installation of HNVS in CH-53E.

o Complete contractor ground and flight testing.

UNCLASSIFIED

1096

小人 建八十四年十二

Program Element: 64260N

CH/MH · 53E Title:

- o Validate integrated logistics support (ILS) concept.
- Due to program restructure requirement identified after Navy Budget submission. (U) FY 1989 Planned Program:
- o Complete Navy TECHEVAL and OPEVAL.
- (U) Program to Completion:
- o Approval for Full Production (AFP) will be requested for HNVS installation.
- o Follow-on test and evaluation (FOTGE) will be conducted to fully evaluate HNVS for MH-53E missions.

## H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:

### (U) Project W1109, CH/MH-53E:

will greatly enhance CH/MH-53E safety, survivisbility, reliability and maintainability. It will provide unlimited spar crack propagation time, unlimited fatigue life, increased aircraft mean time between aborts, and increased ballistic tolerance. Additionally, efforts begin on development of the T64-GE-416 engine enhancement. This upgrade will provide the MH-53E the capability to hover out of ground effect in a one-engine-out emergency situation at mission gross weights for two minutes and then fly for one hour to effect a safe landing. This effort corrects an OPEVAL deficiency. It will be able to clear mine fields more quickly and effectively for longer periods of time due to its ability to tow the heavier but more effective mine countermeasures equipment now under development. These new mine countermeasures systems cannot be fully employed by the RH-53D and are required to effectively counter Soviet mines. AMCM development completed in FY 1986. The MH-53E will also have an enhanced utility and special mission capsbility as well as a Night Vision System which will incorporate the U.S. Army developed Pilot Night Vislon System (PNVS). Beginning in FY 1987, a composite main rotor blade (CMRB) will be developed which The MH-53E will have significantly enhanced AMCM capability over the presently employed RH-53D. 1. (U) Description:

## 2. (U) Program Accomplishments and Future Efforts:

- Navy Technical Evaluation (U) FY 1986 Program: Completed development of MH-53E helicopter mission systems. (DT-IID) and OPEVAL (OT-IIB) have been completed.
- o Approval for Limited Production (ALP) decision for Four MH-53E helicopters was obtained.

1097

1000

Program Element: 64260N

Title: CH/MH-53E

b. (U) FY 1987 Program:

..

o Night Vision System Integration

o Award contract for GE-T64 engine enhancement.

o Develop specification for Composite Main Rotor Blade (CMRB).

#. (U) FY 1988 Planned Program:

o Award competitive contract for CMRB.

o Preliminary fabrication and test of CMRB.

o Commence engine and engine/airframe interface testing.

d. (U) FY 1989 Planned Program:

o Prototype design and preliminary testing of CMRB.

(U) Program to Completion: Conduct qualification program; Navy IECHEVAL and OPEVAL of CMRB.

f. (U) Major Milestones:

Milestone

1. Contract Award for GRB

2. Contract Award for T64-GE-416 Engine Enhancement FY 1988

3. TECHEVAL/OPEVAL for T64-GE-416 Engine FY 1990

4. TECHEVAL/OPEVAL for GRB

I. (U) TEST AND EVALUATION DATA:

UNCLASSIFIED

1098

#### Test, and Eveluation Date

## A. Development feat and Evaluation (DTSE)

is The CH-53E and MH-53E attoraft are managed by the Maval Air Systems Commend (PMA-261). The CH-53E is en aseven versus at main retor blades, an uprated main transmission, and a greater maximum gross weight and payload capability. Maximum payload is it tons for the CH-53E vice Bindes, an uprated main transmission, and a greater maximum gross weight and payload capability. Maximum payload is the control of the CH-53E vice Bindes and a sincered for the principle outstender all successful distinct to the CH-53E vice Bindes of the Ch-53E received Approval for Service Use (ASU) in April 1982 and is currently in the control by both Marine Corps and Mavy Fleet Units. A variant of the H-53E is currently in production for use as a minnesseeness afteraft. The revised already, the control system, a more rugged tail rotor, a modified rear ramp, a tow boom ond other provisions required for the asset can be the CH-53E.

2. The Development Test and Evaluation (DTAE) program for the CH-53R was segmented into three distinct phasses tests of eprototype airoraft, tests of preproduction articles and tests of initial production articles. Extensive contractor and Navy testains are performed in each of the developmental phases. Testing included Navy Praliatisary Evaluations (NPEs) performed on prototype and preproduction airoraft, detailed Naval Technical Evaluations (NTEs/IECHIVAL) also performed on prototype and preproduction airoraft and Navy Board of Inspection and Survey (NIS) Trials performed on both preproduction and initial production airoraft. The final phase of NIS testing was completed in December 1982 with no major discrepancies noted.

3. Initial contractor testing of the MH configured M-53E started September 1983. Three phases of Mayy DIAE was aucosarfully completed in July 1984. The testing was conducted to sesses the MH-53E readinese for limited production. An Approval for Limited Production decision (Milescone IIIA) was sobiaved in March 1985. The second sphese of Mayy testing (TECHRAL) started in June 1985 and completed in November 1985, leading to the milestone IIIA production decision and sweeper 1986. An additional third phase of testing will be procured, under the direction/monitoring of the Mayy Board of Inspection and Survey (BIS) on two production alreaft to ensure that the production systems operate properly, to verify that corrections for defiatencies noted during TECHEVAL/OPEVAL ere properly implemented in production electronic and to validate men/revised production support equipment and repair procedures.

## . Operational Test and Evaluation (OTAE)

1. Commander Operational Test and Evaluation Force (COMOPTEVPOR) actively participated in all phases of the CH-53E devalopment progrem for the purpose of determining military utility, operational effectiveness and operational suitability of the effects. COMOPTEVPOR representatives closely monitored contractor tests and evaluation and participated i' Navy program technical reviews and DT&E. Two phases of operational testing were conducted on prototype and preproduction articles prior to

UNCLASSIFIED

THE RESERVE THE PARTY OF THE PA

Provisional Approval for Service Use (PASS) and release to limited production in January 1979. Operational Evaluation (OFFTAL) followed release to limited production and was completed in May 1979. All operational reliability, availability, and interest the Characteristic production and was completed in May 1979. All operationally authorise end, when not asserted albanet are met or aurpeased. Compressive constitution factors are recommended only after asserting albanet as a recommend only after albanetian of algusticant EGR and varificant of fixes by operational century. Contractor improvements were installed and ablencement testing demonstrated a significant of percent reduction in EGR. Demonstration of the improvements was witnessed and varified by BIS and COMOPTETOR representatives. Approval for service use of the CH-53E was subsequently greated on 15 April 1980.

2. COMOFTEYFOR initiated Follow-os Operational Tests and Evaluation (FOTAE) of the production CH-53E in August 1981.

Testing wes conducted by Marine Helicopter Squadron One (HMX-1) to assess operational affectiveness and switchilly of the production CH-53E and to verify corrective socions made as a Fraunt of recommendations from OFEVAL. FOLES (OT-IIIA) was production CH-53E and to verify corrective accountanced to the series of the

3. Several phases of operational testing are plansed for the MH-53E. The first phase (OT-IIA) was completed in July 1984. The COMOTEVOR test agencies are Air Test and Evaluation Squadron of VI-1) and Helicopter Mine Countermeasures Squadron Twelve (HH-12). The objectives of OT-IIA were to assess the operational effectivenes and operational autability of the MH-33E Production of the residence of OT-IIA were to assess the operational effectivenes and operational autability of the MH-33E Production (AIP) in March 1985. The meson of the MH-33E prototype met those objectives and reserved Approval for Limited results either 1985. The test and the second phase (OPEVAL) commenced in January 1985 and completed in April 1986, The test allocation decision for four alterest was meds in Moramber 1986, with additional testing scheduled for May/June 1987 to access deficiency corrections. Subsequent FOTAE will be scheduled as required.

Describates	16 tons (CM) (Notes 445)		A tons (MH) (Note 6)	(80) 400
Objective	16 tons (CH) (Note 1)	it tone (MH)	8 tons (CH) A tons (MH)	
C. Matem Characteristics	1. Marconalion	Payload, External, 50 mm retains \$/L 90 deg F, HIGE (20 min fuel renorve)	Payload, Literal Payload	Internal test, See

500 (CH)

500 (CH)

Range (FM) Internal Paylond (
(1,000 ou. ft cargo not to exceed gross weight limits)
w/full internal and full external cux. fuel tanks
(10% reserve)

から 一般 一種 できる

3:2 (MH) (Note 6)	30,000 (MH) (Note 7)	75,100 (CH) (Note 3)	170 (CH) (Note 2) 125 (CH)		.88 (CH) (Note 4) 0.79 (MH) (Note 6)	7.82 (CH) (Note 4) 14.3 (MH) (Note 6)	7.72 (CH) (Note 4) 19.1 (MH) (Note 6)	0.48 (FB) (Note 6)	2.1 (HH) (Rote 6)	3.5 hrs (MH) (Note 6) 0.8 hrs (MH) (Note 6)
3.0 ()41)	30,000 (141)	73,500 (CH)	170 (CH) 100 (CH)	Lity Goals	.59 (CH)	7.82 (CH) 7.6 (MH)	9.5 (CH) 21.0 (MH)	.76 (14)	2.1 Hrs (MH)	4.0 Hrs (ME) .6 Hrs (MH)
Time on Station (boure)	Tow Tenaton (1be)	Maximum gross weight w/external payload, HIGE, ML/90 deg F (1be)	Speed (KTS) VMAX (kts level flt, max continuous power SL) M6.5K lbs GW (internal) 70 K lbs GW (external)	2. Baliability/Mainteinability Gosla/Availability Goals	Mission Reliability (1 hr mission) (4 hr mission)	Mean Flight Hours Between Failures	DAMA/FH (organizational corrective) (total)	Operational Availability	Mean Time to Repair	Mission Capability Conversion Time Turn-around Time

Approved Program
Descentrated during OT-IIIA
Scross weight was subsequently increased to 73,500 lbs. in the approved DCP 694 of 14 Pab 1978).
Stross weight was subsequently increased to 73,500 lbs. in the approved DCP 694 of 14 Pab 1978).
Descentrated during OT-IIIA (Required gross weight increase to ansure 20 min. fuel reserve; gross weight increase verified as a result of uprated transmission qualification.)
Descentrated during OT-IIIB utilizing the GMO approval NATORS "Quick Strip Ship" Checklist.
Descentrated during OT-IIB.

4 40F

の変数はない

Derest lak Astivity Front	latitity Event	TaE Activity (Pact 12 Months) Planned Date Actua	2 Monthe) Actual Date	Remarks	
Approved for L.	Approval for Limited Production (PR-53E)	OCT 86:	NOT 86		
ME-53E Operation	MM-53E Operational Evaluation (Of-IIB)	Jan-Apr 86	Apr 86	Comopterfor Report 3960 of 6 Oct 1986	1986
	W. wast.	Tak Activity (Next 12 Monthe) Planned Date Actua	2 Monthe) Actual Date	Remarks	
ME-53E POTAR (OT-IIIA)	77-1114)	MAY/JOHE 67	<b>6</b>	Evaluate Opeval Deficiency Corrections	•
POTAR FOR C-SA	POTAE for C-54 transportability certification	Jul 67	QE.	Conourrent with OT-IIIA	
1. Program Boom	entation *-	Z. 18-538	<b>1</b> (2-3)		
Yeat F	Report No.   Zate   MATC FF-23N-75   18 35 MATC MM-68-76   Zr Fr MATC MM-63N-76   30 Do Do	Lite Event 14 Mar 75 OT-IIA 27 Peb 76 30 Dec 76		Neport No. Date COMOPTEVFON 813-07-IIA 20 Nov 84 Ser 412/1839 COMOPTEVFON MSG 182030Z MAR 85	
118-176	MATC M4-158-77 30 A	30 Aug 77 DT-113	B MATC NW-1008-84	008-84 16 Mar 85	
E	MATC MW-15R-78 23 M	23 May 78 DT_XID 23 Apr 79	WATC	(Interim Report)	
47-11	MATC MA-438-81 18 S	18 3ep 81	NATC IN-1	5 (Interim Report) 19 Nov 5 (Interim Report) 27 Peb	
7-11A	CONCETT/TPOR 522 21 H	21 May 7 OT-128 17 Dec 76	NATC MW-23N-65 COMOPTEVPOR RPT	38-85 (Interim Report) 12 Mar 86 UR RFT 3960, SER 413/1357 6 OCT 86	¥
T-IIIA/Bow IIA			et and Evaluation Maeter 25 Mar 1985	Test and Evaluation Master Flan No. 613 Mi-53E SEA DRAGON dated 25 Mar 1985	
ff-IIII/Nov III	CONDITIENTOR 364 10 A	10 Apr 78			

19	2	<b>3</b>	Test and Syntheties Marter Flam No. 174 CH-53E SUPERSTALLION
23 Nov 79	5 Aug 83	1 Aug 85	85 M
2	In	-	CH-53
		2	174
1369	1060	CHOPTSYFOR 3960-12	B No.
2	2	ě	Ē
CONDITIENTOR 1569	CONDITIENTOR 1060	EF.	3
8	8	8	Ī.
			27
3			
Of-IIIC/New IIC	3	8	1
7-1	M-1114	74-11D	10
_			

## PY 1988/89 RDIGE DESCRIPTIVE SUPPLARY

Program Element: 64261N DoD Mission Area: 233 - Anti-Submarine Warfare

Title: Acoustic Search Sensors (Engineering)
Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estinate	Additional to Completion	Total Estimated Cost
W0478	TOTAL FOR PROGRAM ELEMENT Expendable, Reliable Acoustic Path Sonobuov	27,816 14,198	34,555	47,859	55,385 4,463	Continuing 21,080	Continuing 103,837
WO480	ASW Sensors and Processing	5,356	23,790	3,753	1,243	Cortinuing	
W1624	Broadband Acoustic Systems	8,262	10,765	15,336	12,079	Continuing	
W2000	Horizontal Line Array	*	*	11,250	20,300	29,300	107,490
W2001	Tactical Surveillance Sonobuoy	*	*	13,063	17,300	38,460	

\*Projects W2000 and W2001 were previously funded under W0480 prior to FY 1988.

The above funding includes out-year escalation and encompasses all work or development phases now planned or anticipated through

- search sensors to: (1) ensure a submarine prosecution capability is maintained against the quiet submarine threat of the 1990s and 2000s, (2) improve cost and operational effectiveness, (3) improve logistics support, airborne avionics, and software for engineering development of air acoustic This program provides for the B. (U) RRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: advanced sonobuoys.
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUFFRANT: (DOLLARS IN INCUSSING) INC. CHARGES CONTROL OF 1,023 for G-R-H FY 1987 Descriptive Summary and this Descriptive Summary are as follows: Project W0478 FY 1986 was reduced by 1,023 for G-R-H FY 1987 Descriptive Summary and this Descriptive Summary are as follows: program/budget adjustments and NJF adjustments. Project WO480 and the title of the project has been changed to more accurately reflect the project goals. FY 1987 was reduced 1,466 by Congressional adjustment. In FY 1988, two subprojects were broken out of WO480, Tactical Surveillance Sonobuoy (W2001) and Horizontal Line Array (W2000), and given separate project numbers. WO480 was reduced 29,414 due to Departmental program adjustments to fund the project lines W2000 and W2001 (+11,250 and +1,306 (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the and Department budget adjustment. FY 1987 was zeroed by Congressional actions. FY 1988 was reduced 5,213 due to Department respectively).

1104

Program Element: 64261N

Title: Acoustic Search Sensors (Engineering)

(U) FUNDING AS REFLECTED IN THE PY 1987 DESCRIPTIVE SUMMARY:

Project No.	<u> Title</u>		FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
WO4.78 WO4.80 W16.24	TOTAL FOR PROGRAM ELEMENT Expendable, Reliable Acoustic Path Sonobuoy (ERAPS) Passive Advanced Sonobuoy Broadband Acoustic Systems	oy (ERAPS)	22,803 9,555 6,498 6,750	30,146 15,221 5,742 9,183	56,761 19,942 25,256 11,563	58,832 9,670 33,167 15,995	Continuing 3,817 Continuing Continuing	Continuing 103,837 Continuing
D. (U)	D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:							
Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate		Additional to Completion	Estimated Cost
<b>HO4.</b> 78	Expendable, Reliable Acoustic Path Sonobuoy (ERAPS) Procurement (OPN)		0	0	0		Continuing	
41624	(Quantity) (each) Low Cost Sonobuoy (LCS) Procuryment (OPN) (Quantity) (each)	41,527	0 0	33,958 200,000	31,869	×	Continuing Continuing Continuing Continuing	Continuing Continuing

Anti-Submarine Warfare; and Program Element 63708N, Advanced Acoustic Processing (detection algorithm development); Program Element 64217N, S-3 Weapon System Improvement Program; Program Element 64221N, P-3 Modernization; and Program Element 64212N, Program Element 62711N, Undersea Target Surveillance Technology; Program Element 63254N, Atr Light Airborne Multi-Purpose System NK III. E. (U) RELATED ACTIVITIES:

F. (U) WORK PERFORMED BY: IN-HOUSE: Naval Air Development Center, Warminster, PA; Naval Surface Weapons Center, White Oak, MD; Naval Naval Center, San Diego, CA; Naval Avionics Center, Indianapolis, IN; Naval Weapons Support Center, Crane, IN; Naval Air Test Center, Patuxent River, HD; Naval Training Systems Center, Orlando, FL; Naval Air Engineering Center, Lakehurst, NJ; Naval Weapons Station, Earle, CC:ts Neck, NJ. CONTRACTORS: Magnavox, Ft. Wayne IN; Hazeltine, Braintree, MA; Bendix Oceanics,

### UNCLASSIFIED

Program Element: 64261N

Title: Acoustic Search Sensors (Engineering)

Silmer CA., Sippican Ocean System, Marion, MA; Sparton, Jackson; MI. IBM, Manassas, VA; Applied Research Laboratory, University of Texas, Austin, TX; Lockheed, Burbank, CA; Boeing, Seattle, WA.

# G. (U) PROJECTS LESS THAN \$10 MILLION IN PY 1968/89:

# (U) Project WO478, Expendable, Reliable Acoustic Path Sonobuoy:

aircraft. It is designed to use the long range acoustic propagation mode known as the reliable acoustic path (RAP) and provides the air anti-submarine warfare forces the option to conduct active (small area) search for a submarine that is undetectable by The AN/SSQ-75 Sonobuoy is an active (localization) sensor for use by anti-submarine warfare passive acoustic sensors or rapid localization to attack of submarines detected by other sensors. The active detection ranges will be significantly greater than those experienced with today's active sonobuoys. The sonobuoy is deployed (v) Description:

transmitted pulse and a volumetric receiving array. Range, bearing and doppler are obtained. To perform required tests, 50 engineering development models and approximately 150 service test models for Navy Technical Evaluation/Initial Operational Test The detection is gained by a low frequency, high power and Evaluation are required.

## 2. (U) Program Accomplishments and Future Efforts:

#### (U) FY 1986 Program

- · Preliminary signal processing software coding was completed.
- . High data rate telemetry over varying length of the sea cable was demonstrated.
  - Reliability and producibility design corrections were identified.
    - Safe P-3 air carriage and delivery was demonstrated.

#### (U) FY 1987 Planned Program: Ď.

- \* Restructure project in accordance with Congressional guidance.
  - New specification to reduce risk and production unit cost.
     Prepare for contract award in FY 1988.

Program Element: 64261N

Title: Acoustic Search Sensors (Engineering)

- c. (U) FY 1988 Planned Program:
- . Award PSED Completion Contract.
- blogiation and training will be evaluated for adequacy.
- (U) FY 1989 Planned Program: ė.
- · Conduct performance descastrations.
- (U) Program to Completion: •
- DI/OT-IIA COL' 120ed FY 90/91. \*ALP in FY 1992.
  - \* OT-IIB conducted FY 94. \*AFP in FY 1994.
- f. (V) Hajor Hilestones

Milestone IIIB (AFP) Mileston: IIIA (ALP) Program

0

\* Preliminary Milestones subject to submittal to Congressional Committees of restructured project in FY 1987.

# (U) Project W0480, Acoustic Sensors and Processing:

will be developed to softwart associated with acoustic systems including sensors, processing, post-processing, data recording, and display for air ASW platforms to combat the quieter, faster Soviet submarine threat. Key objectives are: improved detection, classification, localisation and tracking; increased capacity and flexibility to handle multi-sensor data. The project will develop sonobuoy systems to improve airborne detection and localization/attack capability against the advanced new threat. This project will examine long range tactical aensors to provide ASW aircraft a balanced capability to detect 1. (V) Description: Provide improved air ASW mission effectiveness through engineering development of hardware and

Higher gain vertical line array, provide a force multiplication to meet the threat of the 1990's.

2. (U) Program Accomplishments and Puture Efforts:

Program Element: 64261N

Title: Acoustic Search Sensors (Engineering)

### a. (U) FY 1986 Program:

- Tactical Surveillance Sonobucy (188). System definition and functional specifications completed. Subsystem trade-off study contracts initiated. (TSS now under W2001).
- Successful at-sea performance Horizontal Line Array (HLA). Hardware specification completed. Successful at-sea demonstrations. Design selected for engineering development contract. (HLA now under W2000). Horizontal Line Array (HLA).

### b. (U) FY 1987 Program:

- \* Iactical Surveillance Sonobuoy. Critical subassemblies will be designed and fabricated in the baseline ISS FSED. Functional design of enhanced baseline ISS will be done. (ISS now under W2001).
  - Develop test plans and The system design will be completed and the engineering development models (HLA now under W2000). Morizontal Line Array. The system design will be completed and the engineer fabrication will be initiated. Coding and testing of the software will begin. Modify existing AQA 7 Broadband contract to include initial ILS plan.

## c. (U) FY 1998 Planned Program

- Acoustic Intercept System. Sonobuoy and avionics development transitions to this element from PE 63254N,
- with other components required for total platform integration pur \* System Integration. Integration of will be initiated.

## d. (V) FY 1989 Planned Program:

- \* Active Enhancements (AE) Demonstrated improvements transition to this element from PE 63254N, W1292.
  - DT/OT II testing for ALP. o Systems Integration. Complete aircraft interface specifications.

### e. (U) Program to Completion:

" This is a continuing program element, projects from PE 63254N, Project W1292 will transition to this program. \* Tactical Arctic Sonobuoy (IAS) - Transitions to this element from PE 63254N, W1292.

Program Element: 64261N

Title: Acoustic Search Sensors (Engineering)

\* Pull scale development of the Advanced Active Sonobuoy (AAS) and Improved Low Cost Sonobuoy (ILCS) will be conducted under this element after feasibility demonstrations under PE 63254N, W1292.

f. ( Major Milestones:

Milestones

Hileatone II (Begin FSED)

Milestone III (ALP)

AIS (Buoy)

FY 88/1Q

FY 89/3Q

H. (U) PROJECTS OVER \$10 HILLION IN PY 1988/89:

(U) Project W2001, Tactical Surveillance Sonobuoy (TSS):

1. (U) Description: The Lactical Surveillance Sonobuoy (ISS) system is designed for large area search and detection playback capability is used to provide a "force multiplier effect" which allows one aircraft to cover significantly larger areas of 1990s nuclear and diesel submarines. System consists of an expendable A-sized sonobuoy with trigger-controlled data storage capability, faster than real-time play-back mode, a minimum 5-day in-water life, and associated avionics. The data storage/ than can be monitored with real-time sonobuoys.

2. (V) Program Accomplishments and Future Efforts:

(U) FY 1986 Program

· System definition and functional specifications completed.

\* Subaystem trade-off study contracts initiated.

(U) FY 1987 Program

" Critical subassemblies will be designed and fabricated in the baseline ISS FSED.

\* Punctional design of enhanced baseline TSS will be done.

(U) FY 1988 Planned Program:

. Testing of the baseline TSS engineering development models.

UNCLASSIFIED

To the water of the first of the same of the

Program Element: 64261N

Title: Acoustic Search Sensors (Engineering)

- . Enhanced baseline functional design and total system design will be initiated.
- \* System Integration. Integration of ISS with other components required for total platform integration will
- d. (U) FY 1989 Planned Program:
- Engineering tests complete, procure units for TECHEVAL/OPEVAL.
- o Systems Integration. Complete aircraft interface specifications.
- e. (U) Program to Completion:
- \* TECHEVAL/OPEVAL for the sonobuoy will commence in FY 1990, and full aircraft system TECHEVAL/OPEVAL will be initiated for FY 1992.
- f. (t Major Milestones:

Milestones TSS

Milestone II (Begin FSED) FY 87/20

Milestone III (ALP) 10C

IOC (with ALP units)

## (U) Project W2000, Horizontal Line Array (HLA)

- 1. Description: The HLA sonobuoy is an expendable air launched sensor utilized by ASW aircraft to achieve long range acoustic detection of submarine targets in large search areas. His consists of a self-tensioning horizontal line array of passive hydrophones and is designed to transmit multiplexed digital acoustic data to the aircraft for processing. HLA Air Deployable Active Reciever (HLA/ADAR) utilizes the HLA scnobuoy with modified svionics as a multi-static active receiver for use with ship-deployed sources. The primary goal is detection and localization of submarines in all environments in the 1990-2000
- 2. (U) Program Accomplishments and Puture Efforts:
- a. (U) FY 1986 Progress
- \* HLA hardware specification completed. Successful at sea performance demonstrations. Design selected for engineering development.

Program Element: 64261N

Title: Acoustic Search Sensors (Engineering)

#### b. (U) FY 1987 Program:

The HLA system design will be completed and the engineering development models fabrication will be initiated. Coding and testing of the software will begin.

## . (U) FY 1988 Planned Program:

- o Testing of HLA engineering development models. Initial software delivery will be made for use in testing with test bed aircraft.
- \* System Integration: HLA integration with other components required for total platform integration will be
  - Functional specifications for HLA/ADAR avionics and interface modifications.

## d. (U) FY 1989 Planned Program:

- . Continue testing of engineering models.
- · System integration. Complete aircraft interface specifications.
  - o Initiate avionics software implementation for HLA/ADAR.

## e. (U) Program to Completion:

. TECHEVAL/OPEVAL for the HLA sonobuoy in FY 1991, HLA/ADAR in FY 1992 and full aircraft systems TECHEVAL/OPEVAL initiated in FY 1993.

#### f. (U) Major Milestones:

Milestones	Milestone II (Begin FSED)	Milestone III (AIP)	IOC (with ALP units)
HLA/ADAR	FY 1987/3Q FY 1988/4Q	FY 1992/4Q FY 1992/4Q	



Program Element: 64261N

Title: Acoustic Search Sensora (Engineering)

.;

# ('3) Project W1624, Broadband Acoustic System:

ments are addressing, alerting sonobuoys to employ a targets in barriers or screens or for small area search. The 1. (U) Description: (Project W1624, Broadband Acoustic System). Develop passive sonobuoys and processing to detect and localize quiet threat submarines by exploiting their broadband acoustic signals. Since current air ASW acoustic systems are acoustic signature detection, this effort will provide a more balanced, and therefore less vulnerable, passive acoustic detection capability. Broadband processing techniques for use with current passive somobuoys are being developed for incorporation into the AN/AQA-7 acouatic processor (P-3 aircraft) and for software update of the AN/UYS-1 Advanced Signal sonobuoy developments will pursue sensor designs compatible with the evolving threat and will use advanced manufacturing technology to produce an alerting sonobusy at significantly reduced costs (Low Cost Sonobusy). Processor (P-3C, S-3B and LAMPS MK III aircraft). Sonobuoy developments are addressing high de-sity field concept for initial detection of quiet optimized for

# 2. (U) Program Accomplishments and Future Efforts:

#### a. (U) FY 1986 Program

- . Continued development for fabrication and test of the LCS system.
- · Initial LCS developmental tests (DT) and operational tests (OT) conducted with submarine targets performed
- Work continued on techniques to reduce false alarms, develop launcher containers, and develop an aircraft scanning capability.
  - develop broadband alert processing to support the LCS system, AN/AQA-7(V) broadband o In Broadband Accustic Systems (initiated in Advanced ASW Avionics, PE 63254N, Project W1292), efforts were correlation, and design and production of LCS. initiated to

#### b. (U FY 1987 Program:

- · Purther testing with initial pilot production LCS assets to develop optimum tactical utilization.
- · Additional initial operational evaluation will be conducted to demonstrate reliability improvements that significantly reduce false alarm rate that was found to be unacceptable.
- and low cost sonobuoy system developments and evaluation will be incorporated in design and enhanced LCS capability. specifications leading to advanced
- Development of common P-3/S-3 scanner for the Low Cost Sonobuoy System will continue and EDMs will be delivered for testing and commencement of platform software integration efforts.

UNCLASSIFIED

一年,

Program Element: 64261N

Title: Acoustic Search Sensors (Engineering)

The AN/AQA-7 broadband correlation processing OPEVAL for AFP will be completed under PE 64221N, (P-3 MOD).

## (V) FY 1988 Planned Program:

- \* The TECHEVAL/OPEVAL of the Low Cost Sonobuoy System (sensor, launcher avionics) avionics development will be
- Pre-planned product improvements will continue in development and test.
- Competition for design of the advanced low cost sonobuoy system will be conducted.
   ,rocessing algorithms from CUARP will be applied to air ASW acoustic sensors.

#### (W) FY 1989 Planned Program: ÷

- Advanced low cost sonobuoy designs will be fabricated for test and evaluation.
  - Avionics and launcher interface and integration will be defined.
    - processing for all acoustic sensors will be continued.

#### (W) Program to Completion: ë

- capability for advanced processing and sensors. \* Develop, evaluate, and demonstrate the
- \* TECHEVAL/OPEVAL of the advanced LCS; capability will be conducted. workload with maximum data flow.
- . Software development in the UYS-1 will be completed.

(FP)	64221N		64221N	
Milestone III (AFP)	Transferred to PE 64221N	FY 89/10	Transferred to PE 64221N	FY 88/10
Milestone II (Begin FSED)	FY 82/4Q	FY 83/4Q	FY 83/1Q	07/E8 Ad
f. (U) Milestones:	AQA-7	Low Cost Sonobuoy	UYS-1 S/W (Correlation)	109 System/Autonics

읾

Not Applicable I. (U) TEST AND EVALUATION DATA:

# FY 1988/89 RDIGE DESCRIPTIVE SUMMARY

Program Element: 64262N\*

DoD Mission Area: 265 - Intratheater Airlift

Budget Activity: 4 - Tactical Programo

A. (U) FY 1988/89 RESOURCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	Title	FY 1986 Actual	FY 1987 Estimate	FY 1988 Estimate	FY 1989 Estimate	Additional to Completion	Total Estimated Cost
W1425	TOTAL FOR PROGRAM ELEMENT V-22 OSPREY	525,249² 525,249²	422,671	465,662	306,677 306,677	481,805 481,805	481,805 2,500,700° 481,805 2,500,700°

\* Project W1425, V-22 OSPREY changed from 63256N to 64262N in FY 1987 submission to reflect transition into 6.4 FSED effort. 2 Funding is in PE 63256N through FY 1986. V-22 ASW Variant funding is reflected in PE 63256N.

9 V-22 is capped at \$2.58 for RDT&E. Total estimated cost includes 29,900 expended under PE 64222A in FY-83 and reflects a below threshold reprograming of 300 for ASW study effort in FY 1986. The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989. B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: The V-22 program is designed to provide an aircraft to meet the amphibious/vertical assault needs of the Marine Corps, the Combat Search and Rescue (CSAR) needs of the Navy, and the Special Operations The V-22 will be capable of flying over 2000 nautical miles without refueling. (SOF) needs of the Air Force. The V-22 will be capable of flying over 2000 nautical miles withou Services the advantage of a VSTOL strongt that can rapidly self-deploy to any location in the world.

PY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: In FY 1987, increase of 35,800 for C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the Congressional action. In FY 1988, decreases of 17,425 for Department Program/Budget adjustments.

Program Element: 64262N

Title: V-22

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUPPARY:

Total	Estimated	Cost	2,500,400
	Additional	to Completion	772,946 772,946
	FY 1988	Estimate	483,087
	FY 1987	Estimate	386,871 386,871
	FY 1986	Estimate	557,326 557,326
	FY 1985	Actual	177,270
	بي	<u>Ittle</u>	TOTAL FOR PROGRAM ELEMENT V-22 OSPREY
	Profect	9	W1425

D. (U) OTHER FY 1988/89 APPROPRIATION FUNDS:

Additional Estimated to Completion Cost	Continuing Continuing Continuing
FY 1989 Estimate	350,744
FY 1988 Estimate	00
FY 1987 Estimate	00
FY 1986 Actual	00
	Navy (N/A)
	ifrcraft Procurement, Navy (N/A) Quantity
	Aircraf

The V-22 is a joint service program with the Navy as Executive Service and Army and Air Force participating. The Army and Air Force will have a unique project line in their budgets. E. (U) RELATED ACTIVITIES:

P. (U) MORK PERFORMED BY: IN-HOUSE: Naval Air Development Center (Avionica Engineering) Warminster, PA; Naval Air Test Center (Operational Testing) Patuxent River, PD; Naval Avionics Center (Avionics Software) Indianapolis, IN. CONTRACTORS: Bell-Boeing (Air Vehicle) Fort Worth, IX; Allison Gas Turbine Division, General Motors Corp, Indianapolis, IN. (Engines). Naval Air Development Center (Avionica Engineering) Warminster, PA; Naval Air Test Center

G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable.

I. (U) PROJECTS OVER \$10 HILLION IN FY 1988/89:

(U) Project W1425, V-22 Osprey:

the Air Force. Although not a participant in the PSED of the V-22, the Army has a stated requirement that it will procure the USMC medium lift version for that services use. The program is in PSED under Fixed Price type contract with the Research and Developwill replace the CH-46 and the CH-53 A/D aircraft in the Marine Corps, the HH-3A in the Navy, and supplement the MC-130 aircraft in The V-22 Osprey is a Department of the Navy program for the purpose of developing, testing, evaluating, procuring and fielding a tilt-rotor, vertical takeoff and landing aircraft for Joint Service application. ment funding capped at \$2.5B and negotiated not-to-exceed prices for the first four production lots. 1. (U) Description:

UNCLASSIFIED

· 李蒙然八年

Program Element: 64262N

Title: V-22

- 2. (U) Program Accomplishments and Puture Efforts:
- a. (U) FY 1986 Program:
- o Milestone II DSARC decision for entry into PSED was approved in April 1986.
- Full Scale Engineering Development (FSED) contract signed which provides for the development, test and evaluation, and logistics/production planning of the aircraft.
- A PSED contract was awarded for the development of the production engine based on a competitive solicitation. 0
- Commenced the manufacturing and assembly of six flight test and three ground test articles plus the related systems test and evaluation and systems engineering effort. 0
- Initiated design, development, fabrication, and assembly of test engines and began engine qualification testing.
- o Procured long lead material for non-flight qualified engines.
- b. (U) FY 1987 Program:
- o Continue fabrication and assembly of flight and ground test articles.
- o Continue fabrication and qualification of the engine.
- c. (U) FY 1988 Planned Program:
- o Flight preparation begins for aircraft numbers one through four.
- o First flight is scheduled for June 1988.
- d. (U) FY 1989 Planned Program
- o Begin shipboard trials.
- o Development and operational testing is to be conducted at both the contractors' sites and at the Naval Air Test Center, Patuxent River, MD.

1116

Program Element: 64262N

Title: V-22

- o Advanced acquisition for V-22 pilot production.
- o Flight preparation begins for aircraft numbers five and six.
- e. (U) Program to Completion:
- o Milestone IIIA is scheduled for Approval for Limited Production (ALP).
- o Complete DT-11E/OT-11B testing.
- o Complete DI/OT-IIC testing August 1991.

#### f. (U) Major Milestones:

핅	Milestone	Date
.;	Milestone 0	December 1981
2.	Milestone I	December 1982
m.	Preliminary Design Contract Award	April 1983
4	Milestone II	Apr11 1986
δ.	Pull Scale Development Contract Award	May 1986
•	Production Contract Award (Adv Acq)	Jamuary 1989
7.	OT-IIA (Complete)	August 1989
80	Milestone IIIA	December 1989
9.	OT-IIB (Complete)	August 1990
10.	Milestone IIIB (Limited Prod)	December 1990
11.	OT-IIC (Complete)	August 1991
12.	Milestone IIIC (Full Prod)	December 1991
13.	First Fleet Deliveries	December 1991
14.	IOC (5 Aircraft Training Detachment)	1992

I. (U) TEST AND EVALUATION DATA:

Program Element:

64262N

# I. (U) TEST AMD EVALUATION DATA

# 1. Development Test and Evaluation (DTAE):

e. DT-O. Dubing the period Pebruary through April 1982, a Joint Technical Assassment (JTA) of potential V-22 design approaches was conducted. From that JTA, the tilt-rotor concept was concluded to offer the most effective design approach. This concept has been demonstrated with 700 flight hours by the MASA/Army XV-15 tachnology demonstrator.

During the period December 1983 through August 1986, large and smell scale b. DT-I. During the period December 1903 through august ..... reinvine vind tunnel models, mockups, and piloted simulations were used extensively. DT-II. Period of development testing for full scala development (August 1986 through Tebruery 1992). Government flight test periods are as follows:

(1) DT-IIA. (January 1989). Tests will be conducted at Ball Helicopter Textron in Fort Worth Texas to varify initial contractor data on flying qualities and per formence. (2) DT-IIB. (May 1989). Forty flight test hours will be conducted on 75D aircraft to varify contractor results of propulsion, flight control and automatic flight coetrol system testing and to develop preliminary envelope clearance and a flight envelope for at sea operations.

(3) DT-IIC. (October 1989). Fifty flight test hours will be conducted to verify shipboard compatibility. (4) DT-IID. (January 1990). Thirty flight test hours will be conducted to examina the full flight envelope and the full flight control and automatic flight control eye teme. (5) DT-IIE. (Merch 1990). Thirty flight test hours will be conducted to examine the initial evionics and missions systems.

- (6) DT-IIF. (Movember 1990). TECHEVAL will be conducted for 120 hours to examine all flight and mission capabilities as required in the V-22 detailed specification.
- The Aviation Board of Inspection and Survey will monitor the V-22 d. DT-III. (TBD). The developmental program.
- 2. Operational Test and Evaluation (OTEE):
- and potential operational suitability of the basic aircraft. Approximately 100 hours will be flow on two aircraft from various airfields and ships by COMOPTEVFOR (HMX-1 and (July 1989). This test will assess the potential operational effectiveness OT-IIA. 11-5)
- and will include eveluating V-22 as an integral part of an amphibious tesk forca. Thase These II will consist of amphibious operations using all available pletforms b. OT-IIB. (June 1990). OT-IIB Will be conducted in the present and and eir consist of weapons delivery operations to evaluate all weapons against ground and eir III will consist of shore-based operations for a pariod of approximately four weeks. OT-IIB will be conducted in three phases: targe ts.
- Mase II will be conducted to eveluate land-based Merine Corps missions in a cold weether Emphasis will be on improved performance and meintenance. OT-IIC will be conducted in three phases: These I will evaluate amphibious operations and applicable Nevy missions. These III will eveluate USMC/USM missions profiles in a high eltitude hot (Merch 1991). OT-IIC will determine the operational effectiveness s. OT-IIC OPEVAL. (Merch 1991). OT-IIC will determine the operational effective meether environment. eavironment.
- 4. OT-III. (TRD). OT-III will be conducted as required to verify corraction of deficiencies, complete deferred or incomplete OTSE, and to continue tactics davelopment.
- (TDD). OT-IV will be conducted on production eircraft to validate e. OT-IV. (TBD). OT-IV will be conducted on product operational effectiveness and operational suitability.

ved . Demonstrated	62.24/57.33 18.42/83.83 17.98/21.73 31,786	٠			1815		-1.0	
Approved	62.24/1 18.42/6 17.98/3		9 9 9	7.0	2100	250	44.0/-1.0	000
3. System Characteristics: a. Technical	Length, ft Folded/Unfolded Width, ft Folded/Unfolded Height, ft Folded/Unfolded Empty Weight, lbe	b. Operational	Resdinces, men capability rate (X MC) Mission Complete Probability, Rate (MFWBMA - Design Controllable) Direct Maintenance Man-Nours per Flight Nour, Design Controllable:	O Lavel, Unscheduled (Corrective) O Lavel, Scheduled (Preventive)	World-wide Self-Deployment, na (minimum distance)	Continuous Gruise Speed, kts Dash Speed, kts	Instantaneous G-Loading (+/-) Troop Capacity	Published Court 1ha

UNCLASSIFIED

1120

TOWN I WANT I THEN

TEE Activity (Past 12 Months) Actual Data Remarks	Dec 1983 - Aug 1986 DT-I testing included: Wind tunnel verification of arodynamic design, mockups to evaluate the design adequacy, critical structural element demonstrations, cutouts and piloted simulations, and design trade-off studies.	TEE Activity (Next 12 Honths) Actual Date Remerks	- a	Approved May 1986	Approved July 1986	Approved July 1986.
Current T&E Activity: Tr	Dec 1987 - Aug. 1986	Event Plenned Date Actu	Hone	S. Program Documenterion:	Acquisition Plan (AA2-37-1-40)	Test and Evaluation Mester Plan (TEMP), 1960

# FY 1988/89 RDT&E DESCRIPTIVE SUNMARY

Program Element: 64264N DoD Mission Area: 225 - Air Warfare Support

Title: Aviation Life Support Systems Budget Activity: 4 - Tactical Programs

A. (II) FY 1988/89 RESUGRCES (PROJECT LISTING): (Dollars in Thousands)

							Total
Project		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
No.	Title	Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	25,038	54,099	22,308	18,905	Continuing	Continuing
9090M	Aviation Personnel Life Support	25,038	24,099	22,308	18,905	Continuing	Continuing
	Systems						

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

- It includes the integrated assemblages of components and techniques required to assure aircrew and passengers the most element accomplishes the transition of life support equipment from advanced development to engineering development followed by This program element provides the engineering development, technical evaluation, and initial operational test and evaluation of a family of Aircrew Life Support Equipment for mayal aircraft weapons effective inflight environment, inflight escape capability, and emergency protection and survival provisions. B. (II) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: approval for production. systems.
- FY 1987 Descriptive Summary and that shown in this Descriptive Summary is as follows: In FY 1986, the decrease of 2380 is the result of CRH and Department program/budget adjustments; in FY 1987 the decrease of 5,606 is the result of Congressional adjustment and Denartment program/budget adjustments; and in FY 1988, the decrease of 9327 is the result of Department C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the program/budget adjustments.

Program Element: 64264N

Title: Aviation Life Support Systems

(U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUPPLARY

Project No.	Title	FY 1985 Actual	FY 1986 Estimate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Total Estimated Cost
W0606 D. (U)	TOTAL FOR PROCRAM ELEMENT WOGO6 Aviation Personnel Life Support Systems D. (U) OTHER FY 1988/89 APPROFRIATION FUNDS:	10,712	27,418	29,705	31,635	Continuing	Continuing

							Total
		FY 1986	FY 1987	FY 1988	FY 1989	Additional	Estimated
		Actual	Estimate	Estimate	Estimate	to Completion	Cost
APN-5	SEAMARS VAR.	2,195	F.	t	ı		2,195
	HELD CHR VAR.	206	2,532	,	•		3,038
	A-7 SEAT 4-LINE REL.	1	378	186	180	80	824
	RSSK 7 REPLACEMENT	1,686	876	II.	ı		1,649
APN-6	HELO CBR	26	80	,	•		106
<b>11</b> 0	HELO CBR	474,4	13,502	0	0		17,976
	PRC-125 SAR RADIO	2,181	231	236	747	250	3,144
	PRC-50-1 ANNUAL REPL	1,470	1,527	1,573	1,614	1,653	7,837
	PRC-90-1 GPM CASING	6,222	•	ţ			6,222
	SUPPOST EQUIPMENT	175	100	Ľ	1,300	700	2,471
	PRODUCTION ENGR	1,015	557	004	1,050	750	3,772
	11.3	969	399	90	906	200	2,745

Program Element 62234N, Mission Support Technology; Program Element 63216N, Aviation Life Support Systems. Related Air Force efforts, supported by Program Element 64706F, Life Support Equipment, are coordinated through the Tri-Service Life Support E. (U) RELATED ACTIVITIES: Program Element 62122N, Aircraft Technology; Program Element 62233N, Mission Support Technology; Equipment Steering Committee. P. (U) WORK PERPORED BY: IN-HOUSE: Naval Air Development Center, Warminster, PA; Naval Ordnance Station, Indian Head, MD; Naval Air Test Center, Patuxent River, HD; Naval Weapons Center, China Lake, CA; and Naval Avionics Center, Indianapolis, IN. CONTRACTORS: Martin-Baker Aircraft Co., Ltd, Higher Denham, near Uxbridge, Middlesex, England; Grumman Aerospace Corporation,

Program Element: 64264N

Title: Aviation Life Support Systems

Berhpage, Long Island, NY; McDonnell Aircraft Company, St. Louis, MO; Douglas Aircraft Co., Long Beach, CA; Negretti & Zambra (Aviation) Ltd., Essex, England and others to be determined.

- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89: Not Applicable.
- H. (U) PROJECTS OVER \$10 MILLION IN FY 1988/89:
- (U) Project W0606, Aviation Personnel Life Support Systems:
- 1. (U) Description: This project provides maximum functional capability of aircrews during normal missions and also provides a means to enhance safe and reliable escape, descent, survival, and recovery in combat and peacetime emergency This continuing project provides for the conduct of necessary engineering development, test and evaluation, and initial operational test and eviuation of Aviation Personnel Life Support Systems. This project accomplishes the transition of life support systems from advanced development to completion of full scale development to demonstrate that the design meets necessary operational requirement prior to the first major production decision.
- (U) Major sub-projects under this project are:
- (a) Navy Aircrew Common Ejection Seat (NACES): The NACES program objective is to competitively select one ejection seat and qualified as a state-of-the-art, open type ejection seat compatible with the various aircraft aircrew stations and will interface with the existing aircraft escape system. A leader-follower concept will be implemented to obtain two qualified seat producers for future competitive acquisition of annual production requirements. In addition, a pre-planned product improvement design as the common Navy seat for the F/A-18A, F/A-18B, T-45. F-14D, and A-6F aircraft. The NACES will be designed, developed, (P<sup>3</sup>I) program and a government furnished equipment (GFE) breakout of high value consumables will be initiated to further reduce life cycle costs (LCC).
- (b) Chemical/Biological/Radiological Flight Protective System (Helicopter) (CBR HELO): USN/USMC afrorew personnel are not equipped for sustained operations in a CBR environment. Aircrew capability to operate effectively in an environment degraded by an actual or anticipated CBR attack must be improved. The present standard issue of personal protective clothing and equipment respiratory portions of the head are most vulnerable to CBR penetration and are the most complex for achieving protection from a technical and user acceptability standpoint. Analysis to date has indicated that the UK-developed AR-5 respirator is the only near term candidate device that meets all the requirements specified for helo aircraft. The USMC helicopter community has been assigned highest priority for improved CBR protection capability. Approval for Limited Production (ALP) was granted in January for aircrew and air embarked personnel does not afford the required protection from the predicted CBR environment.
- (c) On-Board Oxygen Generation System (OBOGS) Improvements: An engineering development program is underway to introduce the OBOGS system into tactical naval aircraft with the AV-8 "Harrier" being the first aircraft designated for its application.

124

Program Element: 64264N

Title: Aviation Life Support Systems

the OBOGS system integrated. This program will provide engineering and technical support for efforts complementary to the engineering development program. Specific efforts include update of plans/documentation and data, development of subsystem components and hardware, and inter-service coordination. A follow-on contract for multi-station concentrator testing will be awarded. The fluidic monitor development effort, which is geared to correct OBOGS monitor deficiencies found in Operational Test Approval for full production (AFP) has been granted for the AV-8B, and the pilot, limited production, and production aircraft have and Evaluation (OPEVAL), will continue.

- and future warfare scenarios indicate an increased probability that CB agents will be used. To satisfy these requirements, a CBW This system will consist of two subsystems: A head, eye, respiratory protection system and a CBW protective clothing ensemble. The USAF has been designated by 5430.86 and OPNAVINST (S) 3400.10C to sustain operations in a chemically or biologically (CB) contaminated environment. Current (d) Maval Aircrew Chemical and Biological Warfare Defense System (NACBWDS): The USN/USMC are required by SECNAVINST (S) the Joint Logistics Command (JLC) as lead service in the development of aircraft CBW protection. protection system must be developed to provide whole body protection to Naval Aircrews.
- inflight loss of consciousness, and loading of various cardio/respiratory functions where the aircrewman becomes the weakest link. (e) Advanced Technology Cockpit (ATC): Today's cockpit degign and layout is fundamentally the same as it has been for the last 30 years. Controls, displays and ejection seats are configured in the cockpit after airframe constraints are imposed on the New threats concentrating on high levels of acceleration/rates of onset create the possibility of instantaneous To overcome/limit the impact of the human element provides new challenges in cockpit design.
- 2. (U) Program Accomplishments and Future Efforts:
- (U) FY 1986 Program

#### NACES

- o Initiated component and subsystem design verification tests.
- o Initiated component and subsystem qualification tests.
- o Solicited request for quote for follower production efforts of the Leader/Follower concept.
- o Selected follower.

# Helicopter Emergency Egress Device (HEED)

o Completed technical data packages.

Program Element: 64264N

Title: Aviation Life Support Systems

o Developed operator maintenance training package.

o Performed OPEVAL

o Granted AFP.

CBR (HELD)

o Product Improvements:

- Rip-away face plate.

- Quick disconnect.

· Rechargeable battery.

- Glasses.

o Performed OPEVAL.

o Granted ALP.

NACISMOS

o Developed specification requirements.

o Interfaced with USAF NAERP program.

 $\ddot{\cdot}$ 

OBOGS

o Evaluated prototype sensor tip feasibility.

o Prepared solicitation for multi-man FY 1988 procurement.

STATE-OF-THE-ART SURVIVAL ITEMS

o Reviewed and evaluated survival items that are currently being used by other services and NATO countries which can easily be adopted for naval service use. UNCLASSIFIED

1126

Program Element: 64264N

Title: Aviation Life Support Systems

#### Mini-raft backpack

- o Completed OPEVAL and obtained Approval for Full Production.
- o Submitted technical data package.

# Quick Douning Anti-Exposure Coverall (CWU-60/P)

- o Finas. zation of:
- NAVAIR 13-1-6.7 Aircrew Personal Equipment Manual with Verification.
- Design change notice.
- o Completed fleet indoctrination and transition to fleet support.
- o Conducted OPEVAL and obtained Approval for Full Production.
- b. (U) FY 1987 Program:

## NACES - Conduct the following:

- P/A-18A full syster qualification testing.
- F/A-18B full system qualification testing.
- Component and aubsystem qualification testing.
- 1-45 and  $\dot{\omega}$ -6F component and subsystem qualification testing.
- T-45 and A-6F design verification testing.
- ALP for NACES/F/A-18.
- Initiate survivability harness improvements.

#### R HELO

Program Element: 64264M

Title: Aviation Life Support Systems

o Perform follow-on test and evaluation of improvements recommended during OPEVAL.

#### MACINIDS

- o Monitoring Air Force efforts to define Navy peculiar requirements.
- o Complete Test and Evaluation Master Plan.
- o Development tests of alternative designs.

## ADVANCED TECHNOLOGY COCKPIT

- o Development of requirements for solicitation.
- o Prepare program and acquisition plans.
- c. (U) FY 1988 Planned Program:

#### NACES

- o MACES/F/A-18 Approval for Full Production.
- o Development system testing for T-45, A-6F, F-14D.
- o Follower certification testing (Phase I).
- o Continue survivability improvements.

#### NACENDS

o Complete development testing.

## ADVANCED TECHNOLOGY COCKPIT

o Evaluate proposals.

#### OBOGS IMPROVEHENTS

UNCLASSIFIED

1128

Program Element: 64264N

Title: Aviation Life Support Systems

- o Evaluate proposals for multi-man system and award contract.
- o Make decision to continue with either monitor or sensor tip improvements.

#### LASER EYE PROTECTION

- o Prepare multi-wavelength (Four specific wavelengths) design for technical/operational evaluation for existing threats.
- o Prepare logistics plan.

## STATE-OF-THE-ART SURVIVAL ITEMS

- o Develop specifications for requirements that could not be satisfied by the review of NATO countries and other services surviced items.
- o Prepare TOR.

# CARRIER ON-BOARD DELIVERY/VERTICAL ON-BOARD DELIVERY (COD/VOD) PASSENGER ANTI-EXPOSURE PROTECTION

- o Procure and perform preliminary evaluation of off-the-shelf garments.
- o Develop logistics requirements.
- d. (U) FY 1989 Planned Program:

#### NACES

- o Operational testing on T-45, A-6F, F-14D.
- o Follower certification testing Phase II.
- o Complete survivability improvements P<sup>3</sup>I.

## COD/VOD PASSENGER PROTECTION

- o Perform development tests on candidate garments.
- o initiate OPEVAL.

Program Element: 64264N

Title: Aviation Life Support Systems

## STATE-OF-THE-ART SURVIVAL ITEMS

- o Prepare solicitation for procurement of development items.
- o Evaluate proposals and make selection.

#### NACBUDS

- o Complete OPEVAL.
- o Obtain AFP.

## ADVANCED TECHNOLOCY COCKPIT

- o Award contract.
- o Test and evaluation of alternative sub-assemblies.

#### OBOCS IMPROVEMENTS

- o Complete development testing.
- o FOTSE of monitor or sensor tip and multi-man systems.

#### LASER PROTECTION

- o Obtain AFP for multi-wavelength system (near term solution).
- o Monitor USA/USAF efforts on protection from future threats (long-term solution).
- e. (U) Program to Completion: This is a continuing program.
- f. (U) Major Milestones:

#### NACES Date

Program Element: 64264N	N79249	Title: Aviation Life Support Systems
	1. Issue request for quote	Apr 84
	2. Award contract	May 85
	3. Engineering	May 85 - Oct 86
	4. Seat and component tests	Sep 85 * Aug 87
	5. Issue follower request for quote	Feb 86
	6. Order long lead items	May 86
	7. Order production seats	Dec 86
	8. Award follower contract	Jul 86
	9. Commence OPEVAL	Mar 87
	10. Deliver production seats	May 87 - May 89
	11. F/A-16 system AFP	Sep 87
	12. F-14D and A-6F AFP	Apr 88
	13. Follower Production	Apr 88
	14. GPE consumable breakout	Jul 88

I. (II) TEST AND EVALUATION DATA: Not Applicable.

# FY 1988/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 64268N

DoD Mission Area: 225 - Air Warfare Support

Title: Aircraft Engine Component Improvement Program

Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOURCES (PROJECT LISTIM:); (Dollars in Thousands)

Project	4117	FY 1986	FY 1987	FY 1988	FY 1989	Additional	Total Estimated	
			27.00	74 - 110 - 10		ionarden on		
	TOTAL FOR PROCRAM ELEMENT	51,076	43,319	35,832	37,267	Continuing	Continuing	
W1355	A/C Eng. Comp. Imp. Prog.	51,076	43,319	35,832	37,267	Continuing	Continuing	

The above funding profile includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

- engine ayatems to the operational environment inevitably results in unforseen problems, which if not resolved, result in either safety or readiness degradation. It is a tri-service, jointly funded program which includes cost sharing with connercial and The Aircraft Engine Component Improvement Program (CIP) provides in-service ergineering support for all Mavy aircraft engines, transmissions, propellers, starters, auxiliary power units, electrical generating systems, fuel systems and fuels and lubricants. The effort is needed because exposure of complex, high-tech B. (U) BRIEF DESCRIPTION OF ELDNENT AND MISSION NEED: foreign users, where applicable.
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUPPARY: (Dollars in Thousands) The changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: in FY 1986, the decrease of 10,458 is the result of GRM and Department program/budget adjuatments; in FY 1987, the decrease of 21,864 is a result of Congressional action and adjustments; in FY 1968, the decrease of 34,544 is the result of Department NIF rate and program/budget adjustments.

# (U) PUIDING AS REPLECTED IN THE PY 1987 DESCRIPTIVE SUPPARY:

							Total
Project		FY 1985	FY 1986	FY 1987	FY 1988	Additional	Estimated
₹	Title	Actual	Estinate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT	78,262	61,534	65,183	70,876	Continuing	Continuing
H1355	A/C Eng. Comp. 1mp. Prog.	78,262	61,534	65,183	70,876	Continuing	Continuing
		1132				UNCLASSIFIE	SIFIED

Program Element: 64268N

Title: Aircraft Engine Component Improvement Program

- D. (U) OTHER PY 1988/89 APPROPRIATION FUNDS: Not Applicable.
- E. (U) MELATED ACTIVITIES: Not Applicable.
- Center, Patuxent River, HD; Maval Air Development Center, Warminster, PA; Naval Weapon Support Center, Crane, IN; Naval Research CONTRACTORS: Allison Gas Turbine Operation, Indianapolis, IN; General Elec "to Company, Lynn, MA, and Evendale, OH; Garrett Turbine Engine Co., Phoenix, AZ; Pratt and Whitney Aircraft of Canada, Limited, Montreal, Canada; Pratt and Whitney Aircraft Group, West Palm Beach, FL; Rolls Royce, London, England; Turbo Mach, IRC, San Diego, CA; Bendix Corporation, Utica, NY; Hamilton Standard Division, Windsor Locks, CT; OTHERS: Naval Air Test F. (U) WORK PERFORMED BY: IN-HOUSE: Lead laboratory is the Naval Air Propulsion Center, Trenton, NJ. Laboratory, Washington, DC; and Naval Ship Research Development Center, Carderock, MD. Lixens, Englewood, MJ; and Williams International, Walled Lake, MI.
- C. (U) PROJECTS LESS THAN SIO HILLION IN PY 1988/89: Not Applicable.
- H. (U) PROJECTS OVER \$10 MILLION IN PY 1968/89:
- (U) PROJECT WISS, AIRCRAFT ENCINE COMPONENT IMPROVEMENT PROGRAM:
- maintenance-actions, aborts, engine caused aborts, engine removals, engine caused removals, maintenance index, mean time to repair, not mission capable, and component removals. Threshold values and trending are used to trigger analysis action. etc.) in direct response to fleet needs. Fleet problems are identified through evaluation of operational data and direct input from operational and maintenance units. Problems manifest themselves in many ways, the most common are: in-flight hardware failure, lost readiness due to low reliability and excessive maintenance support costs. The Navy monitors the "Health of the Pleet" by analyzing 10 reliability, maintainability and supportability parameters: mean-time-between-failure, mean-time-between Solutions are provided as design modifications, life limits, inspection limits, repair procedures, maintenance procedures, source 1. (U) pescription: The CIP is deaigned to apply engineering support resources (analysis, test, design/development, qualification, operating limits, etc.
- 2. (U) Program Accomplishments and Puture Efforts:
- a. (U) FY 1986 Program
- (U) F404 engine:
- o An SBK per engine cost savings and a 6 pound weight reduction were achieved by changing the material of the compressor outer duct from titanium to composites.

Program Element: 64268N

Title: Aircraft Engive Component Improvement Program

- o Redesigned the power level control and fuel flow transmitter to increase the reliability of both parts.
- bore seal dimension and adding a new scal ring. Prior to this redesign, every rotor disassembled at depot showed wear that had to be repaired; creating a shortage of low pressure turbines which impacted fleet o The service life of the low pressure turbine was increased from 2,400 to 4,000 hours by revising the disk

#### (U) J52 engine:

- o Completed action on redesigned compressor seals which reduce compressor stalls and improve all the "Health of the Fleet" parameters.
- o Compressor stator stiffening rings were redesigned to reduce a high failure rate, thureby increasing reliability, supportability and availability while reducing meintenance man-hours.
- o Completed engineering snalysis that established wearout rates and forecast requirements for tired iron recovery program.
- o Established low-cycle fatigue lives for most rotating parts.

#### (U) F402 engine:

- o increased the life of the inlet guide wane pressure return pipe by 50 percent.
- o Completed engineering verification of high-time engine life by running a 300 hour accelerated simulated mission endurance test. This lead-the-fleet program provides added confidence to new -406 fleet engines which are approaching 100 hours.
- o Continued Gavelopment and testing of a high pressure turbine single crystal blade and new nozzle guide wane which will eliminate the need for replacement at 500 hours.

#### (11) T700 engine:

- o Increased life limits were substantiated on major engine parts which will reduce life cycle costs and engine removal rates. This was accomplished through a life management program.
- o Combat readiness was enhanced through a reduction in engine-caused aborts and removal rates by increasing the engine performance margin by 4%.

Program Element: 64268N

Title: Aircraft Engine Component Improvement Program

#### (U) TP30 engine:

o Increased the life of the outer combustion case transition duct by 100%,

٠.

- o Engine-caused aborts were reduced by changing the configuration of the afterburner manifold nut and eliminating a safety of flight problem with fuel leakage.
- low reliability parts, forecasting hardware wearout rates, and development and qualification of design Specific benefits were related to safety and readiness problem: specification performance, redesign of (U), Other engines: Similar accomplishments were obtained for the other engines supported by the CIP program. changes and repair procedures.
- b. (U) FY 1967 Program: The CIP will provide engineering support for all engines and related hardware in the Mavy inventory. Tasks planned for PY 1987 include the following known problems:

#### (U) P404 engine:

- o Redesign of the variable exhaust nozzle (VEN) will be completed. The new parts will reduce non-mission capable hours and component removal rates. The old design contributed to more than 30 percent of the maintenance actions and 16 percent of the maintenance man-hours charged against the engine.
- o Complete qualification testing of a radesigned after retainer plate which will eliminate a cracking problem (11 to date). Cracked plates contribute to lower turbine disk life,
- o Initiate engineering redesign to provide increased stiffness in the afterburner liner. There have been 6 operational incidents, 2 of which resulted in power losses.
- failures and could result in \$48 million dollar savings over 20 years. There have been 8 bearing failures o Complete testing of an improved material for the number 4 bearing. The new material will minimize and the potential exists for in-flight power loss.

#### (U) J52 engine:

- o initiate a program to correct deceleration hang-up of the fuel control which has contributed to engine caused aborts and high fuel control failure rates.
- o Develop a revised mid-compressor bleed system control which will increase the engine stall margin, positively affecting all the "Health of the Fleet" parameters.

35

Program Element: 64268N

Title: Aircraft Engine Component Improvement Program

- o initiate efforts to define LCF lives for static structures.
- (U) F402 engine:
- o Complete qualification of the turbine single crystal blade and nozzle guide vane.
- o Conduct an extensive analysis of the fuel control to ideniify aircraft handling problems and reduce the high meintenance index.
- (U) T700 engine:
- o Redesign turbine nozzle air seals and blades to reduce field performance deterioration.
- o Initiate a program to reduce engine removals caused by foreign object damage. The stage one blisk will be redesigned to increase compressor efficiency and tolerate more foreign object and sand erosion damage.
- (U) IF30 engine
- o Installation of a new first stage turbine nozzle guide vane will increase scheduled hot section inspection interval from 605 to 750 hours. The abort rate will be reduced by eliminating turbine damage due to vane burn through.
- o The maintenance (ndex (MM/EFH) will be decreased by the introduction of a new fourth stage turbine outer airseal which eliminates/minimizes blade knife edge seal wear.
- o An increase in mean-time-between-failures will result from a redesigned second stage turbine shroud. A material and configuration change addresses a blade shroud looseness problem which can lead to blade failure due to high vibratory stresses.
- problems with the primary emphssis on correction of all safety of flight problems. Development of repair procedures or work arounds to prevent overhaul line stoppage and maintain logistic support for the engines (U) Other engines: CIP programs for other engines are directed toward the resolution of service revealed will be accomplished. Testing will be accomplished to verify fixes and repair procedures.
- c. (U) FY 1988 Planned Program: Some prior year tasks will be carried into FY 1988, as the time required to redesign and qualify parts made from castings and forgings takes more than one year to complete. Tasks planned for FY 1988 include the following known problems:

Program Element: 64268N

Title: Aircraft Engine Component Improvement Program

(U) P404 Engine:

o Conduct accelerated mission testing to determine lives of rotating parts. Identify failure modes of highpressure turbine blades above current 2000 hour limit. o Reduce the frequency of afterburner module removals by increasing flame holder life to 2,000 hours via material and design changes. o Redesign auxiliary gearbox bearings to prevent outer-race rotation which results in lubrication system

o Extend the life of the combustor case by introduction of new materials.

o Conduct engineering analysis to determine methods of improving combuster deceleration flameout margin.

o Extend life and reduce cost of low-pressure turbine driveshaft via material and design change.

o Conduct Repair Engineering Program.

(U) J52 Engine:

o Complete low-cycle fatigue life analysis of static structures.

o Perform repair engineering and investigate service problems as necessary.

(U) F402 Engine:

o Conduct accelerated simulated mission endurance testing to detect problems or defects on the 7402-406 design before Fleet use.

o Eliminate 2nd stage low pressure compressor disc cracking via material and design change.

o Eliminate turbine casing bolt failure via material and design change.

o Eliminate No. 4 bearing oil scavenge failures via material and design change.

o Rederign inlet guide vane dust cover to prevent cracking.

Program Element: 64268N

Title: Aircraft Engine Component Improvement Program

- o Reduce 1st and 2nd stage low-pressure turbine shroud blade wear via material and design change.
- o Provide increased bleed air for auxilisry systems usage.
- (U) TF30 Engine:
- o Investigate and correct compressor stator vane failures. Goal is to increase scheduled removsl interval from 1600 to 2400 hours.
- o Evaluate engine deterioration caused by fan blade and fan inlet case necks, main fuel pump and fuel control leaks, gearbox leaks, No. 4 bearing failures and afterburner nozzle segment distress.
- o Pevelop repair procedures for the afterburner, low pressure turbine knife edge seals and outer air seals, vanes and other areas as required.
- (U) T700 Engine:
- o Cont mue program to reduce foreign object damage related engine removals.
- o initiate program to update life predictions and wearout forecasting.
- o Continue life snalysis/management program to update projected life limits and wearout rates.
- testing is planned to provide early detection of deficiencies, minimize service problems and extend initial (ii) Fillo and T56-427 Engines: These two engines enter operational status in FY 1988. Aggressive mission parts lives. Investigation and correction of problems revealed in Fleet use will commence.
- (U) Other engines: CIP programs for other engines are directed toward the resolution of service revealed problems with the primary emphasis on correction of all safety of flight problems. Development of repair procedures or work arounds to prevent overhaul line stoppage and maintain logistic support for the engines will be accomplished. Testing will be accomplished to verify fixes and repair procedures.
- The FY 1989 program will include problems that are uncovered during the next 24-28 months through analysis of the "Wealth of the Fleet" parameters. Tasks will include: c. Fy 1989 Planned Program:
- o Improve engine reliability and maintainability by improving on the design of marginal components.

138

Program Element: 64268H

Title: Aircraft Engine Component Improvement Program

- o Maintain engine specification requirements.
- o Provide early disclosure of weaknesses that would limit engine life and would normally appear only after extended service operation.
- o Reduce maintenance and spare part cost through the review, evaluation and introduction of repair techniques.
- o Reduce/eliminate causes of engine performance deterioration
- e. (U) Program to completion: This is a continuing program. Many fleet engines are out of production (TF41, TF30, 179, T400, T58, TF34, etc.) and out of contractor warranty. CIP is the only source of funds to resolve failure modes and ensure combat readiness is maintained. In addition, new production engines (F110, T406, T56-427, F405) will enter the CIP umbrella within the PTDP, and funding must be provided to support these engines.
- f. (U) Major Milestones: Not Applicable.
- I. (U) IEST AND EVALUATION DATA: Not Applicable.

# PY 1986/89 RDT&E DESCRIPTIVE SUMMARY

Program Element: 64301N DoD Mission Area: 231 - Anti-Air Warfare

Title: MK-92 Fire Control System Upgrade Budget Activity: 4 - Tactical Programs

A. (U) FY 1988/89 RESOUNCES (PROJECT LISTING): (Dollars in Thousands)

Project No.	<u>1151e</u>	FY 1986 Actual	FY 198/ Estimate	FY 1988 Estimate	F. 1989 Zstimate	Additional to Completion	Estimated
\$0179	TOTAL FOR PROCRAM ELEMENT MESS Fire Control System Upgrade	11,436	3,762	3,516	2,974	Continuing Continuing	Continuing Continuing

١, ,

The above funding profile includes out year escalation and encompasses all work and development phases now planned or anticipated through fr 1959.

- B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION NEED: This program element develops improvements to the MK 92 Fire Control System installed in 51 FPG-7 class frigates, six PHM-1 class missile patrol hydrofoils and 25 U.S. Coast Guard cutters.
- C. (U) COMPARISON WITH FY 1987 DESCRIPTIVE SUMMARY: The changes between the funding profile shown in the FY 1987 Descriptive Summary and that shown in this Descriptive Summary are as follows: In FY 1986, a decrease of 1,718 is the result of GRH and Department program/budget adjustments; in FY 1987, a decrease of 4,046 is the result of Congressional actions and adjustments; in FY 1968, a decrease of 9,200 is the result of Department program/budget adjustments.
- (U) FUNDING AS REFLECTED IN THE FY 1987 DESCRIPTIVE SUPPLARY:

Project No.	<u>Iltle</u>	FY 1985 Actual	FY 1986 Estinate	FY 1987 Estimate	FY 1988 Estimate	Additional to Completion	Estimated
\$0179 D. (U)	SO179 MK92 Fire Control System Upgrade D. (U) <u>OTHER</u> FY 1988/89 APPROPRIATION FUNDS: No	15,352 15,352 Not Applicable.	13,154	7,808	12,716	Continuing	Continuing Continuing

Total

PE 24294N, Guided Missile Frigate; PE 64366N, Standard Missile Improvements; PE 24229Q, SM-2(MR) Block II missile; PE 63382N, Battle Group Anti-Air Warfare Coordination; PE 64372N, New Threat Upgrade. E. (U) RELATED ACTIVITIES:

Program Element: 64301M

Title: MK-92 Fire Control System Upgrade

CONTRACTORS: Sperry Corporation, Great Neck, NY is the prime contractor. OTHERS: Johns Hopkins University, F. (U) MORK PERFORMED BY: IN-HOUSE: Naval Surface Weapons Center, Dahlgren, VA; Naval Ship Weapon Systems Engineering Station, Applied Physics Laboratory, Laurel, MD; Automation Industries, Vitro Laboratories Division, Silver Spring, MD.

- G. (U) PROJECTS LESS THAN \$10 MILLION IN FY 1988/89:
- (U) Project S0179, MK 92 Fire Control System Upgrade
- 1. (U) Description: The MK 92 Upgrade consists of two parts:
- At-sea operational testing of the EDM was completed during November 1986. FCS MK 92 MOD 6 1.e., AM/SPS-49(V)5, AM/SPS-55, AM/SYS-2(V), Weapons System Processor (WSP) and Weapons Alternate Processor (WAP) Computer An Engineering Development Model (EDM) was designed and fabricated. This EDM successfully completed environmental testing and acceptance testing in FY 1985. Land based developmental testing was completed in December 1985 and at-sea developmental testing configuration resulting from this development will be integrated with other elements of the FFG 61 Combat System Configuration, a. (U) Completion of the MK 92 PHASE II (CORI) Program and implementation in FFG 61. Design of a Coherent Receiver/ Transmitter (COMI) to improve HK 92 performance in adverse weather and electronic countermeasures environment began in FY 1982. Programs, during FY 87 and FY 88. Deficiencies discovered during at-sea testing of the FCS HK 92 MOD 6 (EDM) will also be corrected during this time period. completed in September 1986.
- b. (U) Reliability, Maintai sability and Availability (RMA) modifications will be devaloped to improve the system reliability, meintainability and availability of the PCS MK 92 MOD 2 and other configurations. Equipment involved in these improvements will be the Antenna Systems, Heapons Control Consoles, Servo Control Cabinet (SCC) and other peripheral equipment. The development of these This part of the program will reactive problems reported by the fleet as high failure items. modifications will be started during FY 90.
- 2. (U) Program Accomplishments and Puture Efforts:
- a. (U) FY 1986 Program:
- MK 92 CORT Development
- \* Completed at-sea development testing of Coherent Receiver-Transmitter (CORI)
  - · Continued at-sea operational testing through remainder of FY 86.

Program Element: 64301N

Title: MK-92 Fire Control System Upgrade

## b. (U) FY 1987 Planned Program:

CORT Development/Implementation in FPG-61.

- Complete operational teating and obtain approval for Limited Production.
- \* Remove #R 92 CORT EDM from FFG-15 and install at Combat Systems Test Center MacArthur Field to support FFG-61 integration testing.
- Correction of testing deficiencies identified during land based and at-sea development testing and at-sea operational testing.
  - . Complete development of computer programs for MK 92 and WSP/WAP Baseline 8.
    - \* Complete stand alone testing of these computer programs.
- \* Initiate integration testing of NK 92, AN/SPS-49, SYS-2(V) and HSP/HAP Baseline 8. (Combat Systems Integration).

## c. (U) FY 1988 Planned Program:

## MK 92 CORT Implementation in FFG-61.

- · Continue development and testing of design corrections resulting from developmental and operational testing to be incorporated during FPC-61 Post Shakedown Availability.
- \* Continue combat aystem integration teating for FFG-61.
  - \* Initiate planning for DT 711/OT 111 in FFG-61.
    - Provide computer programs to support FFG-61.

## d. (U) FY 1989 Planned Program:

# CORT Implementation of FPG-61 AAM Integration:

\*Complete development and teating of design corrections resulting from development and operational testing. \*Provide computer programs to support an integrated FPC-61 AAW Combat System at Final Contract Trials. \*Support certification of AAW computer programs for FFG-61. \*Initiate DT 111 shipboard teating in FFG-61.

## e. (U) Program to Completion:

This is a continuing program. Work on RMA upgrades is planned to start in FY 1990.

## UNCLASSIFIED

Program Element: 64301#

Title: MK-92 Fire Control System Upgrade

f. (U) Major Milestones:

FY87/1Q FY87/4Q FY87/19 FY88/10 Combat System Integration Complete COMI Development/FPG-61 implementation. DT-IIA Complete Software Change Proposal/ STS-2 Development Complete Weapons Control Processor/ FFC-15 Restoration

H. (U) PROJECTS CREATER THAN \$10 MILLION IN FY 1988 89: Not applicable.

I. (U) TEST AND EVALUATION DATA: Not applicable.

# FY 1988/89 RUTSE DESCRIPTIVE SUPPLARY

Program Element: 64303H

Title: AEGIS Area Air Defense

DoD Mission Area: 231 - Anti-Air Warfare

Budget Activity: 4 - Tactical Programs

A. (U) FY 1968/89 RESCURCES (PROJECT LISTING): (Dollars in Thoucands)

Total Additional Estimated to Completion Cost	29,384 82,919 29,384 82,919
FY 1989 Estimate	9,267
FY 1988 Estimate	7,384
FY 1987 Estimate	4,104
FY 1986 Actual	7,883
Title	TOTAL FOR PROCRAM ELEMENT ABGIS Weapon System Hods
Project No.	\$1776

The above funding includes out-year escalation and encompasses all work and development phases now planned or anticipated through FY 1989.

- compatibility with the newer baselines of the AEGIS Weapon System and include the introduction of AN/UTK-44 computers in the MK B. (U) BRIEF DESCRIPTION OF ELEMENT AND MISSION MEED: This program provides for modifications to the AEGIS Wespon System PK-7 and integration of the Vertical Launching System, ME 41, into the AEGIS Weapon System. Additionally, development for operational support of the crew and ABGIS unique equipment is required to maintain currency with CG 47 Baseline Upgrades in Program Element 64307N, Project 81447 and introduction of DDG 51, Program Element 64307N, Projects 51337 and 51937. Prior funding in this program provided for the original development of the AEGIS shipboard area air defense system to provide the quick reaction time, high firepower, continuous weapons availability and immunity to electronic countermeasures necessary to protect the Battle Group in the face of the growing Soviet threat. Punds currently budgeted provide for develoument of updates to the AEGIS Wespon System, particularly the AN/SPY-1A radar system; development of an Automatic Test Set for isolating faults, testing printed circuit boards and an analog chassis to be resident at an AEGIS-unique depot and development of Part Task Trainers to facilitate AEGIS crew training. The funds for the PK-41 Vertical Launching System provides for design and development of modifications necessary for
- C. (U) COMPANISON WITH FY 1987 DESCRIPTIVE SUMMARY: (Dollars in Thousands) The changes between the funding profile shown in the PY 1987 Descriptive Summary are as follows: in FY 1986 a reduction of 2,771 GRH and Department budget adjustments. Resource changes reflect inclusion of funds from PE 64353N (Vertical Launching System) starting in

Program Element: 643038

Title: AEGIS Area Air Defense

(U) PUNDING AS REPLECTED IN THE PY 1967 DESCRIPTIVE SUPPLAY:

								Total
Project			FY 1985	FY 1986	FT 1987	FY 1988	Additional	Estimated
5	Title		Actual	Estimate	Estimate	Estimate	to Completion	Cost
	TOTAL FOR PROGRAM ELEMENT		12,654	10,654	4,312	6,822	30,068	76,721
\$1776	AEGIS Weapon System Meds		12,654	10,654	4,312	6,822	30,068	76,721
D. (G)	(U) OTHER PT 1986/69 APPROPRIATION FUNDS:							100
		FY 1986	FY 1987	FF 1988	PY 1989		Additional	Estimated
		Actual	Estimate	Estimate	Estimate		to Completion	Cost
	SCH (ABC1S OC-47)	2,633,500	2,868,600	2,141,000	1,974,400		1,048,968	25,864,400
	(Quantity)	(3)	(3) (3) (2) (2)	(3)	(3)		3	(1) (27)
	SCI (DDC 51)	104,100		2,281,500	2,325,300		17,337,800	24,809,500
	(quentity)		(2)	(2) (3)	(3)		(20)	(20) (29)
	MTLOOM							
	P-711 (MESEA)	4,650						
	P-314 (ACSC)			15,000				
	P-214 (AEC)				000,6			
	P-195 (AEC)		3,000					
	P-199 (ACC)		3,800					
	P-231 (PSF)		5,500					
	P-236 (BEO)			4,900				

E. (U) RELATED ACTIVITIES: Program Element 64307N (CC 47 Product Improvement), relates to Engineering Development of AEGIS Combat System; Program Element 63382N (Battle Group Anti-Air Warfare Coordination), relates to increased coordination of Battle Group Anti-Air Defanses; Program Element 64366N (STANDARD Missile Improvements) and Program Element 63318N (AEGIS ER) relate to missile development for the AEGIS Weapon System.

Ordnance Division, Minnespolis, MM. Others: Gene.sl Dynamics/Convair, San Diego, CA; General Dynamics/Pomona, Pomona, CA; Johns F. (U) MONE PERFORMED BY: Contractors: MCA, Moorestown, MJ; Martin Marietta Baltimore Aerospace, Baltimore, MD; and PMC Northern Hopkins University, Applied Physics Laboratory, Laurel, MD; McDonnell Douglas Astronautics Corporation, St. Louis, MD; TECHMATICS, Arlington, VA; VITMO Laboratory/Automatic Industries, Silver Spring, MD. In-House: Naval Surface Weapons Center, Dahlgren, VA; Mayal Training Engineering Center, Morfolk, VA; Mayal Ship Weapon Systems Engineering Station, Port Hueneme, CA; Fleet Analysis Center, Corone, CA.

Program Element: 64303N

Title: AEGIS Ares Air Defense

G. (U) PROJECTS LESS THAN SIO HILLION IN PY 2988/89:

# (U) Project S1776, AEGIS Weapon System Mods:

and transmits midcourse guidance commands to STANDARD Missiles in flight. AEGIS Weapon Systems are currently in production and fleet delivery. Previous efforts were funded under Program Element 64353N, Project S1004, and provided for development of threat environment characterized by coordinated saturation attacks of long-range, anti-ship missiles launched under cover of assive electronic countermeasures. The requirement to meet this challenge was recognized in the 1960's. In December 1969, the its performance. Also provided is the operation and maintenance of the AEGIS Engineering Model in USS NORION SOUND until planned decommissioning in PY 1987 and development of equipment for AEGIS shore-based depots and training sites. The Vertical Launching System provides for the design and development of the modifications necessary to the MK-41 Vertical Launching System design for compatibility with the ABCIS fire control systems and current and future generation missiles. The program includes computer programs, electronic modules and mechnical system upgrades, and compatibility testing at land based development sites prior to equipment and computer program modifications to adapt the Vertical Launching System to STANDARD Missile 2 (Medium Range) Block II 1. (U) Description: The Fleet of the 1980's and beyond must be capable of operating in a highly sophisticated, multi-Mavy awarded a contract to RCA to engineer and test a third generation advanced Anti-Air Warfare Missile System now known as the ABGIS Weapon System. Today, the APGIS Weapon System is a high-performance Area Air Defense System which features faster reaction, The heart of the system is the AN/SPY-IA radar, a multi-function, phased array radar which automatically detects the target, provides target tracking solutions, programmed for twenty-seven CC-47 and twenty-nine DDC-51 class ships. This project was initiated in FY 1984 when engineering learned in the development of the AN/SPY-1B Radar provided the opportunity to engineer ORDALIS for the AN/SPY-1A Radar to improve higher firepower, longer range and improved reliability and performance over its predecessors. and the AEGIS Weapon System.

# 2. (U) Program Accomplishments and Puture Efforts:

#### a. (U) FY 1986 Program:

- \* Continued design and engineering of the fire control system power supply voltage tolerance increase.
- · Completed additional Fire Control System upgrade studies for the Cross Field Amplifier tube, Solid State modulator, and adaptive quadrature alignment.
- \* Continued support of AECIS Engineering Model-1 in USS NORTON SOUND to accommodate testing for AECIS, Vertical Launch, STANDARD Missile, and TOMANAMK Weapon Systems.
- Continued development of Depot Automatic Test Set computer programs consistent with CG-47 and DDG-51 AEGIS Weapon System upgrades.

Prograe Element: 643038

Title: AEGIS Area Air Defense

- \* Continued development of the Radar Supervisor Controller Environment Trainer.
- \* Installed AN/SFY-1A Radar Trainer and continued assessment of other Part Task Trainers to supplement AEGIS Combat System training in the ABCIS Education Center at Dahlgren, VA.
- Completed development of course software for use in the AEGIS Combat System Interface Trainer.
- . (U) PY 1987 Program:
- · Continue support USS NORTON SOUND through the first quarter, FY 1987.
- . Complete design and engineering of the Fire Control System transmitter ORDALL for the switch tube and modulator.
- · Begin AN/SPY-1 GEDALI designs for the SPY transmitter and signal processor.
- \* Complete development of Depot Automatic Test Set computer programs consistent with AEGIS Weapon System modification upgrades.
- Complete development of the Radar Supervisor Controller Environmental Trainer and analysis of Stressed Operator Part Task Trainer requirements.
- c. (U) FY 1988 Planned Program:
- · Complete dealing and engineering of the AN/SPY-1 transmitter switch tube and signal processor Moving Target Indicator Upgrade.
- \* Continue design and ingineering of the signal processor sidelobe guardband filters.
- \* Complete installation and test of the Pire Control System power supply.
- \* Start Vertical Launching System integration testing with CG-47 Baseline 3 and DGG 51 Flight 1 computer programs at the Combat System Engineering Development Site, Moorestown, MJ, Maval Surface Weapons Center, Dahlgren, VA, and integrated Combat System Test Facility.
- \* Begin Vertical Launching System computer program safety analysis using the AN/UMX-44 computer.

UNCLASSIFIED

1147

Program Element: 64303N

Title: AEGIS Area Air Defense

- \* Continue development of AN/UTK-44 capable Advanced Interface Driver Simulator and begin system integration testing at Martin Marietta Baltimore Aerospace.
- . (U) FY 1989 Progress:
- \* Begin installation and test of signal processor sidelobe guardbands.
- \* Complete integration and test of the AN/SPY-1 transmitter switch tube and signal processor Moving Target Indicator upgrades.
- \* Complete for initial delivery, design and development efforts for transition of the Vertical Launching System to AN/UTX-44 computers.
- Conduct final AN/UTK-44 integration testing with AEGIS, TOMANAME, and the Anti-Submarine Warfare Control System for initial delivery of AN/UVX-44 computer programs.
- Complete development and testing of the AN/UTX-44 capable advanced interface Driver Simulator.
- \* Continue Computer Program Muclear Safety Analysis for AN/UTK-44 computer program.
- \* Continue development of Vertical Launching System Shipboard Interface Upgrades including Phase III Canister Safe and Enable Switch development.
- e. (U) Program to Completion: This is a continuing program.
- f. (U) Major Milestones:

Date	Dec 1986	Aug 1987	<b>Mar 1988</b>	er Jul 1988	OST	OSL
Hi lestone	Decomination USS NORTON SOUND	Complete ADCIS Combat System Interface Trainer	Complete Depot Automatic Test Set computer programs	Complete and install Radar Supervisor Controller Stress Trainer	Begin Vertical Launching System Integration Tests	Begin Vertical Launching System Safety analysis

4 2 4 4

- H. (U) PROJECT OVER S10 HILLION IN PY 1988/89: Not Applicable
- 1. (U) IEST AND EVALUATION DATA: Not Applicable.

UNCLASSIFIED

1148